

Test Mode	UNII-2C_TX AX(HE20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.42	19.055
116	5580	21.41	19.128
140	5700	21.26	19.081



CH100 **CH116** **CH140**

26 dB Bandwidth





99 % Occupied Bandwidth






Test Mode	UNII-2C_TX AX(HE40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.46	37.800
110	5550	39.51	37.927
134	5670	39.74	37.831

CH102 **CH110** **CH134**

26 dB Bandwidth


99 % Occupied Bandwidth






Test Mode	UNII-2C_TX AX(HE80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	175.00	97.739
122	5610	80.89	77.366


CH106 **CH122**


26 dB Bandwidth





99 % Occupied Bandwidth








Test Mode	UNII-3_TX A Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.46	25.032	0.5	Complies
157	5785	16.43	25.289	0.5	Complies
165	5825	16.49	25.339	0.5	Complies

CH149 **CH157** **CH165**

6 dB Bandwidth

99 % Occupied Bandwidth







Test Mode	UNII-3_TX AC(VHT20) Mode



Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.61	28.525	0.5	Complies
157	5785	17.67	28.303	0.5	Complies
165	5825	17.04	27.771	0.5	Complies

CH149 **CH157** **CH165**

6 dB Bandwidth

99 % Occupied Bandwidth


Test Mode	UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.35	46.625	0.5	Complies
159	5795	35.73	38.795	0.5	Complies


CH151 **CH159**

6 dB Bandwidth





99 % Occupied Bandwidth





Test Mode	UNII-3_TX AC(VHT80) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.04	87.537	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.45	19.236	0.5	Complies
157	5785	18.49	19.220	0.5	Complies
165	5825	18.77	19.182	0.5	Complies



CH149 **CH157** **CH165**

6 dB Bandwidth





99 % Occupied Bandwidth







Test Mode	UNII-3_TX AX(HE40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.38	38.480	0.5	Complies
159	5795	35.92	38.679	0.5	Complies


CH151 **CH159**

6 dB Bandwidth





99 % Occupied Bandwidth





Test Mode	UNII-3_TX AX(HE80) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.82	77.785	0.5	Complies

CH155

6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.09	0.30	13.39	27.99	0.6295	Complies
40	5200	14.48	0.30	14.78	27.99	0.6295	Complies
48	5240	14.78	0.30	15.08	27.99	0.6295	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.07	0.30	14.37	27.99	0.6295	Complies
40	5200	14.91	0.30	15.21	27.99	0.6295	Complies
48	5240	15.19	0.30	15.49	27.99	0.6295	Complies

Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.92	27.99	0.6295	Complies
40	5200	18.01	27.99	0.6295	Complies
48	5240	18.30	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.07	0.58	16.65	27.99	0.6295	Complies
40	5200	16.21	0.58	16.79	27.99	0.6295	Complies
48	5240	16.33	0.58	16.91	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.51	0.58	17.09	27.99	0.6295	Complies
40	5200	16.70	0.58	17.28	27.99	0.6295	Complies
48	5240	16.82	0.58	17.40	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.88	27.99	0.6295	Complies
40	5200	20.05	27.99	0.6295	Complies
48	5240	20.17	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.77	0.61	17.38	27.99	0.6295	Complies
46	5230	17.01	0.61	17.62	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.21	0.61	17.82	27.99	0.6295	Complies
46	5230	17.54	0.61	18.15	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.61	27.99	0.6295	Complies
46	5230	20.90	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.97	1.16	15.13	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.41	1.16	15.57	27.99	0.6295	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.36	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.47	0.73	15.20	27.99	0.6295	Complies
40	5200	14.82	0.73	15.55	27.99	0.6295	Complies
48	5240	14.96	0.73	15.69	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.11	0.73	15.84	27.99	0.6295	Complies
40	5200	15.26	0.73	15.99	27.99	0.6295	Complies
48	5240	15.51	0.73	16.24	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.54	27.99	0.6295	Complies
40	5200	18.78	27.99	0.6295	Complies
48	5240	18.98	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.19	1.33	16.52	27.99	0.6295	Complies
46	5230	17.49	1.33	18.82	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.29	1.33	16.62	27.99	0.6295	Complies
46	5230	18.03	1.33	19.36	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.58	27.99	0.6295	Complies
46	5230	22.11	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.69	1.90	18.59	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.94	1.90	18.84	27.99	0.6295	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.72	27.99	0.6295	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.28	0.30	14.58	21.99	0.1581	Complies
60	5300	14.37	0.30	14.67	21.99	0.1581	Complies
64	5320	14.38	0.30	14.68	21.99	0.1581	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.80	0.30	15.10	21.99	0.1581	Complies
60	5300	14.33	0.30	14.63	21.99	0.1581	Complies
64	5320	14.49	0.30	14.79	21.99	0.1581	Complies

Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.86	21.99	0.1581	Complies
60	5300	17.66	21.99	0.1581	Complies
64	5320	17.74	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.22	0.58	13.80	21.99	0.1581	Complies
60	5300	13.39	0.58	13.97	21.99	0.1581	Complies
64	5320	13.19	0.58	13.77	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.20	0.58	13.78	21.99	0.1581	Complies
60	5300	13.06	0.58	13.64	21.99	0.1581	Complies
64	5320	13.34	0.58	13.92	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.80	21.99	0.1581	Complies
60	5300	16.81	21.99	0.1581	Complies
64	5320	16.85	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.67	0.61	18.28	21.99	0.1581	Complies
62	5310	17.14	0.61	17.75	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.25	0.61	18.86	21.99	0.1581	Complies
62	5310	16.44	0.61	17.05	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.59	21.99	0.1581	Complies
62	5310	20.42	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.39	1.16	17.55	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.32	1.16	18.48	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.05	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.23	0.73	15.96	21.99	0.1581	Complies
60	5300	15.24	0.73	15.97	21.99	0.1581	Complies
64	5320	15.05	0.73	15.78	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.39	0.73	16.12	21.99	0.1581	Complies
60	5300	15.13	0.73	15.86	21.99	0.1581	Complies
64	5320	15.28	0.73	16.01	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.05	21.99	0.1581	Complies
60	5300	18.92	21.99	0.1581	Complies
64	5320	18.90	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.01	1.33	18.34	21.99	0.1581	Complies
62	5310	17.58	1.33	18.91	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.48	1.33	18.81	21.99	0.1581	Complies
62	5310	16.84	1.33	18.17	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.59	21.99	0.1581	Complies
62	5310	21.57	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.55	1.90	18.45	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.65	1.90	17.55	21.99	0.1581	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.03	21.99	0.1581	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.65	0.30	14.95	21.99	0.1581	Complies
116	5580	16.27	0.30	16.57	21.99	0.1581	Complies
140	5700	15.12	0.30	15.42	21.99	0.1581	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.39	0.30	15.69	21.99	0.1581	Complies
116	5580	15.07	0.30	15.37	21.99	0.1581	Complies
140	5700	16.24	0.30	16.54	21.99	0.1581	Complies

Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.34	21.99	0.1581	Complies
116	5580	19.02	21.99	0.1581	Complies
140	5700	19.02	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.57	0.58	14.15	21.99	0.1581	Complies
116	5580	14.28	0.58	14.86	21.99	0.1581	Complies
140	5700	13.05	0.58	13.63	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.54	0.58	15.12	21.99	0.1581	Complies
116	5580	12.88	0.58	13.46	21.99	0.1581	Complies
140	5700	14.43	0.58	15.01	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.67	21.99	0.1581	Complies
116	5580	17.22	21.99	0.1581	Complies
140	5700	17.38	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.93	0.61	19.54	21.99	0.1581	Complies
110	5550	18.24	0.61	18.85	21.99	0.1581	Complies
134	5670	19.41	0.61	20.02	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.33	0.61	18.94	21.99	0.1581	Complies
110	5550	19.05	0.61	19.66	21.99	0.1581	Complies
134	5670	18.19	0.61	18.80	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.26	21.99	0.1581	Complies
110	5550	22.28	21.99	0.1581	Complies
134	5670	22.46	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.79	1.16	17.95	21.99	0.1581	Complies
122	5610	18.06	1.16	19.22	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.09	1.16	18.25	21.99	0.1581	Complies
122	5610	18.50	1.16	19.66	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.11	21.99	0.1581	Complies
122	5610	22.45	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.55	0.73	16.28	21.99	0.1581	Complies
116	5580	17.16	0.73	17.89	21.99	0.1581	Complies
140	5700	15.11	0.73	15.84	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.48	0.73	17.21	21.99	0.1581	Complies
116	5580	15.93	0.73	16.66	21.99	0.1581	Complies
140	5700	16.23	0.73	16.96	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.78	21.99	0.1581	Complies
116	5580	20.32	21.99	0.1581	Complies
140	5700	19.44	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.34	1.33	18.67	21.99	0.1581	Complies
110	5550	17.52	1.33	18.85	21.99	0.1581	Complies
134	5670	17.66	1.33	18.99	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.80	1.33	18.13	21.99	0.1581	Complies
110	5550	18.55	1.33	19.88	21.99	0.1581	Complies
134	5670	17.76	1.33	19.09	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.42	21.99	0.1581	Complies
110	5550	22.41	21.99	0.1581	Complies
134	5670	22.05	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.33	1.90	17.23	21.99	0.1581	Complies
122	5610	18.75	1.90	20.65	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.87	1.90	16.77	21.99	0.1581	Complies
122	5610	18.63	1.90	20.53	21.99	0.1581	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.01	21.99	0.1581	Complies
122	5610	23.60	21.99	0.1581	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.31	0.30	19.61	27.99	0.6295	Complies
157	5785	19.06	0.30	19.36	27.99	0.6295	Complies
165	5825	19.30	0.30	19.60	27.99	0.6295	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.40	0.30	19.70	27.99	0.6295	Complies
157	5785	19.01	0.30	19.31	27.99	0.6295	Complies
165	5825	18.29	0.30	18.59	27.99	0.6295	Complies

Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.66	27.99	0.6295	Complies
157	5785	22.34	27.99	0.6295	Complies
165	5825	22.13	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.51	0.58	19.09	27.99	0.6295	Complies
157	5785	18.42	0.58	19.00	27.99	0.6295	Complies
165	5825	18.44	0.58	19.02	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.87	0.58	19.45	27.99	0.6295	Complies
157	5785	18.50	0.58	19.08	27.99	0.6295	Complies
165	5825	17.95	0.58	18.53	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.28	27.99	0.6295	Complies
157	5785	22.05	27.99	0.6295	Complies
165	5825	21.79	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.46	0.61	20.07	27.99	0.6295	Complies
159	5795	19.45	0.61	20.06	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.91	0.61	19.52	27.99	0.6295	Complies
159	5795	18.81	0.61	19.42	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.81	27.99	0.6295	Complies
159	5795	22.76	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.09	1.16	20.25	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.70	1.16	19.86	27.99	0.6295	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.07	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.71	0.73	17.44	27.99	0.6295	Complies
157	5785	20.06	0.73	20.79	27.99	0.6295	Complies
165	5825	19.18	0.73	19.91	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.94	0.73	16.67	27.99	0.6295	Complies
157	5785	19.36	0.73	20.09	27.99	0.6295	Complies
165	5825	19.64	0.73	20.37	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.08	27.99	0.6295	Complies
157	5785	23.46	27.99	0.6295	Complies
165	5825	23.15	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.41	1.33	22.74	27.99	0.6295	Complies
159	5795	21.40	1.33	22.73	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.15	1.33	22.48	27.99	0.6295	Complies
159	5795	20.93	1.33	22.26	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.62	27.99	0.6295	Complies
159	5795	25.51	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.04	1.90	21.94	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.09	1.90	22.99	27.99	0.6295	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.50	27.99	0.6295	Complies


Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.00	0.30	5.30	8.99	Complies
40	5200	5.08	0.30	5.38	8.99	Complies
48	5240	5.53	0.30	5.83	8.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.08	0.30	5.38	8.99	Complies
40	5200	5.13	0.30	5.43	8.99	Complies
48	5240	5.55	0.30	5.85	8.99	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.35	8.99	Complies
40	5200	8.41	8.99	Complies
48	5240	8.85	8.99	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.51	0.58	5.09	8.99	Complies
40	5200	4.29	0.58	4.87	8.99	Complies
48	5240	4.71	0.58	5.29	8.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.40	0.58	4.98	8.99	Complies
40	5200	4.51	0.58	5.09	8.99	Complies
48	5240	4.86	0.58	5.44	8.99	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.04	8.99	Complies
40	5200	7.99	8.99	Complies
48	5240	8.37	8.99	Complies


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.01	0.61	5.62	8.99	Complies
46	5230	5.03	0.61	5.64	8.99	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.64	0.61	5.25	8.99	Complies
46	5230	5.17	0.61	5.78	8.99	Complies

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.45	8.99	Complies
46	5230	8.72	8.99	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.60	1.16	2.76	8.99	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.59	1.16	2.75	8.99	Complies

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.76	8.99	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.81	0.73	5.54	8.99	Complies
40	5200	4.82	0.73	5.55	8.99	Complies
48	5240	4.68	0.73	5.41	8.99	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.70	0.73	5.43	8.99	Complies
40	5200	4.98	0.73	5.71	8.99	Complies
48	5240	4.51	0.73	5.24	8.99	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.49	8.99	Complies
40	5200	8.64	8.99	Complies
48	5240	8.33	8.99	Complies


Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.93	1.33	3.26	8.99	Complies
46	5230	4.54	1.33	5.87	8.99	Complies

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.52	1.33	2.85	8.99	Complies
46	5230	4.71	1.33	6.04	8.99	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.07	8.99	Complies
46	5230	8.97	8.99	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.78	1.90	2.68	8.99	Complies


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.48	1.90	3.38	8.99	Complies

CH42




Test Mode	UNII-1_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.05	8.99	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.75	0.30	4.05	8.99	Complies
60	5300	4.08	0.30	4.38	8.99	Complies
64	5320	4.01	0.30	4.31	8.99	Complies


CH52



CH60




CH64




Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.10	0.30	4.40	8.99	Complies
60	5300	3.99	0.30	4.29	8.99	Complies
64	5320	3.99	0.30	4.29	8.99	Complies


CH52



CH60



CH64




Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.24	8.99	Complies
60	5300	7.34	8.99	Complies
64	5320	7.31	8.99	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.69	0.58	3.27	8.99	Complies
60	5300	2.72	0.58	3.30	8.99	Complies
64	5320	2.92	0.58	3.50	8.99	Complies


CH52



CH60




CH64




Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.72	0.58	3.30	8.99	Complies
60	5300	2.80	0.58	3.38	8.99	Complies
64	5320	2.54	0.58	3.12	8.99	Complies


CH52



CH60



CH64




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.29	8.99	Complies
60	5300	6.35	8.99	Complies
64	5320	6.32	8.99	Complies


Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.72	0.61	5.33	8.99	Complies
62	5310	3.87	0.61	4.48	8.99	Complies

CH54




CH62




Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.55	0.61	5.16	8.99	Complies
62	5310	3.55	0.61	4.16	8.99	Complies

CH54



CH62




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.25	8.99	Complies
62	5310	7.33	8.99	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.19	1.16	2.35	8.99	Complies


CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.93	1.16	2.09	8.99	Complies

CH58




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.23	8.99	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.47	0.73	5.20	8.99	Complies
60	5300	4.86	0.73	5.59	8.99	Complies
64	5320	5.12	0.73	5.85	8.99	Complies


CH52



CH60




CH64




Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.89	0.73	5.62	8.99	Complies
60	5300	5.03	0.73	5.76	8.99	Complies
64	5320	4.60	0.73	5.33	8.99	Complies


CH52



CH60



CH64




Test Mode	UNII-2A_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.42	8.99	Complies
60	5300	8.68	8.99	Complies
64	5320	8.60	8.99	Complies


Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.94	1.33	5.27	8.99	Complies
62	5310	3.88	1.33	5.21	8.99	Complies

CH54




CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.18	1.33	5.51	8.99	Complies
62	5310	3.81	1.33	5.14	8.99	Complies

CH54



CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.40	8.99	Complies
62	5310	8.19	8.99	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.78	1.90	2.68	8.99	Complies


CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.57	1.90	2.47	8.99	Complies

CH58




Test Mode	UNII-2A_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.58	8.99	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.80	0.30	4.10	8.99	Complies
116	5580	3.98	0.30	4.28	8.99	Complies
140	5700	4.47	0.30	4.77	8.99	Complies


CH100



CH116




CH140




Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.22	0.30	4.52	8.99	Complies
116	5580	4.11	0.30	4.41	8.99	Complies
140	5700	4.19	0.30	4.49	8.99	Complies


CH100



CH116



CH140




Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.32	8.99	Complies
116	5580	7.35	8.99	Complies
140	5700	7.64	8.99	Complies


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.83	0.58	3.41	8.99	Complies
116	5580	2.85	0.58	3.43	8.99	Complies
140	5700	3.13	0.58	3.71	8.99	Complies


CH100



CH116




CH140




Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.64	0.58	3.22	8.99	Complies
116	5580	2.55	0.58	3.13	8.99	Complies
140	5700	1.95	0.58	2.53	8.99	Complies


CH100



CH116



CH140




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.32	8.99	Complies
116	5580	6.29	8.99	Complies
140	5700	6.17	8.99	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.21	0.61	5.82	8.99	Complies
110	5550	5.10	0.61	5.71	8.99	Complies
134	5670	5.45	0.61	6.06	8.99	Complies


CH102



CH110




CH134




Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.02	0.61	5.63	8.99	Complies
110	5550	4.95	0.61	5.56	8.99	Complies
134	5670	4.30	0.61	4.91	8.99	Complies


CH102



CH110



CH134



Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.73	8.99	Complies
110	5550	8.64	8.99	Complies
134	5670	8.53	8.99	Complies