


5.1 Receive Volume Control Performance 8N---EVS WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 2



Speech Level RCV: 86.39 dB[SPL]

Calculated Value: 16.39 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 4



Speech Level RCV: 85.27 dB[SPL]

Calculated Value: 15.27 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 5



Speech Level RCV: 86.42 dB[SPL]

Calculated Value: 16.42 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 7



Speech Level RCV: 86.35 dB[SPL]

Calculated Value: 16.35 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 12



Speech Level RCV: 86.69 dB[SPL]

Calculated Value: 16.69 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 17



Speech Level RCV: 85.94 dB[SPL]

Calculated Value: 15.94 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 66



Speech Level RCV: 86.77 dB[SPL]

Calculated Value: 16.77 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 71




Speech Level RCV: 86.87 dB[SPL]

Calculated Value: 16.87 dB Ok

5.1 Receive Volume Control Performance 2N---NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB12.2kbps\GSM 850



Speech Level RCV: 84.71 dB[SPL]

Calculated Value: 14.71 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB12.2kbps\GSM 1900



Speech Level RCV: 84 dB[SPL]

Calculated Value: 14 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB12.2kbps\WCDMA Band II



Speech Level RCV: 84.59 dB[SPL]

Calculated Value: 14.59 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB12.2kbps\WCDMA Band IV



Speech Level RCV: 85.25 dB[SPL]

Calculated Value: 15.25 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB12.2kbps\WCDMA Band V



Speech Level RCV: 85.22 dB[SPL]

Calculated Value: 15.22 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 2.



Speech Level RCV: 82.33 dB[SPL]

Calculated Value: 12.33 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 4.



Speech Level RCV: 84.09 dB[SPL]

Calculated Value: 14.09 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 5



Speech Level RCV: 84.45 dB[SPL]

Calculated Value: 14.45 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 7



Speech Level RCV: 84.83 dB[SPL]

Calculated Value: 14.83 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 12



Speech Level RCV: 83.9 dB[SPL]

Calculated Value: 13.9 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 17



Speech Level RCV: 84.7 dB[SPL]

Calculated Value: 14.7 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 66



Speech Level RCV: 82.72 dB[SPL]

Calculated Value: 12.72 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 71




Speech Level RCV: 83.8 dB[SPL]


Calculated Value: 13.8 dB Ok

Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5..




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7.




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4.




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5.




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5..




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7.




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4.




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5..




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7.




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4.




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ GSM 850



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ GSM 1900



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 2



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 4



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 5



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 7



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 17



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \LTE Band 71



Absolute minimal distance

OK


OK

Limits

	lower
Run 1	Fit into tolerance

5.1 Receive Volume Control Performance 2N---WB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WCDMA Band II



Speech Level RCV: 83.72 dB[SPL]

Calculated Value: 13.72 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WCDMA Band IV



Speech Level RCV: 83.73 dB[SPL]

Calculated Value: 13.73 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\WCDMA Band V



Speech Level RCV: 83.93 dB[SPL]

Calculated Value: 13.93 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \LTE Band 2



Speech Level RCV: 83.82 dB[SPL]

Calculated Value: 13.82 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps \LTE Band 4



Speech Level RCV: 84.35 dB[SPL]

Calculated Value: 14.35 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 5



Speech Level RCV: 85.29 dB[SPL]

Calculated Value: 15.29 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 7



Speech Level RCV: 85.38 dB[SPL]

Calculated Value: 15.38 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 12



Speech Level RCV: 85.3 dB[SPL]

Calculated Value: 15.3 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 17



Speech Level RCV: 83.21 dB[SPL]

Calculated Value: 13.21 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 66



Speech Level RCV: 84.11 dB[SPL]

Calculated Value: 14.11 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ LTE Band 71




Speech Level RCV: 83.2 dB[SPL]


Calculated Value: 13.2 dB Ok

Receive path - distortion and noise 250 WOnly


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 315Hz WBoonly


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 71




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 4000Hz WBoonly


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




Receive path - distortion and noise 5000Hz WBoNy


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDM Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WCDM Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 4




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 17



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 2



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 4



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 5



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 7



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 17



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85 kbps \ LTE Band 71



Absolute minimal distance

OK


OK

Limits

	lower
Run 1	Fit into tolerance

5.1 Receive Volume Control Performance 2N---EVS WB


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\LTE Band 2



Speech Level RCV: 84.02 dB[SPL]

Calculated Value: 14.02 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\ LTE Band 4



Speech Level RCV: 82.9 dB[SPL]

Calculated Value: 12.9dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\LTE Band 5



Speech Level RCV: 84.07 dB[SPL]

Calculated Value: 14.07 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\LTE Band 7



Speech Level RCV: 83.93 dB[SPL]

Calculated Value: 13.93 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\ LTE Band 12



Speech Level RCV: 84.46 dB[SPL]

Calculated Value: 14.46 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\LTE Band 17



Speech Level RCV: 83.65 dB[SPL]

Calculated Value: 13.65 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\ LTE Band 66



Speech Level RCV: 84.42 dB[SPL]

Calculated Value: 14.42 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 24.4 kbps\LTE Band 71



Speech Level RCV: 84.56 dB[SPL]

Calculated Value: 14.56 dB Ok