



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 03:53:38

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 4000-8000

EUT : W6M22508-24650

M/N:

Test Mode : TX 914.750061MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4572.000	62.01	peak	4.62	66.63	74.00	150	85	-7.37	
	4572.000	40.62	AVG	4.62	45.24	54.00	150	85	-8.76	
	5488.000	50.05	peak	6.15	56.20	101.01	150	177	-44.81	
	5488.000	28.66	AVG	6.15	34.81	101.01	150	177	-66.20	
	6404.000	46.89	peak	10.49	57.38	101.01	150	99	-43.63	
	6404.000	25.50	AVG	10.49	35.99	101.01	150	99	-65.02	
	7320.000	47.15	peak	12.23	59.38	74.00	150	198	-14.62	
	7320.000	25.76	AVG	12.23	37.99	54.00	150	198	-16.01	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 03:51:30

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 8000-26500

EUT : W6M22508-24650

M/N:

Test Mode : TX 914.750061MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8232.751	31.72	peak	12.76	44.48	74.00	150	299	-29.52	
	8232.751	10.33	AVG	12.76	23.09	54.00	150	299	-30.91	
*	9147.501	33.27	peak	13.19	46.46	74.00	150	188	-27.54	
	9147.501	11.88	AVG	13.19	25.07	54.00	150	188	-28.93	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Echo

File :3

Data :#8


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 03:54:19

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 8000-26500

EUT : W6M22508-24650

M/N:

Test Mode : TX 914.750061MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	8232.750	40.20	peak	12.76	52.96	74.00	150	19	-21.04	
	8232.750	18.81	AVG	12.76	31.57	54.00	150	19	-22.43	
	9144.750	35.96	peak	13.20	49.16	74.00	150	358	-24.84	
	9144.750	14.57	AVG	13.20	27.77	54.00	150	358	-26.23	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 03:57:52

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 1000-2000

Polarization: Horizontal

EUT : W6M22508-24650

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 926.750061MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1854.000	85.87	peak	-6.04	79.83	101.01	150	85	-21.18	
	1854.000	64.48	AVG	-6.04	58.44	101.01	150	85	-42.57	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 04:00:38

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 1000-2000

Polarization: Vertical

EUT : W6M22508-24650

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 926.750061MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1854.000	84.13	peak	-6.04	78.09	101.01	150	36	-22.92	
	1854.000	62.74	AVG	-6.04	56.70	101.01	150	36	-44.31	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 03:58:32

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 2000-4000

EUT : W6M22508-24650

M/N:

Test Mode : TX 926.750061MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2780.000	75.48	peak	-1.94	73.54	74.00	150	257	-0.46	
	2780.000	54.09	AVG	-1.94	52.15	54.00	150	257	-1.85	
	3708.000	59.84	peak	0.90	60.74	74.00	150	48	-13.26	
	3708.000	38.45	AVG	0.90	39.35	54.00	150	48	-14.65	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 04:01:20

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 2000-4000

EUT : W6M22508-24650

M/N:

Test Mode : TX 926.750061MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2780.000	75.44	peak	-1.94	73.50	74.00	150	320	-0.50	
	2780.000	54.05	AVG	-1.94	52.11	54.00	150	320	-1.89	
	3708.000	57.99	peak	0.90	58.89	74.00	150	54	-15.11	
	3708.000	36.60	AVG	0.90	37.50	54.00	150	54	-16.50	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 03:59:13

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 4000-8000

EUT : W6M22508-24650

M/N:

Test Mode : TX 926.750061MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4632.000	57.02	peak	4.80	61.82	74.00	150	25	-12.18	
	4632.000	35.63	AVG	4.80	40.43	54.00	150	25	-13.57	
	5560.000	53.89	peak	6.52	60.41	101.01	150	329	-40.60	
	5560.000	32.50	AVG	6.52	39.02	101.01	150	329	-61.99	
	6488.000	41.78	peak	10.73	52.51	101.01	150	302	-48.50	
	6488.000	20.39	AVG	10.73	31.12	101.01	150	302	-69.89	
	7416.000	44.87	peak	12.40	57.27	74.00	150	117	-16.73	
	7416.000	23.48	AVG	12.40	35.88	54.00	150	117	-18.12	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 04:02:01

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 4000-8000

EUT : W6M22508-24650

M/N:

Test Mode : TX 926.750061MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4632.000	60.31	peak	4.80	65.11	74.00	150	220	-8.89	
	4632.000	38.92	AVG	4.80	43.72	54.00	150	220	-10.28	
	5560.000	50.12	peak	6.52	56.64	101.01	150	242	-44.37	
	5560.000	28.73	AVG	6.52	35.25	101.01	150	242	-65.76	
	6488.000	49.21	peak	10.73	59.94	101.01	150	139	-41.07	
	6488.000	27.82	AVG	10.73	38.55	101.01	150	139	-62.46	
	7416.000	46.46	peak	12.40	58.86	74.00	150	17	-15.14	
	7416.000	25.07	AVG	12.40	37.47	54.00	150	17	-16.53	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 03:59:54

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 8000-26500

EUT : W6M22508-24650

M/N:

Test Mode : TX 926.750061MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	8340.751	32.13	peak	13.09	45.22	74.00	150	77	-28.78	
	8340.751	10.74	AVG	13.09	23.83	54.00	150	77	-30.17	
	9267.501	33.06	peak	13.20	46.26	101.01	150	129	-54.75	
	9267.501	11.67	AVG	13.20	24.87	101.01	150	129	-76.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8


Date: 2025/11/19

Temperature: 25.3 °C

110.0 dBuV/m

Time: 上午 04:02:42

Humidity: 44.8 %



Site : 966A Chamber

Condition : #24650 FCC Restricted bands 8000-26500

Polarization: Vertical

EUT : W6M22508-24650

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 926.750061MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	8337.250	37.22	peak	13.07	50.29	74.00	150	77	-23.71	
	8337.250	15.83	AVG	13.07	28.90	54.00	150	77	-25.10	
	9268.250	34.73	peak	13.20	47.93	101.01	150	103	-53.08	
	9268.250	13.34	AVG	13.20	26.54	101.01	150	103	-74.47	

*:Maximum data x:Over limit !:over margin