



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:02:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-53.37	peak	11.40	-41.97	-13.00	150	160	-28.97	
*	7406.814	-48.43	peak	10.94	-37.49	-13.00	150	220	-24.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:59:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:03:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:59:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:03:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:59:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:03:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:21:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-80.45	peak	23.41	-57.04	-13.00	150	160	-44.04	
*	93.0261	-79.74	peak	23.23	-56.51	-13.00	150	245	-43.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:32:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.7074	-72.59	peak	23.87	-48.72	-13.00	150	245	-35.72	
	97.4550	-75.09	peak	23.85	-51.24	-13.00	150	185	-38.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:12:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-76.93	peak	33.58	-43.35	-13.00	150	160	-30.35	
*	873.3467	-77.43	peak	37.57	-39.86	-13.00	150	205	-26.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:19:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-71.48	peak	25.50	-45.98	-13.00	150	245	-32.98	
*	873.3467	-75.73	peak	36.59	-39.14	-13.00	150	130	-26.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:07:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:11:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:08:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6396.793	-58.08	peak	11.80	-46.28	-13.00	150	330	-33.28	
*	7503.006	-51.35	peak	11.33	-40.02	-13.00	150	160	-27.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:12:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6396.793	-53.64	peak	11.40	-42.24	-13.00	150	110	-29.24	
*	7503.006	-46.83	peak	10.81	-36.02	-13.00	150	200	-23.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:09:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:13:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:09:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:13:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:09:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:13:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

-10.0 dBm

Time: 下午 03:23:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-79.97	peak	23.21	-56.76	-13.00	150	205	-43.76	
	99.4990	-80.49	peak	23.71	-56.78	-13.00	150	160	-43.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:33:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-74.34	peak	23.63	-50.71	-13.00	150	160	-37.71	
*	92.6854	-72.14	peak	23.87	-48.27	-13.00	150	355	-35.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:13:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	243.2866	-76.06	peak	33.30	-42.76	-13.00	150	205	-29.76	
*	873.3467	-77.57	peak	37.57	-40.00	-13.00	150	160	-27.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:19:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-68.94	peak	25.34	-43.60	-13.00	150	160	-30.60	
*	873.3467	-75.67	peak	36.59	-39.08	-13.00	150	205	-26.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:17:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:22:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:18:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-58.22	peak	11.80	-46.42	-13.00	150	160	-33.42	
*	7607.214	-50.02	peak	11.45	-38.57	-13.00	150	330	-25.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:22:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4785.571	-49.82	peak	6.65	-43.17	-13.00	150	330	-30.17	
*	7607.214	-47.85	peak	10.83	-37.02	-13.00	150	75	-24.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:19:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:23:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:19:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:23:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:19:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 09:24:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:24:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-79.51	peak	23.21	-56.30	-13.00	150	160	-43.30	
	99.8397	-80.48	peak	23.74	-56.74	-13.00	150	330	-43.74	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:28:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-73.94	peak	23.63	-50.31	-13.00	150	160	-37.31	
*	93.7074	-73.44	peak	23.87	-49.57	-13.00	150	205	-36.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:08:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	371.5431	-77.74	peak	33.22	-44.52	-13.00	150	205	-31.52	
*	873.3467	-77.48	peak	37.57	-39.91	-13.00	150	75	-26.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:15:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-69.06	peak	25.09	-43.97	-13.00	150	245	-30.97	
*	873.3467	-76.12	peak	36.59	-39.53	-13.00	150	185	-26.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:22:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:28:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:23:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4200.401	-55.19	peak	6.54	-48.65	-13.00	150	160	-35.65	
*	7406.814	-52.27	peak	11.40	-40.87	-13.00	150	245	-27.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:29:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-53.40	peak	11.40	-42.00	-13.00	150	130	-29.00	
*	7406.814	-48.20	peak	10.94	-37.26	-13.00	150	220	-24.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:24:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:30:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:24:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:30:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:25:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:30:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:25:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-79.99	peak	23.21	-56.78	-13.00	150	220	-43.78	
	99.4990	-80.60	peak	23.71	-56.89	-13.00	150	75	-43.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:29:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-73.52	peak	23.87	-49.65	-13.00	150	105	-36.65	
	98.4770	-74.51	peak	23.85	-50.66	-13.00	150	160	-37.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:09:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	376.3527	-77.45	peak	33.21	-44.24	-13.00	150	160	-31.24	
*	873.3467	-77.22	peak	37.57	-39.65	-13.00	150	205	-26.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:15:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-69.09	peak	25.09	-44.00	-13.00	150	245	-31.00	
*	873.3467	-76.05	peak	36.59	-39.46	-13.00	150	160	-26.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:35:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:40:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:36:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6396.793	-58.46	peak	11.80	-46.66	-13.00	150	205	-33.66	
*	7503.006	-51.99	peak	11.33	-40.66	-13.00	150	160	-27.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:40:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-53.47	peak	11.40	-42.07	-13.00	150	160	-29.07	
*	7503.006	-43.22	peak	10.81	-32.41	-13.00	150	245	-19.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:37:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:41:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:37:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:41:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:37:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:42:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:26:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.3447	-79.16	peak	23.18	-55.98	-13.00	150	195	-42.98	
	99.1583	-80.02	peak	23.69	-56.33	-13.00	150	205	-43.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:30:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-74.73	peak	23.61	-51.12	-13.00	150	30	-38.12	
*	92.3447	-73.32	peak	23.87	-49.45	-13.00	150	110	-36.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:10:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-76.99	peak	33.44	-43.55	-13.00	150	220	-30.55	
*	873.3467	-77.89	peak	37.57	-40.32	-13.00	150	75	-27.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:16:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-69.83	peak	25.34	-44.49	-13.00	150	110	-31.49	
*	873.3467	-75.27	peak	36.59	-38.68	-13.00	150	305	-25.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:46:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:50:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:46:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-56.60	peak	11.80	-44.80	-13.00	150	130	-31.80	
*	7599.198	-50.50	peak	11.44	-39.06	-13.00	150	220	-26.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:51:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4777.555	-52.38	peak	6.64	-45.74	-13.00	150	130	-32.74	
*	7607.214	-48.36	peak	10.83	-37.53	-13.00	150	205	-24.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:48:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:52:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:48:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:52:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:48:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/9

Temperature: 24 °C

0.0 dBm

Time: 下午 08:52:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:38:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-78.97	peak	23.23	-55.74	-13.00	150	205	-42.74	
	99.1583	-79.79	peak	23.69	-56.10	-13.00	150	160	-43.10	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:49:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.3667	-73.47	peak	23.87	-49.60	-13.00	150	305	-36.60	
	99.4990	-74.29	peak	23.84	-50.45	-13.00	150	160	-37.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:25:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-76.38	peak	33.58	-42.80	-13.00	150	160	-29.80	
*	873.3467	-77.37	peak	37.57	-39.80	-13.00	150	305	-26.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:32:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-71.07	peak	25.09	-45.98	-13.00	150	195	-32.98	
*	873.3467	-75.97	peak	36.59	-39.38	-13.00	150	305	-26.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:09:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:13:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:10:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-53.41	peak	8.03	-45.38	-13.00	150	220	-32.38	
*	7430.862	-50.19	peak	11.38	-38.81	-13.00	150	160	-25.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:16:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5234.469	-51.58	peak	8.65	-42.93	-13.00	150	110	-29.93	
*	7430.862	-47.29	peak	10.91	-36.38	-13.00	150	205	-23.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:11:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:17:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:11:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:17:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:11:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:18:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:40:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-80.09	peak	23.21	-56.88	-13.00	150	205	-43.88	
*	99.1583	-79.89	peak	23.69	-56.20	-13.00	150	115	-43.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:50:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.5311	-75.07	peak	23.66	-51.41	-13.00	150	160	-38.41	
*	93.0261	-73.52	peak	23.87	-49.65	-13.00	150	245	-36.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:26:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	243.2866	-75.95	peak	33.30	-42.65	-13.00	150	185	-29.65	
*	873.3467	-77.78	peak	37.57	-40.21	-13.00	150	245	-27.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:33:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-69.93	peak	25.09	-44.84	-13.00	150	195	-31.84	
*	873.3467	-75.97	peak	36.59	-39.38	-13.00	150	330	-26.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:21:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:25:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:22:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5579.158	-57.53	peak	10.51	-47.02	-13.00	150	160	-34.02	
*	7430.862	-50.70	peak	11.38	-39.32	-13.00	150	245	-26.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:26:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6372.745	-51.02	peak	11.41	-39.61	-13.00	150	330	-26.61	
*	7430.862	-47.51	peak	10.91	-36.60	-13.00	150	95	-23.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:23:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:28:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:23:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:28:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:23:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:28:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:41:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-80.23	peak	23.21	-57.02	-13.00	150	205	-44.02	
*	98.8176	-79.77	peak	23.66	-56.11	-13.00	150	130	-43.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:51:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-73.58	peak	23.87	-49.71	-13.00	150	220	-36.71	
	98.4770	-74.65	peak	23.85	-50.80	-13.00	150	130	-37.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:27:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-77.63	peak	33.58	-44.05	-13.00	150	105	-31.05	
*	873.3467	-76.33	peak	37.57	-38.76	-13.00	150	245	-25.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:34:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-71.12	peak	24.83	-46.29	-13.00	150	110	-33.29	
*	873.3467	-75.51	peak	36.59	-38.92	-13.00	150	30	-25.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:31:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:38:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:32:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5234.469	-51.65	peak	7.96	-43.69	-13.00	150	160	-30.69	
*	7430.862	-50.37	peak	11.38	-38.99	-13.00	150	220	-25.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:38:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-53.28	peak	11.39	-41.89	-13.00	150	130	-28.89	
*	7430.862	-48.09	peak	10.91	-37.18	-13.00	150	220	-24.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:34:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:39:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:34:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:39:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:34:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:40:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:35:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-79.85	peak	23.21	-56.64	-13.00	150	220	-43.64	
	98.4770	-80.72	peak	23.64	-57.08	-13.00	150	160	-44.08	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

10.0 dBm

Time: 下午 03:45:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-73.28	peak	23.87	-49.41	-13.00	150	220	-36.41	
	98.4770	-75.00	peak	23.85	-51.15	-13.00	150	130	-38.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:22:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-75.72	peak	33.58	-42.14	-13.00	150	305	-29.14	
*	873.3467	-77.64	peak	37.57	-40.07	-13.00	150	165	-27.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:29:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-70.63	peak	25.34	-45.29	-13.00	150	10	-32.29	
*	873.3467	-75.60	peak	36.59	-39.01	-13.00	150	205	-26.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:39:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:43:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:39:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5234.469	-38.33	peak	7.96	-30.37	-13.00	150	245	-17.37	
	7430.862	-50.06	peak	11.38	-38.68	-13.00	150	160	-25.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:44:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6324.649	-51.65	peak	11.42	-40.23	-13.00	150	195	-27.23	
*	7430.862	-48.18	peak	10.91	-37.27	-13.00	150	205	-24.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:40:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:45:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:40:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:45:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:41:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:45:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:36:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-78.94	peak	23.21	-55.73	-13.00	150	205	-42.73	
	99.8397	-80.50	peak	23.74	-56.76	-13.00	150	160	-43.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:46:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-75.09	peak	23.63	-51.46	-13.00	150	160	-38.46	
*	92.6854	-72.13	peak	23.87	-48.26	-13.00	150	205	-35.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:23:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-77.28	peak	33.44	-43.84	-13.00	150	110	-30.84	
*	873.3467	-76.70	peak	37.57	-39.13	-13.00	150	205	-26.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:30:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-70.14	peak	25.34	-44.80	-13.00	150	305	-31.80	
*	873.3467	-76.19	peak	36.59	-39.60	-13.00	150	110	-26.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:49:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:54:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:50:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5226.453	-51.83	peak	7.89	-43.94	-13.00	150	215	-30.94	
*	7430.862	-49.53	peak	11.38	-38.15	-13.00	150	5	-25.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:54:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6372.745	-52.04	peak	11.41	-40.63	-13.00	150	130	-27.63	
*	7430.862	-46.91	peak	10.91	-36.00	-13.00	150	220	-23.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:51:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:55:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:51:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:55:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:51:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 01:55:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:37:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	83.8277	-81.15	peak	23.49	-57.66	-13.00	150	220	-44.66	
*	98.8176	-80.44	peak	23.66	-56.78	-13.00	150	160	-43.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:47:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.7074	-73.51	peak	23.87	-49.64	-13.00	150	110	-36.64	
	98.4770	-74.75	peak	23.85	-50.90	-13.00	150	130	-37.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:24:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-76.63	peak	33.40	-43.23	-13.00	150	205	-30.23	
*	873.3467	-78.06	peak	37.57	-40.49	-13.00	150	130	-27.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:31:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-71.01	peak	25.09	-45.92	-13.00	150	220	-32.92	
*	871.7435	-75.00	peak	36.60	-38.40	-13.00	150	75	-25.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:00:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:04:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:00:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-52.26	peak	8.03	-44.23	-13.00	150	330	-31.23	
*	7430.862	-50.82	peak	11.38	-39.44	-13.00	150	185	-26.44	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:04:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-52.71	peak	11.39	-41.32	-13.00	150	185	-28.32	
*	7430.862	-47.71	peak	10.91	-36.80	-13.00	150	220	-23.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:01:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:05:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:01:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:05:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:01:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 02:06:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:53:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	93.0261	-79.54	peak	23.23	-56.31	-13.00	150	205	-43.31	
*	100.1804	-80.01	peak	23.74	-56.27	-13.00	150	130	-43.27	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:57:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.5972	-74.38	peak	23.81	-50.57	-13.00	150	160	-37.57	
*	93.3667	-73.81	peak	23.87	-49.94	-13.00	150	245	-36.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:19:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	241.6834	-76.47	peak	33.44	-43.03	-13.00	150	245	-30.03	
	376.3527	-78.06	peak	33.21	-44.85	-13.00	150	110	-31.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:21:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	243.2866	-69.75	peak	25.67	-44.08	-13.00	150	205	-31.08	
	357.1142	-82.46	peak	29.75	-52.71	-13.00	150	100	-39.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:34:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1991.984	-28.85	peak	3.21	-25.64	-13.00	150	320	-12.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:38:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:35:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5498.998	-32.98	peak	10.28	-22.70	-13.00	150	310	-9.70	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:39:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5234.469	-48.18	peak	8.65	-39.53	-13.00	150	245	-26.53	
*	7647.295	-49.41	peak	10.83	-38.58	-13.00	150	160	-25.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:36:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:40:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:54:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	94.7295	-78.09	peak	23.36	-54.73	-13.00	150	245	-41.73	
	98.1363	-79.79	peak	23.61	-56.18	-13.00	150	160	-43.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:59:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-73.43	peak	23.87	-49.56	-13.00	150	245	-36.56	
	98.4770	-74.71	peak	23.85	-50.86	-13.00	150	160	-37.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:25:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-78.24	peak	33.58	-44.66	-13.00	150	330	-31.66	
*	374.7495	-77.43	peak	33.21	-44.22	-13.00	150	45	-31.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:27:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	241.6834	-72.10	peak	25.50	-46.60	-13.00	150	220	-33.60	
	393.9880	-81.33	peak	28.49	-52.84	-13.00	150	160	-39.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:43:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1973.948	-36.34	peak	3.09	-33.25	-13.00	150	205	-20.25	
	2142.285	-45.33	peak	4.03	-41.30	-13.00	150	185	-28.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:47:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1973.948	-37.13	peak	4.33	-32.80	-13.00	150	205	-19.80	
	2148.297	-48.35	peak	5.39	-42.96	-13.00	150	165	-29.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:44:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:47:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:45:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:48:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 03:55:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-79.15	peak	23.21	-55.94	-13.00	150	205	-42.94	
	100.1804	-80.02	peak	23.74	-56.28	-13.00	150	160	-43.28	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:01:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-73.91	peak	23.87	-50.04	-13.00	150	245	-37.04	
	98.8176	-74.38	peak	23.84	-50.54	-13.00	150	160	-37.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:30:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	241.6834	-75.95	peak	33.44	-42.51	-13.00	150	160	-29.51	
	743.4870	-80.93	peak	35.25	-45.68	-13.00	150	245	-32.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:31:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	238.4770	-69.49	peak	25.09	-44.40	-13.00	150	305	-31.40	
	743.4870	-83.57	peak	34.94	-48.63	-13.00	150	165	-35.63	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:52:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1973.948	-36.33	peak	3.09	-33.24	-13.00	150	220	-20.24	
	2148.297	-42.17	peak	4.06	-38.11	-13.00	150	130	-25.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:58:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1973.948	-36.66	peak	4.33	-32.33	-13.00	150	250	-19.33	
	2148.297	-45.68	peak	5.39	-40.29	-13.00	150	110	-27.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:52:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:59:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 03:53:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:00:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:03:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.3447	-79.27	peak	23.18	-56.09	-13.00	150	160	-43.09	
*	98.4770	-79.08	peak	23.64	-55.44	-13.00	150	245	-42.44	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:07:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-75.30	peak	23.64	-51.66	-13.00	150	110	-38.66	
*	92.3447	-72.97	peak	23.87	-49.10	-13.00	150	245	-36.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:33:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-78.75	peak	33.58	-45.17	-13.00	150	305	-32.17	
*	873.3467	-76.33	peak	37.57	-38.76	-13.00	150	195	-25.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:38:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	240.0802	-68.82	peak	25.34	-43.48	-13.00	150	130	-30.48	
	873.3467	-81.71	peak	36.59	-45.12	-13.00	150	245	-32.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:08:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1973.948	-40.45	peak	3.09	-37.36	-13.00	150	160	-24.36	
*	2202.405	-32.42	peak	4.35	-28.07	-13.00	150	245	-15.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:12:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1468.938	-42.59	peak	1.81	-40.78	-13.00	150	305	-27.78	
*	1979.960	-31.34	peak	4.36	-26.98	-13.00	150	195	-13.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:09:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:13:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:10:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:13:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:04:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	93.0261	-79.84	peak	23.23	-56.61	-13.00	150	130	-43.61	
*	98.8176	-80.10	peak	23.66	-56.44	-13.00	150	220	-43.44	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:08:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.1683	-74.99	peak	23.59	-51.40	-13.00	150	160	-38.40	
*	93.0261	-73.69	peak	23.87	-49.82	-13.00	150	205	-36.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:35:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-77.69	peak	33.44	-44.25	-13.00	150	185	-31.25	
*	873.3467	-78.25	peak	37.57	-40.68	-13.00	150	205	-27.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 07:39:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-70.24	peak	25.50	-44.74	-13.00	150	185	-31.74	
*	873.3467	-75.04	peak	36.59	-38.45	-13.00	150	245	-25.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:17:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:21:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1721.443	-33.05	peak	3.04	-30.01	-13.00	150	220	-17.01	
*	1979.960	-34.31	peak	4.36	-29.95	-13.00	150	185	-16.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:18:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-53.97	peak	8.03	-45.94	-13.00	150	110	-32.94	
*	7639.279	-50.19	peak	11.49	-38.70	-13.00	150	245	-25.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:21:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:19:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 04:22:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Vertical*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:53:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	63.7275	-64.86	peak	23.83	-41.03	-13.00	150	160	-28.03	
*	72.9260	-61.08	peak	23.69	-37.39	-13.00	150	245	-24.39	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:55:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	63.7275	-61.13	peak	23.52	-37.61	-13.00	150	330	-24.61	
*	72.9260	-56.57	peak	23.21	-33.36	-13.00	150	185	-20.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:47:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	366.7335	-39.18	peak	-8.28	-47.46	-13.00	150	305	-34.46	
*	881.3627	-44.97	peak	0.34	-44.63	-13.00	150	195	-31.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:49:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	374.7495	-37.77	peak	-7.58	-45.35	-13.00	150	130	-32.35	
*	881.3627	-41.37	peak	-0.23	-41.60	-13.00	150	245	-28.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:37:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:40:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:38:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6717.435	-51.59	peak	11.77	-39.82	-13.00	150	245	-26.82	
	7406.814	-51.98	peak	11.40	-40.58	-13.00	150	160	-27.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 01:40:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-52.47	peak	11.44	-41.03	-13.00	150	105	-28.03	
*	7406.814	-49.39	peak	10.94	-38.45	-13.00	150	130	-25.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:31:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.0040	-79.76	peak	23.16	-56.60	-13.00	150	110	-43.60	
	99.4990	-80.31	peak	23.71	-56.60	-13.00	150	200	-43.60	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:35:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	89.2786	-75.06	peak	23.84	-51.22	-13.00	150	130	-38.22	
*	93.7074	-73.08	peak	23.87	-49.21	-13.00	150	220	-36.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:17:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-73.99	peak	33.20	-40.79	-13.00	150	185	-27.79	
*	881.3627	-77.17	peak	37.97	-39.20	-13.00	150	205	-26.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:21:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	235.2705	-72.96	peak	24.58	-48.38	-13.00	150	185	-35.38	
*	881.3627	-75.52	peak	36.53	-38.99	-13.00	150	245	-25.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:53:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1925.852	-43.33	peak	2.77	-40.56	-13.00	150	205	-27.56	
	2418.838	-49.55	peak	5.51	-44.04	-13.00	150	160	-31.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:12:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:53:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:13:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-51.13	peak	8.72	-42.41	-13.00	150	205	-29.41	
*	7398.797	-49.59	peak	10.96	-38.63	-13.00	150	130	-25.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:54:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:14:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:54:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:14:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:55:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:14:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1852.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:32:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-79.70	peak	23.21	-56.49	-13.00	150	160	-43.49	
*	98.4770	-79.78	peak	23.64	-56.14	-13.00	150	330	-43.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:36:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-75.22	peak	23.63	-51.59	-13.00	150	185	-38.59	
*	93.3667	-73.64	peak	23.87	-49.77	-13.00	150	330	-36.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:18:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	374.7495	-74.81	peak	33.21	-41.60	-13.00	150	245	-28.60	
*	881.3627	-77.99	peak	37.97	-40.02	-13.00	150	160	-27.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:22:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	235.2705	-71.10	peak	24.58	-46.52	-13.00	150	110	-33.52	
*	881.3627	-75.11	peak	36.53	-38.58	-13.00	150	205	-25.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:57:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:09:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1925.852	-41.60	peak	4.08	-37.52	-13.00	150	245	-24.52	
	2130.261	-48.73	peak	5.27	-43.46	-13.00	150	185	-30.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:57:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-51.78	peak	8.03	-43.75	-13.00	150	145	-30.75	
*	7406.814	-51.82	peak	11.40	-40.42	-13.00	150	220	-27.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:09:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:58:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:10:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:58:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:10:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:58:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:10:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:33:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-81.99	peak	23.39	-58.60	-13.00	150	205	-45.60	
*	98.8176	-79.66	peak	23.66	-56.00	-13.00	150	160	-43.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:37:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-73.62	peak	23.87	-49.75	-13.00	150	205	-36.75	
	98.8176	-74.20	peak	23.84	-50.36	-13.00	150	160	-37.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:19:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	376.3527	-73.62	peak	33.21	-40.41	-13.00	150	305	-27.41	
*	881.3627	-78.35	peak	37.97	-40.38	-13.00	150	195	-27.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:23:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	743.4870	-79.02	peak	34.94	-44.08	-13.00	150	110	-31.08	
*	881.3627	-76.27	peak	36.53	-39.74	-13.00	150	205	-26.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:00:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:05:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:01:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5234.469	-41.09	peak	7.96	-33.13	-13.00	150	245	-20.13	
	7406.814	-51.97	peak	11.40	-40.57	-13.00	150	160	-27.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:05:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-50.65	peak	8.72	-41.93	-13.00	150	160	-28.93	
*	7406.814	-49.54	peak	10.94	-38.60	-13.00	150	245	-25.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:02:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:06:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:02:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:06:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:02:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:07:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band2-1907.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:39:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.3447	-79.44	peak	23.18	-56.26	-13.00	150	220	-43.26	
*	98.8176	-79.70	peak	23.66	-56.04	-13.00	150	130	-43.04	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:42:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.5972	-75.21	peak	23.81	-51.40	-13.00	150	30	-38.40	
*	92.3447	-73.60	peak	23.87	-49.73	-13.00	150	200	-36.73	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:25:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	236.8737	-73.97	peak	33.20	-40.77	-13.00	150	205	-27.77	
	881.3627	-80.04	peak	37.97	-42.07	-13.00	150	105	-29.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:30:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	233.6673	-72.12	peak	24.33	-47.79	-13.00	150	160	-34.79	
*	881.3627	-76.02	peak	36.53	-39.49	-13.00	150	245	-26.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:17:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1943.888	-36.48	peak	2.89	-33.59	-13.00	150	110	-20.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:33:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:18:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7406.814	-51.64	peak	11.40	-40.24	-13.00	150	205	-27.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:34:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-52.78	peak	11.40	-41.38	-13.00	150	195	-28.38	
*	7398.797	-48.86	peak	10.96	-37.90	-13.00	150	220	-24.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:18:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:35:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-826.4MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:40:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-79.21	peak	23.21	-56.00	-13.00	150	330	-43.00	
	98.8176	-79.71	peak	23.66	-56.05	-13.00	150	160	-43.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:44:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-74.93	peak	23.61	-51.32	-13.00	150	160	-38.32	
*	93.0261	-72.88	peak	23.87	-49.01	-13.00	150	305	-36.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:26:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-75.37	peak	33.58	-41.79	-13.00	150	245	-28.79	
*	890.9820	-79.78	peak	38.44	-41.34	-13.00	150	160	-28.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:31:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	233.6673	-70.06	peak	24.33	-45.73	-13.00	150	130	-32.73	
*	890.9820	-76.64	peak	36.46	-40.18	-13.00	150	145	-27.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:20:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:30:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:21:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-52.47	peak	8.03	-44.44	-13.00	150	110	-31.44	
*	7398.797	-51.70	peak	11.40	-40.30	-13.00	150	245	-27.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:31:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-52.57	peak	11.40	-41.17	-13.00	150	205	-28.17	
*	7406.814	-48.64	peak	10.94	-37.70	-13.00	150	160	-24.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:22:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:32:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-836.6MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:41:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.0040	-78.25	peak	23.16	-55.09	-13.00	150	205	-42.09	
	98.8176	-79.48	peak	23.66	-55.82	-13.00	150	160	-42.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:45:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-74.89	peak	23.61	-51.28	-13.00	150	110	-38.28	
*	92.6854	-73.81	peak	23.87	-49.94	-13.00	150	150	-36.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:27:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	233.6673	-75.38	peak	32.80	-42.58	-13.00	150	305	-29.58	
*	377.9560	-75.45	peak	33.20	-42.25	-13.00	150	160	-29.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:32:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	233.6673	-70.70	peak	24.33	-46.37	-13.00	150	160	-33.37	
*	890.9820	-77.22	peak	36.46	-40.76	-13.00	150	205	-27.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:24:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:27:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1925.852	-40.14	peak	4.08	-36.06	-13.00	150	205	-23.06	
	2418.838	-49.85	peak	7.07	-42.78	-13.00	150	160	-29.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:24:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4200.401	-52.35	peak	6.54	-45.81	-13.00	150	185	-32.81	
*	7406.814	-51.82	peak	11.40	-40.42	-13.00	150	205	-27.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:28:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:25:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 09:29:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-UpLink-Band5-846.6MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:57:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-78.89	peak	23.21	-55.68	-13.00	150	245	-42.68	
	99.4990	-80.28	peak	23.71	-56.57	-13.00	150	160	-43.57	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:01:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-72.56	peak	23.87	-48.69	-13.00	150	220	-35.69	
	97.7956	-74.86	peak	23.85	-51.01	-13.00	150	130	-38.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:47:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	297.7956	-84.71	peak	33.52	-51.19	-13.00	150	130	-38.19	
*	377.9560	-77.91	peak	33.20	-44.71	-13.00	150	220	-31.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:51:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3987	-81.20	peak	31.62	-49.58	-13.00	150	220	-36.58	
	373.1463	-79.22	peak	29.20	-50.02	-13.00	150	130	-37.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:20:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1769.539	-45.03	peak	1.73	-43.30	-13.00	150	160	-30.30	
*	2527.054	-33.79	peak	6.02	-27.77	-13.00	150	245	-14.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:24:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:20:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4777.555	-53.21	peak	6.01	-47.20	-13.00	150	160	-34.20	
*	7406.814	-51.58	peak	11.40	-40.18	-13.00	150	245	-27.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:24:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-55.77	peak	11.40	-44.37	-13.00	150	130	-31.37	
*	7406.814	-49.24	peak	10.94	-38.30	-13.00	150	220	-25.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:21:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:25:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:21:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:25:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:21:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:26:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1860MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:58:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-79.74	peak	23.23	-56.51	-13.00	150	205	-43.51	
	99.8397	-80.57	peak	23.74	-56.83	-13.00	150	160	-43.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:02:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.1683	-74.66	peak	23.59	-51.07	-13.00	150	160	-38.07	
*	92.6854	-73.23	peak	23.87	-49.36	-13.00	150	225	-36.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:48:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	373.1463	-78.96	peak	33.22	-45.74	-13.00	150	75	-32.74	
	894.1884	-85.72	peak	38.60	-47.12	-13.00	150	220	-34.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:52:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	305.8115	-83.45	peak	31.49	-51.96	-13.00	150	205	-38.96	
*	366.7335	-79.30	peak	29.42	-49.88	-13.00	150	160	-36.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:30:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:42:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: *Vertical*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:30:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5186.373	-41.97	peak	7.54	-34.43	-13.00	150	330	-21.43	
	7406.814	-51.48	peak	11.40	-40.08	-13.00	150	185	-27.08	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:43:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6396.793	-53.86	peak	11.40	-42.46	-13.00	150	160	-29.46	
*	7406.814	-49.33	peak	10.94	-38.39	-13.00	150	330	-25.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:31:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:44:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:31:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:44:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:31:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:44:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1880MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:59:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	93.3667	-79.92	peak	23.26	-56.66	-13.00	150	220	-43.66	
*	98.4770	-79.72	peak	23.64	-56.08	-13.00	150	145	-43.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:03:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-74.99	peak	23.64	-51.35	-13.00	150	205	-38.35	
*	93.7074	-73.39	peak	23.87	-49.52	-13.00	150	130	-36.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:49:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	373.1463	-80.23	peak	33.22	-47.01	-13.00	150	220	-34.01	
	926.2525	-86.17	peak	38.36	-47.81	-13.00	150	130	-34.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 08:58:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3987	-80.84	peak	31.62	-49.22	-13.00	150	205	-36.22	
	365.1303	-80.54	peak	29.48	-51.06	-13.00	150	160	-38.06	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:33:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:37:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1925.852	-42.50	peak	4.08	-38.42	-13.00	150	205	-25.42	
*	2442.886	-44.34	peak	7.22	-37.12	-13.00	150	160	-24.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:34:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4200.401	-51.96	peak	6.54	-45.42	-13.00	150	110	-32.42	
*	7406.814	-51.26	peak	11.40	-39.86	-13.00	150	245	-26.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:38:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:35:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:38:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:35:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:39:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:35:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:39:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band2-1900MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:05:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-79.84	peak	23.21	-56.63	-13.00	150	75	-43.63	
*	98.8176	-79.77	peak	23.66	-56.11	-13.00	150	220	-43.11	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:11:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.9380	-74.84	peak	23.83	-51.01	-13.00	150	160	-38.01	
*	93.3667	-73.85	peak	23.87	-49.98	-13.00	150	205	-36.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 09:03:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	291.3828	-84.70	peak	33.80	-50.90	-13.00	150	110	-37.90	
*	376.3527	-78.37	peak	33.21	-45.16	-13.00	150	205	-32.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 09:08:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	301.0020	-83.78	peak	31.66	-52.12	-13.00	150	195	-39.12	
*	374.7495	-78.94	peak	29.15	-49.79	-13.00	150	305	-36.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:47:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:06:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1925.852	-41.32	peak	4.08	-37.24	-13.00	150	205	-24.24	
	2136.273	-48.92	peak	5.31	-43.61	-13.00	150	160	-30.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:47:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-51.84	peak	8.03	-43.81	-13.00	150	205	-30.81	
*	7406.814	-51.97	peak	11.40	-40.57	-13.00	150	110	-27.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:06:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:48:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:07:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:48:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:07:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:49:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:07:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1720MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:06:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-80.15	peak	23.21	-56.94	-13.00	150	110	-43.94	
*	98.8176	-79.72	peak	23.66	-56.06	-13.00	150	205	-43.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:12:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.3447	-73.41	peak	23.87	-49.54	-13.00	150	205	-36.54	
	98.8176	-74.62	peak	23.84	-50.78	-13.00	150	160	-37.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 09:04:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	374.7495	-78.77	peak	33.21	-45.56	-13.00	150	305	-32.56	
	674.5490	-86.83	peak	37.60	-49.23	-13.00	150	195	-36.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 09:09:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-83.38	peak	31.62	-51.76	-13.00	150	130	-38.76	
*	365.1303	-78.32	peak	29.48	-48.84	-13.00	150	205	-35.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:51:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:02:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:51:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-50.56	peak	8.03	-42.53	-13.00	150	205	-29.53	
*	7406.814	-50.65	peak	11.40	-39.25	-13.00	150	130	-26.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:03:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-51.25	peak	8.72	-42.53	-13.00	150	205	-29.53	
*	7406.814	-48.25	peak	10.94	-37.31	-13.00	150	130	-24.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:52:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:03:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:52:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:04:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:52:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:04:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1732.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:08:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.0040	-79.78	peak	23.16	-56.62	-13.00	150	185	-43.62	
*	99.4990	-79.62	peak	23.71	-55.91	-13.00	150	245	-42.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:13:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-74.66	peak	23.61	-51.05	-13.00	150	160	-38.05	
*	93.3667	-73.19	peak	23.87	-49.32	-13.00	150	205	-36.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 09:05:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	294.5892	-84.48	peak	33.66	-50.82	-13.00	150	195	-37.82	
*	374.7495	-79.86	peak	33.21	-46.65	-13.00	150	305	-33.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 09:11:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	301.0020	-82.25	peak	31.66	-50.59	-13.00	150	205	-37.59	
*	368.3367	-78.33	peak	29.37	-48.96	-13.00	150	110	-35.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:54:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:58:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:55:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4200.401	-51.37	peak	6.54	-44.83	-13.00	150	205	-31.83	
*	7406.814	-50.65	peak	11.40	-39.25	-13.00	150	185	-26.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #7


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:59:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-51.12	peak	8.72	-42.40	-13.00	150	150	-29.40	
*	7406.814	-48.73	peak	10.94	-37.79	-13.00	150	330	-24.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:56:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #8


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:00:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:56:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #9


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:00:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 07:56:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #10

Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:00:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band4-1745MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:15:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	99.8397	-80.00	peak	23.74	-56.26	-13.00	150	220	-43.26	
	117.8958	-81.61	peak	22.50	-59.11	-13.00	150	160	-46.11	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:19:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-75.51	peak	23.61	-51.90	-13.00	150	110	-38.90	
*	93.0261	-73.58	peak	23.87	-49.71	-13.00	150	245	-36.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 01:58:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-75.63	peak	33.40	-42.23	-13.00	150	205	-29.23	
*	379.5591	-74.88	peak	33.20	-41.68	-13.00	150	110	-28.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:03:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	235.2705	-72.43	peak	24.58	-47.85	-13.00	150	160	-34.85	
*	743.4870	-79.44	peak	34.94	-44.50	-13.00	150	205	-31.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:10:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:27:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:11:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-51.38	peak	8.03	-43.35	-13.00	150	205	-30.35	
*	7406.814	-50.64	peak	11.40	-39.24	-13.00	150	160	-26.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:28:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-53.52	peak	11.40	-42.12	-13.00	150	130	-29.12	
*	7406.814	-49.79	peak	10.94	-38.85	-13.00	150	220	-25.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:12:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:28:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-829MHz

Note :

Polarization: *Vertical*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:16:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.3447	-79.66	peak	23.18	-56.48	-13.00	150	245	-43.48	
*	99.1583	-79.74	peak	23.69	-56.05	-13.00	150	110	-43.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:20:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: *Vertical*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	89.2786	-74.46	peak	23.84	-50.62	-13.00	150	305	-37.62	
*	92.6854	-72.56	peak	23.87	-48.69	-13.00	150	75	-35.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 01:59:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	240.0802	-74.51	peak	33.58	-40.93	-13.00	150	205	-27.93	
	377.9560	-74.92	peak	33.20	-41.72	-13.00	150	130	-28.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:04:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	235.2705	-71.43	peak	24.58	-46.85	-13.00	150	205	-33.85	
*	743.4870	-78.55	peak	34.94	-43.61	-13.00	150	110	-30.61	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:14:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1931.864	-38.88	peak	2.81	-36.07	-13.00	150	140	-23.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:24:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:14:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	7406.814	-51.21	peak	11.40	-39.81	-13.00	150	185	-26.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:25:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-51.14	peak	8.72	-42.42	-13.00	150	200	-29.42	
*	7406.814	-50.08	peak	10.94	-39.14	-13.00	150	130	-26.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:15:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:25:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-836.5MHz

Note :

Polarization: *Vertical*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:17:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-80.30	peak	23.21	-57.09	-13.00	150	75	-44.09	
*	98.8176	-79.65	peak	23.66	-55.99	-13.00	150	20	-42.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:21:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-74.51	peak	23.61	-50.90	-13.00	150	160	-37.90	
*	92.6854	-73.46	peak	23.87	-49.59	-13.00	150	220	-36.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:01:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	240.0802	-75.38	peak	33.58	-41.80	-13.00	150	245	-28.80	
	374.7495	-75.50	peak	33.21	-42.29	-13.00	150	110	-29.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:06:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	235.2705	-72.21	peak	24.58	-47.63	-13.00	150	110	-34.63	
*	743.4870	-79.31	peak	34.94	-44.37	-13.00	150	105	-31.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:17:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1925.852	-40.98	peak	2.77	-38.21	-13.00	150	350	-25.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:21:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1931.864	-36.23	peak	4.11	-32.12	-13.00	150	205	-19.12	
	1949.900	-39.94	peak	4.20	-35.74	-13.00	150	160	-22.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:17:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4200.401	-52.52	peak	6.54	-45.98	-13.00	150	185	-32.98	
*	7406.814	-51.72	peak	11.40	-40.32	-13.00	150	330	-27.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:21:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:18:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:22:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band5-844MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:23:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.3447	-79.61	peak	23.18	-56.43	-13.00	150	205	-43.43	
	99.1583	-80.35	peak	23.69	-56.66	-13.00	150	160	-43.66	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:27:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.2565	-75.04	peak	23.79	-51.25	-13.00	150	160	-38.25	
*	93.3667	-73.35	peak	23.87	-49.48	-13.00	150	245	-36.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:08:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-74.31	peak	33.20	-41.11	-13.00	150	220	-28.11	
*	881.3627	-76.86	peak	37.97	-38.89	-13.00	150	130	-25.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:12:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	363.5271	-77.90	peak	29.53	-48.37	-13.00	150	305	-35.37	
*	881.3627	-72.55	peak	36.53	-36.02	-13.00	150	145	-23.02	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:31:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:48:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1925.852	-40.63	peak	4.08	-36.55	-13.00	150	305	-23.55	
	2136.273	-49.94	peak	5.31	-44.63	-13.00	150	140	-31.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:32:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-50.81	peak	8.03	-42.78	-13.00	150	245	-29.78	
*	7406.814	-52.54	peak	11.40	-41.14	-13.00	150	185	-28.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:49:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:33:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:50:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-704MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:24:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.3447	-80.25	peak	23.18	-57.07	-13.00	150	160	-44.07	
*	98.8176	-80.03	peak	23.66	-56.37	-13.00	150	50	-43.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2


Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:28:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-74.95	peak	23.64	-51.31	-13.00	150	110	-38.31	
*	92.6854	-73.14	peak	23.87	-49.27	-13.00	150	305	-36.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:09:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	233.6673	-74.77	peak	32.80	-41.97	-13.00	150	195	-28.97	
*	881.3627	-75.97	peak	37.97	-38.00	-13.00	150	330	-25.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:13:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	233.6673	-70.83	peak	24.33	-46.50	-13.00	150	160	-33.50	
*	881.3627	-72.98	peak	36.53	-36.45	-13.00	150	205	-23.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:34:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:45:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:35:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-56.71	peak	11.80	-44.91	-13.00	150	205	-31.91	
*	7406.814	-51.98	peak	11.40	-40.58	-13.00	150	160	-27.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:45:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5779.559	-44.58	peak	11.16	-33.42	-13.00	150	245	-20.42	
	7398.797	-50.33	peak	10.96	-39.37	-13.00	150	160	-26.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:36:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:46:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-707.5MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:25:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.0040	-80.27	peak	23.16	-57.11	-13.00	150	160	-44.11	
*	98.8176	-80.06	peak	23.66	-56.40	-13.00	150	245	-43.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 05:29:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.9380	-75.08	peak	23.83	-51.25	-13.00	150	110	-38.25	
*	93.0261	-73.14	peak	23.87	-49.27	-13.00	150	205	-36.27	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:10:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	233.6673	-74.23	peak	32.80	-41.43	-13.00	150	110	-28.43	
*	881.3627	-76.20	peak	37.97	-38.23	-13.00	150	200	-25.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/1/15

Temperature: 24 °C

0.0 dBm

Time: 下午 02:15:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-71.41	peak	25.09	-46.32	-13.00	150	110	-33.32	
*	881.3627	-72.54	peak	36.53	-36.01	-13.00	150	35	-23.01	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:37:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:41:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1925.852	-39.46	peak	4.08	-35.38	-13.00	150	75	-22.38	
	1949.900	-41.01	peak	4.20	-36.81	-13.00	150	205	-23.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:38:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4200.401	-52.18	peak	6.54	-45.64	-13.00	150	110	-32.64	
*	7406.814	-52.16	peak	11.40	-40.76	-13.00	150	245	-27.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #5


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:42:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:39:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #6


Date: 2019/1/11

Temperature: 24 °C

0.0 dBm

Time: 下午 08:43:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band12-711MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File : 1

Data : #1

Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:09:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	62.3647	-65.45	peak	23.87	-41.58	-13.00	150	110	-28.58	
*	75.6512	-61.60	peak	23.73	-37.87	-13.00	150	195	-24.87	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 1

Data : #2


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:11:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	60.3206	-54.37	peak	23.73	-30.64	-13.00	150	220	-17.64	
	64.0681	-54.63	peak	23.50	-31.13	-13.00	150	130	-18.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #1


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:14:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	363.5271	-37.69	peak	-8.28	-45.97	-13.00	150	330	-32.97	
*	890.9820	-42.83	peak	0.59	-42.24	-13.00	150	195	-29.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 2

Data : #2


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:15:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	406.8136	-39.45	peak	-8.05	-47.50	-13.00	150	160	-34.50	
*	890.9820	-36.06	peak	-0.44	-36.50	-13.00	150	205	-23.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #1


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:19:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #3


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:21:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #2


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:19:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6300.601	-55.56	peak	11.77	-43.79	-13.00	150	205	-30.79	
*	7398.797	-50.35	peak	11.40	-38.95	-13.00	150	110	-25.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File : 3

Data : #4


Date: 2019/3/5

Temperature: 24 °C

0.0 dBm

Time: 下午 02:22:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-UpLink-Band13-782MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6396.793	-54.01	peak	11.40	-42.61	-13.00	150	330	-29.61	
*	7406.814	-46.91	peak	10.94	-35.97	-13.00	150	95	-22.97	

*:Maximum data x:Over limit !:over margin