




Conducted Spurious Emission Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	0~Reference	-1.16	-1.16	---	PASS
BLE_1M	Ant1	2402	30~1000	-1.16	-69.4	≤-21.16	PASS
BLE_1M	Ant1	2402	1000~26500	-1.16	-52.42	≤-21.16	PASS
BLE_1M	Ant1	2440	0~Reference	-1.08	-1.08	---	PASS
BLE_1M	Ant1	2440	30~1000	-1.08	-69.35	≤-21.08	PASS
BLE_1M	Ant1	2440	1000~26500	-1.08	-49.95	≤-21.08	PASS
BLE_1M	Ant1	2480	0~Reference	-1.08	-1.08	---	PASS
BLE_1M	Ant1	2480	30~1000	-1.08	-68.71	≤-21.08	PASS
BLE_1M	Ant1	2480	1000~26500	-1.08	-51.46	≤-21.08	PASS
BLE_2M	Ant1	2402	0~Reference	-0.40	-0.40	---	PASS
BLE_2M	Ant1	2402	30~1000	-0.40	-68.5	≤-20.4	PASS
BLE_2M	Ant1	2402	1000~26500	-0.40	-52.65	≤-20.4	PASS
BLE_2M	Ant1	2440	0~Reference	-1.76	-1.76	---	PASS
BLE_2M	Ant1	2440	30~1000	-1.76	-69.37	≤-21.76	PASS
BLE_2M	Ant1	2440	1000~26500	-1.76	-51.64	≤-21.76	PASS
BLE_2M	Ant1	2480	0~Reference	-1.06	-1.06	---	PASS
BLE_2M	Ant1	2480	30~1000	-1.06	-69.04	≤-21.06	PASS
BLE_2M	Ant1	2480	1000~26500	-1.06	-52.79	≤-21.06	PASS

Test Graphs







Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.11	0.63	17.46	7.58
BLE_1M	Ant1	2440	0.11	0.63	17.46	7.58
BLE_1M	Ant1	2480	0.11	0.63	17.46	7.58
BLE_2M	Ant1	2402	0.07	0.63	11.11	9.54
BLE_2M	Ant1	2440	0.07	0.63	11.11	9.54
BLE_2M	Ant1	2480	0.07	0.63	11.11	9.54

Test Graphs




Radiated Spurious Emissions

Test Result Below 1GHz


Project Information			
Mode:	BLE_2M	Band:	-
Bandwidth	-	Channel	Mid
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	31.41	48.55	-31.31	17.24	40.00	22.76	PK	Horizontal	PASS
2	58.66	43.29	-26.20	17.09	40.00	22.91	PK	Horizontal	PASS
3	254.18	43.07	-24.66	18.41	47.00	28.59	PK	Horizontal	PASS
4	433.83	42.54	-20.06	22.48	47.00	24.52	PK	Horizontal	PASS
5	540.00	47.58	-17.88	29.70	47.00	17.30	PK	Horizontal	PASS
6	908.33	42.10	-11.71	30.39	47.00	16.61	PK	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Mid
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	31.41	49.48	-31.31	18.17	40.00	21.83	PK	Vertical	PASS
2	58.37	47.07	-26.26	20.81	40.00	19.19	PK	Vertical	PASS
3	99.99	44.41	-30.35	14.06	43.50	29.44	PK	Vertical	PASS
4	415.21	42.29	-20.34	21.95	47.00	25.05	PK	Vertical	PASS
5	540.00	46.13	-17.88	28.25	47.00	18.75	PK	Vertical	PASS
6	931.18	42.24	-11.77	30.47	47.00	16.53	PK	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2274.07	45.69	1.28	46.97	54.00	7.03	RMS	Horizontal	PASS
2	7206.50	41.77	-0.56	41.21	54.00	12.79	RMS	Horizontal	PASS
3	17941.00	30.53	16.45	46.98	54.00	7.02	RMS	Horizontal	PASS
4	2256.87	47.64	1.25	48.89	74.00	25.11	PK	Horizontal	PASS
5	2401.93	90.58	1.82	92.40	-	-	PK	Horizontal	NA
6	8111.00	46.38	0.68	47.06	74.00	26.94	PK	Horizontal	PASS
7	17987.00	37.46	17.10	54.56	74.00	19.44	PK	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4949.50	41.42	-5.98	35.44	54.00	18.56	RMS	Vertical	PASS
2	7206.50	40.11	-0.56	39.55	54.00	14.45	RMS	Vertical	PASS
3	17984.00	29.70	17.06	46.76	54.00	7.24	RMS	Vertical	PASS
4	2401.93	85.11	1.82	86.93	-	-	PK	Vertical	NA
5	4593.50	50.24	-7.40	42.84	74.00	31.16	PK	Vertical	PASS
6	8712.00	45.09	1.36	46.45	74.00	27.55	PK	Vertical	PASS
7	18000.00	36.87	17.28	54.15	74.00	19.85	PK	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Mid
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2312.07	47.59	1.37	48.96	54.00	5.04	RMS	Horizontal	PASS
2	2567.93	42.37	3.01	45.38	54.00	8.62	RMS	Horizontal	PASS
3	7320.50	44.18	-0.21	43.97	54.00	10.03	RMS	Horizontal	PASS
4	2311.80	50.08	1.37	51.45	74.00	22.55	PK	Horizontal	PASS
5	2440.00	91.14	2.22	93.36	-	-	PK	Horizontal	NA
6	2567.93	48.45	3.01	51.46	74.00	22.54	PK	Horizontal	PASS
7	7320.00	47.32	-0.21	47.11	74.00	26.89	PK	Horizontal	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Mid
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2568.07	41.07	3.01	44.08	54.00	9.92	RMS	Vertical	PASS
2	7320.50	41.81	-0.21	41.60	54.00	12.40	RMS	Vertical	PASS
3	17937.00	29.78	16.40	46.18	54.00	7.82	RMS	Vertical	PASS
4	2440.00	86.10	2.22	88.32	-	-	PK	Vertical	NA
5	2688.27	47.68	2.78	50.46	74.00	23.54	PK	Vertical	PASS
6	7268.50	47.22	-0.28	46.94	74.00	27.06	PK	Vertical	PASS
7	17989.50	37.04	17.13	54.17	74.00	19.83	PK	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2352.07	46.45	1.57	48.02	54.00	5.98	RMS	Horizontal	PASS
2	7440.50	47.18	0.18	47.36	54.00	6.64	RMS	Horizontal	PASS
3	17984.00	29.31	17.06	46.37	54.00	7.63	RMS	Horizontal	PASS
4	2352.13	49.87	1.57	51.44	74.00	22.56	PK	Horizontal	PASS
5	2480.00	92.93	2.65	95.58	-	-	PK	Horizontal	NA
6	7440.00	51.30	0.18	51.48	74.00	22.52	PK	Horizontal	PASS
7	17987.50	37.18	17.10	54.28	74.00	19.72	PK	Horizontal	PASS


Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4755.00	41.06	-6.92	34.14	54.00	19.86	RMS	Vertical	PASS
2	7440.50	45.75	0.18	45.93	54.00	8.07	RMS	Vertical	PASS
3	17937.00	30.01	16.40	46.41	54.00	7.59	RMS	Vertical	PASS
4	2480.00	89.09	2.65	91.74	-	-	PK	Vertical	NA
5	4960.00	47.68	-6.01	41.67	74.00	32.33	PK	Vertical	PASS
6	7440.00	48.16	0.18	48.34	74.00	25.66	PK	Vertical	PASS
7	17813.50	38.47	16.25	54.72	74.00	19.28	PK	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2530.13	44.69	2.91	47.60	54.00	6.40	RMS	Horizontal	PASS
2	7206.50	40.79	-0.56	40.23	54.00	13.77	RMS	Horizontal	PASS
3	17937.00	30.87	16.40	47.27	54.00	6.73	RMS	Horizontal	PASS
4	2402.00	90.79	1.82	92.61	-	-	PK	Horizontal	NA
5	2530.33	48.41	2.91	51.32	74.00	22.68	PK	Horizontal	PASS
6	7489.00	46.75	0.27	47.02	74.00	26.98	PK	Horizontal	PASS
7	17960.50	37.66	16.72	54.38	74.00	19.62	PK	Horizontal	PASS

Project Information

Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2530.07	42.31	2.91	45.22	54.00	8.78	RMS	Vertical	PASS
2	7206.50	41.56	-0.56	41.00	54.00	13.00	RMS	Vertical	PASS
3	17981.00	29.86	17.01	46.87	54.00	7.13	RMS	Vertical	PASS
4	2401.93	85.26	1.82	87.08	-	-	PK	Vertical	NA
5	2513.60	47.63	2.89	50.52	74.00	23.48	PK	Vertical	PASS
6	6898.50	47.62	-1.54	46.08	74.00	27.92	PK	Vertical	PASS
7	17993.50	38.08	17.18	55.26	74.00	18.74	PK	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Mid
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2274.13	47.76	1.28	49.04	54.00	4.96	RMS	Horizontal	PASS
2	2530.00	44.84	2.91	47.75	54.00	6.25	RMS	Horizontal	PASS
3	7206.50	40.92	-0.56	40.36	54.00	13.64	RMS	Horizontal	PASS
4	2273.93	50.45	1.28	51.73	74.00	22.27	PK	Horizontal	PASS
5	2402.00	91.06	1.82	92.88	-	-	PK	Horizontal	NA
6	2530.13	48.29	2.91	51.20	74.00	22.80	PK	Horizontal	PASS
7	7314.50	46.71	-0.23	46.48	74.00	27.52	PK	Horizontal	PASS

Project Information			
Mode:	BLE_2M	Band:	-
Bandwidth	-	Channel	Mid
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2273.87	41.14	1.28	42.42	54.00	11.58	RMS	Vertical	PASS
2	2529.93	42.55	2.91	45.46	54.00	8.54	RMS	Vertical	PASS
3	7206.50	40.62	-0.56	40.06	54.00	13.94	RMS	Vertical	PASS
4	2402.00	84.90	1.82	86.72	-	-	PK	Vertical	NA
5	2571.40	47.58	3.03	50.61	74.00	23.39	PK	Vertical	PASS
6	6737.00	48.30	-1.34	46.96	74.00	27.04	PK	Vertical	PASS
7	17964.50	37.70	16.78	54.48	74.00	19.52	PK	Vertical	PASS

Project Information

Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2352.20	44.35	1.57	45.92	54.00	8.08	RMS	Horizontal	PASS
2	7440.50	47.06	0.18	47.24	54.00	6.76	RMS	Horizontal	PASS
3	17997.50	29.84	17.24	47.08	54.00	6.92	RMS	Horizontal	PASS
4	2352.00	48.08	1.57	49.65	74.00	24.35	PK	Horizontal	PASS
5	2480.00	93.77	2.65	96.42	-	-	PK	Horizontal	NA
6	7440.00	49.31	0.18	49.49	74.00	24.51	PK	Horizontal	PASS
7	17958.50	37.76	16.69	54.45	74.00	19.55	PK	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	4707.00	41.27	-6.99	34.28	54.00	19.72	RMS	Vertical	PASS
2	7440.50	45.88	0.18	46.06	54.00	7.94	RMS	Vertical	PASS
3	17967.50	29.76	16.82	46.58	54.00	7.42	RMS	Vertical	PASS
4	2480.00	89.64	2.65	92.29	-	-	PK	Vertical	NA
5	4600.50	49.31	-7.36	41.95	74.00	32.05	PK	Vertical	PASS
6	7440.00	48.44	0.18	48.62	74.00	25.38	PK	Vertical	PASS
7	16972.50	37.99	14.23	52.22	74.00	21.78	PK	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2338.05	39.93	1.49	41.42	54.00	12.58	RMS	Horizontal	PASS
2	2379.65	38.05	1.70	39.75	54.00	14.25	RMS	Horizontal	PASS
3	2389.08	38.22	1.75	39.97	54.00	14.03	RMS	Horizontal	PASS
4	2338.02	49.60	1.49	51.09	74.00	22.91	PK	Horizontal	PASS
5	2381.15	49.56	1.70	51.26	74.00	22.74	PK	Horizontal	PASS
6	2387.83	49.84	1.74	51.58	74.00	22.42	PK	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2337.61	37.99	1.49	39.48	54.00	14.52	RMS	Vertical	PASS
2	2377.01	38.02	1.69	39.71	54.00	14.29	RMS	Vertical	PASS
3	2389.55	38.11	1.75	39.86	54.00	14.14	RMS	Vertical	PASS
4	2339.02	49.43	1.51	50.94	74.00	23.06	PK	Vertical	PASS
5	2377.48	49.75	1.69	51.44	74.00	22.56	PK	Vertical	PASS
6	2387.26	49.89	1.74	51.63	74.00	22.37	PK	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.83	37.89	2.69	40.58	54.00	13.42	RMS	Horizontal	PASS
2	2484.77	37.73	2.70	40.43	54.00	13.57	RMS	Horizontal	PASS
3	2486.00	37.67	2.71	40.38	54.00	13.62	RMS	Horizontal	PASS
4	2483.85	49.08	2.69	51.77	74.00	22.23	PK	Horizontal	PASS
5	2484.75	50.08	2.70	52.78	74.00	21.22	PK	Horizontal	PASS
6	2485.67	50.17	2.71	52.88	74.00	21.12	PK	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.50	37.58	2.70	40.28	54.00	13.72	RMS	Vertical	PASS
2	2486.68	37.80	2.72	40.52	54.00	13.48	RMS	Vertical	PASS
3	2489.29	37.63	2.75	40.38	54.00	13.62	RMS	Vertical	PASS
4	2484.58	50.84	2.70	53.54	74.00	20.46	PK	Vertical	PASS
5	2486.82	49.99	2.72	52.71	74.00	21.29	PK	Vertical	PASS
6	2489.28	50.06	2.75	52.81	74.00	21.19	PK	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2337.99	39.63	1.49	41.12	54.00	12.88	RMS	Horizontal	PASS
2	2368.42	37.78	1.64	39.42	54.00	14.58	RMS	Horizontal	PASS
3	2388.64	38.08	1.74	39.82	54.00	14.18	RMS	Horizontal	PASS
4	2340.00	49.38	1.51	50.89	74.00	23.11	PK	Horizontal	PASS
5	2368.96	50.01	1.65	51.66	74.00	22.34	PK	Horizontal	PASS
6	2388.23	49.01	1.74	50.75	74.00	23.25	PK	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2343.69	38.03	1.52	39.55	54.00	14.45	RMS	Vertical	PASS
2	2369.58	37.76	1.65	39.41	54.00	14.59	RMS	Vertical	PASS
3	2387.86	37.95	1.74	39.69	54.00	14.31	RMS	Vertical	PASS
4	2347.08	48.87	1.54	50.41	74.00	23.59	PK	Vertical	PASS
5	2372.81	49.53	1.67	51.20	74.00	22.80	PK	Vertical	PASS
6	2388.74	49.65	1.74	51.39	74.00	22.61	PK	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.65	38.76	2.68	41.44	54.00	12.56	RMS	Horizontal	PASS
2	2485.57	38.52	2.70	41.22	54.00	12.78	RMS	Horizontal	PASS
3	2489.90	37.82	2.75	40.57	54.00	13.43	RMS	Horizontal	PASS
4	2484.31	51.02	2.70	53.72	74.00	20.28	PK	Horizontal	PASS
5	2485.56	50.41	2.70	53.11	74.00	20.89	PK	Horizontal	PASS
6	2489.37	49.90	2.75	52.65	74.00	21.35	PK	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:	-	Engineer:	Oushuyan
Remark:	Power 0		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.65	37.86	2.68	40.54	54.00	13.46	RMS	Vertical	PASS
2	2485.79	37.78	2.71	40.49	54.00	13.51	RMS	Vertical	PASS
3	2488.24	37.85	2.73	40.58	54.00	13.42	RMS	Vertical	PASS
4	2484.06	49.48	2.69	52.17	74.00	21.83	PK	Vertical	PASS
5	2485.96	49.77	2.71	52.48	74.00	21.52	PK	Vertical	PASS
6	2488.04	50.00	2.73	52.73	74.00	21.27	PK	Vertical	PASS

~The End~