

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 1 of 59

Applicant : Home Tech Innovation, Inc
Address of Applicant : 1035 Cambridge St, Suite 11A, Cambridge, MA 02141

Product Name : Suvie Kitchen Robot
Brand Name : Suvie
Model No. : SV301
Sample No. : E22060090-01#01
E22060090-02#01

FCC ID : 2AT2K-SV301

Standard : FCC CFR47 Part 15, Subpart C

Date of Receipt : 2022-07-11
Date of Test : 2022-07-11 ~ 2022-07-27
Date of Issue : 2022-08-01

Remark:

This report details the results of the testing carried out on one sample, the results contained in this report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

Prepared by: Erik Yang
(Erik Yang)

Reviewed by: Jennifer Zhou
(Jennifer Zhou)

Approved by: Guoyou Chi
(Authorized signatory: Guoyou Chi)

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 2 of 59

Contents

1	GENERAL INFORMATION	3
1.1	TESTING LABORATORY.....	3
1.2	DETAILS OF APPLICATION	3
1.3	DETAILS OF EUT	3
1.4	TEST METHODOLOGY.....	4
1.5	TEST SUMMARY.....	4
2	TEST CONDITION	5
2.1	ENVIRONMENTAL CONDITIONS	5
2.2	EQUIPMENT LIST	5
2.3	MEASUREMENT UNCERTAINTY.....	6
3	TEST SET-UP AND OPERATION MODES	7
3.1	DETAILS OF TEST MODE	7
3.2	SPECIAL ACCESSORIES AND AUXILIARY EQUIPMENT	8
3.3	SUPPORT SOFTWARE.....	8
3.4	TEST SETUP DIAGRAM	8
4	TEST RESULTS	10
4.1	TRANSMITTER REQUIREMENT & TEST SUITES	10
4.1.1	<i>Antenna Requirement</i>	<i>10</i>
4.1.2	<i>Peak Output Power.....</i>	<i>11</i>
4.1.3	<i>6dB Bandwidth</i>	<i>12</i>
4.1.4	<i>Power Spectral Density.....</i>	<i>19</i>
4.1.5	<i>Conducted Spurious Emission & Authorized-band band-edge.....</i>	<i>26</i>
4.1.6	<i>Radiated Spurious Emission</i>	<i>49</i>
4.1.7	<i>Band Edge (Restricted-band band-edge)</i>	<i>50</i>
4.2	MAINS EMISSIONS	51
4.2.1	<i>Conducted Emission on AC Mains.....</i>	<i>51</i>
5	APPENDIXES	54
5.1	PHOTOGRAPHS OF THE SAMPLE.....	54
5.2	SET-UP FOR CONDUCTED EMISSION ON AC MAINS.....	57
5.3	SET-UP FOR CONDUCTED RF TEST AT ANTENNA PORT	58
5.4	SET-UP FOR RADIATED SPURIOUS EMISSION BELOW 1GHZ	58
5.5	SET-UP FOR RADIATED SPURIOUS EMISSION ABOVE 1GHZ.....	59

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 3 of 59

1 General Information

1.1 Testing Laboratory

Company Name	ICAS Testing Technology Service (Shanghai) Co., Ltd.
Address	No.1298, Pingan Road, Minhang District, Shanghai, China
Telephone	0086 21-51682999
Fax	0086 21-54711112
Homepage	www.icasiso.com

1.2 Details of Application

Applicant Company Name	Home Tech Innovation, Inc
Address	1035 Cambridge St, Suite 11A, Cambridge, MA 02141
Contact Person	Kevin Incorvia
Telephone	+1 617 800 5336
Email	kincorvia@suvie.com
Manufacturer Company Name	Home Tech Innovation, Inc
Address	1035 Cambridge St, Suite 11A, Cambridge, MA 02141

1.3 Details of EUT

Product Name	Suvie Kitchen Robot
Brand Name	Suvie
Test Model No.	SV301
FCC ID	2AT2K-SV301
Mode of Operation	WLAN 802.11b/g/n(HT20/40)
Frequency Range	2400MHz ~ 2483.5MHz
Channel Separation	5 MHz
Modulation Type	DSSS, OFDM
Antenna Type	PCB Antenna
Antenna Gain	3.42dBi
Test Voltage	AC 120V 60Hz 1400W
Hardware version	SV301_1.0.2
Software version	fw
Test SW Version	BL410_R; BL410_E
RF power setting in TEST_SW	EspRFTestTool_v2.8

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 4 of 59

1.4 Test Methodology

47 CFR Part 15, Subpart C	Telecommunication-Radio Frequency Devices-Intentional Radiators
KDB Publication 558074 D01 v05r02	15.247 Meas Guidance.
ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

Note(s):

All test items were verified and recorded according to the standards and without any addition/deviation/exclusion during the test.

1.5 Test Summary

Test Item	FCC Rules	Requirement	Result
Antenna Requirement	FCC Part 15.247(b)(4), Part 15.203	FCC Part 15.247(b)(4), Part 15.203	PASS
Peak Output Power	FCC Part 15.247(b)(3)	ANSI C63.10-2013, Clause 11.9.1 KDB 558074 D01 v05r02, Clause 8.3.1	PASS
6dB Bandwidth	FCC Part 15.247(a)(2)	ANSI C63.10-2013, Clause 11.8.1 KDB 558074 D01 v05r02, Clause 8.2	PASS
Power Spectral Density	FCC Part 15.247(e)	ANSI C63.10-2013, Clause 11.10.2 KDB 558074 D01 v05r02, Clause 8.4	PASS
Conducted Spurious Emission & Authorized-band band-edge	FCC Part 15.247(d)	ANSI C63.10-2013, Clause 11.11.1(a) KDB 558074 D01 v05r02, Clause 8.5	PASS
Radiated Spurious Emission	FCC Part 15.247(d), 15.205, 15.209	ANSI C63.10-2013, Clause 11.12 KDB 558074 D01 v05r02, Clause 8.6	PASS
Band Edge (Restricted-band band-edge)	FCC Part 15.247(d), 15.205, 15.209	ANSI C63.10-2013, Clause 11.13 KDB 558074 D01 v05r02, Clause 8.7	PASS
Conducted Emission on AC Mains	FCC Part 15.207(a)	ANSI C63.10-2013, Clause 6.2	PASS

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 5 of 59

2 Test Condition

2.1 Environmental conditions

Temperature (°C)	18-25
Humidity (%RH)	40-65
Barometric Pressure (mbar)	960-1060

2.2 Equipment List

Name of Equipment	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due Date
Spectrum Analyzer	Keysight	N9020B	MY59260184	2021-08-17	2022-08-16
Spectrum Analyzer	Rohde & Schwarz	FSV40N	101450	2022-06-09	2023-06-08
EMI Test Receiver	Rohde & Schwarz	ESPI3	100173	2022-06-09	2023-06-08
EMI Test Receiver	Rohde & Schwarz	ESR 7	101911	2022-06-09	2023-06-08
V-network	SCHWARZBECK	NSLK 8127	8127-902	2022-06-09	2023-06-08
Wideband Radio Communication Tester	Rohde & Schwarz	CMW 500	100687	2021-08-13	2022-08-12
Broadband Antenna	SCHWARZBECK	VULB9163	9163-1037	2021-06-08	2023-06-07
Horn Antenna-18G	SCHWARZBECK	BBHA9120D	9120D-1775	2021-06-08	2023-06-07
Loop Antenna	SCHWARZBECK	FMZB 1513	N/A	2020-11-23	2022-11-22
Horn Antenna-40G	YINGLIAN	LB-180400-KF	N/A	2021-06-12	2023-06-11
EMC chamber 9*6*6 (L*W*H)	CHANGNING	966	N/A	2020-06-09	2023-06-08
Shielded Enclosure 8*5*4 (L*W*H)	CHANGNING	854	N/A	2020-06-09	2023-06-08
Test Software	BL	BL410_E	N/A	N/A	N/A
Test Software	BL	BL410_R	N/A	N/A	N/A

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 6 of 59

2.3 Measurement Uncertainty

The uncertainty is calculated using the methods suggested in the “Guide to the Expression of Uncertainty in measurement” (GUM) published by CISPR and ANSI. The reported uncertainty of measurement $y \pm U$, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95%.

Parameter	Frequency	Uncertainty
Antenna Port Conducted Emission	< 1GHz	± 1.5 dB
	> 1GHz	± 1.5 dB
Radiated Emission	30 MHz – 1 GHz	± 3.42 dB
	> 1GHz	± 4.20 dB
Conducted Emission on AC Mains	9 kHz to 30 MHz	± 1.71 dB
Occupied Channel Bandwidth		± 5 %

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 7 of 59

3 Test Set-up and Operation Modes

3.1 Details of Test Mode

Using test software (EspRFTTestTool_v2.8) was control EUT work in continuous transmitter and receiver mode. Select test channel as below:

For 802.11b/g/n (HT20)

Channel	Frequency
The lowest channel(CH1)	2412MHz
The middle channel(CH6)	2437MHz
The highest channel(CH11)	2462MHz

For 802.11n(HT40)

Channel	Frequency
The lowest channel(CH3)	2422MHz
The middle channel(CH6)	2437MHz
The highest channel(CH9)	2452MHz

Through Pre-scan under all rate at lowest channel, the data rate as below table described is the worst case, so we choose these data rate for test.

Type	Data rate
802.11b	1Mbps
802.11g	9Mbps
802.11n(20M)	MCS0
802.11n(40M)	MCS0

The basic operation modes are:

- A. On
 - 1. WLAN mode
 - a. Transmitting
 - i. Low Channel
 - ii. Middle Channel
 - iii. High Channel
 - b. Receiving
- B. Standby
- C. Off

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 8 of 59

3.2 Special Accessories and Auxiliary Equipment


Description	Manufacturer	Model No.	Serial No.
PC	HP	HP ZHAN 66 Pro G1	N/A
USB Cable	N/A	N/A	1.00m Unshielded

3.3 Support Software

Description	Manufacturer	Software Name
Software	N/A	EspRFTestTool_v2.8

3.4 Test Setup Diagram

Diagram of Measurement Configuration for Radiation Test



Note: Measurements above 1GHz are done with a table height of 1.5m. In addition, there is RF absorbing material on the floor of the test site for above 1GHz measurement.

TEST REPORT

Diagram of Measurement Configuration for Conduction Test





Diagram of Measurement Configuration for Transmitter Test



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 10 of 59

4 Test Results

4.1 Transmitter Requirement & Test Suites

4.1.1 Antenna Requirement

RESULT:

PASS

Test standard : FCC Part 15.247(b)(4), Part 15.203

Requirement : The use of approved antennas only with directional gains that do not exceed 6dBi

According to the manufacturer declaration, the EUT has an antenna with a directional gain of 3.42dBi. The antenna is PCB antenna with no possibility of replacement with a non-approved antenna by the end-user.

Therefore, the EUT is considered to comply with this provision.

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 11 of 59

4.1.2 Peak Output Power

RESULT:

PASS

Test standard : FCC Part 15.247(b)(3)

Requirement : ANSI C63.10-2013, Clause 11.9.1
KDB 558074 D01 v05r02, Clause 8.3.1

Kind of test site : Shielded room

Test setup

Test Channel : Low/Middle/High

Operation Mode : A.1.a

Ambient temperature : 24.9°C

Relative humidity : 51%

Table 1: Peak Output Power

Test Mode	Test Channel (MHz)	Peak Output Power		Limit (W)
		(dBm)	(mW)	
802.11b	2412	18.81	76.03	≤1
	2437	19.06	80.54	
	2462	19.07	80.72	
802.11g	2412	17.94	62.23	
	2437	17.73	59.29	
	2462	17.56	57.02	
802.11n(HT20)	2412	17.68	58.61	
	2437	17.58	57.28	
	2462	17.46	55.72	
802.11n(HT40)	2422	17.20	52.48	
	2437	16.93	49.32	
	2452	16.82	48.08	

Note(s): The EUT operated at 100% duty cycle.

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 12 of 59

4.1.3 6dB Bandwidth

RESULT:

PASS

Test standard : FCC Part 15.247(a)(2)

Requirement : ANSI C63.10-2013, Clause 11.8.1
KDB 558074 D01 v05r02, Clause 8.2

Kind of test site : Shielded room

Test setup

Test Channel : Low/Middle/High

Operation Mode : A.1.a

Ambient temperature : 24.9°C

Relative humidity : 51%

Table 2: 6dB Bandwidth

Test Mode	Test Channel (MHz)	6dB Bandwidth (MHz)	Limit (MHz)
802.11b	2412	9.86	≥0.5
	2437	10.09	
	2462	8.26	
802.11g	2412	16.49	
	2437	16.43	
	2462	16.45	
802.11n(HT20)	2412	17.07	
	2437	17.00	
	2462	16.84	
802.11n(HT40)	2422	31.78	
	2437	32.29	
	2452	31.72	

TEST REPORT

Report No.: SHE22060090-02AE Date: 2022-08-01 Page 13 of 59

Figure 1: 6dB Bandwidth, 802.11b, 2412MHz





Figure 2: 6dB Bandwidth, 802.11b, 2437MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 14 of 59

Figure 3: 6dB Bandwidth, 802.11b, 2462MHz





Figure 4: 6dB Bandwidth, 802.11g, 2412MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 15 of 59

Figure 5: 6dB Bandwidth, 802.11g, 2437MHz





Figure 6: 6dB Bandwidth, 802.11g, 2462MHz



TEST REPORT

Report No.: SHE22060090-02AE Date: 2022-08-01 Page 16 of 59

Figure 7: 6dB Bandwidth, 802.11n(HT20), 2412MHz





Figure 8: 6dB Bandwidth, 802.11n(HT20), 2437MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 17 of 59

Figure 9: 6dB Bandwidth, 802.11n(HT20), 2462MHz




Figure 10: 6dB Bandwidth, 802.11n(HT40), 2422MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 18 of 59

Figure 11: 6dB Bandwidth, 802.11n(HT40), 2437MHz





Figure 12: 6dB Bandwidth, 802.11n(HT40), 2452MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 19 of 59

4.1.4 Power Spectral Density

RESULT:

PASS

Test standard : FCC Part 15.247(e)

Requirement : ANSI C63.10-2013, Clause 11.10.2
KDB 558074 D01 v05r02, Clause 8.4

Kind of test site : Shielded room

Test setup

Test Channel : Low/Middle/High

Operation Mode : A.1.a

Ambient temperature : 24.9°C

Relative humidity : 51%

Table 3: Power Spectral Density

Test Mode	Test Channel (MHz)	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)
802.11b	2412	-5.84	≤8
	2437	-5.56	
	2462	-5.49	
802.11g	2412	-10.38	
	2437	-10.95	
	2462	-11.04	
802.11n(HT20)	2412	-10.75	
	2437	-11.09	
	2462	-11.30	
802.11n(HT40)	2422	-12.55	
	2437	-12.80	
	2452	-13.07	

TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 20 of 59

Figure 13: Power Spectral Density, 802.11b, 2412MHz



Figure 14: Power Spectral Density, 802.11b, 2437MHz



TEST REPORT

Report No.: SHE22060090-02AE


Date: 2022-08-01

Page 21 of 59

Figure 15: Power Spectral Density, 802.11b, 2462MHz



Figure 16: Power Spectral Density, 802.11g, 2412MHz



TEST REPORT

Figure 17: Power Spectral Density, 802.11g, 2437MHz





Figure 18: Power Spectral Density, 802.11g, 2462MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 23 of 59

Figure 19: Power Spectral Density, 802.11n(HT20), 2412MHz





Figure 20: Power Spectral Density, 802.11n(HT20), 2437MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 24 of 59

Figure 21: Power Spectral Density, 802.11n(HT20), 2462MHz





Figure 22: Power Spectral Density, 802.11n(HT40), 2422MHz




TEST REPORT

Report No.: SHE22060090-02AE Date: 2022-08-01 Page 25 of 59

Figure 23: Power Spectral Density, 802.11n(HT40), 2437MHz



Figure 24: Power Spectral Density, 802.11n(HT40), 2452MHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 26 of 59

4.1.5 Conducted Spurious Emission & Authorized-band band-edge

RESULT:

PASS

Test standard	: FCC Part 15.247(d), 15.209
Requirement	: ANSI C63.10-2013, Clause 11.11.1(a) KDB 558074 D01 v05r02, Clause 8.5
Kind of test site	: Shielded room

Test setup

Test Channel	: Low/Middle/High for spurious, Low/High for Band Edge
Operation Mode	: A.1.a
Ambient temperature	: 24.9°C
Relative humidity	: 51%

For details refer to following test plot.


TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 27 of 59

Figure 25: Conducted Spurious Emission & Authorized-band band-edge, 802.11b, 2412MHz Carrier Level



Band Edge





TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 28 of 59

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE22060090-02AE


Date: 2022-08-01

Page 29 of 59

Figure 26: Conducted Spurious Emission & Authorized-band band-edge, 802.11b, 2437MHz Carrier Level



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 30 of 59





Figure 27: Conducted Spurious Emission & Authorized-band band-edge, 802.11b, 2462MHz Carrier Level




TEST REPORT

Report No.: SHE22060090-02AE


Date: 2022-08-01

Page 31 of 59

Band Edge



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 32 of 59





Figure 28: Conducted Spurious Emission & Authorized-band band-edge, 802.11g, 2412MHz Carrier Level



TEST REPORT

Report No.: SHE22060090-02AE


Date: 2022-08-01

Page 33 of 59

Band Edge



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 34 of 59





Figure 29: Conducted Spurious Emission & Authorized-band band-edge, 802.11g, 2437MHz Carrier Level





TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 35 of 59

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE22060090-02AE


Date: 2022-08-01

Page 36 of 59

Figure 30: Conducted Spurious Emission & Authorized-band band-edge, 802.11g, 2462MHz Carrier Level



Band Edge




TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 37 of 59


Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE22060090-02AE Date: 2022-08-01 Page 38 of 59

Figure 31: Conducted Spurious Emission & Authorized-band band-edge, 802.11n(HT20), 2412MHz Carrier Level



Band Edge





TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 39 of 59

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE22060090-02AE

Date: 2022-08-01

Page 40 of 59

Figure 32: Conducted Spurious Emission & Authorized-band band-edge, 802.11n(HT20), 2437MHz Carrier Level



Conducted spurious emissions 30MHz-25GHz

