

4

3

2

1

| COMPONENT COLORS |                 |              |          |
|------------------|-----------------|--------------|----------|
| COLOR            | COMPOUND NUMBER | MATERIAL     | SUPPLIER |
| GREY CLOUD       | CC10318937BG    | DYNAFLEX TPE | POLYONE  |

MOLDING NOTES:

1.

EJECTOR PINS TO BE FLUSH TO .005 INCH RECESSED

2.

PART TO BE FREE OF ANY FOREIGN MATERIAL INCLUDING BUT NOT LIMITED TO MOLD RELEASE AND OIL

3.

EJECTOR PIN AND GATE LOCATIONS TO BE APPROVED BY BOLD TYPE, LLC ENGINEERING DEPARTMENT

4.

FLASH NOT TO EXCEED .005 INCH, GATE TO BE FLUSH +.010/-.010

5.

NO SHARP EDGES ALLOWED

6.

ALL DIMENSIONS SHOWN IN THIS DRAWING, EXCLUDING REFERENCE DIMENSIONS ARE CONSIDERED CRITICAL TO QUALITY (CTQ). CPK DIMENSIONS INDICATED WITH AN OVAL: 

7.

PART TO BE FREE OF SINK, SPLAY, BLUSH, AND OTHER COSMETIC DEFECTS ON ALL APPERANCE SURFACES

8.

MODEL FILE 820-00006\_RE.STEP

9.

DIMENSIONS NOT CALLED OUT ON THIS DRAWING SHALL BE INSPECTED FROM THE MODEL FILE.

10.

ALL DIMENSIONS APPLY TO THE UNRESTRAINED PART

11.

MODEL TOLERANCE:  .010 

|   |   |   |
|---|---|---|
| A | B | C |
|---|---|---|

12.

DRAFTING STANDARDS PER ANSY-Y14.100-2000

13.

DIMENSION AND TOLERANCE PER ANSI-Y14.5-2009

14.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE BASIC

15.

MATERIAL: SEE TABLE

16.

COLOR: SEE TABLE, COLOR DEVIATIONS PER STANDARD: SPEC-00009

17.

USE ONLY VIRGIN MATERIAL

18.

SURFACE FINISH: SP1B3


19.

SURFACE FINISH FOR COSMETIC FACES: MT11010 TEXTURED SURFACE

20.

ARTWORK FILE FOR "LEVA" LOGO: 820-00006\_RE.AI

| REVISIONS |      |        |                                                                                   |            |     |
|-----------|------|--------|-----------------------------------------------------------------------------------|------------|-----|
| ZONE      | REV. | ECO    | DESCRIPTION                                                                       | DATE       | BY  |
|           | A    |        | INITIAL RELEASE                                                                   | 04/04/2018 | MJM |
|           | B    | 000021 | REVISED NOTES                                                                     | 5/15/2019  | JRB |
|           | C    | 000153 | REVISED NOTES                                                                     | 12/9/2019  | MJM |
|           | D    | 000170 | ADD CPK DIMENSION INDICATORS AND REMOVED TITLE BLOCK TOLERANCES, UPDATED MATERIAL | 1/23/2020  | MJM |
|           | E    | 000192 | UPDATED FCC ID NUMBER                                                             | 3/17/2020  | MJM |



NOTES UNLESS OTHERWISE SPECIFIED:

1

MARK PRODUCT PER LBL-00002


2.


THIS PART IS INSERT MOLDED ONTO PART NO: 432-00015

| COMPLIANCE TABLE         |               |   |        |   |
|--------------------------|---------------|---|--------|---|
| PART SOURCE              | OFF THE SHELF |   | CUSTOM | X |
| ROHS COMPLIANT           | YES           | X | NO     |   |
| REQUIRES AGENCY APPROVAL | YES           |   | NO     | X |

1. IF "ROHS" IS MARKED "YES", OTS PARTS REQUIRE ROHS APPROVAL/CERTIFICATE AS A PRE-REQUISITE. FOR "CUSTOM" PARTS, THEY MUST BE CONSTRUCTED OF ROHS COMPLIANT MATERIALS.

2. IF "REQUIRES AGENCY APPROVAL" IS MARKED "YES", OTS PARTS REQUIRE COMPONENT APPROVALS (RU, UL, ETL) AS A PRE-REQUISITE. IF CUSTOM, THE COMPONENT APPROVAL(S) MUST BE ATTAINED OR ALTERNATIVELY TESTED WITH THE FINAL PRODUCT.


|                                                                                                                                                                  |     |                                                                                                                                                                     |            |                                                                                                                                                                                        |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.<br>TOLERANCES ARE:<br>ANGLES ± N/A°<br>1 PLC. DECIMALS ±N/A<br>2 PLC. DECIMALS ±N/A<br>3 PLC. DECIMALS ±N/A |     | <br><a href="http://www.BOLDTYPECONSULTING.com">www.BOLDTYPECONSULTING.com</a> |            | BOLD TYPE, LLC RESERVES PROPRIETARY RIGHTS TO THIS DRAWING. DRAWING AND THE DATA SHOWN THEREON MAY NOT BE DISCLOSED, USED OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF BOLD TYPE, LLC. |  |
| DRAWN BY:                                                                                                                                                        | MJM | DATE:                                                                                                                                                               | 2018-04-04 | PROBE OVERMOLDED ASSEMBLY - TD SHAPE                                                                                                                                                   |  |
| CHECKED BY:                                                                                                                                                      | MJM | DATE:                                                                                                                                                               | 2018-04-04 |                                                                                                                                                                                        |  |
| THIRD ANGLE PROJECTION<br>                                                  |     | MATERIAL:                                                                                                                                                           |            | DRAWING NO.                                                                                                                                                                            |  |
|                                                                                                                                                                  |     | SEE NOTES                                                                                                                                                           |            | 820-00006                                                                                                                                                                              |  |
|                                                                                                                                                                  |     | SERIAL NO.                                                                                                                                                          |            | DO NOT SCALE DRAWING                                                                                                                                                                   |  |
|                                                                                                                                                                  |     | xxxxxxx                                                                                                                                                             |            | SHEET 1 OF 4                                                                                                                                                                           |  |





NOTES UNLESS OTHERWISE SPECIFIED:

1. MARK PRODUCT PER LBL-00002
2. THIS PART IS INSERT MOLDED ONTO PART NO: 432-00015

| COMPLIANCE TABLE                                                                                                                                                                                                                                                                                                                                                                                                      |               |   |        |   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---|--------|---|
| PART SOURCE                                                                                                                                                                                                                                                                                                                                                                                                           | OFF THE SHELF |   | CUSTOM | x |
| ROHS COMPLIANT                                                                                                                                                                                                                                                                                                                                                                                                        | YES           | x | NO     |   |
| REQUIRES AGENCY APPROVAL                                                                                                                                                                                                                                                                                                                                                                                              | YES           |   | NO     | x |
| <p>1. IF "ROHS" IS MARKED "YES", OTS PARTS REQUIRE ROHS APPROVAL/CERTIFICATE AS A PRE-REQUISITE. FOR "CUSTOM" PARTS, THEY MUST BE CONSTRUCTED OF ROHS COMPLIANT MATERIALS.</p> <p>2. IF "REQUIRES AGENCY APPROVAL" IS MARKED "YES", OTS PARTS REQUIRE COMPONENT APPROVALS (RU, UL, ETL) AS A PRE-REQUISITE. IF CUSTOM, THE COMPONENT APPROVAL(S) MUST BE ATTAINED OR ALTERNATIVELY TESTED WITH THE FINAL PRODUCT.</p> |               |   |        |   |

|                                                                                                                                                                                                                                       |                                                                                                                              |                                              |                                                                                                                                                                                               |                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| <p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.</p> <p>TOLERANCES ARE:</p> <p>ANGLES                      ± N/A°</p> <p>1 PLC. DECIMALS        ±N/A</p> <p>2 PLC. DECIMALS        ±N/A</p> <p>3 PLC. DECIMALS        ±N/A</p> |  <p><b>BOLD TYPE</b><br/>CONSULTING</p> |                                              | <p>BOLD TYPE, LLC RESERVES PROPRIETARY RIGHTS TO THIS DRAWING. DRAWING AND THE DATA SHOWN THEREON MAY NOT BE DISCLOSED, USED OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF BOLD TYPE, LLC.</p> |                                                        |
|                                                                                                                                                                                                                                       | <p><a href="http://www.BOLDTYPECONSULTING.com">www.BOLDTYPECONSULTING.com</a></p>                                            |                                              |                                                                                                                                                                                               | <p><b>PROBE OVERMOLDED ASSEMBLY - TD<br/>SHAPE</b></p> |
| <p>DRAWN BY:                      MJM</p>                                                                                                                                                                                             |                                                                                                                              | <p>DATE:                      2018-04-04</p> |                                                                                                                                                                                               |                                                        |
| <p>CHECKED BY:                      MJM</p>                                                                                                                                                                                           |                                                                                                                              | <p>DATE:                      2018-04-04</p> |                                                                                                                                                                                               | <p>DRAWING NO.</p> <p><b>820-00006</b></p>             |
| <p>THIRD ANGLE PROJECTION</p>                                                                                                                    |                                                                                                                              | <p>DRAWING NO.</p>                           |                                                                                                                                                                                               |                                                        |
| <p>MATERIAL:                      SEE NOTES</p>                                                                                                                                                                                       |                                                                                                                              | <p>REV.</p> <p><b>E</b></p>                  |                                                                                                                                                                                               |                                                        |
| <p>SERIAL NO.                      xxxxxxxx</p>                                                                                                                                                                                       |                                                                                                                              | <p>DO NOT SCALE DRAWING</p>                  |                                                                                                                                                                                               | <p>SHEET    1    OF    4</p>                           |



NOTE  
ORIENTATION OF  
REFERENCE RIB  
AND BAYONET  
LOCK

SECTION G-G  
SCALE 1.5 : 1



BOLD TYPE, LLC. RESERVES  
PROPRIETARY RIGHTS  
TO THIS DRAWING. DRAWING AND  
THE DATA SHOWN THEREON MAY  
NOT BE DISCLOSED, USED OR  
REPRODUCED WITHOUT THE WRITTEN  
CONSENT OF BOLD TYPE, LLC.

TITLE  
**PROBE OVERMOLDED ASSEMBLY - TD  
SHAPE**

|             |          |
|-------------|----------|
| DRAWING NO. | REV.     |
| 820-00006   | <b>E</b> |








|                      |                            |
|----------------------|----------------------------|
| DO NOT SCALE DRAWING | SHEET <b>2</b> OF <b>4</b> |
|----------------------|----------------------------|

4

3

2

1



Ø.661



BOLD TYPE, LLC. RESERVES  
PROPRIETARY RIGHTS  
TO THIS DRAWING. DRAWING AND  
THE DATA SHOWN THEREON MAY  
NOT BE DISCLOSED, USED OR  
REPRODUCED WITHOUT THE WRITTEN  
CONSENT OF BOLD TYPE, LLC.

TITLE  
**PROBE OVERMOLDED ASSEMBLY - TD  
SHAPE**

DRAWING NO. 820-00006 REV. **E**

DO NOT SCALE DRAWING SHEET 3 OF 4

4

3

2

1

