

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

1 LTE B2

1.1 LTE-B2-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.29.12

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
124.332	-60.60	-17.99	-13.0	47.60	34.50	Horizontal	Vertical	Pass
167.498	-63.85	-17.93	-13.0	50.85	203.20	Horizontal	Vertical	Pass
198.538	-65.09	-14.69	-13.0	52.09	255.90	Horizontal	Vertical	Pass
1960.000	-42.85	1.07	-13.0	29.85	188.40	Horizontal	Vertical	Pass
3760.000	-26.59	11.71	-13.0	13.59	31.00	Horizontal	Vertical	Pass
5640.000	-25.34	15.27	-13.0	12.34	178.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.20.04

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7966.000	-51.80	22.40	-13.0	38.80	131.30	Horizontal	Vertical	Pass
9307.000	-47.99	25.17	-13.0	34.99	142.40	Horizontal	Vertical	Pass
10366.000	-46.34	26.38	-13.0	33.34	16.40	Horizontal	Vertical	Pass
11215.000	-44.57	25.53	-13.0	31.57	16.40	Horizontal	Vertical	Pass
14836.000	-40.67	31.65	-13.0	27.67	271.00	Horizontal	Vertical	Pass
17080.001	-37.46	33.70	-13.0	24.46	306.80	Horizontal	Vertical	Pass

1.2 LTE-B2-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-26_14.44.51

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case: CE FCC PART22&24&27 FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.850	-65.90	-23.25	-13.0	52.90	243.80	Vertical	Vertical	Pass
57.160	-69.17	-16.25	-13.0	56.17	360.00	Vertical	Vertical	Pass
97.900	-67.95	-13.74	-13.0	54.95	52.60	Vertical	Vertical	Pass
993.937	-55.98	2.15	-13.0	42.98	15.00	Vertical	Vertical	Pass
1960.000	-38.03	0.89	-13.0	25.03	269.10	Vertical	Vertical	Pass
3760.000	-22.28	11.55	-13.0	9.28	253.90	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.17.06

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7951.000	-51.53	22.43	-13.0	38.53	146.80	Vertical	Vertical	Pass
9274.000	-46.86	24.86	-13.0	33.86	78.70	Vertical	Vertical	Pass
11137.000	-45.42	26.01	-13.0	32.42	264.80	Vertical	Vertical	Pass
13537.000	-44.11	29.28	-13.0	31.11	24.60	Vertical	Vertical	Pass
16465.000	-38.40	32.31	-13.0	25.40	157.70	Vertical	Vertical	Pass
16849.000	-36.58	32.77	-13.0	23.58	168.80	Vertical	Vertical	Pass

1.3 LTE-B2-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.25.24

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
96.688	-66.46	-14.35	-13.0	53.46	285.90	Horizontal	Vertical	Pass
124.332	-61.44	-17.99	-13.0	48.44	325.90	Horizontal	Vertical	Pass
164.345	-64.13	-17.97	-13.0	51.13	126.30	Horizontal	Vertical	Pass
1960.000	-42.77	1.07	-13.0	29.77	263.30	Horizontal	Vertical	Pass
3760.000	-28.73	11.71	-13.0	15.73	333.50	Horizontal	Vertical	Pass
5638.000	-28.20	15.31	-13.0	15.20	105.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.22.33

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8497.000	-51.09	21.28	-13.0	38.09	280.30	Horizontal	Vertical	Pass
9391.000	-46.84	25.04	-13.0	33.84	352.70	Horizontal	Vertical	Pass
11113.000	-44.89	25.92	-13.0	31.89	136.80	Horizontal	Vertical	Pass
13540.000	-43.80	29.13	-13.0	30.80	8.10	Horizontal	Vertical	Pass
16177.000	-39.04	30.17	-13.0	26.04	352.70	Horizontal	Vertical	Pass
18141.999	-36.07	32.95	-13.0	23.07	20.00	Horizontal	Vertical	Pass

1.4 LTE-B2-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-26_14.50.03

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CCE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-68.53	-16.25	-13.0	55.53	356.50	Vertical	Vertical	Pass
96.930	-66.95	-14.23	-13.0	53.95	0.00	Vertical	Vertical	Pass
162.405	-69.16	-18.00	-13.0	56.16	108.70	Vertical	Vertical	Pass
992.725	-55.78	2.13	-13.0	42.78	28.40	Vertical	Vertical	Pass
1959.000	-36.71	0.90	-13.0	23.71	196.60	Vertical	Vertical	Pass
3761.000	-26.99	11.56	-13.0	13.99	323.50	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.24.11

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8512.000	-51.28	21.08	-13.0	38.28	360.00	Vertical	Vertical	Pass
9898.000	-47.52	25.34	-13.0	34.52	213.20	Vertical	Vertical	Pass
11137.000	-44.96	26.01	-13.0	31.96	207.70	Vertical	Vertical	Pass
14173.000	-42.40	29.34	-13.0	29.40	281.40	Vertical	Vertical	Pass
15127.000	-39.32	29.87	-13.0	26.32	130.90	Vertical	Vertical	Pass
18141.999	-36.28	32.95	-13.0	23.28	242.10	Vertical	Vertical	Pass

1.5 LTE-B2-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.21.46

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.638	-74.42	-22.78	-13.0	61.42	192.90	Horizontal	Vertical	Pass
124.090	-59.36	-17.98	-13.0	46.36	32.30	Horizontal	Vertical	Pass
165.315	-62.79	-17.96	-13.0	49.79	192.90	Horizontal	Vertical	Pass
980.600	-56.03	1.81	-13.0	43.03	112.40	Horizontal	Vertical	Pass
1959.500	-41.39	1.08	-13.0	28.39	254.40	Horizontal	Vertical	Pass
3761.000	-31.06	11.72	-13.0	18.06	346.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.29.48

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7960.000	-50.90	22.55	-13.0	37.90	91.10	Horizontal	Vertical	Pass
9927.999	-46.43	25.35	-13.0	33.43	63.20	Horizontal	Vertical	Pass
11152.000	-44.44	26.13	-13.0	31.44	300.90	Horizontal	Vertical	Pass
13870.000	-43.84	28.09	-13.0	30.84	91.10	Horizontal	Vertical	Pass
15133.000	-39.44	29.98	-13.0	26.44	300.90	Horizontal	Vertical	Pass
16879.000	-37.37	33.12	-13.0	24.37	96.50	Horizontal	Vertical	Pass

1.6 LTE-B2-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-26_14.53.47

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.850	-66.58	-23.25	-13.0	53.58	47.10	Vertical	Vertical	Pass
57.160	-67.87	-16.25	-13.0	54.87	47.10	Vertical	Vertical	Pass
97.900	-67.47	-13.74	-13.0	54.47	325.90	Vertical	Vertical	Pass
971.870	-55.32	1.57	-13.0	42.32	47.10	Vertical	Vertical	Pass
1959.000	-34.48	0.90	-13.0	21.48	297.50	Vertical	Vertical	Pass
3762.000	-28.04	11.57	-13.0	15.04	290.00	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.26.42

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7801.000	-51.93	21.43	-13.0	38.93	353.90	Vertical	Vertical	Pass
9304.001	-47.38	25.25	-13.0	34.38	265.90	Vertical	Vertical	Pass
11152.000	-44.94	26.13	-13.0	31.94	180.40	Vertical	Vertical	Pass
14122.000	-42.34	29.74	-13.0	29.34	265.90	Vertical	Vertical	Pass
17095.000	-35.80	33.80	-13.0	22.80	0.00	Vertical	Vertical	Pass
18154.000	-36.41	32.95	-13.0	23.41	180.40	Vertical	Vertical	Pass

1.7 LTE-B2-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.18.05

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.880	-70.43	-22.75	-13.0	57.43	101.60	Horizontal	Vertical	Pass
124.090	-60.58	-17.98	-13.0	47.58	324.40	Horizontal	Vertical	Pass
960.958	-56.40	1.41	-13.0	43.40	24.00	Horizontal	Vertical	Pass
1958.500	-41.34	1.10	-13.0	28.34	283.00	Horizontal	Vertical	Pass
3760.000	-33.77	11.71	-13.0	20.77	294.60	Horizontal	Vertical	Pass
5640.000	-34.31	15.27	-13.0	21.31	128.10	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.31.36

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E2511056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7957.000	-51.57	22.58	-13.0	38.57	34.90	Horizontal	Vertical	Pass
9274.000	-47.54	24.86	-13.0	34.54	356.00	Horizontal	Vertical	Pass
11173.000	-44.70	25.87	-13.0	31.70	224.40	Horizontal	Vertical	Pass
12775.000	-43.99	26.92	-13.0	30.99	134.70	Horizontal	Vertical	Pass
14800.000	-40.35	31.62	-13.0	27.35	63.00	Horizontal	Vertical	Pass
18201.999	-36.05	32.95	-13.0	23.05	356.00	Horizontal	Vertical	Pass

1.8 LTE-B2-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-26_14.57.45

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
55.462	-69.20	-16.17	-13.0	56.20	360.00	Vertical	Vertical	Pass
96.688	-66.96	-14.35	-13.0	53.96	36.90	Vertical	Vertical	Pass
199.992	-69.47	-14.45	-13.0	56.47	208.30	Vertical	Vertical	Pass
983.753	-55.61	1.90	-13.0	42.61	360.00	Vertical	Vertical	Pass
1958.000	-36.35	0.92	-13.0	23.35	212.20	Vertical	Vertical	Pass
3760.000	-29.01	11.55	-13.0	16.01	310.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.33.07

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7960.000	-51.19	22.55	-13.0	38.19	250.50	Vertical	Vertical	Pass
10399.000	-46.78	25.74	-13.0	33.78	323.00	Vertical	Vertical	Pass
10855.000	-45.84	25.53	-13.0	32.84	340.50	Vertical	Vertical	Pass
13507.000	-43.88	28.90	-13.0	30.88	76.00	Vertical	Vertical	Pass
16522.000	-37.41	32.61	-13.0	24.41	360.00	Vertical	Vertical	Pass
18877.000	-35.89	32.95	-13.0	22.89	269.30	Vertical	Vertical	Pass

1.9 LTE-B2-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.14.31

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
125.060	-59.67	-18.02	-13.0	46.67	0.00	Horizontal	Vertical	Pass
186.413	-66.92	-16.38	-13.0	53.92	232.60	Horizontal	Vertical	Pass
988.602	-55.57	2.03	-13.0	42.57	111.70	Horizontal	Vertical	Pass
1965.000	-42.70	0.98	-13.0	29.70	360.00	Horizontal	Vertical	Pass
3759.000	-32.61	11.70	-13.0	19.61	360.00	Horizontal	Vertical	Pass
5646.000	-35.50	15.16	-13.0	22.50	184.60	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.37.08

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART2&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7945.000	-51.03	22.16	-13.0	38.03	360.00	Horizontal	Vertical	Pass
9301.000	-47.18	25.25	-13.0	34.18	306.90	Horizontal	Vertical	Pass
11086.000	-44.75	26.13	-13.0	31.75	306.90	Horizontal	Vertical	Pass
12787.000	-44.60	27.15	-13.0	31.60	160.00	Horizontal	Vertical	Pass
14821.000	-40.26	31.94	-13.0	27.26	214.30	Horizontal	Vertical	Pass
16474.000	-36.81	32.30	-13.0	23.81	9.70	Horizontal	Vertical	Pass

1.10 LTE-B2-15-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.01.22

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-69.31	-16.25	-13.0	56.31	44.70	Vertical	Vertical	Pass
97.658	-67.35	-13.86	-13.0	54.35	226.80	Vertical	Vertical	Pass
198.295	-70.01	-14.73	-13.0	57.01	266.40	Vertical	Vertical	Pass
948.347	-56.10	1.21	-13.0	43.10	326.20	Vertical	Vertical	Pass
1960.500	-35.32	0.88	-13.0	22.32	269.10	Vertical	Vertical	Pass
3761.000	-31.23	11.56	-13.0	18.23	256.90	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.35.16

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7915.000	-51.13	21.79	-13.0	38.13	24.80	Vertical	Vertical	Pass
9289.000	-47.63	24.84	-13.0	34.63	346.80	Vertical	Vertical	Pass
11131.000	-44.73	26.01	-13.0	31.73	346.80	Vertical	Vertical	Pass
15130.000	-39.76	29.98	-13.0	26.76	156.00	Vertical	Vertical	Pass
17167.000	-36.24	32.65	-13.0	23.24	194.80	Vertical	Vertical	Pass
18144.999	-36.92	32.95	-13.0	23.92	82.10	Vertical	Vertical	Pass

1.11 LTE-B2-20-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.11.01

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.638	-71.77	-22.78	-13.0	58.77	9.00	Horizontal	Vertical	Pass
96.930	-65.68	-14.23	-13.0	52.68	170.40	Horizontal	Vertical	Pass
124.332	-60.70	-17.99	-13.0	47.70	327.80	Horizontal	Vertical	Pass
996.847	-56.63	2.21	-13.0	43.63	327.80	Horizontal	Vertical	Pass
1967.000	-43.34	0.95	-13.0	30.34	292.80	Horizontal	Vertical	Pass
3766.000	-34.84	11.78	-13.0	21.84	287.80	Horizontal	Vertical	Pass


Test result

Project Number: Test

Test Time: 2026-01-26_16.39.52

EUT Name:	N.A	Test Engineer:	SDC
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	TX
Temp.(oC):	22.3	Load:	Full load
Hum.:	42%	Remark:	DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7828.000	-51.01	21.26	-13.0	38.01	263.30	Horizontal	Vertical	Pass
9265.000	-47.59	24.57	-13.0	34.59	0.00	Horizontal	Vertical	Pass
11137.000	-44.86	26.01	-13.0	31.86	354.50	Horizontal	Vertical	Pass
13276.000	-44.69	26.31	-13.0	31.69	127.20	Horizontal	Vertical	Pass
14773.000	-39.84	31.23	-13.0	26.84	331.50	Horizontal	Vertical	Pass
18144.999	-36.72	32.95	-13.0	23.72	30.80	Horizontal	Vertical	Pass

1.12 LTE-B2-20-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-26_15.04.38

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 24_1900_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.403	-68.48	-16.26	-13.0	55.48	356.90	Vertical	Vertical	Pass
96.930	-66.70	-14.23	-13.0	53.70	0.00	Vertical	Vertical	Pass
244.855	-67.26	-14.56	-13.0	54.26	314.40	Vertical	Vertical	Pass
955.138	-55.97	1.33	-13.0	42.97	0.00	Vertical	Vertical	Pass
1953.000	-35.18	1.00	-13.0	22.18	219.60	Vertical	Vertical	Pass
3759.000	-32.19	11.54	-13.0	19.19	287.40	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.42.38

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7954.000	-50.92	22.51	-13.0	37.92	295.50	Vertical	Vertical	Pass
9916.000	-46.92	25.46	-13.0	33.92	239.20	Vertical	Vertical	Pass
11158.000	-45.18	26.03	-13.0	32.18	295.50	Vertical	Vertical	Pass
13531.000	-43.25	29.43	-13.0	30.25	266.40	Vertical	Vertical	Pass
14803.000	-39.79	31.84	-13.0	26.79	136.90	Vertical	Vertical	Pass
16522.000	-36.89	32.61	-13.0	23.89	159.60	Vertical	Vertical	Pass

2 LTE B4

2.1 LTE-B4-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_10.47.56

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CCE_FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	124.817	-64.25	-18.02	-13.0	51.25	Peak	356.40	100	Horizontal	Pass
2	997.090	-54.98	1.99	-13.0	41.98	Peak	75.60	100	Horizontal	Pass
3	2132.750	-33.31	3.21	-13.0	20.31	Peak	262.60	100	Horizontal	Pass
4	3465.000	-30.91	9.78	-13.0	17.91	Peak	26.80	100	Horizontal	Pass
5	5197.500	-17.12	14.63	-13.0	4.12	Peak	25.00	100	Horizontal	Pass
6	6929.500	-16.47	19.13	-13.0	3.47	Peak	116.20	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.50.41

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART2&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7951.500	-49.65	17.46	-13.0	36.65	360.00	Horizontal	Vertical	Pass
9290.750	-47.23	19.92	-13.0	34.23	359.20	Horizontal	Vertical	Pass
10514.500	-45.06	20.74	-13.0	32.06	0.00	Horizontal	Vertical	Pass
12819.000	-43.28	21.93	-13.0	30.28	30.30	Horizontal	Vertical	Pass
15145.500	-38.37	25.08	-13.0	25.37	360.00	Horizontal	Vertical	Pass
16517.750	-35.59	27.86	-13.0	22.59	57.00	Horizontal	Vertical	Pass

2.2 LTE-B4-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.43.42

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	57.160	-65.72	-16.27	-13.0	52.72	Peak	7.40	100	Vertical	Pass
2	97.900	-64.85	-13.75	-13.0	51.85	Peak	205.30	100	Vertical	Pass
3	2478.000	-32.71	4.10	-13.0	19.71	Peak	302.70	100	Vertical	Pass
4	3464.500	-25.71	9.68	-13.0	12.71	Peak	170.10	100	Vertical	Pass
5	5198.500	-16.99	14.32	-13.0	3.99	Peak	321.10	100	Vertical	Pass
6	6930.000	-17.69	19.20	-13.0	4.69	Peak	109.60	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.46.01

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7954.250	-49.64	17.52	-13.0	36.64	219.20	Vertical	Vertical	Pass
9304.500	-46.40	20.25	-13.0	33.40	352.30	Vertical	Vertical	Pass
11122.250	-44.30	21.01	-13.0	31.30	0.00	Vertical	Vertical	Pass
13096.750	-43.92	22.55	-13.0	30.92	219.20	Vertical	Vertical	Pass
15142.750	-37.56	25.06	-13.0	24.56	258.00	Vertical	Vertical	Pass
16768.000	-35.79	27.95	-13.0	22.79	352.30	Vertical	Vertical	Pass

2.3 LTE-B4-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_10.54.04

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	125.060	-61.86	-18.03	-13.0	48.86	Peak	4.20	100	Horizontal	Pass
2	180.592	-66.41	-16.84	-13.0	53.41	Peak	83.80	100	Horizontal	Pass
3	2133.000	-33.53	3.21	-13.0	20.53	Peak	294.40	100	Horizontal	Pass
4	3463.500	-32.07	9.78	-13.0	19.07	Peak	20.90	100	Horizontal	Pass
5	5197.500	-18.21	14.63	-13.0	5.21	Peak	360.00	100	Horizontal	Pass
6	6933.000	-19.25	19.19	-13.0	6.25	Peak	113.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.52.22

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7926.750	-49.31	17.08	-13.0	36.31	25.20	Horizontal	Vertical	Pass
9824.250	-46.93	20.12	-13.0	33.93	332.20	Horizontal	Vertical	Pass
11171.750	-44.57	20.87	-13.0	31.57	108.90	Horizontal	Vertical	Pass
12799.750	-43.32	22.15	-13.0	30.32	25.20	Horizontal	Vertical	Pass
15137.250	-38.41	25.07	-13.0	25.41	162.80	Horizontal	Vertical	Pass
16861.500	-35.52	28.07	-13.0	22.52	0.00	Horizontal	Vertical	Pass

2.4 LTE-B4-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.38.54

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	97.900	-64.59	-13.75	-13.0	51.59	Peak	106.90	100	Vertical	Pass
2	165.557	-67.79	-18.03	-13.0	54.79	Peak	67.60	100	Vertical	Pass
3	2133.250	-38.80	2.73	-13.0	25.80	Peak	326.10	100	Vertical	Pass
4	3465.000	-26.96	9.68	-13.0	13.96	Peak	176.90	100	Vertical	Pass
5	5199.500	-17.61	14.30	-13.0	4.61	Peak	323.20	100	Vertical	Pass
6	6930.500	-21.45	19.21	-13.0	8.45	Peak	107.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.54.27

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7932.250	-50.03	17.16	-13.0	37.03	150.00	Vertical	Vertical	Pass
8815.000	-47.25	18.29	-13.0	34.25	106.00	Vertical	Vertical	Pass
10734.500	-45.52	21.11	-13.0	32.52	150.00	Vertical	Vertical	Pass
13058.250	-42.48	22.49	-13.0	29.48	17.80	Vertical	Vertical	Pass
15500.250	-38.19	25.48	-13.0	25.19	17.80	Vertical	Vertical	Pass
16850.500	-35.40	27.79	-13.0	22.40	302.00	Vertical	Vertical	Pass

2.5 LTE-B4-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_10.59.07

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	124.817	-63.96	-18.02	-13.0	50.96	Peak	355.90	100	Horizontal	Pass
2	444.918	-64.70	-9.26	-13.0	51.70	Peak	236.90	100	Horizontal	Pass
3	2134.000	-31.41	3.24	-13.0	18.41	Peak	260.60	100	Horizontal	Pass
4	3464.500	-33.25	9.78	-13.0	20.25	Peak	181.90	100	Horizontal	Pass
5	5201.000	-17.62	14.57	-13.0	4.62	Peak	0.00	100	Horizontal	Pass
6	6935.500	-20.82	19.23	-13.0	7.82	Peak	111.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.59.41

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7965.250	-49.11	17.41	-13.0	36.11	114.20	Horizontal	Vertical	Pass
10071.750	-46.32	20.14	-13.0	33.32	191.30	Horizontal	Vertical	Pass
11427.500	-44.22	20.98	-13.0	31.22	218.20	Horizontal	Vertical	Pass
14408.500	-39.76	25.46	-13.0	26.76	103.00	Horizontal	Vertical	Pass
15151.000	-38.67	24.90	-13.0	25.67	356.70	Horizontal	Vertical	Pass
17073.250	-35.25	28.65	-13.0	22.25	218.20	Horizontal	Vertical	Pass

2.6 LTE-B4-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.34.14

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	97.658	-63.03	-13.87	-13.0	50.03	Peak	131.20	100	Vertical	Pass
2	164.587	-68.12	-18.04	-13.0	55.12	Peak	170.50	100	Vertical	Pass
3	2132.500	-39.67	2.71	-13.0	26.67	Peak	292.30	100	Vertical	Pass
4	3464.500	-27.61	9.68	-13.0	14.61	Peak	135.30	100	Vertical	Pass
5	5197.500	-19.16	14.34	-13.0	6.16	Peak	318.70	100	Vertical	Pass
6	6935.000	-22.38	19.28	-13.0	9.38	Peak	192.60	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_16.57.07

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7951.500	-49.15	17.46	-13.0	36.15	327.00	Vertical	Vertical	Pass
9972.750	-45.97	20.56	-13.0	32.97	196.40	Vertical	Vertical	Pass
11152.500	-43.49	21.10	-13.0	30.49	181.50	Vertical	Vertical	Pass
14128.000	-41.16	24.75	-13.0	28.16	115.30	Vertical	Vertical	Pass
16094.250	-38.54	25.37	-13.0	25.54	105.00	Vertical	Vertical	Pass
17056.750	-35.31	28.53	-13.0	22.31	327.00	Vertical	Vertical	Pass

2.7 LTE-B4-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.06.00

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	125.060	-62.92	-18.03	-13.0	49.92	Peak	288.40	100	Horizontal	Pass
2	179.380	-66.35	-16.95	-13.0	53.35	Peak	130.70	100	Horizontal	Pass
3	2136.500	-34.88	3.30	-13.0	21.88	Peak	251.60	100	Horizontal	Pass
4	3464.500	-33.80	9.78	-13.0	20.80	Peak	175.60	100	Horizontal	Pass
5	5191.000	-21.50	14.75	-13.0	8.50	Peak	331.30	100	Horizontal	Pass
6	6939.000	-21.75	19.28	-13.0	8.75	Peak	113.60	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.01.15

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7992.750	-49.57	17.02	-13.0	36.57	309.30	Horizontal	Vertical	Pass
9887.500	-45.66	20.35	-13.0	32.66	264.80	Horizontal	Vertical	Pass
11204.750	-44.64	20.46	-13.0	31.64	58.80	Horizontal	Vertical	Pass
12810.750	-43.17	22.00	-13.0	30.17	58.80	Horizontal	Vertical	Pass
14815.500	-38.16	27.18	-13.0	25.16	338.70	Horizontal	Vertical	Pass
16504.001	-35.74	27.96	-13.0	22.74	58.80	Horizontal	Vertical	Pass

2.8 LTE-B4-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.29.45

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	97.658	-63.85	-13.87	-13.0	50.85	Peak	197.60	100	Vertical	Pass
2	165.557	-67.91	-18.03	-13.0	54.91	Peak	316.90	100	Vertical	Pass
3	2425.500	-37.71	4.27	-13.0	24.71	Peak	240.80	100	Vertical	Pass
4	3468.500	-29.59	9.69	-13.0	16.59	Peak	175.20	100	Vertical	Pass
5	5204.000	-20.70	14.22	-13.0	7.70	Peak	339.40	100	Vertical	Pass
6	6939.000	-23.72	19.34	-13.0	10.72	Peak	276.20	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.02.52

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7932.250	-50.26	17.16	-13.0	37.26	182.10	Vertical	Vertical	Pass
9901.250	-46.30	20.34	-13.0	33.30	29.60	Vertical	Vertical	Pass
11160.750	-44.13	21.07	-13.0	31.13	89.70	Vertical	Vertical	Pass
13839.250	-41.61	23.20	-13.0	28.61	253.70	Vertical	Vertical	Pass
14801.750	-37.54	26.71	-13.0	24.54	253.70	Vertical	Vertical	Pass
16594.750	-35.88	27.81	-13.0	22.88	182.10	Vertical	Vertical	Pass

2.9 LTE-B4-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.11.21

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E2511056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	124.090	-63.28	-17.99	-13.0	50.28	Peak	0.00	100	Horizontal	Pass
2	177.925	-66.04	-17.11	-13.0	53.04	Peak	191.20	100	Horizontal	Pass
3	2137.750	-34.62	3.33	-13.0	21.62	Peak	260.60	100	Horizontal	Pass
4	3465.000	-36.01	9.78	-13.0	23.01	Peak	160.40	100	Horizontal	Pass
5	5206.500	-22.74	14.48	-13.0	9.74	Peak	24.30	100	Horizontal	Pass
6	6944.000	-22.71	19.36	-13.0	9.71	Peak	151.80	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.07.44

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART2&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8757.250	-49.74	17.46	-13.0	36.74	18.90	Horizontal	Vertical	Pass
10544.750	-44.16	21.47	-13.0	31.16	186.90	Horizontal	Vertical	Pass
12807.999	-43.75	22.02	-13.0	30.75	148.10	Horizontal	Vertical	Pass
14807.250	-38.91	26.96	-13.0	25.91	13.20	Horizontal	Vertical	Pass
16501.250	-36.54	27.96	-13.0	23.54	169.40	Horizontal	Vertical	Pass
17065.000	-35.78	28.59	-13.0	22.78	104.90	Horizontal	Vertical	Pass

2.10 LTE-B4-15-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.25.23

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.130	-67.38	-16.33	-13.0	54.38	Peak	360.00	100	Vertical	Pass
2	94.747	-64.77	-15.03	-13.0	51.77	Peak	85.30	100	Vertical	Pass
3	1701.750	-40.21	1.46	-13.0	27.21	Peak	102.10	100	Vertical	Pass
4	3465.000	-30.75	9.68	-13.0	17.75	Peak	175.30	100	Vertical	Pass
5	5207.000	-21.43	14.17	-13.0	8.43	Peak	321.40	100	Vertical	Pass
6	6930.500	-23.61	19.21	-13.0	10.61	Peak	36.20	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.04.46

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7951.500	-49.21	17.46	-13.0	36.21	0.00	Vertical	Vertical	Pass
9332.000	-46.65	19.71	-13.0	33.65	37.30	Vertical	Vertical	Pass
11141.500	-44.49	20.88	-13.0	31.49	81.80	Vertical	Vertical	Pass
13520.250	-43.06	24.15	-13.0	30.06	44.00	Vertical	Vertical	Pass
15142.750	-38.44	25.06	-13.0	25.44	292.50	Vertical	Vertical	Pass
16836.750	-35.73	28.02	-13.0	22.73	251.00	Vertical	Vertical	Pass

2.11 LTE-B4-20-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.15.38

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	124.090	-63.77	-17.99	-13.0	50.77	Peak	2.10	100	Horizontal	Pass
2	244.855	-65.57	-14.67	-13.0	52.57	Peak	79.60	100	Horizontal	Pass
3	1699.750	-41.64	1.05	-13.0	28.64	Peak	220.20	100	Horizontal	Pass
4	2127.500	-39.92	3.09	-13.0	26.92	Peak	246.70	100	Horizontal	Pass
5	3464.500	-36.41	9.78	-13.0	23.41	Peak	15.20	100	Horizontal	Pass
6	5217.000	-22.76	14.30	-13.0	9.76	Peak	360.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.10.06

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7940.500	-49.42	17.08	-13.0	36.42	109.70	Horizontal	Vertical	Pass
9409.000	-46.99	19.85	-13.0	33.99	35.70	Horizontal	Vertical	Pass
11196.500	-43.92	20.51	-13.0	30.92	231.20	Horizontal	Vertical	Pass
12794.250	-43.42	22.16	-13.0	30.42	360.00	Horizontal	Vertical	Pass
14815.500	-38.53	27.18	-13.0	25.53	92.80	Horizontal	Vertical	Pass
16889.000	-35.34	28.41	-13.0	22.34	360.00	Horizontal	Vertical	Pass

2.12 LTE-B4-20-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_11.21.30

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	97.900	-63.96	-13.75	-13.0	50.96	Peak	155.60	100	Vertical	Pass
2	168.225	-68.48	-18.00	-13.0	55.48	Peak	273.20	100	Vertical	Pass
3	2126.500	-35.89	2.56	-13.0	22.89	Peak	265.80	100	Vertical	Pass
4	3465.000	-31.05	9.68	-13.0	18.05	Peak	178.10	100	Vertical	Pass
5	5211.000	-21.91	14.11	-13.0	8.91	Peak	322.90	100	Vertical	Pass
6	6930.000	-24.60	19.20	-13.0	11.60	Peak	196.40	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.12.14

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7984.500	-48.97	17.08	-13.0	35.97	360.00	Vertical	Vertical	Pass
9398.000	-47.35	20.23	-13.0	34.35	228.30	Vertical	Vertical	Pass
11215.750	-44.25	20.59	-13.0	31.25	289.10	Vertical	Vertical	Pass
12797.000	-42.40	22.15	-13.0	29.40	14.60	Vertical	Vertical	Pass
14480.000	-39.68	25.03	-13.0	26.68	325.20	Vertical	Vertical	Pass
16891.750	-35.33	28.49	-13.0	22.33	325.20	Vertical	Vertical	Pass

3 LTE B5

3.1 LTE-B5-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.57.59

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_B50_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.658	-64.46	-13.88	-13.0	51.46	152.00	Horizontal	Vertical	Pass
126.030	-61.96	-18.00	-13.0	48.96	343.70	Horizontal	Vertical	Pass
847.710	-54.79	3.07	-13.0	41.79	192.20	Horizontal	Vertical	Pass
1673.000	-44.38	-0.85	-13.0	31.38	27.80	Horizontal	Vertical	Pass
3050.000	-42.60	9.74	-13.0	29.60	160.40	Horizontal	Vertical	Pass
9306.250	-33.73	28.40	-13.0	20.73	45.80	Horizontal	Vertical	Pass

3.2 LTE-B5-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.19.34

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_PART22&24&27_FCC PART 22_850_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-68.62	-16.32	-13.0	55.62	339.80	Vertical	Vertical	Pass
98.628	-64.50	-13.83	-13.0	51.50	256.10	Vertical	Vertical	Pass
881.175	-51.50	-0.18	-13.0	38.50	256.10	Vertical	Vertical	Pass
1673.000	-37.90	-0.93	-13.0	24.90	253.90	Vertical	Vertical	Pass
2509.000	-44.19	4.07	-13.0	31.19	55.30	Vertical	Vertical	Pass
7963.000	-32.65	23.37	-13.0	19.65	227.70	Vertical	Vertical	Pass

3.3 LTE-B5-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.53.38

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.900	-65.56	-13.76	-13.0	52.56	188.00	Horizontal	Vertical	Pass
125.060	-61.26	-17.96	-13.0	48.26	313.00	Horizontal	Vertical	Pass
850.862	-55.23	3.23	-13.0	42.23	25.90	Horizontal	Vertical	Pass
1675.000	-44.46	-0.86	-13.0	31.46	325.10	Horizontal	Vertical	Pass
2507.500	-43.88	4.35	-13.0	30.88	42.40	Horizontal	Vertical	Pass
9311.500	-33.01	28.37	-13.0	20.01	93.30	Horizontal	Vertical	Pass

3.4 LTE-B5-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.24.21

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_PART 22_850_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.403	-69.24	-16.28	-13.0	56.24	354.40	Vertical	Vertical	Pass
97.900	-64.07	-13.76	-13.0	51.07	234.00	Vertical	Vertical	Pass
163.617	-69.31	-17.97	-13.0	56.31	115.50	Vertical	Vertical	Pass
880.690	-50.50	-0.19	-13.0	37.50	75.60	Vertical	Vertical	Pass
1675.000	-41.78	-0.96	-13.0	28.78	281.80	Vertical	Vertical	Pass
3050.000	-42.72	9.93	-13.0	29.72	22.80	Vertical	Vertical	Pass

3.5 LTE-B5-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.46.28

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
125.060	-61.09	-17.96	-13.0	48.09	31.40	Horizontal	Vertical	Pass
244.855	-65.25	-14.54	-13.0	52.25	150.60	Horizontal	Vertical	Pass
852.802	-53.09	3.31	-13.0	40.09	111.80	Horizontal	Vertical	Pass
1676.000	-42.50	-0.86	-13.0	29.50	225.00	Horizontal	Vertical	Pass
2510.000	-45.53	4.30	-13.0	32.53	263.80	Horizontal	Vertical	Pass
8155.750	-32.83	24.90	-13.0	19.83	360.00	Horizontal	Vertical	Pass

3.6 LTE-B5-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.29.25

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.658	-64.57	-13.88	-13.0	51.57	195.10	Vertical	Vertical	Pass
164.587	-69.49	-17.96	-13.0	56.49	75.30	Vertical	Vertical	Pass
881.903	-49.72	-0.17	-13.0	36.72	75.30	Vertical	Vertical	Pass
1676.000	-42.64	-0.97	-13.0	29.64	253.20	Vertical	Vertical	Pass
2506.500	-44.59	4.10	-13.0	31.59	64.10	Vertical	Vertical	Pass
7450.000	-34.28	22.66	-13.0	21.28	137.80	Vertical	Vertical	Pass

3.7 LTE-B5-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.40.51

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-73.66	-16.32	-13.0	60.66	353.20	Horizontal	Vertical	Pass
125.060	-59.84	-17.96	-13.0	46.84	34.80	Horizontal	Vertical	Pass
852.802	-51.49	3.31	-13.0	38.49	112.40	Horizontal	Vertical	Pass
1678.000	-46.42	-0.87	-13.0	33.42	240.80	Horizontal	Vertical	Pass
3050.000	-44.25	9.74	-13.0	31.25	349.60	Horizontal	Vertical	Pass
8035.750	-34.26	24.79	-13.0	21.26	238.10	Horizontal	Vertical	Pass

3.8 LTE-B5-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_13.34.21

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 22_850_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.403	-68.79	-16.28	-13.0	55.79	27.10	Vertical	Vertical	Pass
97.900	-65.54	-13.76	-13.0	52.54	187.50	Vertical	Vertical	Pass
163.617	-69.62	-17.97	-13.0	56.62	107.00	Vertical	Vertical	Pass
877.295	-50.57	-0.12	-13.0	37.57	187.50	Vertical	Vertical	Pass
1677.500	-45.71	-1.00	-13.0	32.71	248.20	Vertical	Vertical	Pass
8171.500	-33.44	25.11	-13.0	20.44	46.40	Vertical	Vertical	Pass

4 LTE B12

4.1 LTE-B12-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_14.43.22

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 22.3

Hum.: 42%

Test Engineer: SDC


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
96.688	-64.61	-14.36	-13.0	51.61	157.20	Horizontal	Vertical	Pass
126.030	-61.27	-18.00	-13.0	48.27	356.70	Horizontal	Vertical	Pass
707.545	-15.32	-3.38	-13.0	2.32	0.00	Horizontal	Vertical	Pass
3048.000	-43.25	12.39	-13.0	30.25	63.60	Horizontal	Vertical	Pass
4625.000	-42.51	13.07	-13.0	29.51	261.20	Horizontal	Vertical	Pass
9386.500	-31.26	24.49	-13.0	18.26	205.50	Horizontal	Vertical	Pass

4.2 LTE-B12-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_15.25.54

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
55.220	-69.04	-16.17	-13.0	56.04	0.00	Vertical	Vertical	Pass
95.960	-64.81	-14.71	-13.0	51.81	205.30	Vertical	Vertical	Pass
167.982	-69.27	-17.90	-13.0	56.27	286.80	Vertical	Vertical	Pass
707.545	-19.67	-3.38	-13.0	6.67	1.20	Vertical	Vertical	Pass
3050.000	-42.26	9.93	-13.0	29.26	200.20	Vertical	Vertical	Pass
7924.000	-34.32	22.05	-13.0	21.32	129.10	Vertical	Vertical	Pass

4.3 LTE-B12-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_14.48.41

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
123.120	-61.91	-17.89	-13.0	48.91	350.00	Horizontal	Vertical	Pass
306.693	-65.65	-12.07	-13.0	52.65	0.00	Horizontal	Vertical	Pass
708.758	-18.55	-3.33	-13.0	5.55	32.60	Horizontal	Vertical	Pass
3047.000	-44.51	12.23	-13.0	31.51	151.50	Horizontal	Vertical	Pass
5116.000	-40.34	14.93	-13.0	27.34	275.20	Horizontal	Vertical	Pass
7957.750	-34.71	22.19	-13.0	21.71	264.80	Horizontal	Vertical	Pass

4.4 LTE-B12-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_15.20.13

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-67.50	-16.32	-13.0	54.50	0.00	Vertical	Vertical	Pass
96.688	-63.95	-14.36	-13.0	50.95	235.70	Vertical	Vertical	Pass
164.587	-70.24	-17.96	-13.0	57.24	275.20	Vertical	Vertical	Pass
707.545	-24.55	-3.38	-13.0	11.55	154.60	Vertical	Vertical	Pass
3051.000	-43.96	8.60	-13.0	30.96	216.20	Vertical	Vertical	Pass
8805.250	-32.70	23.30	-13.0	19.70	228.90	Vertical	Vertical	Pass

4.5 LTE-B12-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_14.54.44

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
96.930	-66.40	-14.24	-13.0	53.40	192.50	Horizontal	Vertical	Pass
124.090	-62.03	-17.93	-13.0	49.03	0.00	Horizontal	Vertical	Pass
709.485	-18.11	-3.30	-13.0	5.11	0.00	Horizontal	Vertical	Pass
995.635	-54.58	2.22	-13.0	41.58	31.80	Horizontal	Vertical	Pass
3050.000	-43.15	9.74	-13.0	30.15	29.00	Horizontal	Vertical	Pass
7918.000	-33.69	21.62	-13.0	20.69	29.80	Horizontal	Vertical	Pass

4.6 LTE-B12-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_15.14.38

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
56.432	-67.33	-16.23	-13.0	54.33	0.00	Vertical	Vertical	Pass
95.960	-61.95	-14.71	-13.0	48.95	241.50	Vertical	Vertical	Pass
166.285	-68.66	-17.93	-13.0	55.66	241.50	Vertical	Vertical	Pass
709.000	-25.25	-3.32	-13.0	12.25	79.70	Vertical	Vertical	Pass
3050.000	-43.66	9.93	-13.0	30.66	118.40	Vertical	Vertical	Pass
9300.250	-30.54	25.29	-13.0	17.54	121.50	Vertical	Vertical	Pass

4.7 LTE-B12-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_15.02.28

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.717	-64.31	-14.77	-13.0	51.31	192.00	Horizontal	Vertical	Pass
124.090	-61.53	-17.93	-13.0	48.53	348.50	Horizontal	Vertical	Pass
711.425	-21.18	-3.24	-13.0	8.18	0.00	Horizontal	Vertical	Pass
827.340	-53.27	2.09	-13.0	40.27	0.00	Horizontal	Vertical	Pass
3050.000	-43.75	9.74	-13.0	30.75	146.50	Horizontal	Vertical	Pass
9382.000	-31.12	24.25	-13.0	18.12	68.60	Horizontal	Vertical	Pass

4.8 LTE-B12-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_15.09.08

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-67.64	-16.32	-13.0	54.64	1.10	Vertical	Vertical	Pass
95.960	-65.04	-14.71	-13.0	52.04	267.80	Vertical	Vertical	Pass
710.213	-25.67	-3.27	-13.0	12.67	67.20	Vertical	Vertical	Pass
841.890	-55.05	2.79	-13.0	42.05	343.60	Vertical	Vertical	Pass
3048.000	-43.93	12.58	-13.0	30.93	27.30	Vertical	Vertical	Pass
7966.000	-33.78	22.40	-13.0	20.78	0.00	Vertical	Vertical	Pass

5 LTE B13

5.1 LTE-B13-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_17.39.13

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART2&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-66.65	-15.17	-13.0	53.65	160.30	Horizontal	Vertical	Pass
125.060	-62.60	-17.96	-13.0	49.60	358.90	Horizontal	Vertical	Pass
783.932	-13.46	-1.35	-13.0	0.46	82.50	Horizontal	Vertical	Pass
1567.000	-48.78	-0.86	-13.0	35.78	66.60	Horizontal	Vertical	Pass
3050.000	-43.52	9.74	-13.0	30.52	97.70	Horizontal	Vertical	Pass
5217.000	-25.76	14.30	-13.0	12.76	53.70	Horizontal	Vertical	Pass

5.2 LTE-B13-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_15.35.38

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
55.462	-69.12	-16.18	-13.0	56.12	0.00	Vertical	Vertical	Pass
96.930	-64.80	-14.24	-13.0	51.80	231.70	Vertical	Vertical	Pass
165.557	-69.59	-17.94	-13.0	56.59	273.20	Vertical	Vertical	Pass
783.932	-13.26	-1.35	-13.0	0.26	312.00	Vertical	Vertical	Pass
1568.000	-39.93	-0.73	-13.0	26.93	6.80	Vertical	Vertical	Pass
3050.000	-43.95	9.93	-13.0	30.95	153.00	Vertical	Vertical	Pass

5.3 LTE-B13-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-27_17.32.48

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.050	-67.35	-15.60	-13.0	54.35	360.00	Horizontal	Vertical	Pass
125.060	-63.47	-17.96	-13.0	50.47	298.30	Horizontal	Vertical	Pass
784.175	-15.47	-1.34	-13.0	2.47	79.60	Horizontal	Vertical	Pass
1569.000	-49.67	-0.89	-13.0	36.67	34.20	Horizontal	Vertical	Pass
3050.000	-43.45	9.74	-13.0	30.45	338.30	Horizontal	Vertical	Pass
9547.000	-30.37	25.03	-13.0	17.37	340.20	Horizontal	Vertical	Pass

5.4 LTE-B13-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-27_15.41.20

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
56.190	-67.85	-16.21	-13.0	54.85	0.00	Vertical	Vertical	Pass
98.628	-64.83	-13.83	-13.0	51.83	239.40	Vertical	Vertical	Pass
165.557	-70.24	-17.94	-13.0	57.24	79.50	Vertical	Vertical	Pass
783.690	-14.91	-1.36	-13.0	1.91	310.50	Vertical	Vertical	Pass
1568.500	-41.17	-0.74	-13.0	28.17	14.50	Vertical	Vertical	Pass
3050.000	-43.22	9.93	-13.0	30.22	234.00	Vertical	Vertical	Pass

6 LTE B25

6.1 LTE-B25-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_09.45.20

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 22.3

Hum.: 42%

Test Engineer: SDC


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CCE_FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.658	-65.32	-13.86	-13.0	52.32	167.40	Horizontal	Vertical	Pass
125.545	-61.94	-18.03	-13.0	48.94	1.50	Horizontal	Vertical	Pass
182.048	-65.72	-16.70	-13.0	52.72	83.90	Horizontal	Vertical	Pass
1962.500	-38.66	0.85	-13.0	25.66	359.60	Horizontal	Vertical	Pass
3050.000	-37.14	9.93	-13.0	24.14	38.40	Horizontal	Vertical	Pass
3765.000	-20.57	11.59	-13.0	7.57	358.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.16.17

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7951.000	-50.18	22.43	-13.0	37.18	285.70	Horizontal	Vertical	Pass
9304.001	-47.67	25.25	-13.0	34.67	105.30	Horizontal	Vertical	Pass
11188.000	-45.34	25.64	-13.0	32.34	46.00	Horizontal	Vertical	Pass
13831.000	-43.28	28.03	-13.0	30.28	279.80	Horizontal	Vertical	Pass
15142.000	-39.93	30.04	-13.0	26.93	24.50	Horizontal	Vertical	Pass
18820.000	-36.64	32.95	-13.0	23.64	352.90	Horizontal	Vertical	Pass

6.2 LTE-B25-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.39.25

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-67.55	-16.31	-13.0	54.55	18.60	Vertical	Vertical	Pass
96.688	-65.21	-14.35	-13.0	52.21	244.40	Vertical	Vertical	Pass
172.590	-69.43	-17.63	-13.0	56.43	282.80	Vertical	Vertical	Pass
1962.500	-36.16	0.85	-13.0	23.16	2.80	Vertical	Vertical	Pass
3048.000	-37.29	12.58	-13.0	24.29	276.90	Vertical	Vertical	Pass
3765.000	-22.98	11.59	-13.0	9.98	242.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.14.02

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7738.000	-50.96	20.49	-13.0	37.96	181.30	Vertical	Vertical	Pass
9277.000	-46.48	24.79	-13.0	33.48	0.00	Vertical	Vertical	Pass
11110.000	-44.73	25.96	-13.0	31.73	248.00	Vertical	Vertical	Pass
13537.000	-43.19	29.28	-13.0	30.19	290.20	Vertical	Vertical	Pass
14149.000	-39.92	30.09	-13.0	26.92	290.20	Vertical	Vertical	Pass
18154.000	-36.15	32.95	-13.0	23.15	0.00	Vertical	Vertical	Pass

6.3 LTE-B25-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_09.50.20

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.717	-66.71	-14.76	-13.0	53.71	158.60	Horizontal	Vertical	Pass
124.817	-60.33	-18.01	-13.0	47.33	277.40	Horizontal	Vertical	Pass
143.732	-63.14	-19.81	-13.0	50.14	358.60	Horizontal	Vertical	Pass
1962.000	-37.04	0.85	-13.0	24.04	0.30	Horizontal	Vertical	Pass
3765.000	-25.86	11.59	-13.0	12.86	280.80	Horizontal	Vertical	Pass
5648.000	-29.71	14.91	-13.0	16.71	160.20	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.18.41

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8485.000	-51.17	20.95	-13.0	38.17	38.60	Horizontal	Vertical	Pass
10119.999	-47.29	24.72	-13.0	34.29	1.40	Horizontal	Vertical	Pass
11175.999	-45.37	25.74	-13.0	32.37	0.00	Horizontal	Vertical	Pass
12802.000	-44.53	27.14	-13.0	31.53	82.60	Horizontal	Vertical	Pass
14839.000	-39.10	31.70	-13.0	26.10	177.70	Horizontal	Vertical	Pass
17104.000	-36.10	33.71	-13.0	23.10	127.60	Horizontal	Vertical	Pass

6.4 LTE-B25-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.33.42

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
59.100	-68.75	-16.37	-13.0	55.75	0.00	Vertical	Vertical	Pass
97.658	-65.76	-13.86	-13.0	52.76	289.70	Vertical	Vertical	Pass
166.285	-69.97	-17.95	-13.0	56.97	289.70	Vertical	Vertical	Pass
1963.000	-34.11	0.84	-13.0	21.11	234.10	Vertical	Vertical	Pass
3048.000	-38.76	12.58	-13.0	25.76	76.70	Vertical	Vertical	Pass
3766.000	-26.69	11.60	-13.0	13.69	314.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.20.28

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8497.000	-51.05	21.28	-13.0	38.05	246.80	Vertical	Vertical	Pass
9280.000	-47.00	24.78	-13.0	34.00	276.00	Vertical	Vertical	Pass
11131.000	-45.52	26.01	-13.0	32.52	83.70	Vertical	Vertical	Pass
14143.000	-41.93	30.03	-13.0	28.93	276.00	Vertical	Vertical	Pass
16534.000	-38.74	32.38	-13.0	25.74	332.40	Vertical	Vertical	Pass
18172.000	-35.95	32.95	-13.0	22.95	315.30	Vertical	Vertical	Pass

6.5 LTE-B25-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_09:53:56

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.415	-67.01	-13.98	-13.0	54.01	167.00	Horizontal	Vertical	Pass
124.090	-60.53	-17.98	-13.0	47.53	328.10	Horizontal	Vertical	Pass
306.693	-66.83	-12.04	-13.0	53.83	1.60	Horizontal	Vertical	Pass
1963.500	-35.86	0.83	-13.0	22.86	360.00	Horizontal	Vertical	Pass
3048.000	-37.98	12.58	-13.0	24.98	278.50	Horizontal	Vertical	Pass
3767.000	-28.30	11.61	-13.0	15.30	357.20	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.25.34

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7858.000	-51.88	21.41	-13.0	38.88	1.30	Horizontal	Vertical	Pass
10000.000	-46.22	25.30	-13.0	33.22	291.20	Horizontal	Vertical	Pass
11365.000	-45.51	25.87	-13.0	32.51	177.60	Horizontal	Vertical	Pass
13531.000	-43.46	29.43	-13.0	30.46	345.80	Horizontal	Vertical	Pass
14815.000	-40.61	32.23	-13.0	27.61	118.30	Horizontal	Vertical	Pass
16498.000	-36.28	32.85	-13.0	23.28	291.20	Horizontal	Vertical	Pass

6.6 LTE-B25-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.29.13

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-67.52	-16.31	-13.0	54.52	321.90	Vertical	Vertical	Pass
95.717	-64.48	-14.76	-13.0	51.48	224.80	Vertical	Vertical	Pass
169.195	-70.05	-17.91	-13.0	57.05	24.60	Vertical	Vertical	Pass
1960.500	-33.90	0.88	-13.0	20.90	0.40	Vertical	Vertical	Pass
3047.000	-37.73	12.42	-13.0	24.73	39.70	Vertical	Vertical	Pass
3765.000	-29.68	11.59	-13.0	16.68	278.90	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.22.14

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8596.000	-50.86	21.92	-13.0	37.86	222.60	Vertical	Vertical	Pass
9895.000	-46.82	25.35	-13.0	33.82	267.10	Vertical	Vertical	Pass
11131.000	-44.93	26.01	-13.0	31.93	222.60	Vertical	Vertical	Pass
14155.000	-42.11	29.96	-13.0	29.11	56.80	Vertical	Vertical	Pass
16804.000	-37.41	33.28	-13.0	24.41	267.10	Vertical	Vertical	Pass
18859.000	-35.76	32.95	-13.0	22.76	0.00	Vertical	Vertical	Pass

6.7 LTE-B25-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.00.26

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.717	-66.21	-14.76	-13.0	53.21	172.40	Horizontal	Vertical	Pass
124.090	-61.92	-17.98	-13.0	48.92	358.50	Horizontal	Vertical	Pass
306.693	-67.11	-12.04	-13.0	54.11	360.00	Horizontal	Vertical	Pass
1961.000	-37.02	1.05	-13.0	24.02	0.40	Horizontal	Vertical	Pass
3048.000	-38.38	12.39	-13.0	25.38	244.80	Horizontal	Vertical	Pass
3768.000	-29.77	11.80	-13.0	16.77	320.10	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.26.56

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7930.000	-51.46	22.12	-13.0	38.46	160.00	Horizontal	Vertical	Pass
10231.000	-47.19	25.49	-13.0	34.19	335.60	Horizontal	Vertical	Pass
11146.000	-45.54	25.99	-13.0	32.54	142.20	Horizontal	Vertical	Pass
14803.000	-39.92	31.84	-13.0	26.92	360.00	Horizontal	Vertical	Pass
17068.000	-36.88	33.61	-13.0	23.88	211.10	Horizontal	Vertical	Pass
18237.999	-36.67	32.95	-13.0	23.67	160.00	Horizontal	Vertical	Pass

6.8 LTE-B25-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.23.58

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
59.100	-67.60	-16.37	-13.0	54.60	322.10	Vertical	Vertical	Pass
96.688	-63.56	-14.35	-13.0	50.56	244.50	Vertical	Vertical	Pass
163.375	-69.35	-17.99	-13.0	56.35	82.90	Vertical	Vertical	Pass
1964.000	-33.31	0.82	-13.0	20.31	234.60	Vertical	Vertical	Pass
3048.000	-38.75	12.58	-13.0	25.75	117.90	Vertical	Vertical	Pass
3765.000	-30.36	11.59	-13.0	17.36	195.70	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.28.48

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7912.000	-51.16	21.72	-13.0	38.16	198.30	Vertical	Vertical	Pass
9277.000	-47.29	24.79	-13.0	34.29	329.40	Vertical	Vertical	Pass
11170.000	-45.36	25.91	-13.0	32.36	0.00	Vertical	Vertical	Pass
13540.000	-44.03	29.13	-13.0	31.03	164.00	Vertical	Vertical	Pass
15157.000	-39.49	29.53	-13.0	26.49	0.00	Vertical	Vertical	Pass
17122.000	-36.41	33.12	-13.0	23.41	198.30	Vertical	Vertical	Pass

6.9 LTE-B25-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.05.11

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
96.930	-67.04	-14.23	-13.0	54.04	172.00	Horizontal	Vertical	Pass
123.848	-62.23	-17.97	-13.0	49.23	0.40	Horizontal	Vertical	Pass
178.652	-66.51	-16.99	-13.0	53.51	49.00	Horizontal	Vertical	Pass
1960.500	-37.47	1.06	-13.0	24.47	360.00	Horizontal	Vertical	Pass
3047.000	-36.80	12.23	-13.0	23.80	120.60	Horizontal	Vertical	Pass
3768.000	-31.47	11.80	-13.0	18.47	353.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.35.26

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8728.001	-50.75	22.68	-13.0	37.75	91.40	Horizontal	Vertical	Pass
9805.000	-47.45	25.46	-13.0	34.45	103.50	Horizontal	Vertical	Pass
11185.000	-45.05	25.64	-13.0	32.05	143.80	Horizontal	Vertical	Pass
12790.000	-44.14	27.19	-13.0	31.14	324.00	Horizontal	Vertical	Pass
14806.000	-39.30	32.03	-13.0	26.30	212.00	Horizontal	Vertical	Pass
17119.000	-36.97	33.22	-13.0	23.97	103.50	Horizontal	Vertical	Pass

6.10 LTE-B25-15-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.18.17

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-69.02	-16.31	-13.0	56.02	358.30	Vertical	Vertical	Pass
95.960	-65.51	-14.71	-13.0	52.51	121.80	Vertical	Vertical	Pass
166.285	-68.68	-17.95	-13.0	55.68	47.40	Vertical	Vertical	Pass
1960.000	-33.72	0.89	-13.0	20.72	0.00	Vertical	Vertical	Pass
3048.000	-38.16	12.58	-13.0	25.16	359.50	Vertical	Vertical	Pass
3765.000	-30.39	11.59	-13.0	17.39	275.40	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.32.10

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
9286.000	-47.64	24.78	-13.0	34.64	64.40	Vertical	Vertical	Pass
10543.000	-45.34	26.47	-13.0	32.34	350.70	Vertical	Vertical	Pass
11155.000	-45.07	26.03	-13.0	32.07	26.90	Vertical	Vertical	Pass
12679.000	-44.45	26.65	-13.0	31.45	295.10	Vertical	Vertical	Pass
14823.999	-40.27	31.86	-13.0	27.27	350.70	Vertical	Vertical	Pass
16843.000	-37.58	32.80	-13.0	24.58	103.00	Vertical	Vertical	Pass

6.11 LTE-B25-20-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.09.19

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
98.628	-66.35	-13.80	-13.0	53.35	152.40	Horizontal	Vertical	Pass
125.787	-61.57	-18.04	-13.0	48.57	313.80	Horizontal	Vertical	Pass
244.855	-62.43	-14.56	-13.0	49.43	114.10	Horizontal	Vertical	Pass
1961.500	-37.68	1.05	-13.0	24.68	0.00	Horizontal	Vertical	Pass
3048.000	-37.91	12.39	-13.0	24.91	201.30	Horizontal	Vertical	Pass
3764.000	-30.86	11.76	-13.0	17.86	284.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.39.51

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
9328.000	-46.91	24.78	-13.0	33.91	215.40	Horizontal	Vertical	Pass
11113.000	-45.67	25.92	-13.0	32.67	31.30	Horizontal	Vertical	Pass
12799.000	-44.67	27.10	-13.0	31.67	132.90	Horizontal	Vertical	Pass
14488.001	-41.41	30.19	-13.0	28.41	99.10	Horizontal	Vertical	Pass
16522.000	-38.48	32.61	-13.0	25.48	260.90	Horizontal	Vertical	Pass
18198.999	-35.46	32.95	-13.0	22.46	346.10	Horizontal	Vertical	Pass

6.12 LTE-B25-20-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_10.14.30

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B25



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
59.100	-68.56	-16.37	-13.0	55.56	357.00	Vertical	Vertical	Pass
96.688	-64.25	-14.35	-13.0	51.25	199.30	Vertical	Vertical	Pass
164.587	-69.73	-17.97	-13.0	56.73	319.10	Vertical	Vertical	Pass
1970.000	-33.62	0.75	-13.0	20.62	234.10	Vertical	Vertical	Pass
3047.000	-38.50	12.42	-13.0	25.50	359.30	Vertical	Vertical	Pass
3765.000	-30.66	11.59	-13.0	17.66	206.10	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-26_17.41.40

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7936.000	-51.28	22.12	-13.0	38.28	197.90	Vertical	Vertical	Pass
9397.000	-46.24	25.24	-13.0	33.24	360.00	Vertical	Vertical	Pass
10366.000	-45.87	26.38	-13.0	32.87	334.10	Vertical	Vertical	Pass
11158.000	-44.26	26.03	-13.0	31.26	288.60	Vertical	Vertical	Pass
14806.000	-38.93	32.03	-13.0	25.93	204.10	Vertical	Vertical	Pass
16921.000	-37.55	33.09	-13.0	24.55	245.30	Vertical	Vertical	Pass

7 LTE B26

7.1 LTE-B26-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-04-01_13.39.34

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-73.04	-16.27	-13.0	60.04	12.50	Horizontal	Vertical	Pass
137.185	-62.62	-19.20	-13.0	49.62	322.90	Horizontal	Vertical	Pass
195.870	-67.06	-15.12	-13.0	54.06	274.70	Horizontal	Vertical	Pass
1672.500	-42.22	-0.85	-13.0	29.22	135.20	Horizontal	Vertical	Pass
2441.500	-29.78	4.62	-13.0	16.78	281.00	Horizontal	Vertical	Pass
8807.500	-33.03	23.00	-13.0	20.03	261.00	Horizontal	Vertical	Pass

7.2 LTE-B26-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-04-01_11.10.40

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-65.58	-16.27	-13.0	52.58	250.00	Vertical	Vertical	Pass
127.728	-62.41	-18.06	-13.0	49.41	200.60	Vertical	Vertical	Pass
838.010	-55.41	2.61	-13.0	42.41	250.00	Vertical	Vertical	Pass
1673.000	-45.88	-0.93	-13.0	32.88	329.30	Vertical	Vertical	Pass
2534.500	-44.84	4.11	-13.0	31.84	276.10	Vertical	Vertical	Pass
3050.000	-43.50	9.93	-13.0	30.50	360.00	Vertical	Vertical	Pass

7.3 LTE-B26-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-04-01_13.35.20

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-73.04	-16.27	-13.0	60.04	360.00	Horizontal	Vertical	Pass
137.185	-61.42	-19.20	-13.0	48.42	317.90	Horizontal	Vertical	Pass
177.925	-67.07	-17.01	-13.0	54.07	273.10	Horizontal	Vertical	Pass
847.468	-54.95	3.06	-13.0	41.95	171.80	Horizontal	Vertical	Pass
1675.000	-46.12	-0.86	-13.0	33.12	129.90	Horizontal	Vertical	Pass
3050.000	-44.21	9.74	-13.0	31.21	227.90	Horizontal	Vertical	Pass

7.4 LTE-B26-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-04-01_11.15.50

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-66.69	-16.32	-13.0	53.69	315.20	Vertical	Vertical	Pass
126.757	-62.83	-18.02	-13.0	49.83	216.60	Vertical	Vertical	Pass
842.375	-54.75	2.82	-13.0	41.75	315.20	Vertical	Vertical	Pass
1671.000	-49.28	-0.90	-13.0	36.28	338.10	Vertical	Vertical	Pass
2402.500	-32.67	4.40	-13.0	19.67	33.90	Vertical	Vertical	Pass
3050.000	-42.81	9.93	-13.0	29.81	76.30	Vertical	Vertical	Pass

7.5 LTE-B26-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-04-01_13.30.19

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-72.49	-16.27	-13.0	59.49	0.00	Horizontal	Vertical	Pass
124.090	-62.69	-17.93	-13.0	49.69	360.00	Horizontal	Vertical	Pass
135.488	-62.32	-18.95	-13.0	49.32	0.00	Horizontal	Vertical	Pass
196.355	-67.71	-15.03	-13.0	54.71	274.20	Horizontal	Vertical	Pass
852.560	-51.47	3.30	-13.0	38.47	184.60	Horizontal	Vertical	Pass
2397.000	-39.78	4.02	-13.0	26.78	133.60	Horizontal	Vertical	Pass

7.6 LTE-B26-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-04-01_11.20.42

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-67.08	-16.27	-13.0	54.08	269.80	Vertical	Vertical	Pass
126.030	-63.74	-18.00	-13.0	50.74	217.90	Vertical	Vertical	Pass
838.252	-52.85	2.62	-13.0	39.85	217.90	Vertical	Vertical	Pass
1675.500	-50.82	-0.97	-13.0	37.82	280.30	Vertical	Vertical	Pass
2370.500	-48.30	3.81	-13.0	35.30	129.30	Vertical	Vertical	Pass
3050.000	-44.74	9.93	-13.0	31.74	360.00	Vertical	Vertical	Pass

7.7 LTE-B26-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-04-01_13.24.15

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
61.040	-72.73	-16.32	-13.0	59.73	360.00	Horizontal	Vertical	Pass
134.518	-62.66	-18.81	-13.0	49.66	360.00	Horizontal	Vertical	Pass
197.083	-68.26	-14.91	-13.0	55.26	263.70	Horizontal	Vertical	Pass
851.833	-43.52	3.28	-13.0	30.52	159.30	Horizontal	Vertical	Pass
1677.500	-47.43	-0.87	-13.0	34.43	324.40	Horizontal	Vertical	Pass
3050.000	-44.68	9.74	-13.0	31.68	326.70	Horizontal	Vertical	Pass

7.8 LTE-B26-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-04-01_11.26.02

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-65.21	-16.32	-13.0	52.21	317.60	Vertical	Vertical	Pass
127.970	-62.88	-18.07	-13.0	49.88	172.80	Vertical	Vertical	Pass
851.833	-49.11	3.28	-13.0	36.11	224.10	Vertical	Vertical	Pass
1673.000	-51.53	-0.93	-13.0	38.53	336.20	Vertical	Vertical	Pass
3050.000	-43.51	9.93	-13.0	30.51	2.60	Vertical	Vertical	Pass
7960.000	-34.68	22.55	-13.0	21.68	342.30	Vertical	Vertical	Pass

7.9 LTE-B26-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-04-01_11.47.04

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.395	-65.08	-22.79	-13.0	52.08	294.70	Horizontal	Vertical	Pass
58.130	-71.16	-16.32	-13.0	58.16	0.00	Horizontal	Vertical	Pass
135.245	-62.89	-18.92	-13.0	49.89	360.00	Horizontal	Vertical	Pass
999.030	-55.02	2.33	-13.0	42.02	182.10	Horizontal	Vertical	Pass
2454.000	-43.71	4.63	-13.0	30.71	176.60	Horizontal	Vertical	Pass
7875.250	-34.22	21.44	-13.0	21.22	332.80	Horizontal	Vertical	Pass

7.10 LTE-B26-15-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-04-01_11.30.00

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.6

Load: Full load

Hum.: 52%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC LTE B5&12&13&26



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
33.880	-66.29	-22.73	-13.0	53.29	179.90	Vertical	Vertical	Pass
57.160	-66.74	-16.27	-13.0	53.74	268.50	Vertical	Vertical	Pass
127.970	-62.49	-18.07	-13.0	49.49	220.30	Vertical	Vertical	Pass
853.045	-40.50	3.26	-13.0	27.50	220.30	Vertical	Vertical	Pass
1684.500	-51.18	-0.85	-13.0	38.18	333.10	Vertical	Vertical	Pass
3050.000	-43.93	9.93	-13.0	30.93	360.00	Vertical	Vertical	Pass

8 LTE B41

8.1 LTE-B41-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_15.15.16

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&248/27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
98.628	-65.81	-13.39	-25.0	40.81	343.90	Horizontal	Vertical	Pass
123.120	-63.23	-17.43	-25.0	38.23	302.10	Horizontal	Vertical	Pass
143.975	-63.48	-19.23	-25.0	38.48	0.00	Horizontal	Vertical	Pass
984.965	-53.99	3.50	-25.0	28.99	343.90	Horizontal	Vertical	Pass
2595.000	-42.77	8.25	-25.0	17.77	322.60	Horizontal	Vertical	Pass
5184.000	-35.17	14.85	-25.0	10.17	267.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.02.34

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7858.000	-61.93	11.41	-25.0	36.93	0.00	Horizontal	Vertical	Pass
9292.000	-57.83	14.98	-25.0	32.83	80.00	Horizontal	Vertical	Pass
10354.000	-55.56	16.55	-25.0	30.56	240.40	Horizontal	Vertical	Pass
13543.000	-54.02	19.05	-25.0	29.02	0.00	Horizontal	Vertical	Pass
14797.000	-50.26	21.47	-25.0	25.26	0.00	Horizontal	Vertical	Pass
18166.000	-45.98	22.95	-25.0	20.98	275.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_14.13.00

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19434.000	-53.45	-1.64	-25.0	28.45	337.10	Horizontal	Vertical	Pass
19858.000	-52.45	-1.28	-25.0	27.45	179.50	Horizontal	Vertical	Pass
21814.000	-54.03	-0.67	-25.0	29.03	38.00	Horizontal	Vertical	Pass
23147.999	-53.73	-0.70	-25.0	28.73	241.50	Horizontal	Vertical	Pass
24068.000	-54.53	0.19	-25.0	29.53	241.50	Horizontal	Vertical	Pass
25172.001	-54.13	-0.91	-25.0	29.13	173.40	Horizontal	Vertical	Pass

8.2 LTE-B41-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_15.21.47

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.160	-67.36	-15.96	-25.0	42.36	359.00	Vertical	Vertical	Pass
96.930	-65.30	-13.81	-25.0	40.30	232.50	Vertical	Vertical	Pass
165.557	-70.04	-17.27	-25.0	45.04	16.10	Vertical	Vertical	Pass
997.818	-53.85	3.81	-25.0	28.85	62.80	Vertical	Vertical	Pass
3050.000	-43.30	9.93	-25.0	18.30	79.00	Vertical	Vertical	Pass
5179.000	-42.23	14.65	-25.0	17.23	359.10	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.05.31

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7903.000	-61.76	11.63	-25.0	36.76	148.10	Vertical	Vertical	Pass
9253.000	-57.84	13.97	-25.0	32.84	148.10	Vertical	Vertical	Pass
11170.000	-55.70	15.91	-25.0	30.70	183.50	Vertical	Vertical	Pass
12781.000	-53.99	17.06	-25.0	28.99	63.30	Vertical	Vertical	Pass
14839.000	-49.44	21.70	-25.0	24.44	123.20	Vertical	Vertical	Pass
17107.000	-47.00	23.61	-25.0	22.00	297.70	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_14.10.48

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19434.000	-54.31	-1.64	-25.0	29.31	247.00	Vertical	Vertical	Pass
19846.001	-53.03	-1.30	-25.0	28.03	15.90	Vertical	Vertical	Pass
21600.000	-54.70	-0.69	-25.0	29.70	357.10	Vertical	Vertical	Pass
22588.000	-53.81	-0.29	-25.0	28.81	296.30	Vertical	Vertical	Pass
24121.999	-54.55	-0.17	-25.0	29.55	9.30	Vertical	Vertical	Pass
26502.001	-54.24	-0.45	-25.0	29.24	252.70	Vertical	Vertical	Pass

8.3 LTE-B41-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_15.09.21

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.658	-66.97	-13.44	-25.0	41.97	301.50	Horizontal	Vertical	Pass
123.848	-61.28	-17.45	-25.0	36.28	357.10	Horizontal	Vertical	Pass
950.045	-52.89	2.81	-25.0	27.89	181.90	Horizontal	Vertical	Pass
2596.500	-44.51	8.24	-25.0	19.51	0.00	Horizontal	Vertical	Pass
3050.000	-44.77	9.74	-25.0	19.77	150.40	Horizontal	Vertical	Pass
4669.000	-42.37	13.53	-25.0	17.37	191.40	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.07.58

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7939.000	-60.83	12.07	-25.0	35.83	0.00	Horizontal	Vertical	Pass
9298.000	-57.72	15.24	-25.0	32.72	94.90	Horizontal	Vertical	Pass
11149.000	-55.52	16.04	-25.0	30.52	0.00	Horizontal	Vertical	Pass
13525.000	-53.24	19.32	-25.0	28.24	0.00	Horizontal	Vertical	Pass
14149.000	-52.11	20.09	-25.0	27.11	192.40	Horizontal	Vertical	Pass
16885.000	-47.17	23.30	-25.0	22.17	124.30	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_14.06.46

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19416.001	-54.34	-1.59	-25.0	29.34	239.20	Horizontal	Vertical	Pass
19805.999	-53.15	-1.36	-25.0	28.15	332.30	Horizontal	Vertical	Pass
20194.001	-53.77	-1.47	-25.0	28.77	338.50	Horizontal	Vertical	Pass
21511.999	-54.97	-0.70	-25.0	29.97	232.20	Horizontal	Vertical	Pass
23090.000	-53.50	-0.61	-25.0	28.50	294.20	Horizontal	Vertical	Pass
23910.001	-53.81	0.31	-25.0	28.81	31.60	Horizontal	Vertical	Pass

8.4 LTE-B41-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_15.32.32

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
56.190	-67.77	-15.91	-25.0	42.77	0.90	Vertical	Vertical	Pass
96.688	-64.72	-13.93	-25.0	39.72	211.80	Vertical	Vertical	Pass
244.855	-66.26	-13.70	-25.0	41.26	131.70	Vertical	Vertical	Pass
987.390	-54.18	3.56	-25.0	29.18	0.90	Vertical	Vertical	Pass
3044.000	-44.49	11.94	-25.0	19.49	7.40	Vertical	Vertical	Pass
6854.000	-36.02	19.28	-25.0	11.02	0.00	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.09.30

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7846.000	-60.86	11.11	-25.0	35.86	345.80	Vertical	Vertical	Pass
9388.000	-57.21	14.99	-25.0	32.21	157.00	Vertical	Vertical	Pass
11086.000	-55.38	16.13	-25.0	30.38	96.40	Vertical	Vertical	Pass
14143.000	-51.75	20.03	-25.0	26.75	28.30	Vertical	Vertical	Pass
16891.000	-47.80	23.48	-25.0	22.80	157.00	Vertical	Vertical	Pass
18166.000	-46.85	22.95	-25.0	21.85	287.30	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_14.08.53

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19431.999	-54.34	-1.64	-25.0	29.34	158.00	Vertical	Vertical	Pass
19879.999	-52.33	-1.25	-25.0	27.33	357.90	Vertical	Vertical	Pass
20221.999	-53.63	-1.52	-25.0	28.63	66.40	Vertical	Vertical	Pass
21258.000	-54.70	-1.38	-25.0	29.70	264.70	Vertical	Vertical	Pass
22486.000	-52.75	-0.26	-25.0	27.75	121.70	Vertical	Vertical	Pass
23956.001	-53.46	0.48	-25.0	28.46	133.80	Vertical	Vertical	Pass

8.5 LTE-B41-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_15.05.30

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.658	-65.19	-13.44	-25.0	40.19	127.50	Horizontal	Vertical	Pass
124.817	-62.89	-17.48	-25.0	37.89	360.00	Horizontal	Vertical	Pass
244.855	-64.55	-13.70	-25.0	39.55	360.00	Horizontal	Vertical	Pass
948.833	-52.93	2.78	-25.0	27.93	1.00	Horizontal	Vertical	Pass
2483.500	-39.35	7.20	-25.0	14.35	360.00	Horizontal	Vertical	Pass
4551.000	-43.69	12.73	-25.0	18.69	51.00	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.11.03

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7852.000	-61.88	11.24	-25.0	36.88	120.20	Horizontal	Vertical	Pass
8773.000	-59.30	12.65	-25.0	34.30	291.70	Horizontal	Vertical	Pass
11101.000	-55.67	16.03	-25.0	30.67	120.20	Horizontal	Vertical	Pass
14377.000	-50.77	20.71	-25.0	25.77	291.70	Horizontal	Vertical	Pass
15508.000	-49.38	20.15	-25.0	24.38	205.00	Horizontal	Vertical	Pass
16903.000	-46.44	23.41	-25.0	21.44	273.90	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_14.04.39

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19438.000	-54.49	-1.65	-25.0	29.49	179.60	Horizontal	Vertical	Pass
19830.000	-52.54	-1.33	-25.0	27.54	69.90	Horizontal	Vertical	Pass
20832.000	-55.83	-2.10	-25.0	30.83	360.00	Horizontal	Vertical	Pass
21860.000	-54.33	-0.66	-25.0	29.33	360.00	Horizontal	Vertical	Pass
22818.001	-53.24	-0.39	-25.0	28.24	2.70	Horizontal	Vertical	Pass
23175.999	-53.50	-0.75	-25.0	28.50	192.50	Horizontal	Vertical	Pass

8.6 LTE-B41-15-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_15.36.39

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
56.432	-67.20	-15.92	-25.0	42.20	360.00	Vertical	Vertical	Pass
96.688	-66.71	-13.93	-25.0	41.71	195.20	Vertical	Vertical	Pass
163.617	-69.76	-17.33	-25.0	44.76	108.90	Vertical	Vertical	Pass
986.905	-54.45	3.55	-25.0	29.45	195.20	Vertical	Vertical	Pass
2586.500	-41.56	8.26	-25.0	16.56	38.90	Vertical	Vertical	Pass
6763.000	-36.22	19.23	-25.0	11.22	155.30	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.12.31

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7618.000	-61.39	10.26	-25.0	36.39	154.40	Vertical	Vertical	Pass
9274.000	-57.98	14.86	-25.0	32.98	360.00	Vertical	Vertical	Pass
11131.000	-55.37	16.01	-25.0	30.37	76.60	Vertical	Vertical	Pass
14515.000	-50.58	20.17	-25.0	25.58	24.90	Vertical	Vertical	Pass
16567.000	-47.87	22.73	-25.0	22.87	277.30	Vertical	Vertical	Pass
18136.001	-47.01	22.95	-25.0	22.01	277.30	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_14.02.06

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19498.000	-54.71	-1.81	-25.0	29.71	38.60	Vertical	Vertical	Pass
19846.001	-52.68	-1.30	-25.0	27.68	192.50	Vertical	Vertical	Pass
21204.001	-54.71	-1.53	-25.0	29.71	335.50	Vertical	Vertical	Pass
22148.000	-53.52	-0.53	-25.0	28.52	26.40	Vertical	Vertical	Pass
23136.000	-53.58	-0.68	-25.0	28.58	272.30	Vertical	Vertical	Pass
26496.000	-54.24	-0.45	-25.0	29.24	157.20	Vertical	Vertical	Pass

8.7 LTE-B41-20-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_14.57.32

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.960	-66.51	-14.28	-25.0	41.51	151.80	Horizontal	Vertical	Pass
125.060	-62.62	-17.49	-25.0	37.62	273.10	Horizontal	Vertical	Pass
306.693	-66.66	-11.25	-25.0	41.66	2.10	Horizontal	Vertical	Pass
989.330	-53.35	3.61	-25.0	28.35	357.30	Horizontal	Vertical	Pass
3048.000	-44.15	12.58	-25.0	19.15	160.30	Horizontal	Vertical	Pass
4631.000	-41.49	12.90	-25.0	16.49	200.80	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.14.04

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7924.000	-61.10	12.05	-25.0	36.10	126.60	Horizontal	Vertical	Pass
9394.000	-56.55	15.14	-25.0	31.55	126.60	Horizontal	Vertical	Pass
10516.000	-55.64	15.83	-25.0	30.64	268.00	Horizontal	Vertical	Pass
13531.000	-52.06	19.43	-25.0	27.06	57.70	Horizontal	Vertical	Pass
15130.000	-49.38	19.98	-25.0	24.38	277.60	Horizontal	Vertical	Pass
16510.000	-46.54	23.05	-25.0	21.54	186.50	Horizontal	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_13.58.42

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19544.001	-53.42	-1.75	-25.0	28.42	360.00	Horizontal	Vertical	Pass
19869.999	-53.12	-1.27	-25.0	28.12	353.50	Horizontal	Vertical	Pass
20312.001	-54.19	-1.70	-25.0	29.19	83.10	Horizontal	Vertical	Pass
22620.000	-53.80	-0.31	-25.0	28.80	58.10	Horizontal	Vertical	Pass
23170.001	-54.03	-0.74	-25.0	29.03	0.00	Horizontal	Vertical	Pass
24006.001	-54.29	0.61	-25.0	29.29	238.80	Horizontal	Vertical	Pass

8.8 LTE-B41-20-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_15.40.48

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_PART22&24&27_FCC LTE B41



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
58.130	-68.15	-16.02	-25.0	43.15	0.00	Vertical	Vertical	Pass
97.900	-65.13	-13.32	-25.0	40.13	96.30	Vertical	Vertical	Pass
161.678	-70.04	-17.38	-25.0	45.04	134.90	Vertical	Vertical	Pass
984.722	-54.08	3.49	-25.0	29.08	216.70	Vertical	Vertical	Pass
2587.500	-43.94	8.26	-25.0	18.94	360.00	Vertical	Vertical	Pass
3050.000	-43.18	9.93	-25.0	18.18	0.00	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-04-11_18.15.35

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: R73

Work Addition: TX


Temp.(oC): 19.5

Load: Full load

Hum.: 50%RH

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B7 B38 B40 B41 7-19G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7957.000	-62.14	12.58	-25.0	37.14	16.40	Vertical	Vertical	Pass
9301.000	-57.64	15.25	-25.0	32.64	184.60	Vertical	Vertical	Pass
10345.000	-56.16	16.30	-25.0	31.16	244.50	Vertical	Vertical	Pass
11137.000	-55.27	16.01	-25.0	30.27	360.00	Vertical	Vertical	Pass
14497.000	-50.52	20.42	-25.0	25.52	69.30	Vertical	Vertical	Pass
17056.000	-46.59	23.53	-25.0	21.59	184.60	Vertical	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-28_14.00.21

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA B41 19-27G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
19470.000	-54.40	-1.74	-25.0	29.40	26.40	Vertical	Vertical	Pass
19842.001	-52.73	-1.31	-25.0	27.73	195.70	Vertical	Vertical	Pass
21810.000	-54.89	-0.67	-25.0	29.89	270.80	Vertical	Vertical	Pass
22493.999	-53.82	-0.26	-25.0	28.82	0.00	Vertical	Vertical	Pass
25478.001	-54.86	-0.81	-25.0	29.86	170.50	Vertical	Vertical	Pass
26502.001	-53.66	-0.45	-25.0	28.66	270.80	Vertical	Vertical	Pass

9 LTE B66

9.1 LTE-B66-1.4-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_13.30.34

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CCE_FCC_FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	125.060	-62.91	-18.03	-13.0	49.91	Peak	358.10	100	Horizontal	Pass
2	145.430	-65.10	-19.94	-13.0	52.10	Peak	317.50	100	Horizontal	Pass
3	950.045	-56.15	0.96	-13.0	43.15	Peak	0.40	100	Horizontal	Pass
4	2144.750	-40.68	3.49	-13.0	27.68	Peak	246.60	100	Horizontal	Pass
5	3490.000	-31.75	9.85	-13.0	18.75	Peak	21.90	100	Horizontal	Pass
6	5234.000	-15.39	14.00	-13.0	2.39	Peak	359.40	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_09.50.37

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7858.000	-49.77	16.41	-13.0	36.77	139.40	Horizontal	Vertical	Pass
9832.500	-46.03	20.22	-13.0	33.03	323.70	Horizontal	Vertical	Pass
11213.000	-44.93	20.46	-13.0	31.93	94.40	Horizontal	Vertical	Pass
12807.999	-43.51	22.02	-13.0	30.51	139.40	Horizontal	Vertical	Pass
15137.250	-37.84	25.07	-13.0	24.84	204.60	Horizontal	Vertical	Pass
16858.750	-35.76	28.02	-13.0	22.76	334.50	Horizontal	Vertical	Pass

9.2 LTE-B66-1.4-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.05.41

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.130	-68.04	-16.33	-13.0	55.04	Peak	1.40	100	Vertical	Pass
2	95.717	-64.69	-14.79	-13.0	51.69	Peak	120.30	100	Vertical	Pass
3	164.345	-67.60	-18.05	-13.0	54.60	Peak	279.40	100	Vertical	Pass
4	2144.750	-38.45	3.04	-13.0	25.45	Peak	313.50	100	Vertical	Pass
5	3489.500	-26.70	9.82	-13.0	13.70	Peak	186.10	100	Vertical	Pass
6	5233.500	-14.13	13.74	-13.0	1.13	Peak	324.20	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_09.48.30

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7932.250	-49.99	17.16	-13.0	36.99	335.30	Vertical	Vertical	Pass
9849.000	-45.84	20.02	-13.0	32.84	260.40	Vertical	Vertical	Pass
10366.000	-44.92	21.38	-13.0	31.92	37.70	Vertical	Vertical	Pass
12783.250	-42.67	22.09	-13.0	29.67	198.90	Vertical	Vertical	Pass
15093.250	-38.63	25.24	-13.0	25.63	237.90	Vertical	Vertical	Pass
16828.500	-35.51	28.16	-13.0	22.51	37.70	Vertical	Vertical	Pass

9.3 LTE-B66-3-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_13.24.39

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	124.817	-63.82	-18.02	-13.0	50.82	Peak	0.00	100	Horizontal	Pass
2	165.315	-65.65	-18.04	-13.0	52.65	Peak	360.00	100	Horizontal	Pass
3	339.915	-66.88	-10.08	-13.0	53.88	Peak	0.00	100	Horizontal	Pass
4	2145.750	-39.81	3.52	-13.0	26.81	Peak	251.00	100	Horizontal	Pass
5	3491.500	-32.75	9.86	-13.0	19.75	Peak	183.10	100	Horizontal	Pass
6	5233.000	-16.16	14.02	-13.0	3.16	Peak	41.30	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_09.52.10

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7959.750	-49.45	17.56	-13.0	36.45	267.10	Horizontal	Vertical	Pass
9287.999	-47.26	19.84	-13.0	34.26	200.60	Horizontal	Vertical	Pass
10555.750	-45.34	21.39	-13.0	32.34	64.40	Horizontal	Vertical	Pass
11221.250	-43.70	20.58	-13.0	30.70	143.80	Horizontal	Vertical	Pass
14810.000	-38.97	27.20	-13.0	25.97	36.50	Horizontal	Vertical	Pass
16864.250	-35.08	28.06	-13.0	22.08	36.50	Horizontal	Vertical	Pass

9.4 LTE-B66-3-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.11.32

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.130	-67.79	-16.33	-13.0	54.79	Peak	358.80	100	Vertical	Pass
2	95.960	-64.08	-14.73	-13.0	51.08	Peak	201.40	100	Vertical	Pass
3	166.285	-66.18	-18.03	-13.0	53.18	Peak	160.20	100	Vertical	Pass
4	2144.750	-34.78	3.04	-13.0	21.78	Peak	330.10	100	Vertical	Pass
5	3488.500	-27.00	9.81	-13.0	14.00	Peak	162.50	100	Vertical	Pass
6	5233.000	-17.10	13.75	-13.0	4.10	Peak	89.30	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_09.54.41

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8564.750	-49.63	16.05	-13.0	36.63	251.50	Vertical	Vertical	Pass
9304.500	-47.17	20.25	-13.0	34.17	128.20	Vertical	Vertical	Pass
11171.750	-44.96	20.87	-13.0	31.96	171.90	Vertical	Vertical	Pass
13855.750	-42.16	23.26	-13.0	29.16	0.00	Vertical	Vertical	Pass
14810.000	-38.30	27.20	-13.0	25.30	171.90	Vertical	Vertical	Pass
17048.500	-35.94	28.45	-13.0	22.94	54.30	Vertical	Vertical	Pass

9.5 LTE-B66-5-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_13.17.41

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	125.060	-61.08	-18.03	-13.0	48.08	Peak	360.00	100	Horizontal	Pass
2	143.732	-64.31	-19.85	-13.0	51.31	Peak	360.00	100	Horizontal	Pass
3	997.333	-54.60	1.99	-13.0	41.60	Peak	360.00	100	Horizontal	Pass
4	2145.750	-39.01	3.52	-13.0	26.01	Peak	254.50	100	Horizontal	Pass
5	3492.500	-33.18	9.87	-13.0	20.18	Peak	18.90	100	Horizontal	Pass
6	5235.500	-15.98	13.98	-13.0	2.98	Peak	360.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_09.58.26

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7954.250	-49.80	17.52	-13.0	36.80	263.80	Horizontal	Vertical	Pass
10129.500	-45.84	19.78	-13.0	32.84	120.50	Horizontal	Vertical	Pass
11122.250	-44.73	21.01	-13.0	31.73	0.00	Horizontal	Vertical	Pass
12788.750	-43.91	22.21	-13.0	30.91	108.90	Horizontal	Vertical	Pass
15142.750	-38.19	25.06	-13.0	25.19	0.00	Horizontal	Vertical	Pass
16880.750	-35.63	28.13	-13.0	22.63	29.90	Horizontal	Vertical	Pass

9.6 LTE-B66-5-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.16.54

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.130	-66.50	-16.33	-13.0	53.50	Peak	360.00	100	Vertical	Pass
2	95.717	-64.25	-14.79	-13.0	51.25	Peak	86.20	100	Vertical	Pass
3	165.315	-68.28	-18.04	-13.0	55.28	Peak	285.50	100	Vertical	Pass
4	2145.250	-35.14	3.06	-13.0	22.14	Peak	318.70	100	Vertical	Pass
5	3492.000	-28.06	9.85	-13.0	15.06	Peak	182.20	100	Vertical	Pass
6	5238.500	-14.69	13.69	-13.0	1.69	Peak	326.70	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_09.56.27

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7926.750	-49.88	17.08	-13.0	36.88	326.70	Vertical	Vertical	Pass
9838.000	-46.71	20.01	-13.0	33.71	233.80	Vertical	Vertical	Pass
11166.250	-44.41	21.00	-13.0	31.41	233.80	Vertical	Vertical	Pass
12830.000	-43.16	21.57	-13.0	30.16	360.00	Vertical	Vertical	Pass
15494.750	-38.21	25.27	-13.0	25.21	77.10	Vertical	Vertical	Pass
16878.000	-35.87	28.11	-13.0	22.87	3.40	Vertical	Vertical	Pass

9.7 LTE-B66-10-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.48.06

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	97.658	-69.58	-13.87	-13.0	56.58	Peak	121.80	100	Horizontal	Pass
2	125.787	-64.45	-18.06	-13.0	51.45	Peak	359.40	100	Horizontal	Pass
3	2148.000	-37.82	3.57	-13.0	24.82	Peak	250.00	100	Horizontal	Pass
4	3494.500	-34.82	9.89	-13.0	21.82	Peak	183.60	100	Horizontal	Pass
5	5241.500	-18.66	13.96	-13.0	5.66	Peak	139.40	100	Horizontal	Pass
6	6980.500	-19.27	19.07	-13.0	6.27	Peak	261.00	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_10.00.26

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7929.500	-50.07	17.11	-13.0	37.07	247.10	Horizontal	Vertical	Pass
8845.250	-47.27	17.70	-13.0	34.27	147.70	Horizontal	Vertical	Pass
11196.500	-44.33	20.51	-13.0	31.33	147.70	Horizontal	Vertical	Pass
13088.500	-42.91	23.01	-13.0	29.91	235.90	Horizontal	Vertical	Pass
14815.500	-38.20	27.18	-13.0	25.20	135.10	Horizontal	Vertical	Pass
16878.000	-35.24	28.11	-13.0	22.24	360.00	Horizontal	Vertical	Pass

9.8 LTE-B66-10-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.23.07

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.130	-67.84	-16.33	-13.0	54.84	Peak	358.50	100	Vertical	Pass
2	95.960	-63.79	-14.73	-13.0	50.79	Peak	157.90	100	Vertical	Pass
3	165.315	-68.11	-18.04	-13.0	55.11	Peak	360.00	100	Vertical	Pass
4	2146.000	-35.15	3.08	-13.0	22.15	Peak	328.90	100	Vertical	Pass
5	3490.500	-29.69	9.84	-13.0	16.69	Peak	159.30	100	Vertical	Pass
6	5235.000	-19.07	13.72	-13.0	6.07	Peak	91.10	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_10.02.34

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7954.250	-49.43	17.52	-13.0	36.43	1.00	Vertical	Vertical	Pass
9505.250	-46.74	20.02	-13.0	33.74	131.90	Vertical	Vertical	Pass
11196.500	-44.24	20.51	-13.0	31.24	1.00	Vertical	Vertical	Pass
14389.250	-40.21	25.20	-13.0	27.21	31.60	Vertical	Vertical	Pass
14859.500	-38.31	26.07	-13.0	25.31	227.50	Vertical	Vertical	Pass
16850.500	-35.75	27.79	-13.0	22.75	244.80	Vertical	Vertical	Pass

9.9 LTE-B66-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.43.26

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC FCC PART22&24&27 FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	97.658	-69.10	-13.87	-13.0	56.10	Peak	114.20	100	Horizontal	Pass
2	124.817	-62.19	-18.02	-13.0	49.19	Peak	276.50	100	Horizontal	Pass
3	2149.500	-36.90	3.60	-13.0	23.90	Peak	255.50	100	Horizontal	Pass
4	3490.000	-35.89	9.85	-13.0	22.89	Peak	181.50	100	Horizontal	Pass
5	5244.000	-21.72	13.97	-13.0	8.72	Peak	360.00	100	Horizontal	Pass
6	6980.000	-23.17	19.07	-13.0	10.17	Peak	252.90	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_10.07.00

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8804.000	-47.71	18.28	-13.0	34.71	53.50	Horizontal	Vertical	Pass
9898.500	-46.18	20.36	-13.0	33.18	237.00	Horizontal	Vertical	Pass
10539.250	-44.57	21.42	-13.0	31.57	355.10	Horizontal	Vertical	Pass
12810.750	-42.84	22.00	-13.0	29.84	173.80	Horizontal	Vertical	Pass
14818.250	-39.31	27.01	-13.0	26.31	213.10	Horizontal	Vertical	Pass
16512.250	-35.65	27.99	-13.0	22.65	173.80	Horizontal	Vertical	Pass

9.10 LTE-B66-15-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.27.26

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.130	-67.92	-16.33	-13.0	54.92	Peak	359.20	100	Vertical	Pass
2	95.960	-63.36	-14.73	-13.0	50.36	Peak	122.30	100	Vertical	Pass
3	166.528	-67.42	-18.02	-13.0	54.42	Peak	280.40	100	Vertical	Pass
4	2147.750	-35.78	3.13	-13.0	22.78	Peak	317.70	100	Vertical	Pass
5	3491.000	-32.60	9.84	-13.0	19.60	Peak	186.30	100	Vertical	Pass
6	5235.000	-20.73	13.72	-13.0	7.73	Peak	60.50	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_10.05.01

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7899.250	-49.50	16.54	-13.0	36.50	106.50	Vertical	Vertical	Pass
10214.750	-45.84	20.44	-13.0	32.84	27.20	Vertical	Vertical	Pass
11155.250	-44.21	21.03	-13.0	31.21	163.80	Vertical	Vertical	Pass
12816.250	-43.41	21.93	-13.0	30.41	163.80	Vertical	Vertical	Pass
15134.500	-37.80	24.99	-13.0	24.80	360.00	Vertical	Vertical	Pass
16905.500	-35.28	28.29	-13.0	22.28	205.30	Vertical	Vertical	Pass

9.11 LTE-B66-20-MCH-H-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.37.31

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	97.658	-70.09	-13.87	-13.0	57.09	Peak	204.70	100	Horizontal	Pass
2	125.060	-61.26	-18.03	-13.0	48.26	Peak	360.00	100	Horizontal	Pass
3	980.600	-56.14	1.63	-13.0	43.14	Peak	82.70	100	Horizontal	Pass
4	2149.250	-36.97	3.60	-13.0	23.97	Peak	249.70	100	Horizontal	Pass
5	5235.000	-20.11	13.99	-13.0	7.11	Peak	37.40	100	Horizontal	Pass
6	6980.500	-20.44	19.07	-13.0	7.44	Peak	113.30	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_10.07.00

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
8804.000	-47.71	18.28	-13.0	34.71	53.50	Horizontal	Vertical	Pass
9898.500	-46.18	20.36	-13.0	33.18	237.00	Horizontal	Vertical	Pass
10539.250	-44.57	21.42	-13.0	31.57	355.10	Horizontal	Vertical	Pass
12810.750	-42.84	22.00	-13.0	29.84	173.80	Horizontal	Vertical	Pass
14818.250	-39.31	27.01	-13.0	26.31	213.10	Horizontal	Vertical	Pass
16512.250	-35.65	27.99	-13.0	22.65	173.80	Horizontal	Vertical	Pass

9.12 LTE-B26-20-MCH-V-TX

Test result

Project Number: Test

Test Time: 2026-01-28_11.31.24

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE FCC PART22&24&27_FCC PART 27_1700_WCDMA B4&LTE B4&B66



No.	Frequency (MHz)	Results (dBm)	Factor (dB/m)	Limit (dBm)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.130	-66.78	-16.33	-13.0	53.78	Peak	358.40	100	Vertical	Pass
2	95.717	-64.99	-14.79	-13.0	51.99	Peak	197.90	100	Vertical	Pass
3	180.592	-68.52	-16.84	-13.0	55.52	Peak	81.60	100	Vertical	Pass
4	2153.250	-33.38	3.25	-13.0	20.38	Peak	267.40	100	Vertical	Pass
5	3489.500	-30.37	9.82	-13.0	17.37	Peak	160.70	100	Vertical	Pass
6	5236.000	-22.02	13.70	-13.0	9.02	Peak	88.80	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2026-01-27_10.10.59

EUT Name: N.A

Test Engineer: SDC

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 22.3

Load: Full load

Hum.: 42%

Remark: DR-RSE01-E25110056-01#01

RSE Test case_CE_FCC_FCC PART22&24&27_FCC GSM&CDMA&LTE&WCDMA 7-18G



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
7965.250	-49.68	17.41	-13.0	36.68	36.30	Vertical	Vertical	Pass
9761.000	-46.45	20.59	-13.0	33.45	158.40	Vertical	Vertical	Pass
11446.750	-44.96	21.49	-13.0	31.96	0.00	Vertical	Vertical	Pass
12794.250	-43.59	22.16	-13.0	30.59	289.40	Vertical	Vertical	Pass
14810.000	-38.56	27.20	-13.0	25.56	338.30	Vertical	Vertical	Pass
16878.000	-34.53	28.11	-13.0	21.53	358.70	Vertical	Vertical	Pass