

Report Number: W6M21906-19141-P-247

FCC ID: 2AT5JE070W1D14V1U

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 02:06:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-81.71	peak	22.66	-59.05	-13.00	150	105	-46.05	
	126.7535	-81.78	peak	22.32	-59.46	-13.00	150	310	-46.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 02:26:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-86.06	peak	23.23	-62.83	-13.00	150	50	-49.83	
	182.6253	-88.04	peak	24.54	-63.50	-13.00	150	295	-50.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:46:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	248.0962	-47.41	peak	-11.32	-58.73	-13.00	150	115	-45.73	
	357.1142	-50.50	peak	-8.27	-58.77	-13.00	150	155	-45.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 01:57:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	251.3026	-49.19	peak	-9.51	-58.70	-13.00	150	245	-45.70	
	350.7014	-54.42	peak	-6.89	-61.31	-13.00	150	65	-48.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:09:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2959.920	-53.27	peak	7.11	-46.16	-13.00	150	105	-33.16	
	3711.423	-57.17	peak	9.74	-47.43	-13.00	150	175	-34.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:31:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2478.958	-51.97	peak	7.45	-44.52	-13.00	150	275	-31.52	
	3711.423	-57.13	peak	9.65	-47.48	-13.00	150	65	-34.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:10:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:32:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:11:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:32:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:11:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:32:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:11:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:33:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:04:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-81.62	peak	22.66	-58.96	-13.00	150	95	-45.96	
	168.3166	-87.54	peak	23.58	-63.96	-13.00	150	185	-50.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:27:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	44.9900	-86.45	peak	23.19	-63.26	-13.00	150	55	-50.26	
	189.7796	-87.72	peak	24.19	-63.53	-13.00	150	305	-50.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:47:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-46.95	peak	-11.18	-58.13	-13.00	150	205	-45.13	
*	339.4790	-49.72	peak	-8.24	-57.96	-13.00	150	165	-44.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:59:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-47.41	peak	-9.72	-57.13	-13.00	150	245	-44.13	
	342.6854	-54.45	peak	-6.66	-61.11	-13.00	150	295	-48.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:15:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2430.862	-54.46	peak	5.58	-48.88	-13.00	150	225	-35.88	
	3765.531	-61.96	peak	9.82	-52.14	-13.00	150	95	-39.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:27:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2466.934	-45.03	peak	7.37	-37.66	-13.00	150	245	-24.66	
	3759.519	-61.38	peak	9.60	-51.78	-13.00	150	345	-38.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:16:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:28:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:17:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:29:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:17:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:29:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:17:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2019/7/22

Temperature:24 °C

0.0 dBm

Time: 下午 06:29:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:03:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-81.37	peak	22.66	-58.71	-13.00	150	105	-45.71	
	168.3166	-87.38	peak	23.58	-63.80	-13.00	150	175	-50.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:29:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-86.42	peak	23.14	-63.28	-13.00	150	75	-50.28	
	185.3507	-87.72	peak	24.41	-63.31	-13.00	150	285	-50.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:48:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	248.0962	-47.98	peak	-11.32	-59.30	-13.00	150	195	-46.30	
*	350.7014	-50.08	peak	-8.26	-58.34	-13.00	150	140	-45.34	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 02:00:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	241.6834	-49.35	peak	-9.94	-59.29	-13.00	150	355	-46.29	
	360.3206	-54.49	peak	-7.17	-61.66	-13.00	150	280	-48.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:19:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2899.800	-51.32	peak	6.96	-44.36	-13.00	150	165	-31.36	
	3819.639	-57.39	peak	9.90	-47.49	-13.00	150	125	-34.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:23:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2442.886	-60.10	peak	7.22	-52.88	-13.00	150	340	-39.88	
*	3813.627	-55.20	peak	9.55	-45.65	-13.00	150	285	-32.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:20:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:24:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:21:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:25:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:21:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:25:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2019/7/22

Temperature:24 °C

0.0 dBm

Time: 下午 06:21:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:25:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:07:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	103.9280	-86.87	peak	23.48	-63.39	-13.00	150	295	-50.39	
*	115.5110	-82.44	peak	22.66	-59.78	-13.00	150	110	-46.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:22:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.0120	-84.34	peak	23.24	-61.10	-13.00	150	45	-48.10	
	115.5110	-86.38	peak	23.14	-63.24	-13.00	150	305	-50.24	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:50:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	248.0962	-47.67	peak	-11.32	-58.99	-13.00	150	155	-45.99	
*	349.0982	-49.02	peak	-8.25	-57.27	-13.00	150	105	-44.27	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 01:56:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	259.3186	-50.40	peak	-9.16	-59.56	-13.00	150	75	-46.56	
	360.3206	-54.58	peak	-7.17	-61.75	-13.00	150	205	-48.75	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 05:55:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2448.898	-51.46	peak	5.68	-45.78	-13.00	150	85	-32.78	
*	3428.858	-54.50	peak	9.12	-45.38	-13.00	150	140	-32.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:35:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-58.98	peak	7.34	-51.64	-13.00	150	255	-38.64	
*	3428.858	-56.13	peak	9.48	-46.65	-13.00	150	305	-33.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 05:56:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:36:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 05:57:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:37:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 05:57:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:37:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 05:57:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:38:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1312

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:08:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.60	peak	22.66	-59.94	-13.00	150	110	-46.94	
	126.7535	-82.79	peak	22.32	-60.47	-13.00	150	85	-47.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:23:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-85.84	peak	23.23	-62.61	-13.00	150	55	-49.61	
	179.5591	-87.43	peak	24.66	-62.77	-13.00	150	255	-49.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:51:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	248.0962	-48.31	peak	-11.32	-59.63	-13.00	150	110	-46.63	
*	355.5110	-50.80	peak	-8.26	-59.06	-13.00	150	180	-46.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:55:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	244.8898	-49.00	peak	-9.79	-58.79	-13.00	150	325	-45.79	
	353.9078	-54.12	peak	-6.98	-61.10	-13.00	150	310	-48.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:00:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2448.898	-48.55	peak	5.68	-42.87	-13.00	150	55	-29.87	
	3464.930	-54.69	peak	9.28	-45.41	-13.00	150	155	-32.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:40:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2442.886	-60.66	peak	7.22	-53.44	-13.00	150	315	-40.44	
*	3464.930	-51.31	peak	9.66	-41.65	-13.00	150	280	-28.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:01:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:40:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:02:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:41:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:02:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:42:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:02:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:42:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1413

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:10:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.57	peak	22.66	-59.91	-13.00	150	110	-46.91	
	121.6433	-85.14	peak	22.34	-62.80	-13.00	150	165	-49.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:24:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5110	-86.64	peak	23.14	-63.50	-13.00	150	285	-50.50	
*	185.3507	-87.81	peak	24.41	-63.40	-13.00	150	305	-50.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:52:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	248.0962	-47.48	peak	-11.32	-58.80	-13.00	150	110	-45.80	
*	344.2886	-50.52	peak	-8.25	-58.77	-13.00	150	170	-45.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:53:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	244.8898	-49.23	peak	-9.79	-59.02	-13.00	150	40	-46.02	
	360.3206	-54.71	peak	-7.17	-61.88	-13.00	150	55	-48.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:05:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2442.886	-51.66	peak	5.64	-46.02	-13.00	150	315	-33.02	
	3507.014	-60.29	peak	9.45	-50.84	-13.00	150	115	-37.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:44:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-48.48	peak	7.19	-41.29	-13.00	150	240	-28.29	
	3507.014	-59.51	peak	9.83	-49.68	-13.00	150	255	-36.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:06:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:44:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:06:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:45:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:06:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:45:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2019/7/22

Temperature:24 °C

0.0 dBm

Time: 下午 06:07:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/22

Temperature: 24 °C

0.0 dBm

Time: 下午 06:46:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band4 CH1513

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:13:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.42	peak	22.66	-59.76	-13.00	150	105	-46.76	
	120.6212	-84.55	peak	22.35	-62.20	-13.00	150	115	-49.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:21:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.3527	-86.41	peak	23.26	-63.15	-13.00	150	55	-50.15	
*	182.6253	-87.63	peak	24.54	-63.09	-13.00	150	280	-50.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:27:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	246.4930	-46.69	peak	-11.45	-58.14	-13.00	150	165	-45.14	
*	469.3387	-47.36	peak	-7.44	-54.80	-13.00	150	20	-41.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:28:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	244.8898	-48.60	peak	-9.79	-58.39	-13.00	150	235	-45.39	
	469.3387	-53.37	peak	-5.71	-59.08	-13.00	150	295	-46.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 09:51:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-59.33	peak	0.98	-58.35	-13.00	150	115	-45.35	
*	2436.874	-60.51	peak	5.61	-54.90	-13.00	150	105	-41.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:20:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-59.12	peak	2.67	-56.45	-13.00	150	90	-43.45	
*	2466.934	-60.69	peak	7.37	-53.32	-13.00	150	270	-40.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 09:52:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:20:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 09:53:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:21:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:14:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-83.11	peak	22.66	-60.45	-13.00	150	95	-47.45	
	160.8216	-86.96	peak	23.52	-63.44	-13.00	150	155	-50.44	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:19:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	44.9900	-84.22	peak	23.19	-61.03	-13.00	150	50	-48.03	
	182.6253	-87.84	peak	24.54	-63.30	-13.00	150	275	-50.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:30:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	246.4930	-45.68	peak	-11.45	-57.13	-13.00	150	160	-44.13	
*	469.3387	-48.86	peak	-7.44	-56.30	-13.00	150	40	-43.30	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 01:29:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-48.04	peak	-9.72	-57.76	-13.00	150	75	-44.76	
	357.1141	-53.14	peak	-7.07	-60.21	-13.00	150	55	-47.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:01:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-60.05	peak	1.10	-58.95	-13.00	150	165	-45.95	
*	2509.018	-60.15	peak	5.97	-54.18	-13.00	150	205	-41.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:14:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-60.77	peak	2.79	-57.98	-13.00	150	245	-44.98	
*	3296.593	-60.52	peak	8.80	-51.72	-13.00	150	280	-38.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:01:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:16:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:02:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:17:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:15:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-83.36	peak	22.66	-60.70	-13.00	150	105	-47.70	
	159.4590	-85.76	peak	23.48	-62.28	-13.00	150	115	-49.28	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:17:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5110	-86.24	peak	23.14	-63.10	-13.00	150	295	-50.10	
*	189.7796	-87.19	peak	24.19	-63.00	-13.00	150	310	-50.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:31:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	248.0962	-48.11	peak	-11.32	-59.43	-13.00	150	155	-46.43	
*	469.3387	-48.79	peak	-7.44	-56.23	-13.00	150	25	-43.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:32:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	240.0802	-50.15	peak	-10.01	-60.16	-13.00	150	325	-47.16	
	358.7174	-55.02	peak	-7.12	-62.14	-13.00	150	275	-49.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:05:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-60.46	peak	1.22	-59.24	-13.00	150	115	-46.24	
*	2545.090	-60.11	peak	6.06	-54.05	-13.00	150	195	-41.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:09:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-60.66	peak	2.89	-57.77	-13.00	150	255	-44.77	
*	3302.605	-60.82	peak	8.83	-51.99	-13.00	150	330	-38.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:05:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:10:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:06:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:10:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band5 CH4233

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:36:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.56	peak	22.66	-59.90	-13.00	150	110	-46.90	
	125.3908	-84.78	peak	22.33	-62.45	-13.00	150	145	-49.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:56:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-85.65	peak	23.23	-62.42	-13.00	150	295	-49.42	
	115.5110	-86.91	peak	23.14	-63.77	-13.00	150	315	-50.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:06:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-48.08	peak	-11.18	-59.26	-13.00	150	205	-46.26	
	358.7174	-51.83	peak	-8.27	-60.10	-13.00	150	165	-47.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:10:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-49.59	peak	-9.72	-59.31	-13.00	150	245	-46.31	
	360.3206	-54.81	peak	-7.17	-61.98	-13.00	150	315	-48.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:39:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-55.39	peak	2.17	-53.22	-13.00	150	215	-40.22	
*	3759.519	-52.20	peak	9.81	-42.39	-13.00	150	155	-29.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:46:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-55.70	peak	3.62	-52.08	-13.00	150	225	-39.08	
*	3759.519	-50.69	peak	9.60	-41.09	-13.00	150	310	-28.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:41:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:46:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:42:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:47:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:42:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:48:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:42:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 上午 10:48:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 02:37:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.41	peak	22.66	-59.75	-13.00	150	115	-46.75	
	127.0942	-83.58	peak	22.32	-61.26	-13.00	150	140	-48.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:53:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-86.09	peak	23.26	-62.83	-13.00	150	65	-49.83	
	115.5110	-86.80	peak	23.14	-63.66	-13.00	150	260	-50.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:07:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	248.0962	-48.31	peak	-11.32	-59.63	-13.00	150	245	-46.63	
*	374.7495	-50.33	peak	-8.30	-58.63	-13.00	150	195	-45.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:09:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-50.58	peak	-9.72	-60.30	-13.00	150	250	-47.30	
	355.5110	-55.58	peak	-7.03	-62.61	-13.00	150	75	-49.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:53:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-57.79	peak	2.17	-55.62	-13.00	150	165	-42.62	
*	3747.495	-52.58	peak	9.80	-42.78	-13.00	150	140	-29.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:58:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-57.35	peak	3.62	-53.73	-13.00	150	310	-40.73	
*	3747.495	-50.99	peak	9.61	-41.38	-13.00	150	295	-28.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:54:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:58:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:55:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:59:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:55:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:59:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:55:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:00:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band2-QPSK-10M-1RB-CH18900

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:38:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.67	peak	22.66	-60.01	-13.00	150	100	-47.01	
	127.0942	-84.75	peak	22.32	-62.43	-13.00	150	135	-49.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:50:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.0120	-86.67	peak	23.24	-63.43	-13.00	150	245	-50.43	
	115.5110	-86.84	peak	23.14	-63.70	-13.00	150	280	-50.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:03:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-48.17	peak	-11.18	-59.35	-13.00	150	195	-46.35	
	352.3046	-51.45	peak	-8.26	-59.71	-13.00	150	105	-46.71	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2019/7/23

Temperature:24 °C

0.0 dBm

Time: 下午 01:11:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-50.36	peak	-9.72	-60.08	-13.00	150	305	-47.08	
	355.5110	-55.94	peak	-7.03	-62.97	-13.00	150	295	-49.97	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:08:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-57.12	peak	2.17	-54.95	-13.00	150	220	-41.95	
*	3464.930	-48.60	peak	9.28	-39.32	-13.00	150	165	-26.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:12:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-57.07	peak	3.62	-53.45	-13.00	150	300	-40.45	
*	3464.930	-44.99	peak	9.66	-35.33	-13.00	150	95	-22.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:09:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:13:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:10:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:13:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:10:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:13:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:10:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:14:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:41:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.60	peak	22.66	-59.94	-13.00	150	105	-46.94	
	161.1623	-86.66	peak	23.52	-63.14	-13.00	150	175	-50.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:51:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	43.9680	-87.85	peak	23.13	-64.72	-13.00	150	55	-51.72	
*	115.5110	-86.67	peak	23.14	-63.53	-13.00	150	285	-50.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:05:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-47.99	peak	-11.45	-59.44	-13.00	150	215	-46.44	
	353.9078	-52.25	peak	-8.26	-60.51	-13.00	150	165	-47.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:12:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-49.80	peak	-9.72	-59.52	-13.00	150	320	-46.52	
	357.1142	-55.54	peak	-7.07	-62.61	-13.00	150	295	-49.61	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:02:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-55.91	peak	2.17	-53.74	-13.00	150	225	-40.74	
*	3446.894	-48.38	peak	9.20	-39.18	-13.00	150	155	-26.18	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:16:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-56.55	peak	3.62	-52.93	-13.00	150	255	-39.93	
*	3446.894	-43.92	peak	9.57	-34.35	-13.00	150	305	-21.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:04:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:17:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:05:42

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:17:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:05:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:18:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:06:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:18:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band4-QPSK-10M-1RB-CH20175

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:43:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-83.03	peak	22.66	-60.37	-13.00	150	105	-47.37	
	127.0942	-82.74	peak	22.32	-60.42	-13.00	150	125	-47.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:48:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	45.6713	-87.87	peak	23.23	-64.64	-13.00	150	225	-51.64	
*	115.5110	-87.02	peak	23.14	-63.88	-13.00	150	255	-50.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:48:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	349.0982	-53.70	peak	-8.25	-61.95	-13.00	150	165	-48.95	
	427.6553	-55.73	peak	-7.98	-63.71	-13.00	150	105	-50.71	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:45:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	244.8898	-50.97	peak	-9.79	-60.76	-13.00	150	355	-47.76	
	480.5611	-58.19	peak	-5.29	-63.48	-13.00	150	255	-50.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:21:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-56.79	peak	-0.04	-56.83	-13.00	150	120	-43.83	
*	2827.655	-59.37	peak	6.78	-52.59	-13.00	150	185	-39.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:25:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-56.16	peak	1.65	-54.51	-13.00	150	285	-41.51	
*	3266.533	-60.20	peak	8.65	-51.55	-13.00	150	95	-38.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:22:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:27:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:23:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:28:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:44:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	115.5110	-82.30	peak	22.66	-59.64	-13.00	150	105	-46.64	
	127.0942	-83.57	peak	22.32	-61.25	-13.00	150	115	-48.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:46:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5110	-86.81	peak	23.14	-63.67	-13.00	150	275	-50.67	
*	127.0942	-85.54	peak	22.69	-62.85	-13.00	150	255	-49.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:43:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	244.8898	-49.52	peak	-11.58	-61.10	-13.00	150	110	-48.10	
*	350.7013	-52.62	peak	-8.26	-60.88	-13.00	150	155	-47.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:44:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0801	-50.58	peak	-10.01	-60.59	-13.00	150	295	-47.59	
*	264.1283	-50.64	peak	-8.76	-59.40	-13.00	150	305	-46.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:31:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1402.805	-57.94	peak	-0.04	-57.98	-13.00	150	155	-44.98	
*	3537.074	-61.29	peak	9.49	-51.80	-13.00	150	165	-38.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:34:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1402.805	-55.64	peak	1.61	-54.03	-13.00	150	295	-41.03	
*	3555.110	-61.51	peak	9.79	-51.72	-13.00	150	205	-38.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:31:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:34:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:32:30

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2019/7/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:35:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M21906-19141

M/N:

Test Mode : Band12-QPSK-10M-1RB-CH23095

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/1/2019

Temperature: 30.4 °C

80.0 dBuV/m

Time: 3:54:58 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	36.20	peak	-7.11	29.09	43.50	100	120	-14.41	
	195.2305	41.17	peak	-11.09	30.08	43.50	100	30	-13.42	
	379.8998	38.49	peak	-4.29	34.20	46.00	100	260	-11.80	
*	424.6092	41.07	peak	-3.85	37.22	46.00	100	75	-8.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/1/2019

Temperature:30.4 °C

80.0 dBuV/m

Time: 3:55:58 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	40.09	peak	-8.70	31.39	40.00	100	30	-8.61	
	57.2143	42.65	peak	-11.30	31.35	40.00	100	40	-8.65	
	115.5311	40.40	peak	-7.11	33.29	43.50	100	345	-10.21	
	449.8797	36.71	peak	-3.51	33.20	46.00	100	170	-12.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 2:59:41 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1228.457	43.79	peak	-8.77	35.02	74.00	150	315	-38.98	
*	3800.000	40.70	peak	-3.03	37.67	74.00	150	95	-36.33	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:03:11 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1228.457	44.14	peak	-8.77	35.37	74.00	150	270	-38.63	
*	3800.000	40.73	peak	-3.03	37.70	74.00	150	50	-36.30	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:00:41 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:04:12 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:01:47 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:05:11 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:02:01 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:05:25 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:02:11 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:05:35 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/1/2019

Temperature:30.4 °C

80.0 dBuV/m

Time: 3:57:58 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	36.50	peak	-7.11	29.39	43.50	100	220	-14.11	
	261.3226	41.59	peak	-7.35	34.24	46.00	100	55	-11.76	
	403.2264	41.28	peak	-3.86	37.42	46.00	100	30	-8.58	
*	426.5530	43.02	peak	-3.81	39.21	46.00	100	100	-6.79	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/1/2019

Temperature:30.4 °C

80.0 dBuV/m

Time: 3:58:58 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	33.8877	38.18	peak	-8.70	29.48	40.00	100	11	-10.52	
*	103.8677	44.43	peak	-9.36	35.07	43.50	100	85	-8.43	
	426.5531	36.31	peak	-3.81	32.50	46.00	100	320	-13.50	
	479.0380	35.41	peak	-3.30	32.11	46.00	100	265	-13.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:11:06 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1210.421	43.59	peak	-8.73	34.86	74.00	150	340	-39.14	
*	3460.000	40.71	peak	-3.74	36.97	74.00	150	155	-37.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:14:37 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1210.421	43.93	peak	-8.73	35.20	74.00	150	215	-38.80	
*	3460.000	40.86	peak	-3.74	37.12	74.00	150	20	-36.88	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:12:07 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:15:37 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:13:13 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:16:37 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:13:27 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:16:51 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:13:37 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:17:01 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/1/2019

Temperature: 30.4 °C

80.0 dBuV/m

Time: 4:03:25 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	35.85	peak	-7.11	28.74	43.50	100	240	-14.76	
	354.6293	38.60	peak	-5.08	33.52	46.00	100	210	-12.48	
	403.2265	39.57	peak	-3.86	35.71	46.00	100	5	-10.29	
*	424.6092	43.50	peak	-3.85	39.65	46.00	100	360	-6.35	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/1/2019

Temperature:30.4 °C

80.0 dBuV/m

Time: 4:04:25 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	41.50	peak	-8.70	32.80	40.00	100	140	-7.20	
	103.8677	45.51	peak	-9.36	36.15	43.50	100	315	-7.35	
	115.5310	40.39	peak	-7.11	33.28	43.50	100	50	-10.22	
	403.2264	40.44	peak	-3.86	36.58	46.00	100	77	-9.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:23:30 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1700.000	42.92	peak	-8.62	34.30	74.00	150	200	-39.70	
*	3400.000	41.72	peak	-3.79	37.93	74.00	150	110	-36.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:27:00 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1700.000	42.95	peak	-8.62	34.33	74.00	150	175	-39.67	
*	3400.000	41.33	peak	-3.79	37.54	74.00	150	95	-36.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 3:24:30 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:28:01 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:25:36 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:29:00 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:25:50 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:29:14 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:26:00 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 3:29:24 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/1/2019

Temperature:30.4 °C

80.0 dBuV/m

Time: 3:44:29 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	36.19	peak	-7.11	29.08	43.50	100	30	-14.42	
	300.2004	38.94	peak	-6.12	32.82	46.00	100	267	-13.18	
	387.6754	38.12	peak	-4.12	34.00	46.00	100	85	-12.00	
*	704.5291	34.75	peak	-0.40	34.35	46.00	100	210	-11.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/1/2019

Temperature: 30.4 °C

80.0 dBuV/m

Time: 3:45:29 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	33.8877	36.78	peak	-8.70	28.08	40.00	100	40	-11.92	
	115.5311	40.05	peak	-7.11	32.94	43.50	100	50	-10.56	
	403.2264	39.77	peak	-3.86	35.91	46.00	100	112	-10.09	
*	426.5531	39.82	peak	-3.81	36.01	46.00	100	165	-9.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:21:11 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1294.589	44.72	peak	-8.95	35.77	74.00	150	120	-38.23	
*	3800.000	40.97	peak	-3.03	37.94	74.00	150	70	-36.06	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 1:24:42 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1210.421	43.82	peak	-8.73	35.09	74.00	150	311	-38.91	
*	3800.000	40.96	peak	-3.03	37.93	74.00	150	15	-36.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:22:11 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:25:42 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:23:18 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:26:42 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 1:23:32 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:26:56 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:23:41 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 1:27:05 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/1/2019

Temperature: 30.4 °C

80.0 dBuV/m

Time: 3:48:12 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	37.02	peak	-7.11	29.91	43.50	100	50	-13.59	
	284.6492	38.13	peak	-6.47	31.66	46.00	100	137	-14.34	
*	379.8998	42.62	peak	-4.29	38.33	46.00	100	70	-7.67	
	426.5531	41.44	peak	-3.81	37.63	46.00	100	225	-8.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/1/2019

Temperature: 30.4 °C

80.0 dBuV/m

Time: 3:49:12 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.2143	39.78	peak	-11.30	28.48	40.00	100	330	-11.52	
	103.8677	42.47	peak	-9.36	33.11	43.50	100	345	-10.39	
	356.5731	38.82	peak	-5.05	33.77	46.00	100	140	-12.23	
*	403.2265	39.71	peak	-3.86	35.85	46.00	100	60	-10.15	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:35:42 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1216.433	43.73	peak	-8.74	34.99	74.00	150	70	-39.01	
*	3460.000	41.58	peak	-3.74	37.84	74.00	150	45	-36.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:39:12 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1210.421	44.17	peak	-8.73	35.44	74.00	150	220	-38.56	
*	3460.000	41.18	peak	-3.74	37.44	74.00	150	0	-36.56	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:36:42 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:40:13 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:37:49 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 1:41:12 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:38:03 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 1:41:26 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 1:38:12 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 1:41:36 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 8/1/2019

Temperature: 30.4 °C

80.0 dBuV/m

Time: 3:51:33 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	36.92	peak	-7.11	29.81	43.50	100	170	-13.69	
	379.8998	42.15	peak	-4.29	37.86	46.00	100	85	-8.14	
	449.8797	38.41	peak	-3.51	34.90	46.00	100	40	-11.10	
*	799.7796	37.59	peak	1.19	38.78	46.00	100	220	-7.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 8/1/2019

Temperature: 30.4 °C

80.0 dBuV/m

Time: 3:52:33 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_30-1000MHz

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8877	39.68	peak	-8.70	30.98	40.00	100	275	-9.02	
	115.5310	40.45	peak	-7.11	33.34	43.50	100	120	-10.16	
	263.2664	35.99	peak	-7.21	28.78	46.00	100	260	-17.22	
	479.0380	35.37	peak	-3.30	32.07	46.00	100	50	-13.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 2:43:10 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1400.000	42.32	peak	-9.32	33.00	74.00	150	55	-41.00	
*	2100.000	44.57	peak	-7.34	37.23	74.00	150	180	-36.77	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 2:46:40 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1400.000	41.55	peak	-9.32	32.23	74.00	150	75	-41.77	
*	2800.000	41.65	peak	-5.17	36.48	74.00	150	60	-37.52	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 2:44:10 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 2:47:41 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Vertical*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 2:45:17 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Horizontal

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 2:48:41 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Vertical**

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 2:45:31 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #9


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 2:48:55 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 8/1/2019

Temperature:30.4 °C

90.0 dBuV/m

Time: 2:45:40 AM

Humidity:67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 8/1/2019

Temperature: 30.4 °C

90.0 dBuV/m

Time: 2:49:04 AM

Humidity: 67.2 %



Site : Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M21906-19141

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 12 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin