

Appendix D-WCDMA

Test Information:

Sample No.:	3C1Q-5	Test Date:	2025/11/21~2025/11/28
Test Site:	RF	Test Mode:	Transmitting
Tester:	Benny Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	21.4~22.6	Relative Humidity: (%)	36~40	ATM Pressure: (kPa)	101.1
----------------------	-----------	---------------------------	-------	------------------------	-------

RF Output Power

FCC Part 22H, RSS-132

WCDMA Band 5, Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	FCC Limit (dBm)	IC Limit (dBm)	Verdict
R99_Low	23.23	14.68	38.45	34.77	Pass
R99_Middle	23.28	14.73	38.45	34.77	Pass
R99_High	23.23	14.68	38.45	34.77	Pass
HSDPA_Low_Subtest1	21.81	13.26	38.45	34.77	Pass
HSDPA_Low_Subtest2	21.47	12.92	38.45	34.77	Pass
HSDPA_Low_Subtest3	21.60	13.05	38.45	34.77	Pass
HSDPA_Low_Subtest4	21.53	12.98	38.45	34.77	Pass
HSDPA_Middle_Subtest1	21.82	13.27	38.45	34.77	Pass
HSDPA_Middle_Subtest2	21.93	13.38	38.45	34.77	Pass
HSDPA_Middle_Subtest3	21.70	13.15	38.45	34.77	Pass
HSDPA_Middle_Subtest4	21.58	13.03	38.45	34.77	Pass
HSDPA_High_Subtest1	21.77	13.22	38.45	34.77	Pass
HSDPA_High_Subtest2	21.53	12.98	38.45	34.77	Pass
HSDPA_High_Subtest3	21.49	12.94	38.45	34.77	Pass
HSDPA_High_Subtest4	21.40	12.85	38.45	34.77	Pass
HSUPA_Low_Subtest1	22.81	14.26	38.45	34.77	Pass
HSUPA_Low_Subtest2	22.88	14.33	38.45	34.77	Pass
HSUPA_Low_Subtest3	22.97	14.42	38.45	34.77	Pass
HSUPA_Low_Subtest4	22.94	14.39	38.45	34.77	Pass
HSUPA_Low_Subtest5	22.94	14.39	38.45	34.77	Pass
HSUPA_Middle_Subtest1	22.92	14.37	38.45	34.77	Pass
HSUPA_Middle_Subtest2	22.91	14.36	38.45	34.77	Pass
HSUPA_Middle_Subtest3	22.90	14.35	38.45	34.77	Pass
HSUPA_Middle_Subtest4	22.90	14.35	38.45	34.77	Pass
HSUPA_Middle_Subtest5	22.88	14.33	38.45	34.77	Pass
HSUPA_High_Subtest1	22.88	14.33	38.45	34.77	Pass
HSUPA_High_Subtest2	22.87	14.32	38.45	34.77	Pass
HSUPA_High_Subtest3	22.85	14.30	38.45	34.77	Pass
HSUPA_High_Subtest4	22.83	14.28	38.45	34.77	Pass
HSUPA_High_Subtest5	22.94	14.39	38.45	34.77	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	FCC Limit (dBm)	IC Limit (dBm)	Verdict
HSPA+_Low_Subtest1	22.88	14.33	38.45	34.77	Pass
HSPA+_Middle_Subtest1	22.84	14.29	38.45	34.77	Pass
HSPA+_High_Subtest1	22.79	14.24	38.45	34.77	Pass
DC-HSDPA_Low_Subtest1	22.91	14.36	38.45	34.77	Pass
DC-HSDPA_Low_Subtest2	22.86	14.31	38.45	34.77	Pass
DC-HSDPA_Low_Subtest3	22.94	14.39	38.45	34.77	Pass
DC-HSDPA_Low_Subtest4	22.90	14.35	38.45	34.77	Pass
DC-HSDPA_Middle_Subtest1	22.78	14.23	38.45	34.77	Pass
DC-HSDPA_Middle_Subtest2	22.74	14.19	38.45	34.77	Pass
DC-HSDPA_Middle_Subtest3	22.72	14.17	38.45	34.77	Pass
DC-HSDPA_Middle_Subtest4	22.71	14.16	38.45	34.77	Pass
DC-HSDPA_High_Subtest1	22.88	14.33	38.45	34.77	Pass
DC-HSDPA_High_Subtest2	22.85	14.30	38.45	34.77	Pass
DC-HSDPA_High_Subtest3	22.84	14.29	38.45	34.77	Pass
DC-HSDPA_High_Subtest4	22.79	14.24	38.45	34.77	Pass

Note:
ERP = Average Conducted Power(dBm) + Antenna Gain(dBd)
Antenna Gain(dBd) = Antenna Gain(dBi) - 2.15
Band 5:
Antenna Gain = -6.4dBi;

FCC Part 24E, RSS-133

WCDMA Band 2, Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	22.31	15.01	33	Pass
R99_Middle	22.35	15.05	33	Pass
R99_High	22.27	14.97	33	Pass
HSDPA_Low_Subtest1	21.27	13.97	33	Pass
HSDPA_Low_Subtest2	21.35	14.05	33	Pass
HSDPA_Low_Subtest3	20.82	13.52	33	Pass
HSDPA_Low_Subtest4	21.42	14.12	33	Pass
HSDPA_Middle_Subtest1	21.22	13.92	33	Pass
HSDPA_Middle_Subtest2	21.39	14.09	33	Pass
HSDPA_Middle_Subtest3	20.95	13.65	33	Pass
HSDPA_Middle_Subtest4	21.54	14.24	33	Pass
HSDPA_High_Subtest1	21.29	13.99	33	Pass
HSDPA_High_Subtest2	21.35	14.05	33	Pass
HSDPA_High_Subtest3	20.73	13.43	33	Pass
HSDPA_High_Subtest4	21.38	14.08	33	Pass
HSUPA_Low_Subtest1	21.62	14.32	33	Pass
HSUPA_Low_Subtest2	21.74	14.44	33	Pass
HSUPA_Low_Subtest3	21.61	14.31	33	Pass
HSUPA_Low_Subtest4	21.75	14.45	33	Pass
HSUPA_Low_Subtest5	21.76	14.46	33	Pass
HSUPA_Middle_Subtest1	21.81	14.51	33	Pass
HSUPA_Middle_Subtest2	21.73	14.43	33	Pass
HSUPA_Middle_Subtest3	21.77	14.47	33	Pass
HSUPA_Middle_Subtest4	21.73	14.43	33	Pass
HSUPA_Middle_Subtest5	21.74	14.44	33	Pass
HSUPA_High_Subtest1	21.75	14.45	33	Pass
HSUPA_High_Subtest2	21.75	14.45	33	Pass
HSUPA_High_Subtest3	21.78	14.48	33	Pass
HSUPA_High_Subtest4	21.73	14.43	33	Pass
HSUPA_High_Subtest5	21.70	14.40	33	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	21.71	14.41	33	Pass
HSPA+_Middle_Subtest1	21.72	14.42	33	Pass
HSPA+_High_Subtest1	21.70	14.40	33	Pass
DC-HSDPA_Low_Subtest1	21.74	14.44	33	Pass
DC-HSDPA_Low_Subtest2	21.69	14.39	33	Pass
DC-HSDPA_Low_Subtest3	21.79	14.49	33	Pass
DC-HSDPA_Low_Subtest4	21.74	14.44	33	Pass
DC-HSDPA_Middle_Subtest1	21.78	14.48	33	Pass
DC-HSDPA_Middle_Subtest2	21.71	14.41	33	Pass
DC-HSDPA_Middle_Subtest3	21.78	14.48	33	Pass
DC-HSDPA_Middle_Subtest4	21.72	14.42	33	Pass
DC-HSDPA_High_Subtest1	21.70	14.40	33	Pass
DC-HSDPA_High_Subtest2	21.76	14.46	33	Pass
DC-HSDPA_High_Subtest3	21.76	14.46	33	Pass
DC-HSDPA_High_Subtest4	21.72	14.42	33	Pass

Note:
EIRP = Average Conducted Power(dBm) + Antenna Gain(dBi)
Band 2:
Antenna Gain = -7.3dBi;

FCC Part 27, RSS-139

WCDMA Band 4, Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
R99_Low	22.51	15.01	30	Pass
R99_Middle	22.48	14.98	30	Pass
R99_High	22.49	14.99	30	Pass
HSDPA_Low_Subtest1	21.29	13.79	30	Pass
HSDPA_Low_Subtest2	21.32	13.82	30	Pass
HSDPA_Low_Subtest3	22.10	14.60	30	Pass
HSDPA_Low_Subtest4	22.17	14.67	30	Pass
HSDPA_Middle_Subtest1	21.66	14.16	30	Pass
HSDPA_Middle_Subtest2	21.78	14.28	30	Pass
HSDPA_Middle_Subtest3	22.35	14.85	30	Pass
HSDPA_Middle_Subtest4	22.39	14.89	30	Pass
HSDPA_High_Subtest1	21.65	14.15	30	Pass
HSDPA_High_Subtest2	21.69	14.19	30	Pass
HSDPA_High_Subtest3	22.18	14.68	30	Pass
HSDPA_High_Subtest4	22.16	14.66	30	Pass
HSUPA_Low_Subtest1	22.13	14.63	30	Pass
HSUPA_Low_Subtest2	22.23	14.73	30	Pass
HSUPA_Low_Subtest3	22.24	14.74	30	Pass
HSUPA_Low_Subtest4	22.23	14.73	30	Pass
HSUPA_Low_Subtest5	22.21	14.71	30	Pass
HSUPA_Middle_Subtest1	22.25	14.75	30	Pass
HSUPA_Middle_Subtest2	22.19	14.69	30	Pass
HSUPA_Middle_Subtest3	22.16	14.66	30	Pass
HSUPA_Middle_Subtest4	22.15	14.65	30	Pass
HSUPA_Middle_Subtest5	22.23	14.73	30	Pass
HSUPA_High_Subtest1	22.16	14.66	30	Pass
HSUPA_High_Subtest2	22.22	14.72	30	Pass
HSUPA_High_Subtest3	22.20	14.70	30	Pass
HSUPA_High_Subtest4	22.17	14.67	30	Pass
HSUPA_High_Subtest5	22.19	14.69	30	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
HSPA+_Low_Subtest1	22.21	14.71	30	Pass
HSPA+_Middle_Subtest1	22.34	14.84	30	Pass
HSPA+_High_Subtest1	22.07	14.57	30	Pass
DC-HSDPA_Low_Subtest1	22.14	14.64	30	Pass
DC-HSDPA_Low_Subtest2	22.11	14.61	30	Pass
DC-HSDPA_Low_Subtest3	22.03	14.53	30	Pass
DC-HSDPA_Low_Subtest4	22.05	14.55	30	Pass
DC-HSDPA_Middle_Subtest1	22.34	14.84	30	Pass
DC-HSDPA_Middle_Subtest2	22.30	14.80	30	Pass
DC-HSDPA_Middle_Subtest3	22.27	14.77	30	Pass
DC-HSDPA_Middle_Subtest4	22.19	14.69	30	Pass
DC-HSDPA_High_Subtest1	22.57	15.07	30	Pass
DC-HSDPA_High_Subtest2	22.46	14.96	30	Pass
DC-HSDPA_High_Subtest3	22.33	14.83	30	Pass
DC-HSDPA_High_Subtest4	22.29	14.79	30	Pass

Note:
EIRP = Average Conducted Power(dBm) + Antenna Gain(dBi)
Band 4:
Antenna Gain = -7.5dBi;

Peak-to-average Ratio(PAR)

FCC Part 22H, RSS-132

WCDMA Band 5, Normal

Mode	Result (dB)	Limit (dB)
R99_Low	2.99	13
R99_Middle	3.19	13
R99_High	3.19	13
HSDPA_Low_Subtest1	3.77	13
HSDPA_Middle_Subtest2	4.96	13
HSDPA_High_Subtest1	3.97	13
HSUPA_Low_Subtest1	4.99	13
HSUPA_Middle_Subtest1	5.83	13
HSUPA_High_Subtest1	5.71	13

FCC Part 24E, RSS-133

WCDMA Band 2, Normal

Mode	Result (dB)	Limit (dB)
R99_Low	3.13	13
R99_Middle	3.22	13
R99_High	3.19	13
HSDPA_Low_Subtest1	3.77	13
HSDPA_Middle_Subtest1	3.86	13
HSDPA_High_Subtest1	3.88	13
HSUPA_Low_Subtest1	4.67	13
HSUPA_Middle_Subtest1	5.86	13
HSUPA_High_Subtest1	5.68	13

FCC Part 27, RSS-139

WCDMA Band 4, Normal

Mode	Result (dB)	Limit (dB)
R99_Low	3.16	13
R99_Middle	3.19	13
R99_High	3.39	13
HSDPA_Low_Subtest1	3.86	13
HSDPA_Middle_Subtest1	3.88	13
HSDPA_High_Subtest1	3.91	13
HSUPA_Low_Subtest1	5.86	13
HSUPA_Middle_Subtest1	5.68	13
HSUPA_High_Subtest1	5.86	13

Occupied Bandwidth


FCC Part 22H, RSS-132

WCDMA Band 5, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.150	4.695
R99_Middle	4.160	4.655
R99_High	4.160	4.665
HSDPA_Low_Subtest1	4.160	4.685
HSDPA_Middle_Subtest1	4.150	4.695
HSDPA_High_Subtest1	4.150	4.695
HSUPA_Low_Subtest1	4.160	4.715
HSUPA_Middle_Subtest1	4.160	4.695
HSUPA_High_Subtest1	4.140	4.685


WCDMA Band 5, Normal

R99_Low




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:43:22

R99_Middle




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:43:53

R99_High




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:44:24

HSDPA_Low_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:45:14

HSDPA_Middle_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:46:17

HSDPA_High_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:46:48

HSUPA_Low_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:48:45

HSUPA_Middle_Subtest1



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:49:38

HSUPA_High_Subtest1



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:50:30


FCC Part 24E, RSS-133

WCDMA Band 2, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.150	4.665
R99_Middle	4.140	4.695
R99_High	4.170	4.675
HSDPA_Low_Subtest1	4.180	4.715
HSDPA_Middle_Subtest1	4.150	4.715
HSDPA_High_Subtest1	4.150	4.705
HSUPA_Low_Subtest1	4.160	4.685
HSUPA_Middle_Subtest1	4.160	4.705
HSUPA_High_Subtest1	4.160	4.695


WCDMA Band 2, Normal

R99_Low




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:00:49

R99_Middle




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:01:18

R99_High




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:01:47

HSDPA_Low_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:02:55

HSDPA_Middle_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:04:34

HSDPA_High_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:05:13

HSUPA_Low_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:06:34

HSUPA_Middle_Subtest1



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:07:21

HSUPA_High_Subtest1



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 16:08:18


FCC Part 27, RSS-139

WCDMA Band 4, Normal

Mode	99% OBW (MHz)	26dB BW (MHz)
R99_Low	4.170	4.705
R99_Middle	4.170	4.705
R99_High	4.170	4.665
HSDPA_Low_Subtest1	4.160	4.705
HSDPA_Middle_Subtest1	4.140	4.705
HSDPA_High_Subtest1	4.180	4.685
HSUPA_Low_Subtest1	4.180	4.705
HSUPA_Middle_Subtest1	4.170	4.695
HSUPA_High_Subtest1	4.140	4.665


WCDMA Band 4, Normal

R99_Low




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:42:50

R99_Middle




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:43:20

R99_High




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:43:50

HSDPA_Low_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:44:16

HSDPA_Middle_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:45:42

HSDPA_High_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:46:20

HSUPA_Low_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:47:25

HSUPA_Middle_Subtest1



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:49:31

HSUPA_High_Subtest1





ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:50:39



Spurious Emissions at Antenna Terminal

FCC Part 22H, RSS-132
WCDMA Band 5, Normal
Worst case



R99_Low




R99_Middle




R99_High




HSDPA_Low_Subtest1



HSDPA_Middle_Subtest1




HSDPA_High_Subtest1




HSUPA_Low_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:21:31


Above 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:21:55


HSUPA_Middle_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:23:07


Above 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:23:32


HSUPA_High_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:24:52

Above 1G




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 09:25:17

FCC Part 24E, RSS-133


WCDMA Band 2, Normal

Worst case


R99_Low



R99_Middle




R99_High




HSDPA_Low_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:13:34


Above 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:14:32


HSDPA_Middle_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:15:14


Above 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:16:13


HSDPA_High_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:16:53


Above 1G




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 22.NOV.2025 17:17:52

HSUPA_Low_Subtest1

Below 1G




Above 1G




HSUPA_Middle_Subtest1

Below 1G




Above 1G




HSUPA_High_Subtest1

Below 1G



Above 1G




FCC Part 27, RSS-139


WCDMA Band 4, Normal

Worst case


R99_Low



R99_Middle




R99_High




HSDPA_Low_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:03:32


Above 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:04:27


HSDPA_Middle_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:05:09


Above 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:06:03


HSDPA_High_Subtest1

Below 1G



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:07:22


Above 1G




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:08:17

HSUPA_Low_Subtest1

Below 1G




Above 1G




HSUPA_Middle_Subtest1

Below 1G




Above 1G




HSUPA_High_Subtest1

Below 1G



Above 1G




Out of band emission,Band Edge


FCC Part 22H, RSS-132

WCDMA Band 5, Normal


R99_Low




R99_High




HSDPA_Low_Subtest1




HSDPA_High_Subtest1



HSUPA_Low_Subtest1




HSUPA_High_Subtest1




FCC Part 24E, RSS-133

WCDMA Band 2, Normal


R99_Low




R99_High




HSDPA_Low_Subtest1




HSDPA_High_Subtest1



HSUPA_Low_Subtest1




HSUPA_High_Subtest1



FCC Part 27, RSS-139


WCDMA Band 4, Normal

R99_Low




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:16:07

R99_High




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:17:27

HSDPA_Low_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:18:09

HSDPA_High_Subtest1




ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:18:39

HSUPA_Low_Subtest1



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:19:42

HSUPA_High_Subtest1



ProjectNo.:2504Y12371E-RF Tester:Benny Li
Date: 24.NOV.2025 10:20:38

Frequency stability vs. temperature & Frequency stability vs. voltage Compliance

FCC Part 22H, RSS-132

WCDMA Band 5

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
R99_Low_TN/VN	826.4	-0.05	-0.0001	±2.5	Pass
R99_Low_T1/VN	826.4	-1.08	-0.0013	±2.5	Pass
R99_Low_T2/VN	826.4	0.46	0.0006	±2.5	Pass
R99_Low_T3/VN	826.4	-1.02	-0.0012	±2.5	Pass
R99_Low_T4/VN	826.4	-0.68	-0.0008	±2.5	Pass
R99_Low_T5/VN	826.4	0.21	0.0003	±2.5	Pass
R99_Low_T6/VN	826.4	-2.37	-0.0029	±2.5	Pass
R99_Low_T7/VN	826.4	1.58	0.0019	±2.5	Pass
R99_Low_T8/VN	826.4	-0.53	-0.0006	±2.5	Pass
R99_Low_TN/VH	826.4	0.69	0.0008	±2.5	Pass
R99_Low_TN/VL	826.4	0.10	0.0001	±2.5	Pass
R99_Middle_TN/VN	836.6	-1.01	-0.0012	±2.5	Pass
R99_Middle_T1/VN	836.6	-0.39	-0.0005	±2.5	Pass
R99_Middle_T2/VN	836.6	1.75	0.0021	±2.5	Pass
R99_Middle_T3/VN	836.6	-0.54	-0.0006	±2.5	Pass
R99_Middle_T4/VN	836.6	-0.10	-0.0001	±2.5	Pass
R99_Middle_T5/VN	836.6	0.66	0.0008	±2.5	Pass
R99_Middle_T6/VN	836.6	0.14	0.0002	±2.5	Pass
R99_Middle_T7/VN	836.6	-0.26	-0.0003	±2.5	Pass
R99_Middle_T8/VN	836.6	-0.55	-0.0007	±2.5	Pass
R99_Middle_TN/VH	836.6	-1.36	-0.0016	±2.5	Pass
R99_Middle_TN/VL	836.6	-2.90	-0.0035	±2.5	Pass
R99_High_TN/VN	846.6	-1.27	-0.0015	±2.5	Pass
R99_High_T1/VN	846.6	-2.47	-0.0029	±2.5	Pass
R99_High_T2/VN	846.6	0.74	0.0009	±2.5	Pass
R99_High_T3/VN	846.6	0.23	0.0003	±2.5	Pass
R99_High_T4/VN	846.6	0.98	0.0012	±2.5	Pass
R99_High_T5/VN	846.6	-0.49	-0.0006	±2.5	Pass
R99_High_T6/VN	846.6	1.22	0.0014	±2.5	Pass
R99_High_T7/VN	846.6	-0.30	-0.0004	±2.5	Pass
R99_High_T8/VN	846.6	-0.14	-0.0002	±2.5	Pass

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
R99_High_TN/VH	846.6	0.07	0.0001	±2.5	Pass
R99_High_TN/VL	846.6	0.79	0.0009	±2.5	Pass
HSDPA_Low_Subtest1_TN/VN	826.4	0.44	0.0005	±2.5	Pass
HSDPA_Low_Subtest1_T1/VN	826.4	0.90	0.0011	±2.5	Pass
HSDPA_Low_Subtest1_T2/VN	826.4	0.18	0.0002	±2.5	Pass
HSDPA_Low_Subtest1_T3/VN	826.4	0.10	0.0001	±2.5	Pass
HSDPA_Low_Subtest1_T4/VN	826.4	-0.19	-0.0002	±2.5	Pass
HSDPA_Low_Subtest1_T5/VN	826.4	1.14	0.0014	±2.5	Pass
HSDPA_Low_Subtest1_T6/VN	826.4	-1.48	-0.0018	±2.5	Pass
HSDPA_Low_Subtest1_T7/VN	826.4	1.42	0.0017	±2.5	Pass
HSDPA_Low_Subtest1_T8/VN	826.4	-1.78	-0.0022	±2.5	Pass
HSDPA_Low_Subtest1_TN/VH	826.4	-0.34	-0.0004	±2.5	Pass
HSDPA_Low_Subtest1_TN/VL	826.4	-0.37	-0.0004	±2.5	Pass
HSDPA_Middle_Subtest2_TN/VN	836.6	2.94	0.0035	±2.5	Pass
HSDPA_Middle_Subtest2_T1/VN	836.6	-0.16	-0.0002	±2.5	Pass
HSDPA_Middle_Subtest2_T2/VN	836.6	0.49	0.0006	±2.5	Pass
HSDPA_Middle_Subtest2_T3/VN	836.6	-0.79	-0.0009	±2.5	Pass
HSDPA_Middle_Subtest2_T4/VN	836.6	1.04	0.0012	±2.5	Pass
HSDPA_Middle_Subtest2_T5/VN	836.6	-1.17	-0.0014	±2.5	Pass
HSDPA_Middle_Subtest2_T6/VN	836.6	-0.62	-0.0007	±2.5	Pass
HSDPA_Middle_Subtest2_T7/VN	836.6	-0.82	-0.0010	±2.5	Pass
HSDPA_Middle_Subtest2_T8/VN	836.6	1.41	0.0017	±2.5	Pass
HSDPA_Middle_Subtest2_TN/VH	836.6	1.24	0.0015	±2.5	Pass
HSDPA_Middle_Subtest2_TN/VL	836.6	-0.16	-0.0002	±2.5	Pass
HSDPA_High_Subtest1_TN/VN	846.6	0.98	0.0012	±2.5	Pass
HSDPA_High_Subtest1_T1/VN	846.6	-1.49	-0.0018	±2.5	Pass
HSDPA_High_Subtest1_T2/VN	846.6	-0.73	-0.0009	±2.5	Pass
HSDPA_High_Subtest1_T3/VN	846.6	-0.46	-0.0005	±2.5	Pass
HSDPA_High_Subtest1_T4/VN	846.6	-1.40	-0.0017	±2.5	Pass
HSDPA_High_Subtest1_T5/VN	846.6	0.35	0.0004	±2.5	Pass
HSDPA_High_Subtest1_T6/VN	846.6	-3.87	-0.0046	±2.5	Pass
HSDPA_High_Subtest1_T7/VN	846.6	0.44	0.0005	±2.5	Pass
HSDPA_High_Subtest1_T8/VN	846.6	-2.34	-0.0028	±2.5	Pass
HSDPA_High_Subtest1_TN/VH	846.6	-0.26	-0.0003	±2.5	Pass
HSDPA_High_Subtest1_TN/VL	846.6	-0.99	-0.0012	±2.5	Pass

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
HSUPA_Low_Subtest1_TN/VN	826.4	-2.74	-0.0033	±2.5	Pass
HSUPA_Low_Subtest1_T1/VN	826.4	-0.26	-0.0003	±2.5	Pass
HSUPA_Low_Subtest1_T2/VN	826.4	2.07	0.0025	±2.5	Pass
HSUPA_Low_Subtest1_T3/VN	826.4	-2.19	-0.0027	±2.5	Pass
HSUPA_Low_Subtest1_T4/VN	826.4	0.18	0.0002	±2.5	Pass
HSUPA_Low_Subtest1_T5/VN	826.4	0.64	0.0008	±2.5	Pass
HSUPA_Low_Subtest1_T6/VN	826.4	0.14	0.0002	±2.5	Pass
HSUPA_Low_Subtest1_T7/VN	826.4	-0.50	-0.0006	±2.5	Pass
HSUPA_Low_Subtest1_T8/VN	826.4	-1.32	-0.0016	±2.5	Pass
HSUPA_Low_Subtest1_TN/VH	826.4	0.29	0.0004	±2.5	Pass
HSUPA_Low_Subtest1_TN/VL	826.4	-1.13	-0.0014	±2.5	Pass
HSUPA_Middle_Subtest1_TN/VN	836.6	-0.11	-0.0001	±2.5	Pass
HSUPA_Middle_Subtest1_T1/VN	836.6	-0.20	-0.0002	±2.5	Pass
HSUPA_Middle_Subtest1_T2/VN	836.6	1.24	0.0015	±2.5	Pass
HSUPA_Middle_Subtest1_T3/VN	836.6	0.46	0.0006	±2.5	Pass
HSUPA_Middle_Subtest1_T4/VN	836.6	0.01	0.0000	±2.5	Pass
HSUPA_Middle_Subtest1_T5/VN	836.6	-2.40	-0.0029	±2.5	Pass
HSUPA_Middle_Subtest1_T6/VN	836.6	-2.17	-0.0026	±2.5	Pass
HSUPA_Middle_Subtest1_T7/VN	836.6	0.90	0.0011	±2.5	Pass
HSUPA_Middle_Subtest1_T8/VN	836.6	-1.01	-0.0012	±2.5	Pass
HSUPA_Middle_Subtest1_TN/VH	836.6	0.40	0.0005	±2.5	Pass
HSUPA_Middle_Subtest1_TN/VL	836.6	-1.05	-0.0013	±2.5	Pass
HSUPA_High_Subtest1_TN/VN	846.6	1.64	0.0019	±2.5	Pass
HSUPA_High_Subtest1_T1/VN	846.6	-0.19	-0.0002	±2.5	Pass
HSUPA_High_Subtest1_T2/VN	846.6	-0.54	-0.0006	±2.5	Pass
HSUPA_High_Subtest1_T3/VN	846.6	0.75	0.0009	±2.5	Pass
HSUPA_High_Subtest1_T4/VN	846.6	-0.60	-0.0007	±2.5	Pass
HSUPA_High_Subtest1_T5/VN	846.6	1.81	0.0021	±2.5	Pass
HSUPA_High_Subtest1_T6/VN	846.6	-0.05	-0.0001	±2.5	Pass
HSUPA_High_Subtest1_T7/VN	846.6	-0.14	-0.0002	±2.5	Pass
HSUPA_High_Subtest1_T8/VN	846.6	-0.54	-0.0006	±2.5	Pass
HSUPA_High_Subtest1_TN/VH	846.6	-2.08	-0.0025	±2.5	Pass
HSUPA_High_Subtest1_TN/VL	846.6	-0.64	-0.0008	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

RSS-132

WCDMA Band 5

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	824.315	824	Pass
R99_Low_T1/VN	824.313	824	Pass
R99_Low_T2/VN	824.316	824	Pass
R99_Low_T3/VN	824.314	824	Pass
R99_Low_T4/VN	824.316	824	Pass
R99_Low_T5/VN	824.314	824	Pass
R99_Low_T6/VN	824.317	824	Pass
R99_Low_T7/VN	824.316	824	Pass
R99_Low_T8/VN	824.316	824	Pass
R99_Low_TN/VH	824.315	824	Pass
R99_Low_TN/VL	824.316	824	Pass
R99_High_TN/VN	848.685	849	Pass
R99_High_T1/VN	848.685	849	Pass
R99_High_T2/VN	848.684	849	Pass
R99_High_T3/VN	848.684	849	Pass
R99_High_T4/VN	848.683	849	Pass
R99_High_T5/VN	848.684	849	Pass
R99_High_T6/VN	848.684	849	Pass
R99_High_T7/VN	848.685	849	Pass
R99_High_T8/VN	848.683	849	Pass
R99_High_TN/VH	848.686	849	Pass
R99_High_TN/VL	848.685	849	Pass
HSDPA_Low_Subtest1_TN/VN	824.315	824	Pass
HSDPA_Low_Subtest1_T1/VN	824.317	824	Pass
HSDPA_Low_Subtest1_T2/VN	824.315	824	Pass
HSDPA_Low_Subtest1_T3/VN	824.314	824	Pass
HSDPA_Low_Subtest1_T4/VN	824.317	824	Pass
HSDPA_Low_Subtest1_T5/VN	824.317	824	Pass
HSDPA_Low_Subtest1_T6/VN	824.315	824	Pass
HSDPA_Low_Subtest1_T7/VN	824.317	824	Pass
HSDPA_Low_Subtest1_T8/VN	824.315	824	Pass
HSDPA_Low_Subtest1_TN/VH	824.314	824	Pass
HSDPA_Low_Subtest1_TN/VL	824.316	824	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSDPA_High_Subtest1_TN/VN	848.675	849	Pass
HSDPA_High_Subtest1_T1/VN	848.674	849	Pass
HSDPA_High_Subtest1_T2/VN	848.674	849	Pass
HSDPA_High_Subtest1_T3/VN	848.674	849	Pass
HSDPA_High_Subtest1_T4/VN	848.674	849	Pass
HSDPA_High_Subtest1_T5/VN	848.675	849	Pass
HSDPA_High_Subtest1_T6/VN	848.676	849	Pass
HSDPA_High_Subtest1_T7/VN	848.674	849	Pass
HSDPA_High_Subtest1_T8/VN	848.674	849	Pass
HSDPA_High_Subtest1_TN/VH	848.676	849	Pass
HSDPA_High_Subtest1_TN/VL	848.676	849	Pass
HSUPA_Low_Subtest1_TN/VN	824.315	824	Pass
HSUPA_Low_Subtest1_T1/VN	824.315	824	Pass
HSUPA_Low_Subtest1_T2/VN	824.315	824	Pass
HSUPA_Low_Subtest1_T3/VN	824.314	824	Pass
HSUPA_Low_Subtest1_T4/VN	824.316	824	Pass
HSUPA_Low_Subtest1_T5/VN	824.314	824	Pass
HSUPA_Low_Subtest1_T6/VN	824.315	824	Pass
HSUPA_Low_Subtest1_T7/VN	824.317	824	Pass
HSUPA_Low_Subtest1_T8/VN	824.317	824	Pass
HSUPA_Low_Subtest1_TN/VH	824.317	824	Pass
HSUPA_Low_Subtest1_TN/VL	824.316	824	Pass
HSUPA_High_Subtest1_TN/VN	848.675	849	Pass
HSUPA_High_Subtest1_T1/VN	848.676	849	Pass
HSUPA_High_Subtest1_T2/VN	848.675	849	Pass
HSUPA_High_Subtest1_T3/VN	848.674	849	Pass
HSUPA_High_Subtest1_T4/VN	848.677	849	Pass
HSUPA_High_Subtest1_T5/VN	848.675	849	Pass
HSUPA_High_Subtest1_T6/VN	848.674	849	Pass
HSUPA_High_Subtest1_T7/VN	848.676	849	Pass
HSUPA_High_Subtest1_T8/VN	848.673	849	Pass
HSUPA_High_Subtest1_TN/VH	848.676	849	Pass
HSUPA_High_Subtest1_TN/VL	848.676	849	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 24E, RSS-133 , RSS-132

WCDMA Band 2

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1850.325	1850	Pass
R99_Low_T1/VN	1850.325	1850	Pass
R99_Low_T2/VN	1850.325	1850	Pass
R99_Low_T3/VN	1850.325	1850	Pass
R99_Low_T4/VN	1850.335	1850	Pass
R99_Low_T5/VN	1850.325	1850	Pass
R99_Low_T6/VN	1850.335	1850	Pass
R99_Low_T7/VN	1850.335	1850	Pass
R99_Low_T8/VN	1850.345	1850	Pass
R99_Low_TN/VH	1850.325	1850	Pass
R99_Low_TN/VL	1850.335	1850	Pass
R99_High_TN/VN	1909.685	1910	Pass
R99_High_T1/VN	1909.685	1910	Pass
R99_High_T2/VN	1909.685	1910	Pass
R99_High_T3/VN	1909.675	1910	Pass
R99_High_T4/VN	1909.675	1910	Pass
R99_High_T5/VN	1909.685	1910	Pass
R99_High_T6/VN	1909.665	1910	Pass
R99_High_T7/VN	1909.675	1910	Pass
R99_High_T8/VN	1909.685	1910	Pass
R99_High_TN/VH	1909.665	1910	Pass
R99_High_TN/VL	1909.685	1910	Pass
HSDPA_Low_Subtest1_TN/VN	1850.335	1850	Pass
HSDPA_Low_Subtest1_T1/VN	1850.315	1850	Pass
HSDPA_Low_Subtest1_T2/VN	1850.325	1850	Pass
HSDPA_Low_Subtest1_T3/VN	1850.325	1850	Pass
HSDPA_Low_Subtest1_T4/VN	1850.325	1850	Pass
HSDPA_Low_Subtest1_T5/VN	1850.325	1850	Pass
HSDPA_Low_Subtest1_T6/VN	1850.325	1850	Pass
HSDPA_Low_Subtest1_T7/VN	1850.325	1850	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSDPA_Low_Subtest1_T8/VN	1850.335	1850	Pass
HSDPA_Low_Subtest1_TN/VH	1850.305	1850	Pass
HSDPA_Low_Subtest1_TN/VL	1850.315	1850	Pass
HSDPA_High_Subtest1_TN/VN	1909.685	1910	Pass
HSDPA_High_Subtest1_T1/VN	1909.665	1910	Pass
HSDPA_High_Subtest1_T2/VN	1909.675	1910	Pass
HSDPA_High_Subtest1_T3/VN	1909.665	1910	Pass
HSDPA_High_Subtest1_T4/VN	1909.665	1910	Pass
HSDPA_High_Subtest1_T5/VN	1909.665	1910	Pass
HSDPA_High_Subtest1_T6/VN	1909.665	1910	Pass
HSDPA_High_Subtest1_T7/VN	1909.685	1910	Pass
HSDPA_High_Subtest1_T8/VN	1909.665	1910	Pass
HSDPA_High_Subtest1_TN/VH	1909.675	1910	Pass
HSDPA_High_Subtest1_TN/VL	1909.675	1910	Pass
HSUPA_Low_Subtest1_TN/VN	1850.325	1850	Pass
HSUPA_Low_Subtest1_T1/VN	1850.325	1850	Pass
HSUPA_Low_Subtest1_T2/VN	1850.325	1850	Pass
HSUPA_Low_Subtest1_T3/VN	1850.335	1850	Pass
HSUPA_Low_Subtest1_T4/VN	1850.335	1850	Pass
HSUPA_Low_Subtest1_T5/VN	1850.335	1850	Pass
HSUPA_Low_Subtest1_T6/VN	1850.335	1850	Pass
HSUPA_Low_Subtest1_T7/VN	1850.315	1850	Pass
HSUPA_Low_Subtest1_T8/VN	1850.325	1850	Pass
HSUPA_Low_Subtest1_TN/VH	1850.335	1850	Pass
HSUPA_Low_Subtest1_TN/VL	1850.325	1850	Pass
HSUPA_High_Subtest1_TN/VN	1909.685	1910	Pass
HSUPA_High_Subtest1_T1/VN	1909.695	1910	Pass
HSUPA_High_Subtest1_T2/VN	1909.685	1910	Pass
HSUPA_High_Subtest1_T3/VN	1909.685	1910	Pass
HSUPA_High_Subtest1_T4/VN	1909.685	1910	Pass
HSUPA_High_Subtest1_T5/VN	1909.685	1910	Pass
HSUPA_High_Subtest1_T6/VN	1909.675	1910	Pass
HSUPA_High_Subtest1_T7/VN	1909.695	1910	Pass
HSUPA_High_Subtest1_T8/VN	1909.685	1910	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSUPA_High_Subtest1_TN/VH	1909.685	1910	Pass
HSUPA_High_Subtest1_TN/VL	1909.685	1910	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 27, RSS-139, RSS-132**WCDMA Band 4**

Mode	Result (MHz)	Limit (MHz)	Verdict
R99_Low_TN/VN	1710.315	1710	Pass
R99_Low_T1/VN	1710.325	1710	Pass
R99_Low_T2/VN	1710.325	1710	Pass
R99_Low_T3/VN	1710.335	1710	Pass
R99_Low_T4/VN	1710.315	1710	Pass
R99_Low_T5/VN	1710.325	1710	Pass
R99_Low_T6/VN	1710.325	1710	Pass
R99_Low_T7/VN	1710.325	1710	Pass
R99_Low_T8/VN	1710.325	1710	Pass
R99_Low_TN/VH	1710.325	1710	Pass
R99_Low_TN/VL	1710.325	1710	Pass
R99_High_TN/VN	1754.675	1755	Pass
R99_High_T1/VN	1754.685	1755	Pass
R99_High_T2/VN	1754.665	1755	Pass
R99_High_T3/VN	1754.675	1755	Pass
R99_High_T4/VN	1754.665	1755	Pass
R99_High_T5/VN	1754.665	1755	Pass
R99_High_T6/VN	1754.675	1755	Pass
R99_High_T7/VN	1754.685	1755	Pass
R99_High_T8/VN	1754.685	1755	Pass
R99_High_TN/VH	1754.675	1755	Pass
R99_High_TN/VL	1754.665	1755	Pass
HSDPA_Low_Subtest1_TN/VN	1710.325	1710	Pass
HSDPA_Low_Subtest1_T1/VN	1710.325	1710	Pass
HSDPA_Low_Subtest1_T2/VN	1710.315	1710	Pass
HSDPA_Low_Subtest1_T3/VN	1710.305	1710	Pass
HSDPA_Low_Subtest1_T4/VN	1710.325	1710	Pass
HSDPA_Low_Subtest1_T5/VN	1710.315	1710	Pass
HSDPA_Low_Subtest1_T6/VN	1710.325	1710	Pass
HSDPA_Low_Subtest1_T7/VN	1710.325	1710	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSDPA_Low_Subtest1_T8/VN	1710.325	1710	Pass
HSDPA_Low_Subtest1_TN/VH	1710.325	1710	Pass
HSDPA_Low_Subtest1_TN/VL	1710.305	1710	Pass
HSDPA_High_Subtest1_TN/VN	1754.675	1755	Pass
HSDPA_High_Subtest1_T1/VN	1754.665	1755	Pass
HSDPA_High_Subtest1_T2/VN	1754.665	1755	Pass
HSDPA_High_Subtest1_T3/VN	1754.675	1755	Pass
HSDPA_High_Subtest1_T4/VN	1754.665	1755	Pass
HSDPA_High_Subtest1_T5/VN	1754.675	1755	Pass
HSDPA_High_Subtest1_T6/VN	1754.675	1755	Pass
HSDPA_High_Subtest1_T7/VN	1754.675	1755	Pass
HSDPA_High_Subtest1_T8/VN	1754.675	1755	Pass
HSDPA_High_Subtest1_TN/VH	1754.675	1755	Pass
HSDPA_High_Subtest1_TN/VL	1754.675	1755	Pass
HSUPA_Low_Subtest1_TN/VN	1710.325	1710	Pass
HSUPA_Low_Subtest1_T1/VN	1710.335	1710	Pass
HSUPA_Low_Subtest1_T2/VN	1710.315	1710	Pass
HSUPA_Low_Subtest1_T3/VN	1710.315	1710	Pass
HSUPA_Low_Subtest1_T4/VN	1710.325	1710	Pass
HSUPA_Low_Subtest1_T5/VN	1710.325	1710	Pass
HSUPA_Low_Subtest1_T6/VN	1710.335	1710	Pass
HSUPA_Low_Subtest1_T7/VN	1710.325	1710	Pass
HSUPA_Low_Subtest1_T8/VN	1710.325	1710	Pass
HSUPA_Low_Subtest1_TN/VH	1710.315	1710	Pass
HSUPA_Low_Subtest1_TN/VL	1710.325	1710	Pass
HSUPA_High_Subtest1_TN/VN	1754.685	1755	Pass
HSUPA_High_Subtest1_T1/VN	1754.675	1755	Pass
HSUPA_High_Subtest1_T2/VN	1754.685	1755	Pass
HSUPA_High_Subtest1_T3/VN	1754.685	1755	Pass
HSUPA_High_Subtest1_T4/VN	1754.685	1755	Pass
HSUPA_High_Subtest1_T5/VN	1754.675	1755	Pass
HSUPA_High_Subtest1_T6/VN	1754.685	1755	Pass
HSUPA_High_Subtest1_T7/VN	1754.675	1755	Pass
HSUPA_High_Subtest1_T8/VN	1754.685	1755	Pass

Mode	Result (MHz)	Limit (MHz)	Verdict
HSUPA_High_Subtest1_TN/VH	1754.705	1755	Pass
HSUPA_High_Subtest1_TN/VL	1754.685	1755	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

***** END *****