HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10580.000	45.87	9.49	55.36	68.20	-12.84	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	37.46	9.30	46.76	68.20	-21.44	peak			
2		5460.000	35.73	9.31	45.04	68.20	-23.16	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:106

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11060.000	48.41	10.07	58.48	74.00	-15.52	peak			
2	*	11060.000	35.49	10.07	45.56	54.00	-8.44	AVG			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	35.42	9.30	44.72	68.20	-23.48	peak			
2	*	5460.000	41.93	9.31	51.24	68.20	-16.96	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11060.000	45.61	10.07	55.68	74.00	-18.32	peak			
2	*	11060.000	33.11	10.07	43.18	54.00	-10.82	AVG			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	37.40	9.30	46.70	68.20	-21.50	peak			
2	*	5460.000	39.68	9.31	48.99	68.20	-19.21	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11220.000	50.70	9.77	60.47	74.00	-13.53	peak			
2	*	11220.000	37.75	9.77	47.52	54.00	-6.48	AVG			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11220.000	48.18	9.77	57.95	74.00	-16.05	peak			
2	*	11220.000	35.19	9.77	44.96	54.00	-9.04	AVG			

Above 1G (1GHz~18GHz)	Test mode: 11AX80MIMO	Test Channel:155

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11550.000	50.33	9.87	60.20	74.00	-13.80	peak			
2	*	11550.000	37.48	9.87	47.35	54.00	-6.65	AVG			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	46.69	9.16	55.85	68.20	-12.35	peak			
2		5700.000	46.55	9.10	55.65	105.20	-49.55	peak			
3		5720.000	49.27	9.08	58.35	110.80	-52.45	peak			
4		5725.000	51.49	9.08	60.57	122.20	-61.63	peak			
5		5850.000	46.26	9.24	55.50	122.20	-66.70	peak			
6		5855.000	46.22	9.26	55.48	110.80	-55.32	peak			
7		5875.000	45.83	9.36	55.19	105.20	-50.01	peak			
8		5925.000	45.34	9.61	54.95	68.20	-13.25	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11550.000	47.48	9.87	57.35	74.00	-16.65	peak			
2	*	11550.000	34.73	9.87	44.60	54.00	-9.40	AVG			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5650.000	46.25	9.16	55.41	68.20	-12.79	peak			
2		5700.000	46.40	9.10	55.50	105.20	-49.70	peak			
3		5720.000	48.11	9.08	57.19	110.80	-53.61	peak			
4		5725.000	50.20	9.08	59.28	122.20	-62.92	peak			
5		5850.000	45.78	9.24	55.02	122.20	-67.18	peak			
6		5855.000	46.15	9.26	55.41	110.80	-55.39	peak			
7		5875.000	45.87	9.36	55.23	105.20	-49.97	peak			
8	*	5925.000	46.30	9.61	55.91	68.20	-12.29	peak			
9	*	5925.000	46.30	9.61	55.91	68.20	-12.29	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX160MIMO	Test Channel:50

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10500.000	49.41	9.39	58.80	68.20	-9.40	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.15	7.17	43.32	68.20	-24.88	peak			
2	*	5150.000	42.82	9.17	51.99	68.20	-16.21	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	41.82	9.30	51.12	68.20	-17.08	peak			
2		5460.000	36.25	9.31	45.56	68.20	-22.64	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10500.000	46.42	9.39	55.81	68.20	-12.39	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.82	7.17	43.99	68.20	-24.21	peak			
2	*	5150.000	38.78	9.17	47.95	68.20	-20.25	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	39.46	9.30	48.76	68.20	-19.44	peak			
2		5460.000	35.10	9.31	44.41	68.20	-23.79	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX160MIMO	Test Channel:114

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11140.000	49.55	9.92	59.47	74.00	-14.53	peak			
2	*	11140.000	36.77	9.92	46.69	54.00	-7.31	AVG			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	36.54	9.30	45.84	68.20	-22.36	peak			
2	*	5460.000	41.63	9.31	50.94	68.20	-17.26	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		11140.000	46.13	9.92	56.05	74.00	-17.95	peak			
2	*	11140.000	33.37	9.92	43.29	54.00	-10.71	AVG			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	36.74	9.30	46.04	68.20	-22.16	peak			
2	*	5460.000	38.83	9.31	48.14	68.20	-20.06	peak			

1. Measurement = Reading + Correct Factor.
2. Over = Measurement – Limit

The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

8 Test Setup Photo

Reference to the **appendix I** for details.

9 EUT Constructional Details

Reference to the **appendix II** for details.

---END---