Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	39.60	9.46	49.06	68.20	-19.14	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	36.74	9.46	46.20	68.20	-22.00	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:64

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	38.98	9.58	48.56	74.00	-25.44	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	41.83	9.30	51.13	68.20	-17.07	peak			
2		5460.000	35.82	9.31	45.13	68.20	-23.07	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	35.72	9.58	45.30	74.00	-28.70	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	36.82	9.30	46.12	68.20	-22.08	peak			
2		5460.000	36.45	9.31	45.76	68.20	-22.44	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:100

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	37.65	10.18	47.83	74.00	-26.17	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	35.64	9.30	44.94	68.20	-23.26	peak			
2	*	5460.000	42.70	9.31	52.01	68.20	-16.19	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	34.65	10.18	44.83	74.00	-29.17	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	36.14	9.30	45.44	68.20	-22.76	peak			
2	*	5460.000	40.60	9.31	49.91	68.20	-18.29	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	37.00	9.88	46.88	74.00	-27.12	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	34.77	9.88	44.65	74.00	-29.35	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	38.10	9.43	47.53	74.00	-26.47	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	34.90	9.43	44.33	74.00	-29.67	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:149

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	36.55	9.70	46.25	74.00	-27.75	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	46.18	9.16	55.34	68.20	-12.86	peak			
2		5700.000	46.35	9.10	55.45	105.20	-49.75	peak			
3		5720.000	48.52	9.08	57.60	110.80	-53.20	peak			
4		5725.000	51.31	9.08	60.39	122.20	-61.81	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	33.54	9.70	43.24	74.00	-30.76	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	45.82	9.16	54.98	68.20	-13.22	peak			
2		5700.000	46.63	9.10	55.73	105.20	-49.47	peak			
3		5720.000	46.88	9.08	55.96	110.80	-54.84	peak			
4		5725.000	47.55	9.08	56.63	122.20	-65.57	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	37.52	9.94	47.46	74.00	-26.54	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	34.83	9.94	44.77	74.00	-29.23	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:165

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	36.16	10.18	46.34	74.00	-27.66	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	48.14	9.24	57.38	122.20	-64.82	peak			
2		5855.000	47.52	9.26	56.78	110.80	-54.02	peak			
3		5875.000	45.81	9.36	55.17	105.20	-50.03	peak			
4	*	5925.000	47.52	9.61	57.13	68.20	-11.07	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	33.29	10.18	43.47	74.00	-30.53	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	46.36	9.24	55.60	122.20	-66.60	peak			
2		5855.000	45.85	9.26	55.11	110.80	-55.69	peak			
3		5875.000	45.50	9.36	54.86	105.20	-50.34	peak			
4	*	5925.000	46.06	9.61	55.67	68.20	-12.53	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:38

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	36.12	9.24	45.36	68.20	-22.84	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.58	7.17	43.75	68.20	-24.45	peak			
2	*	5150.000	43.12	9.17	52.29	68.20	-15.91	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	33.70	9.24	42.94	68.20	-25.26	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.35	7.17	43.52	68.20	-24.68	peak			
2	*	5150.000	40.55	9.17	49.72	68.20	-18.48	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:46

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	37.54	9.34	46.88	68.20	-21.32	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	35.46	9.34	44.80	68.20	-23.40	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:54

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	38.90	9.44	48.34	68.20	-19.86	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	35.72	9.44	45.16	68.20	-23.04	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:62

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10620.000	37.19	9.54	46.73	74.00	-27.27	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	41.01	9.30	50.31	68.20	-17.89	peak			
2		5460.000	35.99	9.31	45.30	68.20	-22.90	peak			