Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	36.82	9.26	46.08	68.20	-22.12	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	34.04	9.26	43.30	68.20	-24.90	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10480.000	36.42	9.37	45.79	68.20	-22.41	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10480.000	32.93	9.37	42.30	68.20	-25.90	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:52

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10520.000	36.82	9.41	46.23	68.20	-21.97	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10520.000	34.39	9.41	43.80	68.20	-24.40	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	37.78	9.46	47.24	68.20	-20.96	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	35.12	9.46	44.58	68.20	-23.62	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:64

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	37.47	9.58	47.05	74.00	-26.95	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	40.86	9.30	50.16	68.20	-18.04	peak			
2		5460.000	36.03	9.31	45.34	68.20	-22.86	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	34.53	9.58	44.11	74.00	-29.89	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	38.24	9.30	47.54	68.20	-20.66	peak			
2		5460.000	36.87	9.31	46.18	68.20	-22.02	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:100

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	36.56	10.18	46.74	74.00	-27.26	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	35.92	9.30	45.22	68.20	-22.98	peak			
2	*	5460.000	42.33	9.31	51.64	68.20	-16.56	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	33.90	10.18	44.08	74.00	-29.92	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	36.04	9.30	45.34	68.20	-22.86	peak			
2	*	5460.000	39.04	9.31	48.35	68.20	-19.85	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	36.85	9.88	46.73	74.00	-27.27	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	34.44	9.88	44.32	74.00	-29.68	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	36.88	9.43	46.31	74.00	-27.69	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	34.02	9.43	43.45	74.00	-30.55	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:149

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	36.31	9.70	46.01	74.00	-27.99	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	45.93	9.16	55.09	68.20	-13.11	peak			
2		5700.000	46.80	9.10	55.90	105.20	-49.30	peak			
3		5720.000	48.37	9.08	57.45	110.80	-53.35	peak			
4		5725.000	51.22	9.08	60.30	122.20	-61.90	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	34.77	9.70	44.47	74.00	-29.53	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	45.45	9.16	54.61	68.20	-13.59	peak			
2		5700.000	46.25	9.10	55.35	105.20	-49.85	peak			
3		5720.000	46.96	9.08	56.04	110.80	-54.76	peak			
4		5725.000	48.94	9.08	58.02	122.20	-64.18	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	37.02	9.94	46.96	74.00	-27.04	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	35.05	9.94	44.99	74.00	-29.01	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:165

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	36.05	10.18	46.23	74.00	-27.77	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	50.01	9.24	59.25	122.20	-62.95	peak			
2		5855.000	47.73	9.26	56.99	110.80	-53.81	peak			
3		5875.000	46.09	9.36	55.45	105.20	-49.75	peak			
4	*	5925.000	45.96	9.61	55.57	68.20	-12.63	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	34.61	10.18	44.79	74.00	-29.21	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	47.04	9.24	56.28	122.20	-65.92	peak			
2		5855.000	46.53	9.26	55.79	110.80	-55.01	peak			
3		5875.000	46.53	9.36	55.89	105.20	-49.31	peak			
4	*	5925.000	46.21	9.61	55.82	68.20	-12.38	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX40MIMO	Test Channel:38

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	37.30	9.24	46.54	68.20	-21.66	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.82	7.17	43.99	68.20	-24.21	peak			
2	*	5150.000	43.30	9.17	52.47	68.20	-15.73	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	34.95	9.24	44.19	68.20	-24.01	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.82	7.17	43.99	68.20	-24.21	peak			
2	*	5150.000	39.88	9.17	49.05	68.20	-19.15	peak			