Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	37.07	9.94	47.01	74.00	-26.99	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	35.45	9.94	45.39	74.00	-28.61	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N20MIMO	Test Channel:165

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	36.45	10.18	46.63	74.00	-27.37	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	46.63	9.24	55.87	122.20	-66.33	peak			
2		5855.000	46.80	9.26	56.06	110.80	-54.74	peak			
3		5875.000	46.67	9.36	56.03	105.20	-49.17	peak			
4	*	5925.000	46.79	9.61	56.40	68.20	-11.80	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	34.44	10.18	44.62	74.00	-29.38	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	46.77	9.24	56.01	122.20	-66.19	peak			
2		5855.000	46.20	9.26	55.46	110.80	-55.34	peak			
3		5875.000	46.70	9.36	56.06	105.20	-49.14	peak			
4	*	5925.000	46.41	9.61	56.02	68.20	-12.18	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:38

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	35.46	9.24	44.70	68.20	-23.50	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	37.33	7.17	44.50	68.20	-23.70	peak			
2	*	5150.000	43.71	9.17	52.88	68.20	-15.32	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	33.64	9.24	42.88	68.20	-25.32	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	38.17	7.17	45.34	68.20	-22.86	peak			
2	*	5150.000	42.21	9.17	51.38	68.20	-16.82	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:46

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	37.06	9.34	46.40	68.20	-21.80	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	35.24	9.34	44.58	68.20	-23.62	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:54

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	36.07	9.44	45.51	68.20	-22.69	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	34.27	9.44	43.71	68.20	-24.49	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:62

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10620.000	37.00	9.54	46.54	74.00	-27.46	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	37.04	9.30	46.34	68.20	-21.86	peak			
2		5460.000	36.34	9.31	45.65	68.20	-22.55	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10620.000	35.20	9.54	44.74	74.00	-29.26	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	36.63	9.30	45.93	68.20	-22.27	peak			
2	*	5460.000	36.97	9.31	46.28	68.20	-21.92	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:102

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11020.000	36.01	10.15	46.16	74.00	-27.84	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	37.35	9.30	46.65	68.20	-21.55	peak			
2		5460.000	37.13	9.31	46.44	68.20	-21.76	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11020.000	34.66	10.15	44.81	74.00	-29.19	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	36.49	9.30	45.79	68.20	-22.41	peak			
2		5460.000	35.84	9.31	45.15	68.20	-23.05	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:110

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11100.000	36.88	9.84	46.72	74.00	-27.28	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11100.000	34.21	9.84	44.05	74.00	-29.95	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:134

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11340.000	36.92	9.54	46.46	74.00	-27.54	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11340.000	34.71	9.54	44.25	74.00	-29.75	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:151

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11510.000	37.96	9.76	47.72	74.00	-26.28	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	47.23	9.16	56.39	68.20	-11.81	peak			
2		5700.000	46.53	9.10	55.63	105.20	-49.57	peak			
3		5720.000	47.70	9.08	56.78	110.80	-54.02	peak			
4		5725.000	46.26	9.08	55.34	122.20	-66.86	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11510.000	35.27	9.76	45.03	74.00	-28.97	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	45.57	9.16	54.73	68.20	-13.47	peak			
2		5700.000	45.28	9.10	54.38	105.20	-50.82	peak			
3		5720.000	46.40	9.08	55.48	110.80	-55.32	peak			
4		5725.000	48.11	9.08	57.19	122.20	-65.01	peak			

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:159

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11590.000	36.72	9.99	46.71	74.00	-27.29	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	46.36	9.24	55.60	122.20	-66.60	peak			
2		5855.000	46.90	9.26	56.16	110.80	-54.64	peak			
3		5875.000	46.62	9.36	55.98	105.20	-49.22	peak			
4	*	5925.000	46.73	9.61	56.34	68.20	-11.86	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11590.000	34.67	9.99	44.66	74.00	-29.34	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	46.89	9.24	56.13	122.20	-66.07	peak			
2		5855.000	46.47	9.26	55.73	110.80	-55.07	peak			
3		5875.000	46.82	9.36	56.18	105.20	-49.02	peak			
4	*	5925.000	46.83	9.61	56.44	68.20	-11.76	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:36

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10360.000	37.31	9.21	46.52	68.20	-21.68	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	37.77	7.17	44.94	68.20	-23.26	peak			
2	*	5150.000	42.40	9.17	51.57	68.20	-16.63	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10360.000	35.71	9.21	44.92	68.20	-23.28	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	38.19	7.17	45.36	68.20	-22.84	peak			
2	*	5150.000	44.31	9.17	53.48	68.20	-14.72	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	36.79	9.26	46.05	68.20	-22.15	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	35.11	9.26	44.37	68.20	-23.83	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10480.000	36.10	9.37	45.47	68.20	-22.73	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10480.000	34.05	9.37	43.42	68.20	-24.78	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:52

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10520.000	35.84	9.41	45.25	68.20	-22.95	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10520.000	33.66	9.41	43.07	68.20	-25.13	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:56

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	37.25	9.46	46.71	68.20	-21.49	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10560.000	34.60	9.46	44.06	68.20	-24.14	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:64

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	38.72	9.58	48.30	74.00	-25.70	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	36.41	9.30	45.71	68.20	-22.49	peak			
2	*	5460.000	36.80	9.31	46.11	68.20	-22.09	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10640.000	36.57	9.58	46.15	74.00	-27.85	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	38.35	9.30	47.65	68.20	-20.55	peak			
2		5460.000	36.60	9.31	45.91	68.20	-22.29	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:100

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	37.97	10.18	48.15	74.00	-25.85	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	36.78	9.30	46.08	68.20	-22.12	peak			
2	*	5460.000	37.95	9.31	47.26	68.20	-20.94	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11000.000	36.30	10.18	46.48	74.00	-27.52	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	37.18	9.30	46.48	68.20	-21.72	peak			
2		5460.000	37.13	9.31	46.44	68.20	-21.76	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	36.12	9.88	46.00	74.00	-28.00	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11160.000	34.40	9.88	44.28	74.00	-29.72	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:140

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	37.44	9.43	46.87	74.00	-27.13	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11400.000	35.22	9.43	44.65	74.00	-29.35	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:149

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	36.65	9.70	46.35	74.00	-27.65	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	46.74	9.16	55.90	68.20	-12.30	peak			
2		5700.000	46.57	9.10	55.67	105.20	-49.53	peak			
3		5720.000	47.41	9.08	56.49	110.80	-54.31	peak			
4		5725.000	46.17	9.08	55.25	122.20	-66.95	peak			