HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11490.000	35.03	9.70	44.73	74.00	-29.27	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	46.95	9.16	56.11	68.20	-12.09	peak			
2		5700.000	46.69	9.10	55.79	105.20	-49.41	peak			
3		5720.000	47.09	9.08	56.17	110.80	-54.63	peak			
4		5725.000	47.06	9.08	56.14	122.20	-66.06	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	36.36	9.94	46.30	74.00	-27.70	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11570.000	34.75	9.94	44.69	74.00	-29.31	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC20MIMO	Test Channel:165

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	34.87	10.18	45.05	74.00	-28.95	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	46.73	9.24	55.97	122.20	-66.23	peak			
2		5855.000	47.07	9.26	56.33	110.80	-54.47	peak			
3		5875.000	46.62	9.36	55.98	105.20	-49.22	peak			
4	*	5925.000	48.24	9.61	57.85	68.20	-10.35	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	33.19	10.18	43.37	74.00	-30.63	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	46.75	9.24	55.99	122.20	-66.21	peak			
2		5855.000	47.53	9.26	56.79	110.80	-54.01	peak			
3		5875.000	46.07	9.36	55.43	105.20	-49.77	peak			
4	*	5925.000	47.04	9.61	56.65	68.20	-11.55	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:38

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	36.11	9.24	45.35	68.20	-22.85	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	38.45	7.17	45.62	68.20	-22.58	peak			
2	*	5150.000	42.84	9.17	52.01	68.20	-16.19	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10380.000	34.63	9.24	43.87	68.20	-24.33	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	39.01	7.17	46.18	68.20	-22.02	peak			
2	*	5150.000	40.25	9.17	49.42	68.20	-18.78	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:46

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	37.07	9.34	46.41	68.20	-21.79	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10460.000	34.85	9.34	44.19	68.20	-24.01	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:54

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	35.81	9.44	45.25	68.20	-22.95	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10540.000	34.20	9.44	43.64	68.20	-24.56	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:62

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10620.000	35.63	9.54	45.17	74.00	-28.83	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	35.68	9.30	44.98	68.20	-23.22	peak			
2		5460.000	35.43	9.31	44.74	68.20	-23.46	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10620.000	34.13	9.54	43.67	74.00	-30.33	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	36.05	9.30	45.35	68.20	-22.85	peak			
2		5460.000	35.87	9.31	45.18	68.20	-23.02	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:102

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11020.000	36.58	10.15	46.73	74.00	-27.27	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	34.25	9.30	43.55	68.20	-24.65	peak			
2		5460.000	33.65	9.31	42.96	68.20	-25.24	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11020.000	33.96	10.15	44.11	74.00	-29.89	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	34.94	9.30	44.24	68.20	-23.96	peak			
2	*	5460.000	34.95	9.31	44.26	68.20	-23.94	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:110

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11100.000	37.07	9.84	46.91	74.00	-27.09	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11100.000	34.41	9.84	44.25	74.00	-29.75	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:134

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11340.000	36.92	9.54	46.46	74.00	-27.54	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11340.000	35.21	9.54	44.75	74.00	-29.25	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:151

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11510.000	35.63	9.76	45.39	74.00	-28.61	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	45.58	9.16	54.74	68.20	-13.46	peak			
2		5700.000	45.47	9.10	54.57	105.20	-50.63	peak			
3		5720.000	45.40	9.08	54.48	110.80	-56.32	peak			
4		5725.000	45.50	9.08	54.58	122.20	-67.62	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11510.000	33.66	9.76	43.42	74.00	-30.58	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	45.85	9.16	55.01	68.20	-13.19	peak			
2		5700.000	46.18	9.10	55.28	105.20	-49.92	peak			
3		5720.000	46.29	9.08	55.37	110.80	-55.43	peak			
4		5725.000	45.89	9.08	54.97	122.20	-67.23	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC40MIMO	Test Channel:159

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11590.000	36.25	9.99	46.24	74.00	-27.76	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	45.31	9.24	54.55	122.20	-67.65	peak			
2		5855.000	44.42	9.26	53.68	110.80	-57.12	peak			
3		5875.000	45.19	9.36	54.55	105.20	-50.65	peak			
4	*	5925.000	45.47	9.61	55.08	68.20	-13.12	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11590.000	34.54	9.99	44.53	74.00	-29.47	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	44.92	9.24	54.16	122.20	-68.04	peak			
2		5855.000	45.40	9.26	54.66	110.80	-56.14	peak			
3		5875.000	45.17	9.36	54.53	105.20	-50.67	peak			
4	*	5925.000	44.61	9.61	54.22	68.20	-13.98	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC80MIMO	Test Channel:42

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10420.000	38.21	9.28	47.49	68.20	-20.71	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	37.35	7.17	44.52	68.20	-23.68	peak			
2	*	5150.000	43.58	9.17	52.75	68.20	-15.45	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10420.000	35.88	9.28	45.16	68.20	-23.04	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.05	7.17	43.22	68.20	-24.98	peak			
2	*	5150.000	40.59	9.17	49.76	68.20	-18.44	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC80MIMO	Test Channel:58

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10580.000	36.64	9.49	46.13	68.20	-22.07	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	36.35	9.30	45.65	68.20	-22.55	peak			
2		5460.000	36.10	9.31	45.41	68.20	-22.79	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10580.000	34.77	9.49	44.26	68.20	-23.94	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	36.68	9.30	45.98	68.20	-22.22	peak			
2		5460.000	36.44	9.31	45.75	68.20	-22.45	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC80MIMO	Test Channel:106

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11060.000	39.49	10.07	49.56	74.00	-24.44	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5350.000	33.59	9.30	42.89	68.20	-25.31	peak			
2		5460.000	33.43	9.31	42.74	68.20	-25.46	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11060.000	37.69	10.07	47.76	74.00	-26.24	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	35.36	9.30	44.66	68.20	-23.54	peak			
2	*	5460.000	35.43	9.31	44.74	68.20	-23.46	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC80MIMO	Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11220.000	35.74	9.77	45.51	74.00	-28.49	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11220.000	33.93	9.77	43.70	74.00	-30.30	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AC80MIMO	Test Channel:155

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11550.000	35.77	9.87	45.64	74.00	-28.36	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	46.93	9.16	56.09	68.20	-12.11	peak			
2		5700.000	46.21	9.10	55.31	105.20	-49.89	peak			
3		5720.000	46.41	9.08	55.49	110.80	-55.31	peak			
4		5725.000	46.95	9.08	56.03	122.20	-66.17	peak			
5		5850.000	45.19	9.24	54.43	122.20	-67.77	peak			
6		5855.000	45.43	9.26	54.69	110.80	-56.11	peak			
7		5875.000	44.97	9.36	54.33	105.20	-50.87	peak			
8		5925.000	45.45	9.61	55.06	68.20	-13.14	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11550.000	33.31	9.87	43.18	74.00	-30.82	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	5650.000	47.39	9.16	56.55	68.20	-11.65	peak			
2		5700.000	46.82	9.10	55.92	105.20	-49.28	peak			
3		5720.000	47.00	9.08	56.08	110.80	-54.72	peak			
4		5725.000	48.06	9.08	57.14	122.20	-65.06	peak			
5		5850.000	46.21	9.24	55.45	122.20	-66.75	peak			
6		5855.000	46.42	9.26	55.68	110.80	-55.12	peak			
7		5875.000	45.46	9.36	54.82	105.20	-50.38	peak			
8		5925.000	45.59	9.61	55.20	68.20	-13.00	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:36

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10360.000	39.14	9.21	48.35	68.20	-19.85	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	36.72	7.17	43.89	68.20	-24.31	peak			
2	*	5150.000	42.36	9.17	51.53	68.20	-16.67	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10360.000	37.09	9.21	46.30	68.20	-21.90	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		4500.000	38.08	7.17	45.25	68.20	-22.95	peak			
2	*	5150.000	43.17	9.17	52.34	68.20	-15.86	peak			

Above 1G (1GHz~18GHz)	Test mode: 11AX20MIMO	Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	37.00	9.26	46.26	68.20	-21.94	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	10400.000	34.47	9.26	43.73	68.20	-24.47	peak			