HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4824.000	49.95	-1.88	48.07	74.00	-25.93	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	45.96	0.19	46.15	74.00	-27.85	peak			
2	*	2390.000	48.54	0.41	48.95	74.00	-25.05	peak			

Test mode:	802.11b	Test channel:	6

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	48.82	-1.59	47.23	74.00	-26.77	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	47.54	-1.59	45.95	74.00	-28.05	peak			

Test mode:	802.11b	Test channel:	11

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	50.02	-1.29	48.73	74.00	-25.27	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	45.62	1.09	46.71	74.00	-27.29	peak			
2		2500.000	45.11	1.22	46.33	74.00	-27.67	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	48.35	-1.29	47.06	74.00	-26.94	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	45.24	1.09	46.33	74.00	-27.67	peak			
2		2500.000	44.32	1.22	45.54	74.00	-28.46	peak			

Test mode:	802.11g	Test channel:	1

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4824.000	50.73	-1.88	48.85	74.00	-25.15	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	45.61	0.19	45.80	74.00	-28.20	peak			
2	*	2390.000	46.79	0.41	47.20	74.00	-26.80	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4824.000	49.16	-1.88	47.28	74.00	-26.72	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	45.64	0.19	45.83	74.00	-28.17	peak			
2	*	2390.000	48.66	0.41	49.07	74.00	-24.93	peak			

Test mode:	802.11g	Test channel:	6

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	51.28	-1.59	49.69	74.00	-24.31	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	50.21	-1.59	48.62	74.00	-25.38	peak			

Test mode:	802.11g	Test channel:	11

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	50.89	-1.29	49.60	74.00	-24.40	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	45.66	1.09	46.75	74.00	-27.25	peak			
2		2500.000	45.48	1.22	46.70	74.00	-27.30	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	50.28	-1.29	48.99	74.00	-25.01	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	47.99	1.09	49.08	74.00	-24.92	peak			
2		2500.000	44.29	1.22	45.51	74.00	-28.49	peak			

Test mode:	802.11n(HT20)	Test channel:	1

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4824.000	51.48	-1.88	49.60	74.00	-24.40	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	45.34	0.19	45.53	74.00	-28.47	peak			
2	*	2390.000	47.50	0.41	47.91	74.00	-26.09	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4824.000	50.78	-1.88	48.90	74.00	-25.10	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	46.09	0.19	46.28	74.00	-27.72	peak			
2	*	2390.000	47.26	0.41	47.67	74.00	-26.33	peak			

Test mode:	802.11n(HT20)	Test channel:	1

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	53.56	-1.59	51.97	74.00	-22.03	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	51.90	-1.59	50.31	74.00	-23.69	peak			

Test mode:	802.11n(HT20)	Test channel:	11

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	49.64	-1.29	48.35	74.00	-25.65	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	44.96	1.09	46.05	74.00	-27.95	peak			
2		2500.000	44.03	1.22	45.25	74.00	-28.75	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	49.22	-1.29	47.93	74.00	-26.07	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2483.500	43.55	1.09	44.64	74.00	-29.36	peak			
2	*	2500.000	44.02	1.22	45.24	74.00	-28.76	peak			

Test mode:	802.11n(HT40)	Test channel:	3

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4844.000	50.19	-1.77	48.42	74.00	-25.58	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2310.000	44.55	0.19	44.74	74.00	-29.26	peak			
2		2390.000	43.66	0.41	44.07	74.00	-29.93	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4844.000	49.67	-1.77	47.90	74.00	-26.10	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	44.26	0.19	44.45	74.00	-29.55	peak			
2	*	2390.000	44.52	0.41	44.93	74.00	-29.07	peak			

Test mode:	802.11n(HT40)	Test channel:	6

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	49.76	-1.59	48.17	74.00	-25.83	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	48.47	-1.59	46.88	74.00	-27.12	peak			

Test mode:	802.11n(HT40)	Test channel:	9

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4904.000	49.94	-1.41	48.53	74.00	-25.47	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	44.83	1.09	45.92	74.00	-28.08	peak			
2		2500.000	44.66	1.22	45.88	74.00	-28.12	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4904.000	48.59	-1.41	47.18	74.00	-26.82	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	43.63	1.09	44.72	74.00	-29.28	peak			
2		2500.000	43.41	1.22	44.63	74.00	-29.37	peak			

Test mode:	802.11ax(HT20)	Test channel:	1

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4824.000	50.35	-1.88	48.47	74.00	-25.53	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	43.85	0.19	44.04	74.00	-29.96	peak			
2	*	2390.000	52.22	0.41	52.63	74.00	-21.37	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4824.000	49.16	-1.88	47.28	74.00	-26.72	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	45.83	0.19	46.02	74.00	-27.98	peak			
2	*	2390.000	50.98	0.41	51.39	74.00	-22.61	peak			

Test mode:	802.11ax(HT20)	Test channel:	6

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	51.13	-1.59	49.54	74.00	-24.46	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	49.91	-1.59	48.32	74.00	-25.68	peak			

Test mode:	802.11ax(HT20)	Test channel:	11

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	51.52	-1.29	50.23	74.00	-23.77	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	52.31	1.09	53.40	74.00	-20.60	peak			
2		2500.000	42.79	1.22	44.01	74.00	-29.99	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4924.000	50.39	-1.29	49.10	74.00	-24.90	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	47.69	1.09	48.78	74.00	-25.22	peak			
2		2500.000	43.27	1.22	44.49	74.00	-29.51	peak			

Test mode:	802.11ax(HT40)	Test channel:	3

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4844.000	50.75	-1.77	48.98	74.00	-25.02	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	43.81	0.19	44.00	74.00	-30.00	peak			
2	*	2390.000	51.93	0.41	52.34	74.00	-21.66	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4844.000	48.81	-1.77	47.04	74.00	-26.96	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		2310.000	44.26	0.19	44.45	74.00	-29.55	peak			
2	*	2390.000	48.95	0.41	49.36	74.00	-24.64	peak			

Test mode:	802.11ax(HT40)	Test channel:	6

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	50.32	-1.59	48.73	74.00	-25.27	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4874.000	49.42	-1.59	47.83	74.00	-26.17	peak			

Test mode:	802.11ax(HT40)	Test channel:	9

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4904.000	50.26	-1.41	48.85	74.00	-25.15	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	50.99	1.09	52.08	74.00	-21.92	peak			
2		2500.000	43.88	1.22	45.10	74.00	-28.90	peak			

HORIZONTA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	4904.000	48.63	-1.41	47.22	74.00	-26.78	peak			



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	2483.500	45.64	1.09	46.73	74.00	-27.27	peak			
2		2500.000	42.48	1.22	43.70	74.00	-30.30	peak			

Notes:

1. *The high frequency, which started from 18GHz to 25GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.*

8 Test Setup Photo

Reference to the **appendix I** for details.

9 EUT Constructional Details

Reference to the **appendix II** for details.

------End------