



11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5825-PASS



11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5775-PASS



11AC80SISO-Ant1-5775-PASS

Appendix F: Conducted Spurious Emission
Test Graphs B1/2/3



11A-Ant1-5180-PASS




11A-Ant1-5320-PASS




11A-Ant1-5500-PASS




11A-Ant1-5700-PASS



11N20SISO-Ant1-5180-PASS




11N20SISO-Ant1-5320-PASS




11N20SISO-Ant1-5500-PASS




11N20SISO-Ant1-5700-PASS



11N40SISO-Ant1-5190-PASS




11N40SISO-Ant1-5310-PASS



11N40SISO-Ant1-5510-PASS



11N40SISO-Ant1-5670-PASS



11AC20SISO-Ant1-5180-PASS



11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS




11AC20SISO-Ant1-5700-PASS



11AC40SISO-Ant1-5190-PASS



11AC40SISO-Ant1-5310-PASS




11AC40SISO-Ant1-5510-PASS



11AC40SISO-Ant1-5670-PASS



11AC80SISO-Ant1-5210-PASS



11AC80SISO-Ant1-5290-PASS



11AC80SISO-Ant1-5530-PASS



11AC80SISO-Ant1-5610-PASS


Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5138.47	-35.44	≤-27	PASS
11A	Ant1	5180	5360~40000	25103.61	-42.36	≤-27	PASS
11A	Ant1	5200	30~5140	5139.32	-50.63	≤-27	PASS
11A	Ant1	5200	5360~40000	24659.27	-42.43	≤-27	PASS
11A	Ant1	5240	30~5140	825.8	-49.84	≤-27	PASS
11A	Ant1	5240	5360~40000	24936.27	-42.16	≤-27	PASS
11A	Ant1	5260	30~5140	5093.84	-53.04	≤-27	PASS
11A	Ant1	5260	5360~40000	25129.58	-41.93	≤-27	PASS
11A	Ant1	5280	30~5140	5130.46	-52.28	≤-27	PASS
11A	Ant1	5280	5360~40000	24629.7	-41.48	≤-27	PASS
11A	Ant1	5320	30~5140	5114.28	-52.74	≤-27	PASS
11A	Ant1	5320	5360~40000	5361.44	-28.91	≤-27	PASS
11A	Ant1	5500	30~5460	5460	-36.79	≤-27	PASS
11A	Ant1	5500	5735~40000	25103.16	-40.83	≤-27	PASS
11A	Ant1	5580	30~5460	5424.89	-50.25	≤-27	PASS
11A	Ant1	5580	5735~40000	25376.06	-42.32	≤-27	PASS
11A	Ant1	5700	30~5460	5416.56	-51.15	≤-27	PASS
11A	Ant1	5700	5735~40000	5735	-38.62	≤-27	PASS
11A	Ant1	5745	30~5650	1774.82	-44.24	≤-27	PASS
11A	Ant1	5745	5925~40000	25061.8	-42.6	≤-27	PASS
11A	Ant1	5785	30~5650	5627.33	-49.76	≤-27	PASS
11A	Ant1	5785	5925~40000	24905.15	-42.06	≤-27	PASS
11A	Ant1	5825	30~5650	5583.68	-51.49	≤-27	PASS
11A	Ant1	5825	5925~40000	25372.31	-41.89	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	5139.83	-38.94	≤-27	PASS
11N20SISO	Ant1	5180	5360~40000	26198.6	-42.44	≤-27	PASS
11N20SISO	Ant1	5200	30~5140	5136.42	-47.9	≤-27	PASS
11N20SISO	Ant1	5200	5360~40000	24778.29	-42.83	≤-27	PASS
11N20SISO	Ant1	5240	30~5140	5134.89	-52.27	≤-27	PASS
11N20SISO	Ant1	5240	5360~40000	25252.93	-42.67	≤-27	PASS
11N20SISO	Ant1	5260	30~5140	5106.79	-51.71	≤-27	PASS
11N20SISO	Ant1	5260	5360~40000	24802.1	-42.43	≤-27	PASS
11N20SISO	Ant1	5280	30~5140	5125.35	-51.97	≤-27	PASS
11N20SISO	Ant1	5280	5360~40000	24870.62	-42.11	≤-27	PASS
11N20SISO	Ant1	5320	30~5140	3348.6	-52.86	≤-27	PASS
11N20SISO	Ant1	5320	5360~40000	5361.44	-33.04	≤-27	PASS
11N20SISO	Ant1	5500	30~5460	5459.46	-38.09	≤-27	PASS
11N20SISO	Ant1	5500	5735~40000	26339.37	-41.87	≤-27	PASS


11N20SISO	Ant1	5580	30~5460	5425.79	-50.76	≤-27	PASS
11N20SISO	Ant1	5580	5735~40000	24880.59	-41.8	≤-27	PASS
11N20SISO	Ant1	5700	30~5460	1907.51	-45.37	≤-27	PASS
11N20SISO	Ant1	5700	5735~40000	5735.71	-34.23	≤-27	PASS
11N20SISO	Ant1	5745	30~5650	5590.05	-51.36	≤-27	PASS
11N20SISO	Ant1	5745	5925~40000	24888.29	-41.72	≤-27	PASS
11N20SISO	Ant1	5785	30~5650	5629.77	-50.46	≤-27	PASS
11N20SISO	Ant1	5785	5925~40000	24729.52	-42.53	≤-27	PASS
11N20SISO	Ant1	5825	30~5650	5581.25	-52.14	≤-27	PASS
11N20SISO	Ant1	5825	5925~40000	24777.29	-42.29	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	5136.59	-31.64	≤-27	PASS
11N40SISO	Ant1	5190	5360~40000	24799.93	-42.21	≤-27	PASS
11N40SISO	Ant1	5230	30~5140	5135.74	-44.94	≤-27	PASS
11N40SISO	Ant1	5230	5360~40000	24587.86	-42.82	≤-27	PASS
11N40SISO	Ant1	5270	30~5140	5132.85	-51.36	≤-27	PASS
11N40SISO	Ant1	5270	5360~40000	5369.38	-41.69	≤-27	PASS
11N40SISO	Ant1	5310	30~5140	3299.38	-53.19	≤-27	PASS
11N40SISO	Ant1	5310	5360~40000	25273.85	-41.94	≤-27	PASS
11N40SISO	Ant1	5510	30~5460	5458.19	-28.58	≤-27	PASS
11N40SISO	Ant1	5510	5735~40000	24839.48	-41.86	≤-27	PASS
11N40SISO	Ant1	5550	30~5460	5458.01	-42.21	≤-27	PASS
11N40SISO	Ant1	5550	5735~40000	24864.29	-41.78	≤-27	PASS
11N40SISO	Ant1	5670	30~5460	5423.8	-51.88	≤-27	PASS
11N40SISO	Ant1	5670	5735~40000	5735.71	-35.26	≤-27	PASS
11N40SISO	Ant1	5755	30~5650	5645.88	-42.61	≤-27	PASS
11N40SISO	Ant1	5755	5925~40000	24923.41	-42.68	≤-27	PASS
11N40SISO	Ant1	5795	30~5650	5641.01	-50.99	≤-27	PASS
11N40SISO	Ant1	5795	5925~40000	25089.9	-43.03	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	5138.98	-38.23	≤-27	PASS
11AC20SISO	Ant1	5180	5360~40000	24926.89	-42.36	≤-27	PASS
11AC20SISO	Ant1	5200	30~5140	5124.16	-53.47	≤-27	PASS
11AC20SISO	Ant1	5200	5360~40000	24580.65	-42.38	≤-27	PASS
11AC20SISO	Ant1	5240	30~5140	1900.77	-50.12	≤-27	PASS
11AC20SISO	Ant1	5240	5360~40000	25863.9	-42.92	≤-27	PASS
11AC20SISO	Ant1	5260	30~5140	5098.78	-53.62	≤-27	PASS
11AC20SISO	Ant1	5260	5360~40000	25757.86	-42.29	≤-27	PASS
11AC20SISO	Ant1	5280	30~5140	1784.26	-44.08	≤-27	PASS
11AC20SISO	Ant1	5280	5360~40000	26262.08	-42.03	≤-27	PASS
11AC20SISO	Ant1	5320	30~5140	2707.3	-51.64	≤-27	PASS
11AC20SISO	Ant1	5320	5360~40000	5360.72	-35.85	≤-27	PASS
11AC20SISO	Ant1	5500	30~5460	5457.47	-42.77	≤-27	PASS

11AC20SISO	Ant1	5500	5735~40000	24845.15	-42.01	≤-27	PASS
11AC20SISO	Ant1	5580	30~5460	5423.98	-51.78	≤-27	PASS
11AC20SISO	Ant1	5580	5735~40000	25853.82	-42.12	≤-27	PASS
11AC20SISO	Ant1	5700	30~5460	5424.16	-51.71	≤-27	PASS
11AC20SISO	Ant1	5700	5735~40000	26250.05	-42.01	≤-27	PASS
11AC20SISO	Ant1	5745	30~5650	5644.57	-52.13	≤-27	PASS
11AC20SISO	Ant1	5745	5925~40000	24843.33	-42.47	≤-27	PASS
11AC20SISO	Ant1	5785	30~5650	5626.4	-51.51	≤-27	PASS
11AC20SISO	Ant1	5785	5925~40000	24909.36	-41.32	≤-27	PASS
11AC20SISO	Ant1	5825	30~5650	5627.15	-51.08	≤-27	PASS
11AC20SISO	Ant1	5825	5925~40000	25524.05	-42.79	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	5139.66	-35.9	≤-27	PASS
11AC40SISO	Ant1	5190	5360~40000	24820.13	-42.23	≤-27	PASS
11AC40SISO	Ant1	5230	30~5140	3411.63	-53.87	≤-27	PASS
11AC40SISO	Ant1	5230	5360~40000	24688.13	-42.2	≤-27	PASS
11AC40SISO	Ant1	5270	30~5140	5127.4	-52.49	≤-27	PASS
11AC40SISO	Ant1	5270	5360~40000	25816.29	-41.61	≤-27	PASS
11AC40SISO	Ant1	5310	30~5140	3295.29	-52.21	≤-27	PASS
11AC40SISO	Ant1	5310	5360~40000	5364.33	-30.88	≤-27	PASS
11AC40SISO	Ant1	5510	30~5460	5453.48	-49.87	≤-27	PASS
11AC40SISO	Ant1	5510	5735~40000	24854.36	-41.61	≤-27	PASS
11AC40SISO	Ant1	5550	30~5460	5454.75	-47.44	≤-27	PASS
11AC40SISO	Ant1	5550	5735~40000	24926.66	-41.67	≤-27	PASS
11AC40SISO	Ant1	5670	30~5460	5431.76	-52.21	≤-27	PASS
11AC40SISO	Ant1	5670	5735~40000	25350.54	-41.49	≤-27	PASS
11AC40SISO	Ant1	5755	30~5650	5623.21	-51.65	≤-27	PASS
11AC40SISO	Ant1	5755	5925~40000	26179.48	-42.73	≤-27	PASS
11AC40SISO	Ant1	5795	30~5650	5638.57	-52.53	≤-27	PASS
11AC40SISO	Ant1	5795	5925~40000	25186.85	-42.68	≤-27	PASS
11AC80SISO	Ant1	5210	30~5140	5140	-34.62	≤-27	PASS
11AC80SISO	Ant1	5210	5360~40000	24768.19	-41.99	≤-27	PASS
11AC80SISO	Ant1	5290	30~5140	5136.76	-38.25	≤-27	PASS
11AC80SISO	Ant1	5290	5360~40000	24726.36	-42.27	≤-27	PASS
11AC80SISO	Ant1	5530	30~5460	5459.82	-33.95	≤-27	PASS
11AC80SISO	Ant1	5530	5735~40000	25341.33	-41.49	≤-27	PASS
11AC80SISO	Ant1	5610	30~5460	5455.48	-42.83	≤-27	PASS
11AC80SISO	Ant1	5610	5735~40000	24820.34	-41.88	≤-27	PASS
11AC80SISO	Ant1	5775	30~5650	5626.02	-41.12	≤-27	PASS
11AC80SISO	Ant1	5775	5925~40000	25833.15	-43.21	≤-27	PASS

Test Graphs



11A-Ant1-5180-30~5140-PASS



11A-Ant1-5180-5360~40000-PASS



11A-Ant1-5200-30~5140-PASS