





6.1.1.1.1.3 Test Channel = HCH

6.1.1.1.1.3.1 Test RB = RB1#0











6.2.1.1.2 Test Bandwidth = 3


6.2.1.1.2.1 Test Channel = LCH

6.2.1.1.2.1.1 Test RB = RB1#0












6.2.1.1.2.2 Test Channel = MCH

6.2.1.1.2.2.1 Test RB = RB1#0













6.2.1.1.2.3 Test Channel = HCH

6.2.1.1.2.3.1 Test RB = RB1#0












6.2.1.1.3 Test Bandwidth = 5


6.2.1.1.3.1 Test Channel = LCH

6.2.1.1.3.1.1 Test RB = RB1#0












6.2.1.1.3.2 Test Channel = MCH

6.2.1.1.3.2.1 Test RB = RB1#0











6.2.1.1.3.3 Test Channel = HCH

6.2.1.1.3.3.1 Test RB = RB1#0












6.2.1.1.4 Test Bandwidth = 10


6.2.1.1.4.1 Test Channel = LCH

6.2.1.1.4.1.1 Test RB = RB1#0












6.2.1.1.4.2 Test Channel = MCH

6.2.1.1.4.2.1 Test RB = RB1#0











6.2.1.1.4.3 Test Channel = HCH

6.2.1.1.4.3.1 Test RB = RB1#0











6.2.1.1.5 Test Bandwidth = 15


6.2.1.1.5.1 Test Channel = LCH

6.2.1.1.5.1.1 Test RB = RB1#0












6.2.1.1.5.2 Test Channel = MCH

6.2.1.1.5.2.1 Test RB = RB1#0












6.2.1.1.5.3 Test Channel = HCH

6.2.1.1.5.3.1 Test RB = RB1#0









6.2.1.2 Test Mode = LTE/TM2


6.2.1.2.1 Test Bandwidth = 1.4


6.2.1.2.1.1 Test Channel = LCH

6.2.1.2.1.1.1 Test RB = RB1#0











6.2.1.2.1.2 Test Channel = MCH

6.2.1.2.1.2.1 Test RB = RB1#0













6.2.1.2.1.3 Test Channel = HCH

6.2.1.2.1.3.1 Test RB = RB1#0












6.2.1.2.2 Test Bandwidth = 3


6.2.1.2.2.1 Test Channel = LCH

6.2.1.2.2.1.1 Test RB = RB1#0













6.2.1.2.2.2 Test Channel = MCH

6.2.1.2.2.2.1 Test RB = RB1#0













6.2.1.2.2.3 Test Channel = HCH

6.2.1.2.2.3.1 Test RB = RB1#0












6.2.1.2.3 Test Bandwidth = 5


6.2.1.2.3.1 Test Channel = LCH

6.2.1.2.3.1.1 Test RB = RB1#0












6.2.1.2.3.2 Test Channel = MCH

6.2.1.2.3.2.1 Test RB = RB1#0











6.2.1.2.3.3 Test Channel = HCH

6.2.1.2.3.3.1 Test RB = RB1#0












6.2.1.2.4 Test Bandwidth = 10


6.2.1.2.4.1 Test Channel = LCH

6.2.1.2.4.1.1 Test RB = RB1#0













6.2.1.2.4.2 Test Channel = MCH

6.2.1.2.4.2.1 Test RB = RB1#0













6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0










6.2.1.2.5 Test Bandwidth = 15


6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0












6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0













6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0









7Appendix_G: Field Strength of Spurious Radiation

Note 1: We tested all modes & antennas, the data presented below is the worst case.

Note 2: For Below 30MHz, the data presented below is the worst case for all Channel Bandwidth.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band26(824-849MHz)


7.1.1.1 Test Bandwidth = 1.4

Worst case





7.1.1.2 Test Bandwidth = 15



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band26(824-849 MHz)	LTE/TM1	1.4	LCH	TN	VL	-17.85476	-0.02165	PASS
					VN	-3.09989	-0.00376	PASS
					VH	-1.73859	-0.00211	PASS
			MCH	TN	VL	19.21504	0.02297	PASS
					VN	-13.14709	-0.01572	PASS
					VH	8.37040	0.01001	PASS
			HCH	TN	VL	4.38010	0.00516	PASS
					VN	15.44929	0.01821	PASS
					VH	2.79812	0.00330	PASS
		3	LCH	TN	VL	4.80744	0.00582	PASS
					VN	1.07145	0.00130	PASS
					VH	-0.94992	-0.00115	PASS
			MCH	TN	VL	1.72096	0.00206	PASS
					VN	16.34130	0.01954	PASS
					VH	9.97112	0.01192	PASS
			HCH	TN	VL	-11.15259	-0.01316	PASS
					VN	-3.94100	-0.00465	PASS
					VH	0.86619	0.00102	PASS
		5	LCH	TN	VL	6.36947	0.00771	PASS
					VN	4.47590	0.00542	PASS
					VH	1.43595	0.00174	PASS
			MCH	TN	VL	1.40234	0.00168	PASS
					VN	3.59229	0.00429	PASS
					VH	1.90787	0.00228	PASS
			HCH	TN	VL	-0.25926	-0.00031	PASS
					VN	-1.87179	-0.00221	PASS
					VH	-1.64963	-0.00195	PASS
		10	LCH	TN	VL	-1.27233	-0.00153	PASS
					VN	4.15006	0.00501	PASS
					VH	0.24296	0.00029	PASS
			MCH	TN	VL	-0.47150	-0.00056	PASS
					VN	-1.30221	-0.00156	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VH	-3.78635	-0.00453	PASS
					VL	-2.78721	-0.00330	PASS
					VN	-4.76631	-0.00565	PASS
					VH	-1.18952	-0.00141	PASS
		15	LCH	TN	VL	0.01421	0.00002	PASS
					VN	0.57667	0.00069	PASS
					VH	2.93850	0.00353	PASS
			MCH	TN	VL	2.35558	0.00282	PASS
					VN	11.47111	0.01371	PASS
					VH	20.37521	0.02436	PASS
			HCH	TN	VL	-1.44345	-0.00172	PASS
					VN	-2.73009	-0.00324	PASS
					VH	-3.47449	-0.00413	PASS
	LTE/TM2	1.4	LCH	TN	VL	4.42697	0.00537	PASS
					VN	-6.81978	-0.00827	PASS
					VH	-0.97949	-0.00119	PASS
			MCH	TN	VL	-5.27467	-0.00631	PASS
					VN	-15.23893	-0.01822	PASS
					VH	2.25565	0.00270	PASS
			HCH	TN	VL	-9.00119	-0.01061	PASS
					VN	5.79162	0.00683	PASS
					VH	0.80806	0.00095	PASS
		3	LCH	TN	VL	10.80035	0.01308	PASS
					VN	-1.04515	-0.00127	PASS
					VH	6.51333	0.00789	PASS
			MCH	TN	VL	7.84688	0.00938	PASS
					VN	1.26293	0.00151	PASS
					VH	6.63917	0.00794	PASS
			HCH	TN	VL	-0.85764	-0.00101	PASS
					VN	-3.80919	-0.00449	PASS
					VH	1.68441	0.00199	PASS
		5	LCH	TN	VL	-0.64006	-0.00077	PASS
					VN	3.62610	0.00439	PASS
					VH	-2.16589	-0.00262	PASS
			MCH	TN	VL	-7.64383	-0.00914	PASS
					VN	2.82877	0.00338	PASS
					VH	-0.18052	-0.00022	PASS
			HCH	TN	VL	3.09864	0.00366	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	2.41127	0.00285	PASS
					VH	-3.47026	-0.00410	PASS
		10	LCH	TN	VL	-2.38511	-0.00288	PASS
					VN	-3.07619	-0.00371	PASS
					VH	2.95298	0.00356	PASS
			MCH	TN	VL	-4.93682	-0.00590	PASS
					VN	-2.08250	-0.00249	PASS
					VH	4.57214	0.00547	PASS
			HCH	TN	VL	-1.97776	-0.00234	PASS
					VN	5.16283	0.00612	PASS
					VH	0.07191	0.00009	PASS
		15	LCH	TN	VL	-1.23984	-0.00149	PASS
					VN	-0.91494	-0.00110	PASS
					VH	-2.39532	-0.00288	PASS
			MCH	TN	VL	1.11857	0.00134	PASS
					VN	-0.57645	-0.00069	PASS
					VH	-3.17297	-0.00379	PASS
			HCH	TN	VL	-0.11850	-0.00014	PASS
					VN	1.06242	0.00126	PASS
					VH	-0.66914	-0.00080	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band26(824-849 MHz)	LTE/TM1	1.4	LCH	VN	-30	-14.13670	-0.01714	PASS
					-20	-1.71296	-0.00208	PASS
					-10	-11.87886	-0.01440	PASS
					0	1.17587	0.00143	PASS
					10	4.92828	0.00598	PASS
					20	-3.09989	-0.00376	PASS
					30	8.90407	0.01080	PASS
					40	-8.32179	-0.01009	PASS
					50	-1.61485	-0.00196	PASS
			MCH	VN	-30	7.31662	0.00875	PASS
					-20	7.48576	0.00895	PASS
					-10	-18.66259	-0.02231	PASS
					0	6.72525	0.00804	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	10.08762	0.01206	PASS
					20	-13.14709	-0.01572	PASS
					30	-19.40862	-0.02320	PASS
					40	-4.38956	-0.00525	PASS
					50	12.39580	0.01482	PASS
			HCH	VN	-30	-0.94335	-0.00111	PASS
					-20	5.89022	0.00694	PASS
					-10	5.81259	0.00685	PASS
					0	-18.55483	-0.02187	PASS
					10	-7.19303	-0.00848	PASS
					20	15.44929	0.01821	PASS
					30	-4.09346	-0.00483	PASS
					40	9.07086	0.01069	PASS
					50	-5.46483	-0.00644	PASS
		3	LCH	VN	-30	-2.54164	-0.00308	PASS
					-20	-1.44840	-0.00175	PASS
					-10	4.04392	0.00490	PASS
					0	10.43928	0.01265	PASS
					10	10.41002	0.01261	PASS
					20	1.07145	0.00130	PASS
					30	9.73227	0.01179	PASS
					40	-3.29429	-0.00399	PASS
					50	-8.27875	-0.01003	PASS
			MCH	VN	-30	6.93342	0.00829	PASS
					-20	6.58136	0.00787	PASS
					-10	2.08648	0.00249	PASS
					0	1.90112	0.00227	PASS
					10	-0.52567	-0.00063	PASS
					20	16.34130	0.01954	PASS
					30	19.14299	0.02288	PASS
					40	-0.35416	-0.00042	PASS
					50	5.07186	0.00606	PASS
			HCH	VN	-30	-0.29528	-0.00035	PASS
					-20	11.17877	0.01319	PASS
					-10	1.42734	0.00168	PASS
					0	-3.66572	-0.00433	PASS
					10	8.78938	0.01037	PASS
					20	-3.94100	-0.00465	PASS
					30	7.46152	0.00880	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	1.02032	0.00120	PASS
					50	4.12376	0.00487	PASS
		5	LCH	VN	-30	-2.21703	-0.00268	PASS
					-20	8.57237	0.01037	PASS
					-10	2.51699	0.00305	PASS
					0	8.99154	0.01088	PASS
					10	-7.37884	-0.00893	PASS
					20	4.47590	0.00542	PASS
					30	1.82742	0.00221	PASS
					40	-0.13128	-0.00016	PASS
					50	-0.52370	-0.00063	PASS
			MCH	VN	-30	1.73017	0.00207	PASS
					-20	8.62981	0.01032	PASS
					-10	3.61856	0.00433	PASS
					0	-1.42993	-0.00171	PASS
					10	1.76668	0.00211	PASS
					20	3.59229	0.00429	PASS
					30	5.06766	0.00606	PASS
					40	5.20579	0.00622	PASS
					50	1.82014	0.00218	PASS
			HCH	VN	-30	0.89699	0.00106	PASS
					-20	2.86658	0.00339	PASS
					-10	3.34980	0.00396	PASS
					0	6.59079	0.00779	PASS
					10	4.33745	0.00512	PASS
					20	-1.87179	-0.00221	PASS
					30	7.60752	0.00899	PASS
					40	8.35235	0.00987	PASS
					50	-4.48442	-0.00530	PASS
		10	LCH	VN	-30	-2.45483	-0.00296	PASS
					-20	8.30858	0.01002	PASS
					-10	2.68595	0.00324	PASS
					0	-0.44287	-0.00053	PASS
					10	4.86044	0.00586	PASS
					20	4.15006	0.00501	PASS
					30	2.58371	0.00312	PASS
					40	2.97030	0.00358	PASS
					50	0.27507	0.00033	PASS
			MCH	VN	-30	4.92076	0.00588	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-3.10879	-0.00372	PASS
					-10	-0.19663	-0.00024	PASS
					0	-3.91281	-0.00468	PASS
					10	2.22543	0.00266	PASS
					20	-1.30221	-0.00156	PASS
					30	8.21141	0.00982	PASS
					40	1.17603	0.00141	PASS
					50	6.94708	0.00830	PASS
			HCH	VN	-30	-6.46521	-0.00766	PASS
					-20	2.61771	0.00310	PASS
					-10	-0.03829	-0.00005	PASS
					0	2.27403	0.00269	PASS
					10	1.55712	0.00184	PASS
					20	-4.76631	-0.00565	PASS
					30	-1.46698	-0.00174	PASS
					40	-2.21299	-0.00262	PASS
					50	0.18924	0.00022	PASS
		15	LCH	VN	-30	-0.62507	-0.00075	PASS
					-20	-3.24358	-0.00390	PASS
					-10	-0.93453	-0.00112	PASS
					0	2.36803	0.00285	PASS
					10	0.98751	0.00119	PASS
					20	0.57667	0.00069	PASS
					30	-0.55415	-0.00067	PASS
					40	0.87872	0.00106	PASS
					50	2.03455	0.00245	PASS
			MCH	VN	-30	12.80716	0.01531	PASS
					-20	7.07163	0.00845	PASS
					-10	7.50458	0.00897	PASS
					0	14.90606	0.01782	PASS
					10	9.59144	0.01147	PASS
					20	11.47111	0.01371	PASS
					30	12.53743	0.01499	PASS
					40	12.05809	0.01441	PASS
					50	14.41412	0.01723	PASS
			HCH	VN	-30	-1.59373	-0.00189	PASS
					-20	-3.56079	-0.00423	PASS
					-10	4.06480	0.00483	PASS
					0	-5.12128	-0.00609	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-1.52525	-0.00181	PASS
					20	-2.73009	-0.00324	PASS
					30	2.19265	0.00261	PASS
					40	2.53846	0.00302	PASS
					50	3.77045	0.00448	PASS
	LTE/TM2	1.4	LCH	VN	-30	5.97117	0.00724	PASS
					-20	6.25709	0.00759	PASS
					-10	13.73606	0.01666	PASS
					0	-3.65804	-0.00444	PASS
					10	-0.53539	-0.00065	PASS
					20	-6.81978	-0.00827	PASS
					30	-7.16778	-0.00869	PASS
					40	9.28133	0.01125	PASS
					50	9.22056	0.01118	PASS
			MCH	VN	-30	9.05314	0.01082	PASS
					-20	8.38828	0.01003	PASS
					-10	-13.56999	-0.01622	PASS
					0	29.66580	0.03546	PASS
					10	24.32986	0.02909	PASS
					20	-15.23893	-0.01822	PASS
					30	5.08302	0.00608	PASS
					40	-17.35711	-0.02075	PASS
					50	-1.09081	-0.00130	PASS
			HCH	VN	-30	18.87793	0.02225	PASS
					-20	-2.10422	-0.00248	PASS
					-10	7.30356	0.00861	PASS
					0	-15.21469	-0.01794	PASS
					10	-13.39946	-0.01580	PASS
					20	5.79162	0.00683	PASS
					30	-1.24169	-0.00146	PASS
					40	10.96501	0.01293	PASS
					50	-6.31468	-0.00744	PASS
		3	LCH	VN	-30	5.71429	0.00692	PASS
					-20	5.46497	0.00662	PASS
					-10	8.44713	0.01023	PASS
					0	2.78869	0.00338	PASS
					10	-6.95017	-0.00842	PASS
					20	-1.04515	-0.00127	PASS
					30	-2.70516	-0.00328	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	6.52098	0.00790	PASS
					50	2.12378	0.00257	PASS
			MCH	VN	-30	-7.49483	-0.00896	PASS
					-20	-6.02214	-0.00720	PASS
					-10	4.35632	0.00521	PASS
					0	-10.17351	-0.01216	PASS
					10	2.58754	0.00309	PASS
					20	1.26293	0.00151	PASS
					30	0.04526	0.00005	PASS
					40	-0.42974	-0.00051	PASS
					50	4.21498	0.00504	PASS
			HCH	VN	-30	2.40590	0.00284	PASS
					-20	0.93636	0.00110	PASS
					-10	2.49058	0.00294	PASS
					0	15.47784	0.01826	PASS
					10	1.39807	0.00165	PASS
					20	-3.80919	-0.00449	PASS
					30	2.97646	0.00351	PASS
					40	-5.81396	-0.00686	PASS
					50	6.01658	0.00710	PASS
		5	LCH	VN	-30	6.38599	0.00773	PASS
					-20	6.03232	0.00730	PASS
					-10	0.79915	0.00097	PASS
					0	1.82416	0.00221	PASS
					10	3.47614	0.00421	PASS
					20	3.62610	0.00439	PASS
					30	-0.92538	-0.00112	PASS
					40	3.72186	0.00450	PASS
					50	1.04918	0.00127	PASS
			MCH	VN	-30	3.65735	0.00437	PASS
					-20	4.72274	0.00565	PASS
					-10	-0.18617	-0.00022	PASS
					0	-1.52791	-0.00183	PASS
					10	-2.16902	-0.00259	PASS
					20	2.82877	0.00338	PASS
					30	2.61883	0.00313	PASS
					40	3.55197	0.00425	PASS
					50	10.02348	0.01198	PASS
			HCH	VN	-30	1.19747	0.00141	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	1.88903	0.00223	PASS
					-10	-1.98817	-0.00235	PASS
					0	9.04851	0.01069	PASS
					10	4.29145	0.00507	PASS
					20	2.41127	0.00285	PASS
					30	3.79542	0.00448	PASS
					40	1.28955	0.00152	PASS
					50	7.04078	0.00832	PASS
		10	LCH	VN	-30	1.91057	0.00230	PASS
					-20	1.10933	0.00134	PASS
					-10	-1.89782	-0.00229	PASS
					0	2.68518	0.00324	PASS
					10	0.19885	0.00024	PASS
					20	-3.07619	-0.00371	PASS
					30	-5.62572	-0.00679	PASS
					40	3.00543	0.00363	PASS
					50	4.89337	0.00590	PASS
			MCH	VN	-30	-1.78071	-0.00213	PASS
					-20	-0.32656	-0.00039	PASS
					-10	1.79274	0.00214	PASS
					0	1.57342	0.00188	PASS
					10	3.57197	0.00427	PASS
					20	-2.08250	-0.00249	PASS
					30	-4.07500	-0.00487	PASS
					40	-1.16997	-0.00140	PASS
					50	-1.82628	-0.00218	PASS
			HCH	VN	-30	-2.79822	-0.00332	PASS
					-20	-1.94168	-0.00230	PASS
					-10	-1.59658	-0.00189	PASS
					0	2.97054	0.00352	PASS
					10	1.56794	0.00186	PASS
					20	5.16283	0.00612	PASS
					30	-1.03955	-0.00123	PASS
					40	2.81025	0.00333	PASS
					50	-1.01581	-0.00120	PASS
		15	LCH	VN	-30	-1.92425	-0.00231	PASS
					-20	-2.74717	-0.00330	PASS
					-10	-1.46191	-0.00176	PASS
					0	-0.26282	-0.00032	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-2.28998	-0.00275	PASS
					20	-0.91494	-0.00110	PASS
					30	-2.09676	-0.00252	PASS
					40	-2.70768	-0.00326	PASS
					50	-2.78532	-0.00335	PASS
			MCH	VN	-30	-0.64094	-0.00077	PASS
					-20	-2.92961	-0.00350	PASS
					-10	6.86773	0.00821	PASS
					0	-1.05746	-0.00126	PASS
					10	1.60580	0.00192	PASS
					20	-0.57645	-0.00069	PASS
					30	1.25325	0.00150	PASS
					40	-5.59305	-0.00669	PASS
					50	-5.82623	-0.00697	PASS
			HCH	VN	-30	4.48205	0.00533	PASS
					-20	0.10627	0.00013	PASS
					-10	-0.09070	-0.00011	PASS
					0	-1.63009	-0.00194	PASS
					10	-1.88323	-0.00224	PASS
					20	1.06242	0.00126	PASS
					30	-0.67512	-0.00080	PASS
					40	1.24408	0.00148	PASS
					50	-2.42758	-0.00288	PASS

END