












6.2.1.2.3 Test Bandwidth = 5MHz

6.2.1.2.3.1 Test Channel = LCH

6.2.1.2.3.1.1 Test RB = RB1#0












6.2.1.2.3.2 Test Channel = MCH

6.2.1.2.3.2.1 Test RB = RB1#0












6.2.1.2.3.3 Test Channel = HCH

6.2.1.2.3.3.1 Test RB = RB1#0










6.2.1.2.4 Test Bandwidth = 10MHz

6.2.1.2.4.1 Test Channel = LCH

6.2.1.2.4.1.1 Test RB = RB1#0












6.2.1.2.4.2 Test Channel = MCH

6.2.1.2.4.2.1 Test RB = RB1#0












6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0










6.2.1.2.5 Test Bandwidth = 15MHz

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0












6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0












6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0












6.2.1.2.6 Test Bandwidth = 20MHz

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0












6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0












6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note 1: We tested all modes & antennas, the data presented below is the worst case.

Note 2: For Below 30MHz, the data presented below is the worst case for all Channel Bandwidth.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots

7.1 For LTE



7.1.1 Test Band = Band4

7.1.1.1 Test Bandwidth = 1.4MHz



7.1.1.2 Test Bandwidth = 20MHz

Worst case



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band4	LTE/TM1	1.4	LCH	TN	VL	-48.85375	-0.02856	PASS
					VN	26.61417	0.01556	PASS
					VH	6.35835	0.00372	PASS
			MCH	TN	VL	145.99670	0.08427	PASS
					VN	-9.23314	-0.00533	PASS
					VH	-115.93550	-0.06692	PASS
			HCH	TN	VL	196.46770	0.11199	PASS
					VN	-155.99040	-0.08892	PASS
					VH	74.52984	0.04248	PASS
		3	LCH	TN	VL	-3.38832	-0.00198	PASS
					VN	-4.60263	-0.00269	PASS
					VH	-6.84108	-0.00400	PASS
			MCH	TN	VL	-1.49848	-0.00086	PASS
					VN	-5.25316	-0.00303	PASS
					VH	-2.58030	-0.00149	PASS
			HCH	TN	VL	-3.64323	-0.00208	PASS
					VN	-3.83751	-0.00219	PASS
					VH	-6.73677	-0.00384	PASS
		5	LCH	TN	VL	-3.21025	-0.00187	PASS
					VN	-5.32436	-0.00311	PASS
					VH	-6.28233	-0.00367	PASS
			MCH	TN	VL	-1.25759	-0.00073	PASS
					VN	-6.48728	-0.00374	PASS
					VH	-0.65164	-0.00038	PASS
			HCH	TN	VL	-3.28411	-0.00187	PASS
					VN	-3.93488	-0.00225	PASS
					VH	-4.53365	-0.00259	PASS
		10	LCH	TN	VL	-5.97999	-0.00349	PASS
					VN	-2.97230	-0.00173	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2		MCH	TN	VH	-6.23447	-0.00364	PASS
					VL	-4.50461	-0.00260	PASS
					VN	-3.92825	-0.00227	PASS
			HCH	TN	VH	-2.62115	-0.00151	PASS
					VL	-2.28443	-0.00131	PASS
					VN	-4.36111	-0.00249	PASS
					VH	-8.84740	-0.00506	PASS
		15	LCH	TN	VL	-6.15598	-0.00358	PASS
					VN	-7.17581	-0.00418	PASS
					VH	-6.45273	-0.00376	PASS
			MCH	TN	VL	-0.90217	-0.00052	PASS
					VN	-6.78588	-0.00392	PASS
					VH	-3.61683	-0.00209	PASS
			HCH	TN	VL	-2.81992	-0.00161	PASS
					VN	-6.56463	-0.00376	PASS
					VH	-4.83215	-0.00277	PASS
		20	LCH	TN	VL	-5.51079	-0.00320	PASS
					VN	-4.59921	-0.00267	PASS
					VH	-3.44708	-0.00200	PASS
			MCH	TN	VL	-5.64510	-0.00326	PASS
					VN	-5.38540	-0.00311	PASS
					VH	-7.55025	-0.00436	PASS
			HCH	TN	VL	-0.54437	-0.00031	PASS
					VN	-1.69616	-0.00097	PASS
					VH	-1.38052	-0.00079	PASS
		1.4	LCH	TN	VL	-110.71580	-0.06472	PASS
					VN	-191.11090	-0.11172	PASS
					VH	-160.05770	-0.09356	PASS
			MCH	TN	VL	12.00448	0.00693	PASS
					VN	75.02965	0.04331	PASS
					VH	-27.55131	-0.01590	PASS
			HCH	TN	VL	107.83820	0.06147	PASS
					VN	-150.55350	-0.08582	PASS
					VH	213.56050	0.12174	PASS
		3	LCH	TN	VL	-0.34898	-0.00020	PASS
					VN	0.62868	0.00037	PASS
					VH	3.63246	0.00212	PASS
			MCH	TN	VL	-4.95443	-0.00286	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-1.91469	-0.00111	PASS
					VH	0.50483	0.00029	PASS
			HCH	TN	VL	-6.23233	-0.00355	PASS
					VN	-2.77718	-0.00158	PASS
					VH	-3.95703	-0.00226	PASS
					VH	-3.95703	-0.00226	PASS
		5	LCH	TN	VL	0.17391	0.00010	PASS
					VN	-0.18146	-0.00011	PASS
					VH	-2.96247	-0.00173	PASS
			MCH	TN	VL	-1.97755	-0.00114	PASS
					VN	-1.75253	-0.00101	PASS
					VH	-3.18021	-0.00184	PASS
			HCH	TN	VL	-5.73263	-0.00327	PASS
					VN	-3.30976	-0.00189	PASS
					VH	-4.26858	-0.00244	PASS
		10	LCH	TN	VL	-6.22237	-0.00363	PASS
					VN	-5.19429	-0.00303	PASS
					VH	-3.61342	-0.00211	PASS
			MCH	TN	VL	-2.01815	-0.00116	PASS
					VN	-0.23295	-0.00013	PASS
					VH	-4.90676	-0.00283	PASS
			HCH	TN	VL	-8.67922	-0.00496	PASS
					VN	-3.15899	-0.00181	PASS
					VH	-5.25174	-0.00300	PASS
		15	LCH	TN	VL	-6.79442	-0.00396	PASS
					VN	-4.20218	-0.00245	PASS
					VH	-3.82296	-0.00223	PASS
			MCH	TN	VL	-5.98760	-0.00346	PASS
					VN	-4.43646	-0.00256	PASS
					VH	-1.66452	-0.00096	PASS
			HCH	TN	VL	-2.14040	-0.00122	PASS
					VN	-0.52185	-0.00030	PASS
					VH	-5.61267	-0.00321	PASS
		20	LCH	TN	VL	-5.27519	-0.00307	PASS
					VN	-4.45948	-0.00259	PASS
					VH	-2.93664	-0.00171	PASS
			MCH	TN	VL	-4.82054	-0.00278	PASS
					VN	-5.56773	-0.00321	PASS
					VH	-5.66697	-0.00327	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VL	-1.52186	-0.00087	PASS
					VN	-5.52857	-0.00317	PASS
					VH	-1.49440	-0.00086	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band4	LTE/TM1	1.4	LCH	VN	-30	-237.22150	-0.13867	PASS
					-20	-251.75670	-0.14717	PASS
					-10	-215.15380	-0.12577	PASS
					0	83.80654	0.04899	PASS
					10	-257.01510	-0.15024	PASS
					20	26.61417	0.01556	PASS
					30	-1.70483	-0.00100	PASS
					40	173.39170	0.10136	PASS
					50	-59.11048	-0.03455	PASS
			MCH	VN	-30	40.62267	0.02345	PASS
					-20	-45.96133	-0.02653	PASS
					-10	-128.11970	-0.07395	PASS
					0	51.54341	0.02975	PASS
					10	130.69280	0.07544	PASS
					20	-9.23314	-0.00533	PASS
					30	-32.09552	-0.01853	PASS
					40	-1.66921	-0.00096	PASS
					50	-135.91860	-0.07845	PASS
			HCH	VN	-30	54.69447	0.03118	PASS
					-20	-68.14195	-0.03884	PASS
					-10	-75.25016	-0.04289	PASS
					0	5.46561	0.00312	PASS
					10	75.61675	0.04310	PASS
					20	-155.99040	-0.08892	PASS
					30	-33.70986	-0.01922	PASS
					40	-89.60666	-0.05108	PASS
					50	185.85950	0.10595	PASS
		3	LCH	VN	-30	-9.99924	-0.00584	PASS
					-20	-12.00585	-0.00701	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-5.88902	-0.00344	PASS
					0	-9.27642	-0.00542	PASS
					10	-10.59691	-0.00619	PASS
					20	-4.60263	-0.00269	PASS
					30	-5.54361	-0.00324	PASS
					40	-9.58511	-0.00560	PASS
					50	-9.00171	-0.00526	PASS
			MCH	VN	-30	-4.37382	-0.00252	PASS
					-20	-6.95061	-0.00401	PASS
					-10	-10.79345	-0.00623	PASS
					0	-3.47317	-0.00200	PASS
					10	-6.93701	-0.00400	PASS
					20	-5.25316	-0.00303	PASS
					30	-1.73745	-0.00100	PASS
					40	-2.50661	-0.00145	PASS
					50	-2.77980	-0.00160	PASS
			HCH	VN	-30	-3.89623	-0.00222	PASS
					-20	-6.58285	-0.00375	PASS
					-10	-5.62905	-0.00321	PASS
					0	-6.18272	-0.00353	PASS
					10	-5.37846	-0.00307	PASS
					20	-3.83751	-0.00219	PASS
					30	-3.44768	-0.00197	PASS
					40	-3.78022	-0.00216	PASS
					50	-5.55418	-0.00317	PASS
		5	LCH	VN	-30	-4.20478	-0.00246	PASS
					-20	-1.81963	-0.00106	PASS
					-10	-1.62389	-0.00095	PASS
					0	-4.87155	-0.00284	PASS
					10	-4.56621	-0.00267	PASS
					20	-5.32436	-0.00311	PASS
					30	-1.28513	-0.00075	PASS
					40	-6.56113	-0.00383	PASS
					50	-5.18030	-0.00302	PASS
			MCH	VN	-30	-7.70673	-0.00445	PASS
					-20	-8.68981	-0.00502	PASS
					-10	0.49885	0.00029	PASS
					0	-4.14224	-0.00239	PASS
					10	-2.84450	-0.00164	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-6.48728	-0.00374	PASS
					30	-3.53868	-0.00204	PASS
					40	-7.45919	-0.00431	PASS
					50	-8.42386	-0.00486	PASS
			HCH	VN	-30	-3.08026	-0.00176	PASS
					-20	-10.08093	-0.00575	PASS
					-10	-6.77640	-0.00387	PASS
					0	-7.49100	-0.00427	PASS
					10	-2.83563	-0.00162	PASS
					20	-3.93488	-0.00225	PASS
					30	-8.21269	-0.00469	PASS
					40	-5.31702	-0.00303	PASS
					50	-9.24293	-0.00527	PASS
		10	LCH	VN	-30	-6.82540	-0.00398	PASS
					-20	-8.37123	-0.00488	PASS
					-10	-1.04398	-0.00061	PASS
					0	-10.57516	-0.00617	PASS
					10	-4.69036	-0.00273	PASS
					20	-2.97230	-0.00173	PASS
					30	-8.90732	-0.00519	PASS
					40	-3.49358	-0.00204	PASS
					50	-4.16802	-0.00243	PASS
			MCH	VN	-30	-5.63195	-0.00325	PASS
					-20	-0.37254	-0.00022	PASS
					-10	-1.64289	-0.00095	PASS
					0	-7.77410	-0.00449	PASS
					10	-1.08105	-0.00062	PASS
					20	-3.92825	-0.00227	PASS
					30	-2.98732	-0.00172	PASS
					40	-5.81943	-0.00336	PASS
					50	0.57896	0.00033	PASS
			HCH	VN	-30	-4.38606	-0.00251	PASS
					-20	-7.55512	-0.00432	PASS
					-10	-7.04730	-0.00403	PASS
					0	-8.05162	-0.00460	PASS
					10	-3.83998	-0.00219	PASS
					20	-4.36111	-0.00249	PASS
					30	-3.84068	-0.00219	PASS
					40	-3.65393	-0.00209	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					50	-7.66902	-0.00438	PASS
					-30	-7.68455	-0.00447	PASS
		15	LCH	VN	-20	-5.64366	-0.00329	PASS
					-10	-5.50542	-0.00321	PASS
					0	-4.64266	-0.00270	PASS
					10	-3.66906	-0.00214	PASS
					20	-7.17581	-0.00418	PASS
					30	-4.92241	-0.00287	PASS
					40	-5.75517	-0.00335	PASS
					50	-8.65390	-0.00504	PASS
			MCH	VN	-30	-4.54762	-0.00262	PASS
					-20	-3.76987	-0.00218	PASS
					-10	-8.58041	-0.00495	PASS
					0	-7.18478	-0.00415	PASS
					10	-2.01620	-0.00116	PASS
					20	-6.78588	-0.00392	PASS
					30	-3.77028	-0.00218	PASS
					40	-3.19912	-0.00185	PASS
					50	-6.71975	-0.00388	PASS
			HCH	VN	-30	-7.04894	-0.00403	PASS
					-20	-2.71127	-0.00155	PASS
					-10	-8.02673	-0.00459	PASS
					0	-2.15921	-0.00124	PASS
					10	-9.67711	-0.00554	PASS
					20	-6.56463	-0.00376	PASS
					30	-4.39027	-0.00251	PASS
					40	-7.50616	-0.00430	PASS
					50	-10.25723	-0.00587	PASS
		20	LCH	VN	-30	-4.94107	-0.00287	PASS
					-20	-3.70917	-0.00216	PASS
					-10	-0.17629	-0.00010	PASS
					0	-5.17358	-0.00301	PASS
					10	-6.62843	-0.00385	PASS
					20	-4.59921	-0.00267	PASS
					30	-6.40334	-0.00372	PASS
					40	-3.31324	-0.00193	PASS
					50	-6.27761	-0.00365	PASS
			MCH	VN	-30	-7.45125	-0.00430	PASS
					-20	-2.98648	-0.00172	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-5.76808	-0.00333	PASS
					0	-4.61969	-0.00267	PASS
					10	-4.75021	-0.00274	PASS
					20	-5.38540	-0.00311	PASS
					30	-4.38896	-0.00253	PASS
					40	-2.95074	-0.00170	PASS
					50	-4.95582	-0.00286	PASS
			HCH	VN	-30	-2.16834	-0.00124	PASS
					-20	-5.12721	-0.00294	PASS
					-10	-4.17868	-0.00239	PASS
					0	-5.02081	-0.00288	PASS
					10	-1.45312	-0.00083	PASS
					20	-1.69616	-0.00097	PASS
					30	-5.17080	-0.00296	PASS
					40	-6.71195	-0.00385	PASS
					50	-5.11545	-0.00293	PASS
	LTE/TM2	1.4	LCH	VN	-30	184.78860	0.10802	PASS
					-20	116.02940	0.06783	PASS
					-10	-106.38720	-0.06219	PASS
					0	-98.17378	-0.05739	PASS
					10	92.59523	0.05413	PASS
					20	-191.11090	-0.11172	PASS
					30	119.33450	0.06976	PASS
					40	-175.01040	-0.10230	PASS
					50	-19.58846	-0.01145	PASS
			MCH	VN	-30	39.76658	0.02295	PASS
					-20	-58.65567	-0.03386	PASS
					-10	147.53500	0.08516	PASS
					0	156.39910	0.09027	PASS
					10	-112.30550	-0.06482	PASS
					20	75.02965	0.04331	PASS
					30	-171.84660	-0.09919	PASS
					40	139.34210	0.08043	PASS
					50	137.55810	0.07940	PASS
			HCH	VN	-30	115.21960	0.06568	PASS
					-20	-150.32480	-0.08569	PASS
					-10	-50.65622	-0.02888	PASS
					0	178.25350	0.10161	PASS
					10	-3.38398	-0.00193	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		3			20	-150.55350	-0.08582	PASS
					30	-157.46470	-0.08976	PASS
					40	-82.45294	-0.04700	PASS
					50	166.96360	0.09517	PASS
			LCH	VN	-30	1.06541	0.00062	PASS
					-20	0.89434	0.00052	PASS
					-10	1.13016	0.00066	PASS
					0	-0.65263	-0.00038	PASS
					10	2.25697	0.00132	PASS
					20	0.62868	0.00037	PASS
					30	0.64029	0.00037	PASS
					40	1.98839	0.00116	PASS
					50	-3.65633	-0.00214	PASS
			MCH	VN	-30	-0.59467	-0.00034	PASS
					-20	-2.54663	-0.00147	PASS
					-10	-1.61042	-0.00093	PASS
					0	0.87188	0.00050	PASS
					10	1.43050	0.00083	PASS
					20	-1.91469	-0.00111	PASS
					30	-5.15902	-0.00298	PASS
					40	-0.10848	-0.00006	PASS
					50	-4.65049	-0.00268	PASS
			HCH	VN	-30	-7.50122	-0.00428	PASS
					-20	-6.75288	-0.00385	PASS
					-10	-6.83594	-0.00390	PASS
					0	-2.92972	-0.00167	PASS
					10	-9.54263	-0.00544	PASS
					20	-2.77718	-0.00158	PASS
					30	-6.64790	-0.00379	PASS
					40	-3.95975	-0.00226	PASS
					50	-4.99537	-0.00285	PASS
		5	LCH	VN	-30	-2.80291	-0.00164	PASS
					-20	-2.67944	-0.00156	PASS
					-10	-1.87708	-0.00110	PASS
					0	-1.41247	-0.00082	PASS
					10	-0.60191	-0.00035	PASS
					20	-0.18146	-0.00011	PASS
					30	-3.29915	-0.00193	PASS
					40	-4.98540	-0.00291	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	50	-4.50642	-0.00263	PASS
					-30	-3.27271	-0.00189	PASS
					-20	-7.45657	-0.00430	PASS
					-10	-8.31183	-0.00480	PASS
					0	-0.24893	-0.00014	PASS
					10	-6.30745	-0.00364	PASS
					20	-1.75253	-0.00101	PASS
					30	-8.49343	-0.00490	PASS
					40	-3.01119	-0.00174	PASS
					50	-2.12025	-0.00122	PASS
			HCH	VN	-30	-4.06539	-0.00232	PASS
					-20	-8.99395	-0.00513	PASS
					-10	0.59208	0.00034	PASS
					0	-4.39872	-0.00251	PASS
					10	-2.43924	-0.00139	PASS
					20	-3.30976	-0.00189	PASS
					30	-6.35856	-0.00363	PASS
					40	-8.53457	-0.00487	PASS
					50	-4.87585	-0.00278	PASS
		10	LCH	VN	-30	-0.66748	-0.00039	PASS
					-20	-5.23450	-0.00305	PASS
					-10	-4.10918	-0.00240	PASS
					0	-3.88221	-0.00226	PASS
					10	-1.33099	-0.00078	PASS
					20	-5.19429	-0.00303	PASS
					30	-4.57157	-0.00267	PASS
					40	-11.02794	-0.00643	PASS
					50	0.81592	0.00048	PASS
			MCH	VN	-30	-9.14434	-0.00528	PASS
					-20	-1.25527	-0.00072	PASS
					-10	1.33088	0.00077	PASS
					0	-1.80577	-0.00104	PASS
					10	-3.25540	-0.00188	PASS
					20	-0.23295	-0.00013	PASS
					30	-4.55230	-0.00263	PASS
					40	-5.05185	-0.00292	PASS
					50	-3.23052	-0.00186	PASS
			HCH	VN	-30	-6.00746	-0.00343	PASS
					-20	-1.78221	-0.00102	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-0.54691	-0.00031	PASS
					0	-6.88628	-0.00394	PASS
					10	-4.70374	-0.00269	PASS
					20	-3.15899	-0.00181	PASS
					30	-3.84297	-0.00220	PASS
					40	-6.65208	-0.00380	PASS
					50	-7.20607	-0.00412	PASS
		15	LCH	VN	-30	-4.36034	-0.00254	PASS
					-20	-5.64977	-0.00329	PASS
					-10	-8.12129	-0.00473	PASS
					0	-5.52012	-0.00321	PASS
					10	-6.61042	-0.00385	PASS
					20	-4.20218	-0.00245	PASS
					30	-2.45574	-0.00143	PASS
					40	-6.18278	-0.00360	PASS
					50	-4.17563	-0.00243	PASS
			MCH	VN	-30	-5.56349	-0.00321	PASS
					-20	-0.79349	-0.00046	PASS
					-10	-2.64750	-0.00153	PASS
					0	-3.06441	-0.00177	PASS
					10	-4.25323	-0.00245	PASS
					20	-4.43646	-0.00256	PASS
					30	-5.08242	-0.00293	PASS
					40	-3.46035	-0.00200	PASS
					50	-4.35772	-0.00252	PASS
			HCH	VN	-30	-3.13153	-0.00179	PASS
					-20	-6.00382	-0.00344	PASS
					-10	-5.43551	-0.00311	PASS
					0	-5.02829	-0.00288	PASS
					10	-4.39939	-0.00252	PASS
					20	-0.52185	-0.00030	PASS
					30	-3.48509	-0.00199	PASS
					40	-6.16086	-0.00353	PASS
					50	-2.41343	-0.00138	PASS
		20	LCH	VN	-30	-3.65235	-0.00212	PASS
					-20	-5.30054	-0.00308	PASS
					-10	-4.47702	-0.00260	PASS
					0	-6.44309	-0.00375	PASS
					10	-5.54032	-0.00322	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-4.45948	-0.00259	PASS
					30	-6.90933	-0.00402	PASS
					40	-5.56721	-0.00324	PASS
					50	-6.62712	-0.00385	PASS
			MCH	VN	-30	-6.48827	-0.00375	PASS
					-20	-4.90416	-0.00283	PASS
					-10	-7.86142	-0.00454	PASS
					0	-4.17758	-0.00241	PASS
					10	-3.89160	-0.00225	PASS
					20	-5.56773	-0.00321	PASS
					30	-5.18724	-0.00299	PASS
					40	-4.24822	-0.00245	PASS
					50	-3.93117	-0.00227	PASS
			HCH	VN	-30	-3.82110	-0.00219	PASS
					-20	-2.44726	-0.00140	PASS
					-10	-3.13505	-0.00180	PASS
					0	-5.32113	-0.00305	PASS
					10	-1.31760	-0.00076	PASS
					20	-5.52857	-0.00317	PASS
					30	-4.70452	-0.00270	PASS
					40	-9.39657	-0.00538	PASS
					50	-1.07299	-0.00061	PASS

END