

Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0

Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#Max



Band41 QPSK BW=5MHz Channel=40315 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2550	2554	1000	2553.8	-40.16	-25
2	2554	2555	1000	2554.768	-38.6	-13
3	2555	2559	1000	2558.776	-36.63	-10
4	2559	2560	5.1	2559.807	-62.63	-10

Band41 QPSK BW=5MHz Channel=40315 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2550	2554	1000	2551.528	-40.16	-25
2	2554	2555	1000	2554.585	-38.16	-13
3	2555	2559	1000	2559	-16.11	-10
4	2559	2560	5.1	2559.999	-43.58	-10

Band41 QPSK BW=5MHz Channel=40315 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2550	2554	1000	2553.616	-39.9	-25
2	2554	2555	1000	2554.703	-39.3	-13
3	2555	2559	1000	2558.984	-29.8	-10
4	2559	2560	100	2559.983	-39.7	-10

Band41 QAM16 BW=5MHz Channel=40315 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2550	2554	1000	2553.232	-40.13	-25
2	2554	2555	1000	2554.717	-38.02	-13
3	2555	2559	1000	2558.996	-17.19	-10
4	2559	2560	5.1	2559.989	-45.59	-10

Band41 QAM16 BW=5MHz Channel=40315 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2550	2554	1000	2550.208	-40.06	-25
2	2554	2555	1000	2554.804	-39.79	-13
3	2555	2559	1000	2558.676	-36.39	-10
4	2559	2560	5.1	2559.793	-62.53	-10

Band41 QAM16 BW=5MHz Channel=40315 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2550	2554	1000	2553.468	-39.96	-25
2	2554	2555	1000	2554.866	-38.62	-13
3	2555	2559	1000	2558.988	-28.84	-10
4	2559	2560	100	2559.946	-39.76	-10

Band41 QPSK BW=5MHz Channel=41265 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.006	-41.14	-10
2	2661	2665	1000	2661.004	-15.55	-10
3	2665	2666	1000	2665.414	-37.84	-13
4	2666	2670	1000	2668.156	-36.41	-25

Band41 QPSK BW=5MHz Channel=41265 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.54	-61.96	-10
2	2661	2665	1000	2664.14	-35.8	-10
3	2665	2666	1000	2665.06	-38.07	-13
4	2666	2670	1000	2669.748	-39.47	-25

Band41 QPSK BW=5MHz Channel=41265 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	100	2660.038	-33	-10
2	2661	2665	1000	2661.036	-23.82	-10
3	2665	2666	1000	2665.096	-37.65	-13
4	2666	2670	1000	2666.348	-38.74	-25

Band41 QAM16 BW=5MHz Channel=41265 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.257	-61.9	-10
2	2661	2665	1000	2661.056	-35.91	-10
3	2665	2666	1000	2665.225	-38.46	-13
4	2666	2670	1000	2666.572	-39.59	-25

Band41 QAM16 BW=5MHz Channel=41265 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.011	-43.08	-10
2	2661	2665	1000	2661.012	-16.83	-10
3	2665	2666	1000	2665.024	-37.52	-13
4	2666	2670	1000	2668.448	-38.24	-25

Band41 QAM16 BW=5MHz Channel=41265 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	100	2660.006	-36.08	-10
2	2661	2665	1000	2661.068	-26.94	-10
3	2665	2666	1000	2665.025	-38.32	-13
4	2666	2670	1000	2666.176	-39.09	-25

Band41 QPSK BW=10MHz Channel=40340 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2547.5	2550	1000	2549.67	-40.32	-25
2	2550	2555	1000	2551.85	-38.33	-13
3	2555	2559	1000	2555.192	-39.04	-10
4	2559	2560	5.1	2559.61	-62.91	-10

Band41 QPSK BW=10MHz Channel=40340 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2547.5	2550	1000	2549.875	-40.09	-25
2	2550	2555	1000	2554.87	-35.88	-13
3	2555	2559	1000	2559	-26.59	-10
4	2559	2560	5.1	2560	-50.33	-10

Band41 QAM16 BW=10MHz Channel=40340 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2547.5	2550	1000	2549.29	-40.33	-25
2	2550	2555	1000	2554.335	-37.68	-13
3	2555	2559	1000	2558.936	-27.36	-10
4	2559	2560	5.1	2559.998	-50.65	-10

Band41 QPSK BW=10MHz Channel=40340 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2547.5	2550	1000	2548.8325	-40.19	-25
2	2550	2555	1000	2553.73	-37.2	-13
3	2555	2559	1000	2558.604	-32.25	-10
4	2559	2560	200	2559.668	-38.89	-10

Band41 QAM16 BW=10MHz Channel=40340 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2547.5	2550	1000	2548.615	-40.11	-25
2	2550	2555	1000	2551.77	-38.34	-13
3	2555	2559	1000	2557.62	-39.64	-10
4	2559	2560	5.1	2560	-62.65	-10

Band41 QAM16 BW=10MHz Channel=40340 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2547.5	2550	1000	2548.495	-40.07	-25
2	2550	2555	1000	2554.425	-38.21	-13
3	2555	2559	1000	2558.304	-36.14	-10
4	2559	2560	200	2559.976	-42.26	-10

Band41 QPSK BW=10MHz Channel=41240 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.267	-62.15	-10
2	2661	2665	1000	2661.104	-38.84	-10
3	2665	2670	1000	2668.165	-37.79	-13
4	2670	2672.5	1000	2671.8925	-39.56	-25

Band41 QPSK BW=10MHz Channel=41240 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.008	-47.47	-10
2	2661	2665	1000	2661.004	-25.59	-10
3	2665	2670	1000	2665.215	-36.94	-13
4	2670	2672.5	1000	2671.3925	-39.37	-25

Band41 QPSK BW=10MHz Channel=41240 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	200	2660.017	-32.97	-10
2	2661	2665	1000	2661.096	-27.96	-10
3	2665	2670	1000	2665.675	-32.79	-13
4	2670	2672.5	1000	2670.01	-39.18	-25

Band41 QAM16 BW=10MHz Channel=41240 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.234	-62.04	-10
2	2661	2665	1000	2661.7	-39.08	-10
3	2665	2670	1000	2668.39	-38.94	-13
4	2670	2672.5	1000	2670.385	-39.52	-25

Band41 QAM16 BW=10MHz Channel=41240 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.008	-49.26	-10
2	2661	2665	1000	2661.06	-27.34	-10
3	2665	2670	1000	2665.47	-37.56	-13
4	2670	2672.5	1000	2670.4675	-39.42	-25

Band41 QAM16 BW=10MHz Channel=41240 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	200	2660.07	-36.61	-10
2	2661	2665	1000	2661.088	-31.05	-10
3	2665	2670	1000	2665.155	-35.11	-13
4	2670	2672.5	1000	2670.965	-39.07	-25

Band41 QPSK BW=15MHz Channel=40365 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2541.25	2545	1000	2541.685	-40.27	-25
2	2545	2555	1000	2553.43	-38.1	-13
3	2555	2559	1000	2558.144	-32.22	-10
4	2559	2560	5.1	2559.995	-52.03	-10

Band41 QPSK BW=15MHz Channel=40365 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2541.25	2545	1000	2544.08125	-40.05	-25
2	2545	2555	1000	2554.19	-37.51	-13
3	2555	2559	1000	2558.468	-35.24	-10
4	2559	2560	300	2559.886	-38.96	-10

Band41 QPSK BW=15MHz Channel=40365 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2541.25	2545	1000	2544.7375	-40.31	-25
2	2545	2555	1000	2547.37	-38.15	-13
3	2555	2559	1000	2558.504	-40.11	-10
4	2559	2560	5.1	2559.219	-62.79	-10

Band41 QAM16 BW=15MHz Channel=40365 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2541.25	2545	1000	2541.47125	-40.3	-25
2	2545	2555	1000	2553.46	-38.74	-13
3	2555	2559	1000	2558.768	-30.4	-10
4	2559	2560	5.1	2559.998	-53.63	-10

Band41 QAM16 BW=15MHz Channel=40365 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2541.25	2545	1000	2544.9325	-40.29	-25
2	2545	2555	1000	2547.47	-38.64	-13
3	2555	2559	1000	2555.14	-40.05	-10
4	2559	2560	5.1	2559.159	-62.79	-10

Band41 QAM16 BW=15MHz Channel=40365 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2541.25	2545	1000	2543.92	-40.14	-25
2	2545	2555	1000	2554.42	-39.14	-13
3	2555	2559	1000	2558.928	-36.62	-10
4	2559	2560	300	2559.916	-40.64	-10

Band41 QPSK BW=15MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.015	-50.34	-10
2	2661	2665	1000	2661.312	-29.55	-10
3	2665	2675	1000	2665.87	-37.08	-13
4	2675	2678.75	1000	2676.95	-39.52	-25

Band41 QPSK BW=15MHz Channel=41215 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.426	-62.03	-10
2	2661	2665	1000	2661.628	-39.52	-10
3	2665	2675	1000	2672.36	-38.74	-13
4	2675	2678.75	1000	2677.37	-39.54	-25

Band41 QPSK BW=15MHz Channel=41215 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	300	2660.299	-31.14	-10
2	2661	2665	1000	2661.04	-26.77	-10
3	2665	2675	1000	2665.12	-30.97	-13
4	2675	2678.75	1000	2676.84125	-39.38	-25

Band41 QAM16 BW=15MHz Channel=41215 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.881	-62.26	-10
2	2661	2665	1000	2663.268	-39.12	-10
3	2665	2675	1000	2672.73	-39.41	-13
4	2675	2678.75	1000	2678.19125	-39.61	-25

Band41 QAM16 BW=15MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.014	-53.65	-10
2	2661	2665	1000	2661.116	-32.05	-10
3	2665	2675	1000	2666.83	-38.31	-13
4	2675	2678.75	1000	2675.285	-39.56	-25

Band41 QPSK BW=20MHz Channel=40390 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2535	2540	1000	2538.27	-40.26	-25
2	2540	2555	1000	2554.46	-37.49	-13
3	2555	2559	1000	2558.92	-27.63	-10
4	2559	2560	5.1	2559.978	-55.62	-10

Band41 QAM16 BW=15MHz Channel=41215 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	300	2660.039	-35.68	-10
2	2661	2665	1000	2661.216	-31.79	-10
3	2665	2675	1000	2665.24	-35.03	-13
4	2675	2678.75	1000	2675.5175	-39.27	-25

Band41 QPSK BW=20MHz Channel=40390 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2535	2540	1000	2538.28	-40.14	-25
2	2540	2555	1000	2554.745	-38.92	-13
3	2555	2559	1000	2558.92	-36.47	-10
4	2559	2560	430	2559.809	-36.88	-10

Band41 QPSK BW=20MHz Channel=40390 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2535	2540	1000	2537.615	-40.19	-25
2	2540	2555	1000	2543.435	-39.16	-13
3	2555	2559	1000	2558.908	-39.63	-10
4	2559	2560	5.1	2559.17	-62.91	-10

Band41 QAM16 BW=20MHz Channel=40390 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2535	2540	1000	2538.945	-40.14	-25
2	2540	2555	1000	2553.32	-37.52	-13
3	2555	2559	1000	2558.5	-30.19	-10
4	2559	2560	5.1	2559.981	-55.45	-10

Band41 QAM16 BW=20MHz Channel=40390 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2535	2540	1000	2535.915	-40.3	-25
2	2540	2555	1000	2552.81	-39.3	-13
3	2555	2559	1000	2558.38	-37.7	-10
4	2559	2560	430	2559.839	-38.74	-10

Band41 QAM16 BW=20MHz Channel=40390 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2535	2540	1000	2535.845	-40.36	-25
2	2540	2555	1000	2543.15	-39.41	-13
3	2555	2559	1000	2557.068	-39.93	-10
4	2559	2560	5.1	2559.126	-62.69	-10

Band41 QPSK BW=20MHz Channel=41190 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.943	-62.24	-10
2	2661	2665	1000	2662.712	-39.6	-10
3	2665	2680	1000	2676.685	-39.27	-13
4	2680	2685	1000	2684.92	-39.63	-25

Band41 QPSK BW=20MHz Channel=41190 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.003	-53.81	-10
2	2661	2665	1000	2661.156	-29.25	-10
3	2665	2680	1000	2665.105	-37.88	-13
4	2680	2685	1000	2680.995	-39.78	-25

Band41 QPSK BW=20MHz Channel=41190 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	430	2660.045	-35.33	-10
2	2661	2665	1000	2662.212	-32.84	-10
3	2665	2680	1000	2665.735	-34.96	-13
4	2680	2685	1000	2680.005	-39.65	-25

Band41 QAM16 BW=20MHz Channel=41190 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.004	-55.83	-10
2	2661	2665	1000	2661.22	-30.27	-10
3	2665	2680	1000	2665.24	-37.37	-13
4	2680	2685	1000	2682.275	-39.51	-25

Band41 QAM16 BW=20MHz Channel=41190 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	5.1	2660.323	-62	-10
2	2661	2665	1000	2664.184	-39.46	-10
3	2665	2680	1000	2670.955	-39.24	-13
4	2680	2685	1000	2680.45	-39.55	-25

Band41 QAM16 BW=20MHz Channel=41190 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2660	2661	430	2660.897	-37.57	-10
2	2661	2665	1000	2661.5	-34.17	-10
3	2665	2680	1000	2665.42	-36.19	-13
4	2680	2685	1000	2680.645	-39.59	-25

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#Max

Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0

Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0

Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max

Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#0

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#0



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#Max

Band66 QAM16 BW=10MHz Channel=132622 RB Size=1 Position=#Max



Band66 QAM16 BW=10MHz Channel=132622 RB Size=1 Position=#0



Band66 QAM16 BW=15MHz Channel=132047 RB Size=1 Position=#0



Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0

Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#Max



Band66 QAM16 BW=10MHz Channel=132022 RB Size=1 Position=#Max



Band66 QAM16 BW=10MHz Channel=132022 RB Size=1 Position=#0



Band66 QAM16 BW=20MHz Channel=132072 RB Size=1 Position=#Max



Band66 QAM16 BW=20MHz Channel=132072 RB Size=1 Position=#0



Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 QAM16 BW=20MHz Channel=132572 RB Size=1 Position=#Max



Band66 QAM16 BW=20MHz Channel=132572 RB Size=1 Position=#0



Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QAM16 BW=15MHz Channel=132047 RB Size=1 Position=#Max



Band66 QAM16 BW=15MHz Channel=132597 RB Size=1 Position=#0



Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0



Band66 QAM16 BW=15MHz Channel=132597 RB Size=1 Position=#Max



Band66 QAM16 BW=3MHz Channel=132657 RB Size=1 Position=#Max



Band66 QAM16 BW=3MHz Channel=132657 RB Size=1 Position=#0

Band66 QAM16 BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QAM16 BW=3MHz Channel=131987 RB Size=1 Position=#0



Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0

Band66 QAM16 BW=3MHz Channel=131987 RB Size=1 Position=#Max



Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#Max