







Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-16QAM-20525-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS



Band5-1.4MHz-QPSK-20643-6RB#0-PASS



Band5-1.4MHz-QPSK-20643-6RB#0-PASS




Band5-1.4MHz-QPSK-20643-6RB#0-PASS


CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.10 1.91 2.18 2.15 2.35 2.42 0.15 0.27 EVM Peak [%] 1h 10.76 9.74 15.14 15.10 20.88 21.19 4.56 5.30 EVM DMRS [%] 1h 1.31 1.28 1.46 1.50 1.61 1.83 0.14 0.24 IQ Offset [dBc] -48.09 -48.26 -46.37 -48.37 -46.37 -46.37 1.41 1.41 Freq Error [Hz] 0.24 -0.20 -1.65 -1.65 -1.65 -1.65 0.87 0.87 Timing Error [Ts] 23.95 23.91 24.01 24.01 24.01 24.01 0.16 0.16 TX Power [dBm] 22.55 22.55 22.54 22.56 22.56 22.56 0.01 0.01 Peak Power [dBm] 27.80 28.01 27.79 28.21 28.21 28.21 0.20 0.20 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.21 2.19 2.11 2.15 2.24 2.20 0.11 0.04 EVM Peak [%] 1h 14.75 14.67 12.38 12.80 16.06 15.91 2.95 2.29 EVM DMRS [%] 1h 1.50 1.51 1.49 1.53 1.60 1.65 0.08 0.08 IQ Offset [dBc] -52.88 -50.64 -48.42 -48.42 -48.42 -48.42 1.57 1.57 Freq Error [Hz] 0.93 -0.29 -1.53 -1.53 -1.53 -1.53 0.74 0.74 Timing Error [Ts] 6.25 6.38 6.46 6.46 6.46 6.46 0.09 0.09 TX Power [dBm] 22.83 21.99 21.96 22.03 22.03 22.03 0.03 0.03 Peak Power [dBm] 28.36 28.18 27.98 28.36 28.36 28.36 0.17 0.17 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen
Band5-1.4MHz-QPSK-20643-6RB#0-PASS	Band5-1.4MHz-16QAM-20643-6RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.20 2.16 2.09 2.13 2.20 2.18 0.09 0.05 EVM Peak [%] 1h 14.91 14.76 12.08 12.67 15.15 14.99 2.84 2.15 EVM DMRS [%] 1h 1.49 1.53 1.47 1.50 1.63 1.64 0.09 0.08 IQ Offset [dBc] -51.30 -50.59 -48.41 -48.41 -48.41 -48.41 1.57 1.57 Freq Error [Hz] 1.50 -0.33 -2.60 -2.60 -2.60 -2.60 1.60 1.60 Timing Error [Ts] 6.39 6.20 6.39 6.39 6.39 6.39 0.14 0.14 TX Power [dBm] 21.88 21.85 21.82 21.87 21.87 21.87 0.03 0.03 Peak Power [dBm] 28.24 28.07 27.85 28.28 28.28 28.28 0.20 0.20 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.19 2.18 2.12 2.17 2.26 2.25 0.11 0.05 EVM Peak [%] 1h 15.06 14.95 12.30 12.92 15.66 15.51 3.20 2.42 EVM DMRS [%] 1h 1.39 1.49 1.43 1.46 1.55 1.61 0.07 0.07 IQ Offset [dBc] -52.57 -50.49 -48.23 -48.23 -48.23 -48.23 1.82 1.82 Freq Error [Hz] -2.75 -0.17 2.88 2.88 2.88 2.88 1.89 1.89 Timing Error [Ts] 6.29 6.03 6.30 6.30 6.30 6.30 0.15 0.15 TX Power [dBm] 21.93 21.93 21.90 21.93 21.93 21.93 0.03 0.03 Peak Power [dBm] 28.30 28.10 27.85 28.31 28.31 28.31 0.21 0.21 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen
Band5-1.4MHz-16QAM-20643-6RB#0-PASS	Band5-1.4MHz-16QAM-20643-6RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.21 2.21 2.12 2.12 2.21 2.21 0.10 0.05 EVM Peak [%] 1h 15.09 15.01 12.10 12.78 15.55 15.40 3.02 2.25 EVM DMRS [%] 1h 1.37 1.42 1.43 1.46 1.52 1.55 0.05 0.07 IQ Offset [dBc] -50.88 -50.99 -49.55 -49.55 -49.55 -49.55 1.31 1.31 Freq Error [Hz] -3.36 -0.77 -3.36 -3.36 -3.36 -3.36 1.80 1.80 Timing Error [Ts] 6.00 6.07 6.25 6.25 6.25 6.25 0.13 0.13 TX Power [dBm] 21.90 21.87 21.83 21.90 21.90 21.90 0.03 0.03 Peak Power [dBm] 28.27 28.08 27.86 28.30 28.30 28.30 0.21 0.21 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.19 2.17 2.12 2.15 2.21 2.19 0.08 0.03 EVM Peak [%] 1h 15.18 15.04 12.25 12.81 15.65 15.51 3.15 2.45 EVM DMRS [%] 1h 1.41 1.46 1.45 1.50 1.59 1.63 0.06 0.06 IQ Offset [dBc] -50.70 -50.73 -49.53 -49.53 -49.53 -49.53 0.58 0.58 Freq Error [Hz] 0.30 -1.14 -2.75 -2.75 -2.75 -2.75 1.16 1.16 Timing Error [Ts] 6.01 5.96 6.13 6.13 6.13 6.13 0.18 0.18 TX Power [dBm] 21.87 21.84 21.81 21.87 21.87 21.87 0.03 0.03 Peak Power [dBm] 28.26 28.05 27.79 28.30 28.30 28.30 0.22 0.22 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen
Band5-1.4MHz-16QAM-20643-6RB#0-PASS	Band5-1.4MHz-16QAM-20643-6RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.16 2.14 2.09 2.13 2.23 2.21 0.11 0.05 EVM Peak [%] 1h 14.89 14.71 12.13 12.95 15.27 15.13 2.88 2.31 EVM DMRS [%] 1h 1.40 1.47 1.44 1.49 1.53 1.56 0.06 0.06 IQ Offset [dBc] -52.43 -50.42 -48.40 -48.40 -48.40 -48.40 1.64 1.64 Freq Error [Hz] -0.64 -0.17 1.50 1.50 1.50 1.50 0.97 0.97 Timing Error [Ts] 5.72 5.77 6.04 6.04 6.04 6.04 0.15 0.15 TX Power [dBm] 21.85 21.82 21.78 21.85 21.85 21.85 0.03 0.03 Peak Power [dBm] 28.28 28.03 27.74 28.28 28.28 28.28 0.24 0.24 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y Current Average Maximum 10h 1h 1h 1h 1h 1h 1h 1h 1h 1h Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.22 2.18 2.11 2.15 2.24 2.23 0.10 0.04 EVM Peak [%] 1h 14.73 14.61 11.99 12.62 15.14 15.00 2.95 2.20 EVM DMRS [%] 1h 1.33 1.41 1.41 1.44 1.58 1.53 0.08 0.06 IQ Offset [dBc] -50.66 -50.73 -48.86 -48.86 -48.86 -48.86 1.50 1.50 Freq Error [Hz] 1.42 -0.41 2.27 2.27 2.27 2.27 1.30 1.30 Timing Error [Ts] 5.93 5.75 5.97 5.97 5.97 5.97 0.18 0.18 TX Power [dBm] 21.82 21.79 21.76 21.82 21.82 21.82 0.03 0.03 Peak Power [dBm] 28.23 28.01 27.72 28.26 28.26 28.26 0.24 0.24 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % PS Connection Established RNC State Connected Go To Local Show Remote Screen
Band5-1.4MHz-16QAM-20643-6RB#0-PASS	Band5-1.4MHz-16QAM-20643-6RB#0-PASS

CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3MHz Ref Level: 40.00dBm BW: 1.4MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 10 20 30 40 50 60 70 80 90 100 0 1 2 3 4 5 6 7 8 9 10 0 1 2 3 4 <


CMW 500 V3.7.2.2 - LTE Measurement - V3.7.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 825.5 MHz Ref Level: 40.00 dBm BW: 3.0 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS)
--




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-16QAM-20415-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS




Band5-3MHz-QPSK-20525-15RB#0-PASS



Band5-3MHz-16QAM-20525-15RB#0-PASS




Band5-3MHz-16QAM-20525-15RB#0-PASS




Band5-3MHz-16QAM-20525-15RB#0-PASS


CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 38.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 38.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen
Band5-3MHz-16QAM-20525-15RB#0-PASS	Band5-3MHz-16QAM-20525-15RB#0-PASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 38.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 38.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen
Band5-3MHz-16QAM-20525-15RB#0-PASS	Band5-3MHz-16QAM-20525-15RB#0-PASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 38.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 38.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen
Band5-3MHz-16QAM-20525-15RB#0-PASS	Band5-3MHz-16QAM-20525-15RB#0-PASS
CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 847.5 MHz Ref Level: 39.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen	CMW 500 V3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 847.5 MHz Ref Level: 39.80 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) Current Average Maximum 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State: Connected Show Remote Screen
Band5-3MHz-QPSK-20635-15RB#0-PASS	Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-QPSK-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-3MHz-16QAM-20635-15RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS




Band5-5MHz-QPSK-20425-25RB#0-PASS





Band5-5MHz-QPSK-20425-25RB#0-PASS





Band5-5MHz-QPSK-20425-25RB#0-PASS





Band5-5MHz-16QAM-20425-25RB#0-PASS



Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-16QAM-20425-25RB#0-PASS

Band5-5MHz-16QAM-20425-25RB#0-PASS


CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 826.5 MHz Ref Level: 37.00 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 10 5 0</
--




Band5-5MHz-QPSK-20525-25RB#0-PASS




Band5-5MHz-QPSK-20525-25RB#0-PASS




Band5-5MHz-QPSK-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-5MHz-16QAM-20625-25RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS



Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-QPSK-20450-50RB#0-PASS




Band5-10MHz-16QAM-20450-50RB#0-PASS

CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band5-10MHz-16QAM-20450-50RB#0-PASS	Band5-10MHz-16QAM-20450-50RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band5-10MHz-16QAM-20450-50RB#0-PASS	Band5-10MHz-16QAM-20450-50RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band5-10MHz-16QAM-20450-50RB#0-PASS	Band5-10MHz-16QAM-20450-50RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 825.0 MHz Ref Level: 40.00 dBm BW: 10.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band5-10MHz-16QAM-20450-50RB#0-PASS	Band5-10MHz-16QAM-20450-50RB#0-PASS







Band5-10MHz-QPSK-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-QPSK-20600-50RB#0-PASS




Band5-10MHz-16QAM-20600-50RB#0-PASS




Band5-10MHz-16QAM-20600-50RB#0-PASS




Band5-10MHz-16QAM-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-50RB#0-PASS



---END---