Appendix B

RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: True Wireless Earbuds

Trade Mark: AUKEY

Test Model: EP-S1

Environmental Conditions

Temperature:	24.6℃
Relative Humidity:	52.3%
ATM Pressure:	101Kpa
Test Engineer:	Emiya Lin
Supervised by:	Simba Huang

Contents

Page

COVER PAGE

1 Duty Cycle 3
1.1 Test Result 3
1.2 Test Graphs 4
2 Maximum Conducted Peak Output Power 9
2.1 Test Result 9
2.2 Test Graphs 10
3 20dB Bandwidth 15
3.1 Test Result 15
3.2 Test Graphs 16
4 Carrier Frequency Separation 21
4.1 Test Result 21
4.2 Test Graphs 22
5 Hopping Channel Number 24
5.1 Test Result 24
5.2 Test Graphs 25
6 Dwell Time 27
6.1 Test Result 27
6.2 Test Graphs 28
7 RF Conducted Spurious Emissions 31
7.1 Test Result 31
7.2 Test Graphs 32
8 Band-edge for RF Conducted Emissions 41
8.1 Test Result 41
8.2 Test Graphs 42
9 Restrict-band band-edge measurements 54
9.1 Test Result 54
9.2 Test Graphs 56

1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor	1/T (kHz)
1-DH1	2402	31.2	5.06	2.63
1-DH1	2441	32	4.95	2.56
1-DH1	2480	31.2	5.06	2.63
2-DH1	2402	32.45	4.89	2.56
2-DH1	2441	32.01	4.95	2.56
2-DH1	2480	32.8	4.84	2.5
3-DH1	2402	32	4.95	2.56
3-DH1	2441	32	4.95	2.56
3-DH1	2480	32.01	4.95	2.56

1.2 Test Graphs

Test Graphs
1-DH1 2402MHz



1-DH1 2441MHz



1-DH1 2480MHz



2-DH1 2402MHz



2-DH1 2441MHz



2-DH1 2480MHz



3-DH1 2402MHz



3-DH1 2441MHz



3-DH1 2480MHz



2 Maximum Conducted Peak Output Power

2.1 Test Result

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	0.62	21	Pass
	MCH	-0.55	21	Pass
	HCH	-2.27	21	Pass
π/4DQPSK	LCH	1.12	21	Pass
	MCH	-0.03	21	Pass
	HCH	-1.72	21	Pass
8DPSK	LCH	0.87	21	Pass
	MCH	0.21	21	Pass
	HCH	-1.67	21	Pass

2.2 Test Graphs

Test Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH	
π/4DQPSK/HCH	

8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Spectrum
Ref Level 20.00 dBm Offset 2.81 dB RBW 3 MHz
Att 30 dB SWT 1.3 µs VBW 10 MHz Mode Auto FFT
SGL Count 100/100
1Pk Max
M1[1] -1.67 dBm
2.479528000 GHz
M1
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
CF 2.48 GHz
10001 pts
Span 10.0 MHz

3 20dB Bandwidth

3.1 Test Result

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.876	Not Specified	Pass
	MCH	0.874	Not Specified	Pass
	HCH	0.927	Not Specified	Pass
π/4DQPSK	LCH	1.248	Not Specified	Pass
	MCH	1.24	Not Specified	Pass
	HCH	1.214	Not Specified	Pass
8DPSK	LCH	1.25	Not Specified	Pass
	MCH	1.249	Not Specified	Pass
	HCH	1.238	Not Specified	Pass

3.2 Test Graphs

Test Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH	
π/4DQPSK/HCH	

8DPSK/LCH	
8DPSK/MCH	

8DPSK/HCH	

Spectrum
Ref Level 20.00 dBm Offset 2.81 dB RBW 30 kHz
Att 30 dB SWT 63.2 µs VBW 100 kHz Mode Auto FFT
SGL Count 100/100
1Pk Max
M1[1] -5.26 dBm
2.480009000 GHz
M2[1] -25.27 dBm
2.479395000 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
CF 2.48 GHz
10001 pts
Span 2.0 MHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 2.480009 GHz -5.26 dBm
M2 1 2.479395 GHz -25.27 dBm
M3 1 2.480633 GHz -25.17 dBm

4 Carrier Frequency Separation

4.1 Test Result

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	MCH	1.003	0.583	Pass
π/4DQPSK	MCH	1.001	0.827	Pass
8DPSK	MCH	1.002	0.833	Pass

4.2 Test Graphs

Test Graphs	
GFSK/MCH	
π/4DQPSK/MCH	

8DPSK/MCH	

Spectrum
Ref Level 20.00 dBm Offset 2.80 dB RBW 30 kHz
Att 30 dB SWT 63.3 µs VBW 100 kHz Mode Auto FFT
1Pk Max
M1[1] -3.21 dBm
2.44100500 GHz
M2[1] -3.21 dBm
2.44200700 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
CF 2.4415 GHz
1001 pts
Span 2.0 MHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 2.441005 GHz -3.21 dBm
M2 1 2.442007 GHz -3.21 dBm

5 Hopping Channel Number

5.1 Test Result

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

5.2 Test Graphs

Test Graphs	
GFSK/Hop	
π/4DQPSK/Hop	

8DPSK/Hop	

Spectrum
Ref Level 20.00 dBm Offset 2.80 dB RBW 100 kHz
Att 30 dB SWT 94.8 µs VBW 300 kHz Mode Auto FFT
1Pk Max
M1[1] -5.66 dBm
2.4015030 GHz
M2[1] -7.73 dBm
2.4804105 GHz
10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
Start 2.4 GHz
1001 pts
Stop 2.4835 GHz
Marker
Type Ref Trc X-value Y-value Function Function Result
M1 1 2.401503 GHz -5.66 dBm
M2 1 2.4804105 GHz -7.73 dBm

6 Dwell Time

6.1 Test Result

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[ms]	Limit [s]	Verdict
GFSK	DH5	MCH	2.887	107	308.909	0.4	Pass
π/4DQPSK	2DH5	MCH	2.893	117	338.481	0.4	Pass
8DPSK	3DH5	MCH	2.894	111	321.234	0.4	Pass

6.2 Test Graphs

Test Graphs	
GFSK_DH5/MCH	 

π/4DQPSK
_2DH5/MCH





8DPSK _3DH5/MCH	 

7 RF Conducted Spurious Emissions

7.1 Test Result

Mode	Channel	Max. Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	-41.85	-20	Pass
	MCH	-40.48	-20	Pass
	HCH	-39.02	-20	Pass
π/4DQPSK	LCH	-41.74	-20	Pass
	MCH	-39.88	-20	Pass
	HCH	-38.26	-20	Pass
8DPSK	LCH	-42.49	-20	Pass
	MCH	-41.33	-20	Pass
	HCH	-38.34	-20	Pass

7.2 Test Graphs

GFSK_LCH_Graphs	
Pref	
Puw	

GFSK_MCH_Graphs	
Pref	
Puw	

GFSK_HCH_Graphs	
Pref	
Puw	 Marker Type | Ref | Trc | X-value | Y-value | Function | Function Result M1 | 1 | 2.47972 GHz | -3.45 dBm M2 | 1 | 9.920074 GHz | -41.22 dBm M3 | 1 | 4.94195 GHz | -46.16 dBm M4 | 1 | 7.558068 GHz | -47.66 dBm M5 | 1 | 9.920074 GHz | -41.22 dBm

π/4DQPSK_LCH_Graphs	
Pref	
Puw	

π/4DQPSK_MCH_Graphs	
Pref	
Puw	 Marker Type | Ref | Trc | X-value | Y-value | Function | Function Result M1 | 1 | 2.4409 GHz | -3.74 dBm M2 | 1 | 6.997786 GHz | -40.47 dBm M3 | 1 | 4.91548 GHz | -45.74 dBm M4 | 1 | 7.462776 GHz | -48.37 dBm M5 | 1 | 9.763901 GHz | -43.43 dBm

π/4DQPSK_HCH_Graphs	
Pref	
Puw	

8DPSK_LCH_Graphs	
Pref	
Puw	

8DPSK_MCH_Graphs	
Pref	
Puw	 Marker Type | Ref | Trc | X-value | Y-value | Function | Function Result M1 | 1 | 2.4409 GHz | -2.71 dBm M2 | 1 | 6.998669 GHz | -41.70 dBm M3 | 1 | 4.876657 GHz | -46.65 dBm M4 | 1 | 7.212193 GHz | -47.28 dBm M5 | 1 | 9.763901 GHz | -43.49 dBm

8DPSK_HCH_Graphs	
Pref	
Puw	

8 Band-edge for RF Conducted Emissions

8.1 Test Result

Mode	Channel	Carrier Frequency [MHz]	Frequency Hopping	Max Spurious Level [dBc]	Limit [dBc]	Verdict
GFSK	LCH	2402	Off	-56.15	-20	Pass
			On	-54.27	-20	Pass
	HCH	2480	Off	-53.18	-20	Pass
			On	-52.32	-20	Pass
π/4DQPSK	LCH	2402	Off	-56.2	-20	Pass
			On	-53.44	-20	Pass
	HCH	2480	Off	-53.23	-20	Pass
			On	-52.76	-20	Pass
8DPSK	LCH	2402	Off	-55.31	-20	Pass
			On	-53.6	-20	Pass
	HCH	2480	Off	-52.46	-20	Pass
			On	-52.41	-20	Pass

8.2 Test Graphs

Test Graphs	
Pref	
GFSK/LCH/No Hop	

Ref	
GFSK/LCH/Hop	 Marker Type Ref Trc X-value Y-value Function Function Result M1 1 2.40285 GHz 0.55 dBm M2 1 2.4 GHz -56.21 dBm M3 1 2.39 GHz -55.29 dBm M4 1 2.372 GHz -53.72 dBm

Ref	
GFSK/HCH/No Hop	 Marker Type Ref Trc X-value Y-value Function Function Result M1 1 2.47985 GHz -2.27 dBm M2 1 2.4835 GHz -58.76 dBm M3 1 2.5 GHz -58.89 dBm M4 1 2.4942 GHz -55.48 dBm

Ref.	
GFSK/HCH/Hop	

Ref	
π/4DQPSK/LCH/No Hop	

Ref	
π/4DQPSK/LCH/Hop	

Ref	
π/4DQPSK/HCH/No Hop	

Ref	
π/4DQPSK/HCH/Hop	

Ref	
8DPSK/LCH/No Hop	

Ref	
8DPSK/LCH/Hop	

Ref	
8DPSK/HCH/No Hop	

Ref	
8DPSK/HCH/Hop	

9 Restrict-band band-edge measurements

9.1 Test Result

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Duty Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-49.08	2	-	48.18	PEAK	74	Pass
	Off	2310.0	-56.14	2	5.06	46.18	AV	54	Pass
	Off	2376.624	-45.58	2	-	51.68	PEAK	74	Pass
	Off	2341.68	-54.66	2	5.06	47.66	AV	54	Pass
	Off	2390.0	-49.63	2	-	47.63	PEAK	74	Pass
	Off	2390.0	-56.2	2	5.06	46.12	AV	54	Pass
	Off	2483.5	-49.41	2	-	47.85	PEAK	74	Pass
	Off	2483.5	-56.75	2	5.06	45.57	AV	54	Pass
	Off	2493.304	-46.1	2	-	51.16	PEAK	74	Pass
	Off	2500	-55.56	2	5.06	46.76	AV	54	Pass
	Off	2500.0	-48.45	2	-	48.81	PEAK	74	Pass
	Off	2500.0	-55.57	2	5.06	46.75	AV	54	Pass
π/4DQPSK	Off	2310.0	-49.44	2	-	47.82	PEAK	74	Pass
	Off	2310.0	-56.47	2	4.89	45.68	AV	54	Pass
	Off	2344.272	-44.5	2	-	52.76	PEAK	74	Pass
	Off	2345.424	-54.9	2	4.89	47.25	AV	54	Pass
	Off	2390.0	-51.4	2	-	45.86	PEAK	74	Pass
	Off	2390.0	-56.68	2	4.89	45.47	AV	54	Pass
	Off	2483.5	-48.09	2	-	49.17	PEAK	74	Pass
	Off	2483.5	-56.09	2	4.84	46.01	AV	54	Pass
	Off	2484.472	-47.14	2	-	50.12	PEAK	74	Pass
	Off	2487.136	-55.4	2	4.84	46.7	AV	54	Pass
	Off	2500.0	-48.03	2	-	49.23	PEAK	74	Pass
	Off	2500.0	-56.21	2	4.84	45.89	AV	54	Pass
8DPSK	Off	2310.0	-49.83	2	-	47.43	PEAK	74	Pass
	Off	2310.0	-56.12	2	4.95	46.09	AV	54	Pass
	Off	2342.16	-45.52	2	-	51.74	PEAK	74	Pass
	Off	2337.552	-54.32	2	4.95	47.89	AV	54	Pass

	Off	2390.0	-49.41	2	-	47.85	PEAK	74	Pass
	Off	2390.0	-57.29	2	4.95	44.92	AV	54	Pass
	Off	2483.5	-49.08	2	-	48.18	PEAK	74	Pass
	Off	2483.5	-56.36	2	4.95	45.85	AV	54	Pass
	Off	2495.92	-45.89	2	-	51.37	PEAK	74	Pass
	Off	2490.64	-55.74	2	4.95	46.47	AV	54	Pass
	Off	2500.0	-50.69	2	-	46.57	PEAK	74	Pass
	Off	2500.0	-56.72	2	4.95	45.49	AV	54	Pass

9.2 Test Graphs

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)



---The End---