


Air Purifier

Product ID. 7YMS5



Scan for Support
support@garvee.com



Distributed by
GARVEE.com

V260826RZXP

技术要求：

- 1、彩盒、纸卡：物料材质和尺寸要按文档要求，成品尺寸偏差2-3mm内的要求；
- 2、外箱：物料材质和尺寸要按文档要求，成品尺寸偏差正5mm内的要求；
- 3、珍珠棉：珍珠棉粘合处要平整、胶水要均匀、成品尺寸偏差2-3mm内的要求；
- 4、说明书，保修卡，标贴画册等印刷类包材，必须符合品质部验货要求；

*所有包材详细可对照: 说明书检验作业指引：YWT-WI-PZ-15
印刷标贴件检验作业指导：YWT-WI-PZ-17
PVC标贴件检验作业指引：YWT-WI-PZ-21

- ①印刷内容、图案、文字字体应符合图纸或封样件要求，文字图案应清晰、饱满、无脱色及明显溢边；位置准确，水平偏斜不允许超过5mm，图案颜色深浅一致，油墨附着力好，用手指轻擦不脱色；
- ②包装物料须有防护措施，不允许因包装、运输等损坏其外表面；
- ③产品需符合欧盟Rohs指令规定的六种有害物质要求；


					型号: Sol 名称: Sol美规英文说明书				图号	SOL-SMS006K-C-000465	
									版本	A1	
									尺寸	148.5X210mm	
					阶段	S	A	B	材质	100g双胶纸 骑马订	
标记	处数	更改文件号	签名	年-月-日	视角	比例		重量	物料编码	2030013168	
设计		梁佩儿	标准化	李子开		1:1			广东英为拓科技有限公司		
审核		邓春花									
工艺		陈松伟	批准	Shell							
会签			日期	2026.8.26	共 页		第 页				

Air Purifier

Product ID. 7YMS5



Scan for Support
support@garvee.com



Distributed by
GARVEE.com

V260826RZXP

01/IMPORTANT

Before using this product, please read this user manual carefully and keep it for future reference.

Danger warning

1. Do not allow water or other liquids or flammable detergents to enter the product to avoid electric shock fire.
2. Do not use water or other liquids or flammable detergents to clean the product to avoid electric shock fire.
3. Do not spray any flammable materials such as insecticides or perfumes around the product.

Safety warning

1. Before connecting the product to the power supply, please check whether the voltage used by the product matches the local power supply voltage.
2. If the power cord is damaged, it must be replaced by an electrician or a full-time staff to avoid danger.
3. Do not use this product if the plug, power cord or product itself is damaged.
4. Do not block the air inlet and outlet, for example, do not place objects on the outlet or in front of the air inlet.
5. Do not allow foreign objects to enter the product from the air inlet.
6. This product cannot be used by people with physical disabilities, mental disorders or lack of relevant experience and skills (including children), unless they are instructed or explained by the person responsible for safety. Children are not allowed to play with this product. Do not let children clean and maintain the product without supervision.

READ AND SAVE THESE INSTRUCTIONS

WARNING - To Reduce The Risk Of Fire Or Electric Shock, Do Not Use This Fan With Any Solid-State Speed Control Device.




AVERTISSEMENT : NE CONVIENT PAS À DES RÉGULATEURS DE VITESSE À SEMI-CONDUCTEURS.

WARNING: To Reduce The Risk Of Fire, Electric Shock Or Injury To Persons, Do Not Use Replacement Parts That Have Not Been Recommended By The Manufacturer (e.g. Parts Made At Home Using A 3D Printer).


Warnings for use

1. This product cannot replace normal ventilation, daily vacuuming or range hoods used when cooking.
 2. If the power socket connected to the product is not in good contact, the plug of the product may become very hot. Make sure that the connected power socket is in good contact. Do not place anything on the product.
 3. Always place and use this product on a stable, flat and horizontal surface.
 4. Leave at least 30 cm of space at the air inlet of the product and at least 50 cm of space at the air outlet above the product.
Do not place the product directly under the air conditioner to prevent condensation from dripping into the product.
 6. Before turning on the power of the product, make sure that the filter and filter cover are properly installed.
 - This appliance can be used by children aged from 8 years and above under supervision.
 - a) -This appliance can be used by persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction
 - b) concerning use of the appliance in a safe way and understand the hazards involved. (For EU)
 - children shall not play with the appliance.
- The appliance is only to be used with the adapter provided.
Clean the surface of the product with gloves using a clean cloth and a soft brush.
8. Only use the original designed filter. Do not use any other filter.
 9. Burning the filter may cause irreversible harm to the human body or endanger other lives. Do not use the filter as fuel or similar purposes.
 10. Do not hit the product with hard objects (especially the air outlet and air inlet).
 11. Do not insert fingers or objects into the air outlet or air inlet to prevent physical damage or malfunction of the product.
 12. Do not use this product when you are using indoor spray insect repellent or in a place full of oil, flammable gas or chemical fumes.
 13. Be sure to unplug the product after use and before cleaning the product or performing other maintenance or replacing the filter.
 14. If you need to move the product, please disconnect the power supply of the product first, and do not move the product by pulling the power cord.

02/PRODUCT OVERVIEW PART NAMES



03/CONTROL PANEL



Control Panel	JH300A23-02A
Size	235*235*385mm
Weight	3.0KG
Rated voltage	Input:100-240V 50Hz/60Hz; Output:24V 1.2A
Rated power	26W
Noise level	54dB

04/INSTRUCTIONS

Plug the adapter plug of the air purifier into the power socket and connect the other end to the machine. The machine will make a "beep" sound, the other buttons will light up for 2S and then go out, entering the standby state.

Power button

1) In the standby state, press this button to turn on the machine with the second wind speed. The indicator light corresponding to the wind speed will light up, the PM2.5 light bar will light up, the background light of the indicator bar will change color, and the background light of the indicator bar will display the color corresponding to the current PM2.5 gear with standard light.

Press it again to enter the standby state, and all loads will be turned off.

If it is not the first time to power on, press this button once, and the parameters set before the last shutdown will be defaulted.

Fan Speed button

When the device is turned on, pressing the speed key briefly will cycle through four functions: first gear, second gear, third gear, and auto mode. The functions can be switched directly without waiting, and the last selected icon will be automatically confirmed and executed. The corresponding indicator light will turn on, when switching gears, the speed will change linearly over 5 seconds, and there should be no sudden changes in power or speed.

In the working state of auto mode, the corresponding indicator light will turn on, and the fan speed will operate according to the gear corresponding to the PM2.5 module's detected value range. The screen will display the real-time air quality Note: Auto mode adjusts the fan speed based on the comprehensive air quality to purify the air.

This key can be used as a child lock combination key. Press and hold for 3 seconds to turn the child lock on/off. After pressing and holding for 3 seconds, the child lock is activated, and the corresponding indicator light turns on. The machine's status remains unchanged, and all keys except the child lock key will be locked. Press and hold the speed adjustment key for 3 seconds to release the lock key status, and the buzzer will sound once, returning all keys to their normal state. (In the lock key state, the power key cannot normally control the power on/off.) In the child lock state, pressing any key (except the child lock) is invalid, and the buzzer will sound twice to indicate an error, with the child lock icon on the panel flashing.

Sleep Mode button

1) Press the sleep mode button, and if there is no operation after 5 seconds, the "Sleep" indicator will be displayed at 50% brightness, and all other display screens will be turned off. After the screen is off, touch any button to wake up the screen, and the other indicator lights on the display will be 50% bright. If there is no further key input, the display will continue to be turned off after 5 seconds.

2) In sleep mode, turn off the buzzer sound of the whole machine (except the filter reset function). Sleep mode does not affect the manual setting of child lock and timing.

Timing button

1) In the working state, the timer setting status or the timer effective status has the timer key light constantly on. Pressing this key can achieve the timer time setting from 0 to 24 hours. When the timer number display is shown, the LED "H" lights up. The key light goes out when the timer ends or the timer is cancelled.

2) Touch the timing button, the screen displays the current timing gear time, the H light below the digital display lights up, and the time value flashes for 3 seconds. Touch the timing button again within the set time. The maximum setting time is 24 hours. Press this button to set the timing time. 2, 4, 8, 10, 12, 16, 20, 24, 0 can be used to cancel the timing cycle setting. After flashing for 3 seconds without operation, it returns to the real-time air quality value.

3) When the timing mode is turned on, the timing button light is always on. When the timing mode is not turned on, the timing button light is off. After confirming the timing, the whole machine works in timing. When the timing work is completed, the whole machine shuts down and enters the standby state.

In the condition of working, touch the timer button for around 3s can switch the Wi-Fi connection mode.

Smartconfig mode: The Wi-Fi indicator flashes quickly at a rate of 3 times per second.

Ap config mode: The Wi-Fi indicator flashes slowly at a rate of 1 time every 3 seconds.

Wi-Fi manual

1. Use your mobile phone to scan the QR code below to download the "Smart Life" APP. You can also search for "smart life" in the APP store or Google Play to install the APP.

Open the "Smart Life" app, click "register", use your phone number or email to register the "Smart Life" account, and then log in to the App.



READ AND SAVE THESE INSTRUCTIONS

WARNING - To Reduce The Risk Of Fire Or Electric Shock, Do Not Use This Fan With Any Solid-State Speed Control Device.

AVERTISSEMENT : NE CONVIENT PAS À DES RÉGULATEURS DE VITESSE À SEMI-CONDUCTEURS.

WARNING: To Reduce The Risk Of Fire, Electric Shock Or Injury To Persons, Do Not Use Replacement Parts That Have Not Been Recommended By The Manufacturer (e.g. Parts Made At Home Using A 3D Printer).

This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electric shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

Note

Please clean the dust on the filter regularly.

- The filter cannot be washed or reused. Before replacing the filter, be sure to turn off the machine and unplug it from the power socket.
- Do not use a vacuum cleaner to clean the filter.
- When the filter icon on the display lights up, it indicates that the filter needs to be replaced.

Remove the filter packaging material

Before using the new product, please remove the packaging material of the filter; make sure to unplug the air purifier adapter from the power socket before removing/installing the filter.

06/CLEANING AND MAINTENANCE

When the filter replacement indicator lights up, it indicates that the filter needs to be replaced. Please use the original filter.

Note

- Before maintenance, be sure to turn off the purifier and unplug the power plug.
 - Never immerse the purifier in water or any liquid.
 - Never use abrasive, corrosive or flammable detergents (such as bleach or alcohol) to clean any parts of the purifier.
- The filter cannot be washed.

Cleaning

1. Turn off the machine and unplug the power plug;
2. Take out the filter and clean the dust adsorbed on the outer surface of the filter;
Clean the air inlet/outlet, wipe the outer shell of the air purifier.
3. with a neutral detergent and a soft cotton cloth.
4. After the air purifier is dry, install the filter into the air purifier and turn it on for use.

Note: When wiping the air outlet, no water can drip into the machine.

Filter Reset button

Press and hold this key for 3 seconds to clear the accumulated working time of the filter and restart the timer. The filter key light will also go off. (Pressing this key is also effective even if the filter indicator light is not on.)

Filter replacement reminder: When the filter reaches its lifespan, the filter key red light will flash.

07/Filter Reset

Problem	Cause of the problem
Cannot be turned on	① Confirm whether the plug is plugged into the power outlet? Is there a power outage? ② Is the leakage switch or fuse in the home cut off? ③ Is there any remaining service life for the filter element?
Weakened airflow at the air outlet	① The primary filter on the outer surface of the filter is dirty, causing the air volume to decrease? ② Is there any foreign object blocking the inlet/outlet?
Too loud noise	① Is there any foreign object stuck in the fan in the air outlet? ② Is the machine placed at an angle? ③ If none of the above conditions exist, you can change the fan to a lower wind speed level.
Unpleasant odor from the air purifier	① The air purifier may produce a plastic smell during the first few times it is used. This is normal. When the filter is very dirty, the air purifier may also emit an unpleasant odor. In this case, clean or replace the filter. ② If the air purifier emits a burning smell, turn it off and unplug it from the power outlet. Then contact the store/ customer service.
The air purifier still prompts that the filter needs to be replaced even though the filter has been replaced	The filter element has been replaced, it may be that you did not reset the filter element life counter. Press and hold the Reset Filter Button to reset the filter indicator.

Note: If the above faults cannot be eliminated and are confirmed to require repair, please contact us in time. Please do not disassemble the machine for repair without authorization.

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

GARVEE
support@garvee.com