

Appendix Test Data for BT_BREDR

1. Bandwidth

1.1 Test Result

1.1.1 OBW


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.744	/	Pass
		2441	DH5	1	0.746	/	Pass
		2480	DH5	1	0.752	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.144	/	Pass
		2441	2DH5	1	1.145	/	Pass
		2480	2DH5	1	1.149	/	Pass
8DPSK	SISO	2402	3DH5	1	1.156	/	Pass
		2441	3DH5	1	1.148	/	Pass
		2480	3DH5	1	1.159	/	Pass

1.1.2 20dB BW


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.849	/	Pass
		2441	DH5	1	0.845	/	Pass
		2480	DH5	1	0.846	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.279	/	Pass
		2441	2DH5	1	1.274	/	Pass
		2480	2DH5	1	1.276	/	Pass
8DPSK	SISO	2402	3DH5	1	1.280	/	Pass
		2441	3DH5	1	1.294	/	Pass
		2480	3DH5	1	1.280	/	Pass

1.2 Test Graph


1.2.1 OBW




GFSK DH5 HCH 2480MHz Ant1 NTNV




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTNV




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5 MCH 2441MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN




1.2.2 20dB BW


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN



8DPSK 3DH5 MCH 2441MHz Ant1 NTN



8DPSK 3DH5 HCH 2480MHz Ant1 NTN



2. Maximum Conducted Output Power

2.1 Test Result


2.1.1 Power

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	-0.91	<=30	Pass
		2441	DH5	1.02	<=30	Pass
		2480	DH5	0.58	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	-1.48	<=20.97	Pass
		2441	2DH5	0.48	<=20.97	Pass
		2480	2DH5	-0.02	<=20.97	Pass
8DPSK	SISO	2402	3DH5	-1.55	<=20.97	Pass
		2441	3DH5	0.39	<=20.97	Pass
		2480	3DH5	-0.10	<=20.97	Pass


Note1: Antenna Gain: Ant1: 2.59dBi;

2.2 Test Graph


2.2.1 Power




GFSK DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTNV



8DPSK 3DH5 MCH 2441MHz Ant1 NTNV



8DPSK 3DH5 HCH 2480MHz Ant1 NTVN



3. Carrier Frequency Separation


3.1 Test Result

3.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.006	0.849	≥ 0.849	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.001	1.279	≥ 0.853	Pass
8DPSK	SISO	HOPP	3DH5	1.001	1.294	≥ 0.863	Pass

3.2 Test Graph

3.2.1 Ant1



8DPSK 3DH5 HOPP Ant1 NTV



4. Number of Hopping Frequencies


4.1 Test Result

4.1.1 HoppNum


Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	≥ 15	Pass
8DPSK	SISO	HOPP	3DH5	79	≥ 15	Pass

4.2 Test Graph

4.2.1 HoppNum



8DPSK 3DH5 HOPP_Ant1_NTNV



5. Time of Occupancy (Dwell Time)


5.1 Test Result

5.1.1 Ant1


Ant1									
Mode	Tx Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.380	31.600	321	121.980	<=400	Pass
			DH3	1.636	31.600	161	263.396	<=400	Pass
			DH5	2.898	31.600	119	344.862	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.418	31.600	319	133.342	<=400	Pass
			2DH3	1.654	31.600	164	271.256	<=400	Pass
			2DH5	2.920	31.600	113	329.960	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.388	31.600	319	123.772	<=400	Pass
			3DH3	1.652	31.600	160	264.320	<=400	Pass
			3DH5	2.904	31.600	116	336.864	<=400	Pass

5.2 Test Graph


5.2.1 Ant1




GFSK DH3 HOPP Ant1 NTN




GFSK DH3 HOPP Ant1 NTN




GFSK DH5 HOPP Ant1 NTNv




GFSK DH5 HOPP Ant1 NTNv




Pi/4DQPSK 2DH1 HOPP Ant1 NTN




Pi/4DQPSK 2DH1 HOPP Ant1 NTN




Pi/4DQPSK 2DH3 HOPP Ant1 NTNV




Pi/4DQPSK 2DH3 HOPP Ant1 NTNV




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




8DPSK 3DH1 HOPP Ant1 NTNV




8DPSK 3DH1 HOPP Ant1 NTNV




8DPSK 3DH3 HOPP Ant1 NTVN




8DPSK 3DH3 HOPP Ant1 NTVN



8DPSK 3DH5 HOPP Ant1 NTVN



8DPSK 3DH5 HOPP Ant1 NTVN



6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	-1.46
		2441	DH5	1	0.49
		2480	DH5	1	0.01
		HOPP	DH5	1	0.92
					0.92
Pi/4DQPSK	SISO	2402	2DH5	1	-1.81
		2441	2DH5	1	0.13
		2480	2DH5	1	-0.37
		HOPP	2DH5	1	0.22
					0.22
8DPSK	SISO	2402	3DH5	1	-1.88
		2441	3DH5	1	0.04
		2480	3DH5	1	-0.45
		HOPP	3DH5	1	0.16
					0.16

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


6.1.2 CSE

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	-1.46	-21.46	Pass
		2441	DH5	1	0.49	-19.51	Pass
		2480	DH5	1	0.01	-19.99	Pass
		HOPP	DH5	1	0.92	-19.08	Pass
					0.92	-19.08	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	-1.81	-21.81	Pass
		2441	2DH5	1	0.13	-19.87	Pass
		2480	2DH5	1	-0.37	-20.37	Pass
		HOPP	2DH5	1	0.22	-19.78	Pass
					0.22	-19.78	Pass
8DPSK	SISO	2402	3DH5	1	-1.88	-21.88	Pass
		2441	3DH5	1	0.04	-19.96	Pass
		2480	3DH5	1	-0.45	-20.45	Pass
		HOPP	3DH5	1	0.16	-19.84	Pass
					0.16	-19.84	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.

6.2 Test Graph


6.2.1 Ref




GFSK DH5 HCH 2480MHz Ant1 NTN




GFSK DH5 HOPP Ant1 NTN




GFSK DH5 HOPP Ant1 NTNv




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTNv




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTN




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN




8DPSK 3DH5 MCH 2441MHz Ant1 NTN




8DPSK 3DH5_HCH 2480MHz Ant1 NTN



8DPSK 3DH5_HOPP Ant1 NTN




8DPSK 3DH5 HOPP Ant1 NTVN




6.2.2 CSE


GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK_DH5_LCH_2402MHz_Ant1_NTNV




GFSK DH5 MCH 2441MHz Ant1 NTN




GFSK DH5 HCH 2480MHz Ant1 NTN




GFSK DH5 HCH 2480MHz Ant1 NTN




GFSK DH5 HOPP Ant1 NTN




GFSK DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 LCH 2402MHz Ant1 NTN




Pi/4DQPSK 2DH5 MCH 2441MHz Ant1 NTN




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTNv




Pi/4DQPSK 2DH5 HCH 2480MHz Ant1 NTNv




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




Pi/4DQPSK 2DH5 HOPP Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN




8DPSK 3DH5 LCH 2402MHz Ant1 NTN




8DPSK 3DH5 MCH 2441MHz Ant1 NTN




8DPSK 3DH5 HCH 2480MHz Ant1 NTN




8DPSK 3DH5_HCH 2480MHz Ant1 NTN



8DPSK 3DH5_HOPP Ant1 NTN



8DPSK 3DH5 HOPP_Ant1_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2402	2480	0.0013	1.02

***** End of Report *****