

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.94	-13	Pass	2985
30	1000	0.1	RMS	978.798	-55.32	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.87	-13	Pass	830
1830	1920	1	RMS	1850.25	22.2	60	Pass	601
1920	3000	1	RMS	2659.685	-40.01	-13	Pass	1080
3000	12000	1	RMS	11918.991	-48.57	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.89	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2985
30	1000	0.1	RMS	930.893	-55.47	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.84	-13	Pass	830
1830	1920	1	RMS	1851.15	22.2	60	Pass	601
1920	3000	1	RMS	2655.681	-40.03	-13	Pass	1080
3000	12000	1	RMS	11898.989	-48.71	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.99	-13	Pass	8000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.19	-13	Pass	2985
30	1000	0.1	RMS	870.587	-55.42	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.85	-13	Pass	830
1830	1920	1	RMS	1850.25	21.24	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	11917.991	-48.56	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.83	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.36	-13	Pass	2985
30	1000	0.1	RMS	885.588	-55.52	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.88	-13	Pass	830
1830	1920	1	RMS	1851.15	21.22	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	11933.993	-48.7	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.02	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.65	-13	Pass	2985
30	1000	0.1	RMS	891.189	-55.44	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.89	-13	Pass	830
1830	1920	1	RMS	1879.5	22.27	60	Pass	601
1920	3000	1	RMS	2660.686	-39.99	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.55	-13	Pass	9000
12000	20000	1	RMS	16604.576	-36.07	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.89	-13	Pass	2985
30	1000	0.1	RMS	914.591	-55.43	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.88	-13	Pass	830
1830	1920	1	RMS	1880.4	22.25	60	Pass	601
1920	3000	1	RMS	2659.685	-39.99	-13	Pass	1080
3000	12000	1	RMS	11902.989	-48.62	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.94	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.37	-13	Pass	2985
30	1000	0.1	RMS	972.897	-55.37	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.91	-13	Pass	830
1830	1920	1	RMS	1879.5	21.28	60	Pass	601
1920	3000	1	RMS	2657.683	-40.01	-13	Pass	1080
3000	12000	1	RMS	11902.989	-48.7	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.99	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.52	-13	Pass	2985
30	1000	0.1	RMS	933.293	-55.38	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.85	-13	Pass	830
1830	1920	1	RMS	1880.4	21.27	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	11993.999	-48.67	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.03	-13	Pass	8000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.27	-13	Pass	2985
30	1000	0.1	RMS	907.59	-55.35	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.88	-13	Pass	830
1830	1920	1	RMS	1908.9	22.25	60	Pass	601
1920	3000	1	RMS	2651.677	-40.04	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.61	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.03	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.95	-13	Pass	2985
30	1000	0.1	RMS	918.492	-55.27	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.88	-13	Pass	830
1830	1920	1	RMS	1909.8	22.23	60	Pass	601
1920	3000	1	RMS	2660.686	-40.04	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.64	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.86	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.05	-13	Pass	2985
30	1000	0.1	RMS	980.898	-55.55	-13	Pass	9700
1000	1830	1	RMS	1753.908	-44.79	-13	Pass	830
1830	1920	1	RMS	1908.9	21.3	60	Pass	601
1920	3000	1	RMS	2660.686	-39.97	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.41	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.95	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2985
30	1000	0.1	RMS	895.689	-55.65	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.88	-13	Pass	830
1830	1920	1	RMS	1909.8	21.33	60	Pass	601
1920	3000	1	RMS	2660.686	-39.96	-13	Pass	1080
3000	12000	1	RMS	11907.99	-48.65	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.97	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.65	-13	Pass	2985
30	1000	0.1	RMS	910.291	-55.45	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.87	-13	Pass	830
1830	1920	1	RMS	1850.25	22.22	60	Pass	601
1920	3000	1	RMS	2654.68	-40.04	-13	Pass	1080
3000	12000	1	RMS	11917.991	-48.71	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.96	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2985
30	1000	0.1	RMS	894.989	-55.56	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.84	-13	Pass	830
1830	1920	1	RMS	1852.8	22.16	60	Pass	601
1920	3000	1	RMS	2660.686	-39.91	-13	Pass	1080
3000	12000	1	RMS	11930.992	-48.66	-13	Pass	9000
12000	20000	1	RMS	16587.573	-35.98	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2985
30	1000	0.1	RMS	950.995	-55.41	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.9	-13	Pass	830
1830	1920	1	RMS	1850.25	21.43	60	Pass	601
1920	3000	1	RMS	2657.683	-40.02	-13	Pass	1080
3000	12000	1	RMS	11985.998	-48.79	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.02	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.56	-13	Pass	2985
30	1000	0.1	RMS	913.791	-55.49	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.88	-13	Pass	830
1830	1920	1	RMS	1852.8	21.37	60	Pass	601
1920	3000	1	RMS	2661.687	-39.99	-13	Pass	1080
3000	12000	1	RMS	11925.992	-48.66	-13	Pass	9000
12000	20000	1	RMS	19965.996	-36.08	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.94	-13	Pass	2985
30	1000	0.1	RMS	907.09	-55.24	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.87	-13	Pass	830
1830	1920	1	RMS	1878.75	22.34	60	Pass	601
1920	3000	1	RMS	2659.685	-39.9	-13	Pass	1080
3000	12000	1	RMS	11919.991	-48.57	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.01	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.49	-13	Pass	2985
30	1000	0.1	RMS	931.093	-55.35	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.89	-13	Pass	830
1830	1920	1	RMS	1881.3	22.34	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	11932.993	-48.63	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.89	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2985
30	1000	0.1	RMS	999.1	-55.46	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.85	-13	Pass	830
1830	1920	1	RMS	1878.75	21.34	60	Pass	601
1920	3000	1	RMS	2658.684	-39.9	-13	Pass	1080
3000	12000	1	RMS	11903.989	-48.66	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52	-13	Pass	2985
30	1000	0.1	RMS	997.4	-55.57	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.83	-13	Pass	830
1830	1920	1	RMS	1881.3	21.31	60	Pass	601
1920	3000	1	RMS	2655.681	-40	-13	Pass	1080
3000	12000	1	RMS	11957.995	-48.72	-13	Pass	9000
12000	20000	1	RMS	16583.573	-35.98	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.76	-13	Pass	2985
30	1000	0.1	RMS	925.392	-55.56	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.87	-13	Pass	830
1830	1920	1	RMS	1907.25	22.3	60	Pass	601
1920	3000	1	RMS	2656.682	-39.94	-13	Pass	1080
3000	12000	1	RMS	11918.991	-48.75	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.02	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2985
30	1000	0.1	RMS	997.5	-55.54	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.84	-13	Pass	830
1830	1920	1	RMS	1909.8	22.32	60	Pass	601
1920	3000	1	RMS	2658.684	-39.91	-13	Pass	1080
3000	12000	1	RMS	11907.99	-48.63	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.42	-13	Pass	2985
30	1000	0.1	RMS	901.89	-55.21	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.87	-13	Pass	830
1830	1920	1	RMS	1907.25	21.38	60	Pass	601
1920	3000	1	RMS	2659.685	-39.99	-13	Pass	1080
3000	12000	1	RMS	11917.991	-48.67	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.99	-13	Pass	8000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.25	-13	Pass	2985
30	1000	0.1	RMS	983.198	-55.35	-13	Pass	9700
1000	1830	1	RMS	1821.99	-44.85	-13	Pass	830
1830	1920	1	RMS	1909.8	21.37	60	Pass	601
1920	3000	1	RMS	2658.684	-40	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.73	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.03	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.95	-13	Pass	2985
30	1000	0.1	RMS	918.592	-55.31	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.86	-13	Pass	830
1830	1920	1	RMS	1850.4	22.13	60	Pass	601
1920	3000	1	RMS	2659.685	-39.96	-13	Pass	1080
3000	12000	1	RMS	11921.991	-48.66	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.07	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.06	-13	Pass	2985
30	1000	0.1	RMS	899.69	-55.48	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.86	-13	Pass	830
1830	1920	1	RMS	1854.6	22.07	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	11911.99	-48.67	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.04	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.73	-13	Pass	2985
30	1000	0.1	RMS	896.989	-55.49	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.86	-13	Pass	830
1830	1920	1	RMS	1850.4	21.22	60	Pass	601
1920	3000	1	RMS	2660.686	-39.96	-13	Pass	1080
3000	12000	1	RMS	11915.991	-48.62	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.95	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2985
30	1000	0.1	RMS	889.089	-55.67	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.85	-13	Pass	830
1830	1920	1	RMS	1854.75	21.13	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	11907.99	-48.57	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.03	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.51	-13	Pass	2985
30	1000	0.1	RMS	939.194	-55.5	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.87	-13	Pass	830
1830	1920	1	RMS	1877.85	22.21	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	11926.992	-48.73	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.96	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.09	-13	Pass	2985
30	1000	0.1	RMS	972.797	-55.49	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.83	-13	Pass	830
1830	1920	1	RMS	1882.2	22.27	60	Pass	601
1920	3000	1	RMS	2657.683	-39.94	-13	Pass	1080
3000	12000	1	RMS	11907.99	-48.64	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.99	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.64	-13	Pass	2985
30	1000	0.1	RMS	943.994	-55.41	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.87	-13	Pass	830
1830	1920	1	RMS	1877.85	21.36	60	Pass	601
1920	3000	1	RMS	2656.682	-40.02	-13	Pass	1080
3000	12000	1	RMS	11927.992	-48.71	-13	Pass	9000
12000	20000	1	RMS	19942.993	-35.93	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.16	-13	Pass	2985
30	1000	0.1	RMS	899.19	-55.26	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.84	-13	Pass	830
1830	1920	1	RMS	1882.2	21.38	60	Pass	601
1920	3000	1	RMS	2658.684	-40.04	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.68	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.99	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.46	-13	Pass	2985
30	1000	0.1	RMS	897.689	-55.19	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.84	-13	Pass	830
1830	1920	1	RMS	1905.3	22.15	60	Pass	601
1920	3000	1	RMS	2660.686	-39.95	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.74	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.05	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.7	-13	Pass	2985
30	1000	0.1	RMS	905.39	-55.54	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.85	-13	Pass	830
1830	1920	1	RMS	1909.65	22.15	60	Pass	601
1920	3000	1	RMS	2658.684	-40.01	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.7	-13	Pass	9000
12000	20000	1	RMS	16586.573	-36.01	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.12	-13	Pass	2985
30	1000	0.1	RMS	901.19	-55.35	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.88	-13	Pass	830
1830	1920	1	RMS	1905.3	21.37	60	Pass	601
1920	3000	1	RMS	2659.685	-39.95	-13	Pass	1080
3000	12000	1	RMS	11961.996	-48.69	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.01	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.01	-13	Pass	2985
30	1000	0.1	RMS	913.091	-55.42	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.87	-13	Pass	830
1830	1920	1	RMS	1909.65	21.37	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	11909.99	-48.58	-13	Pass	9000
12000	20000	1	RMS	16592.574	-35.97	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.59	-13	Pass	2985
30	1000	0.1	RMS	891.289	-55.26	-13	Pass	9700
1000	1830	1	RMS	1801.966	-44.89	-13	Pass	830
1830	1920	1	RMS	1850.55	22.25	60	Pass	601
1920	3000	1	RMS	2661.687	-40.02	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.6	-13	Pass	9000
12000	20000	1	RMS	16607.576	-36.02	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.39	-13	Pass	2985
30	1000	0.1	RMS	997.8	-55.44	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.83	-13	Pass	830
1830	1920	1	RMS	1859.4	22.21	60	Pass	601
1920	3000	1	RMS	2654.68	-40	-13	Pass	1080
3000	12000	1	RMS	11925.992	-48.59	-13	Pass	9000
12000	20000	1	RMS	16588.574	-36.04	-13	Pass	8000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2985
30	1000	0.1	RMS	934.793	-55.54	-13	Pass	9700
1000	1830	1	RMS	1821.99	-44.9	-13	Pass	830
1830	1920	1	RMS	1850.55	21.43	60	Pass	601
1920	3000	1	RMS	2630.658	-39.97	-13	Pass	1080
3000	12000	1	RMS	11903.989	-48.64	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.9	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2985
30	1000	0.1	RMS	984.198	-55.41	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.85	-13	Pass	830
1830	1920	1	RMS	1859.4	21.38	60	Pass	601
1920	3000	1	RMS	2659.685	-39.99	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.6	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.88	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2985
30	1000	0.1	RMS	951.695	-55.47	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.86	-13	Pass	830
1830	1920	1	RMS	1875.6	22.32	60	Pass	601
1920	3000	1	RMS	2657.683	-39.95	-13	Pass	1080
3000	12000	1	RMS	11917.991	-48.58	-13	Pass	9000
12000	20000	1	RMS	16592.574	-36.07	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.21	-13	Pass	2985
30	1000	0.1	RMS	922.292	-54.94	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.83	-13	Pass	830
1830	1920	1	RMS	1884.45	22.35	60	Pass	601
1920	3000	1	RMS	2655.681	-40.02	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.62	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.98	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.95	-13	Pass	2985
30	1000	0.1	RMS	907.49	-55.41	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.84	-13	Pass	830
1830	1920	1	RMS	1875.6	21.32	60	Pass	601
1920	3000	1	RMS	2839.852	-40.03	-13	Pass	1080
3000	12000	1	RMS	11900.989	-48.58	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.02	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2985
30	1000	0.1	RMS	959.796	-55.44	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.81	-13	Pass	830
1830	1920	1	RMS	1884.45	21.35	60	Pass	601
1920	3000	1	RMS	2839.852	-40.02	-13	Pass	1080
3000	12000	1	RMS	11984.998	-48.65	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.02	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.78	-13	Pass	2985
30	1000	0.1	RMS	999.5	-55.22	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.86	-13	Pass	830
1830	1920	1	RMS	1900.65	22.36	60	Pass	601
1920	3000	1	RMS	2659.685	-39.96	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.64	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.06	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.06	-13	Pass	2985
30	1000	0.1	RMS	999.4	-55.2	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.9	-13	Pass	830
1830	1920	1	RMS	1909.35	22.24	60	Pass	601
1920	3000	1	RMS	2660.686	-39.96	-13	Pass	1080
3000	12000	1	RMS	11926.992	-48.63	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.89	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.06	-13	Pass	2985
30	1000	0.1	RMS	815.981	-55.31	-13	Pass	9700
1000	1830	1	RMS	1794.958	-44.86	-13	Pass	830
1830	1920	1	RMS	1900.65	21.41	60	Pass	601
1920	3000	1	RMS	2660.686	-39.99	-13	Pass	1080
3000	12000	1	RMS	11905.99	-48.55	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.13	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2985
30	1000	0.1	RMS	939.294	-55.51	-13	Pass	9700
1000	1830	1	RMS	1801.966	-44.91	-13	Pass	830
1830	1920	1	RMS	1909.35	21.31	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	11914.991	-48.57	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.06	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.26	-13	Pass	2985
30	1000	0.1	RMS	886.988	-55.15	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.7	-13	Pass	830
1830	1920	1	RMS	1850.85	22.24	60	Pass	601
1920	3000	1	RMS	2661.687	-40.01	-13	Pass	1080
3000	12000	1	RMS	11903.989	-48.65	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.87	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.78	-13	Pass	2985
30	1000	0.1	RMS	903.89	-55.64	-13	Pass	9700
1000	1830	1	RMS	1818.987	-44.87	-13	Pass	830
1830	1920	1	RMS	1864.2	22.19	60	Pass	601
1920	3000	1	RMS	2656.682	-40.04	-13	Pass	1080
3000	12000	1	RMS	11916.991	-48.69	-13	Pass	9000
12000	20000	1	RMS	16607.576	-36.08	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.57	-13	Pass	2985
30	1000	0.1	RMS	905.09	-55.45	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.76	-13	Pass	830
1830	1920	1	RMS	1850.85	21.35	60	Pass	601
1920	3000	1	RMS	2661.687	-40.03	-13	Pass	1080
3000	12000	1	RMS	11900.989	-48.63	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.99	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.4	-13	Pass	2985
30	1000	0.1	RMS	938.894	-55.44	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.92	-13	Pass	830
1830	1920	1	RMS	1864.2	21.33	60	Pass	601
1920	3000	1	RMS	2660.686	-40.07	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.5	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.96	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.61	-13	Pass	2985
30	1000	0.1	RMS	896.089	-55.54	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.87	-13	Pass	830
1830	1920	1	RMS	1873.35	22.26	60	Pass	601
1920	3000	1	RMS	2659.685	-39.98	-13	Pass	1080
3000	12000	1	RMS	11897.989	-48.58	-13	Pass	9000
12000	20000	1	RMS	16590.574	-35.9	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.94	-13	Pass	2985
30	1000	0.1	RMS	904.29	-55.56	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.87	-13	Pass	830
1830	1920	1	RMS	1886.7	22.31	60	Pass	601
1920	3000	1	RMS	2658.684	-40.01	-13	Pass	1080
3000	12000	1	RMS	11927.992	-48.65	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.98	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2985
30	1000	0.1	RMS	920.692	-55.5	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.92	-13	Pass	830
1830	1920	1	RMS	1873.35	21.23	60	Pass	601
1920	3000	1	RMS	2660.686	-40	-13	Pass	1080
3000	12000	1	RMS	11904.989	-48.64	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.9	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.71	-13	Pass	2985
30	1000	0.1	RMS	972.797	-55.55	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.88	-13	Pass	830
1830	1920	1	RMS	1886.7	21.31	60	Pass	601
1920	3000	1	RMS	2660.686	-39.99	-13	Pass	1080
3000	12000	1	RMS	11917.991	-48.62	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.97	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.93	-13	Pass	2985
30	1000	0.1	RMS	900.09	-55.54	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.87	-13	Pass	830
1830	1920	1	RMS	1895.85	22.33	60	Pass	601
1920	3000	1	RMS	2659.685	-40.06	-13	Pass	1080
3000	12000	1	RMS	11913.99	-48.61	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.02	-13	Pass	8000




1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.79	-13	Pass	2985
30	1000	0.1	RMS	893.289	-55.34	-13	Pass	9700
1000	1830	1	RMS	1793.957	-44.88	-13	Pass	830
1830	1920	1	RMS	1909.2	22.2	60	Pass	601
1920	3000	1	RMS	2659.685	-39.93	-13	Pass	1080
3000	12000	1	RMS	11920.991	-48.6	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.92	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2985
30	1000	0.1	RMS	962.796	-55.45	-13	Pass	9700
1000	1830	1	RMS	1789.952	-44.88	-13	Pass	830
1830	1920	1	RMS	1895.85	21.46	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	11908.99	-48.61	-13	Pass	9000
12000	20000	1	RMS	16581.573	-36	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.47	-13	Pass	2985
30	1000	0.1	RMS	895.789	-55.19	-13	Pass	9700
1000	1830	1	RMS	1818.987	-44.89	-13	Pass	830
1830	1920	1	RMS	1909.2	21.28	60	Pass	601
1920	3000	1	RMS	2659.685	-40.05	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.59	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.72	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.97	-13	Pass	601
0.15	30	0.01	RMS	0.17	-53.54	-13	Pass	2985
30	1000	0.1	RMS	901.19	-55.16	-13	Pass	9700
1000	1830	1	RMS	1830	-44.84	-13	Pass	830
1830	1920	1	RMS	1851.15	21.97	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	11940.993	-48.69	-13	Pass	9000
12000	20000	1	RMS	16603.575	-36.03	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.88	-13	Pass	2985
30	1000	0.1	RMS	981.298	-55.42	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.86	-13	Pass	830
1830	1920	1	RMS	1868.85	22.02	60	Pass	601
1920	3000	1	RMS	2656.682	-40.03	-13	Pass	1080
3000	12000	1	RMS	11907.99	-48.69	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.97	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.02	-13	Pass	2985
30	1000	0.1	RMS	999.1	-55.6	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.9	-13	Pass	830
1830	1920	1	RMS	1851.15	21.16	60	Pass	601
1920	3000	1	RMS	2630.658	-40.01	-13	Pass	1080
3000	12000	1	RMS	11915.991	-48.57	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.98	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.86	-13	Pass	2985
30	1000	0.1	RMS	883.888	-55.46	-13	Pass	9700
1000	1830	1	RMS	1797.961	-44.86	-13	Pass	830
1830	1920	1	RMS	1868.85	21.16	60	Pass	601
1920	3000	1	RMS	2659.685	-40.03	-13	Pass	1080
3000	12000	1	RMS	11937.993	-48.54	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.03	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.98	-13	Pass	2985
30	1000	0.1	RMS	894.389	-55.56	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.88	-13	Pass	830
1830	1920	1	RMS	1871.1	22.07	60	Pass	601
1920	3000	1	RMS	2660.686	-40.01	-13	Pass	1080
3000	12000	1	RMS	11901.989	-48.63	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.9	-13	Pass	8000




1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.02	-13	Pass	2985
30	1000	0.1	RMS	996.6	-55.45	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.88	-13	Pass	830
1830	1920	1	RMS	1888.95	22.08	60	Pass	601
1920	3000	1	RMS	2658.684	-39.97	-13	Pass	1080
3000	12000	1	RMS	11941.994	-48.63	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.96	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.73	-13	Pass	2985
30	1000	0.1	RMS	893.389	-55.28	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.89	-13	Pass	830
1830	1920	1	RMS	1871.1	21.05	60	Pass	601
1920	3000	1	RMS	2660.686	-40.03	-13	Pass	1080
3000	12000	1	RMS	11912.99	-48.64	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.02	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.87	-13	Pass	2985
30	1000	0.1	RMS	983.198	-55.1	-13	Pass	9700
1000	1830	1	RMS	1742.895	-43.31	-13	Pass	830
1830	1920	1	RMS	1888.95	21.12	60	Pass	601
1920	3000	1	RMS	2659.685	-40.01	-13	Pass	1080
3000	12000	1	RMS	11948.994	-48.56	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.02	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2985
30	1000	0.1	RMS	924.492	-55.55	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.9	-13	Pass	830
1830	1920	1	RMS	1891.05	22.06	60	Pass	601
1920	3000	1	RMS	2660.686	-40.03	-13	Pass	1080
3000	12000	1	RMS	11910.99	-48.46	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.02	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.34	-13	Pass	2985
30	1000	0.1	RMS	999.2	-55.32	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.9	-13	Pass	830
1830	1920	1	RMS	1908.9	21.99	60	Pass	601
1920	3000	1	RMS	2659.685	-39.99	-13	Pass	1080
3000	12000	1	RMS	11968.997	-48.65	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.97	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2985
30	1000	0.1	RMS	900.09	-55.55	-13	Pass	9700
1000	1830	1	RMS	1824.994	-44.86	-13	Pass	830
1830	1920	1	RMS	1891.05	21.16	60	Pass	601
1920	3000	1	RMS	2660.686	-39.97	-13	Pass	1080
3000	12000	1	RMS	11963.996	-48.65	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.05	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.8	-13	Pass	2985
30	1000	0.1	RMS	975.597	-55.56	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.87	-13	Pass	830
1830	1920	1	RMS	1908.9	21.01	60	Pass	601
1920	3000	1	RMS	2660.686	-39.94	-13	Pass	1080
3000	12000	1	RMS	11903.989	-48.65	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.96	-13	Pass	8000



END