

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Main Model>

Band Edges, 2.31GHz ~ 2.5GHz


802.11b

Low Channel (Horizontal) Peak


Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2386.15	45.33	40.59	4.74	54.00	-8.67	299	355 Average	Horizontal	
2 *	2412.00	105.44	100.53	4.91	54.00	51.44	299	355 Average	Horizontal	
3	2493.81	39.40	34.30	5.10	54.00	-14.60	299	355 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2385.66	40.66	35.92	4.74	54.00	-13.34	100	316 Average	Vertical	
2 *	2412.00	97.67	92.76	4.91	54.00	43.67	100	316 Average	Vertical	
3	2496.09	39.21	34.10	5.11	54.00	-14.79	100	316 Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2371.06	55.68	51.07	4.61	74.00	-18.32	173	355	Peak	Horizontal	
2 *	2437.00	100.90	103.87	5.03	74.00	34.90	173	355	Peak	Horizontal	
3	2484.23	55.18	50.68	5.10	74.00	-18.82	173	355	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.24	52.86	48.10	4.76	74.00	-21.14	128	309	Peak	Vertical	
2 *	2437.00	99.39	94.36	5.03	74.00	25.39	128	309	Peak	Vertical	
3	2490.84	53.08	47.97	5.11	74.00	-20.92	128	309	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.78	55.22	50.52	4.70	74.00	-18.78	190	354 Peak	Horizontal	
2 *	2462.00	107.54	102.45	5.09	74.00	33.54	190	354 Peak	Horizontal	
3	2490.46	55.78	50.67	5.11	74.00	-18.22	190	354 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.81	52.52	47.91	4.61	74.00	-21.48	311	2 Peak	Vertical	
2 *	2462.00	99.07	93.98	5.09	74.00	25.07	311	2 Peak	Vertical	
3	2495.14	52.32	47.22	5.10	74.00	-21.68	311	2 Peak	Vertical	

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.93	41.96	37.25	4.71	54.00	-12.04	190	354 Average	Horizontal	
2 *	2462.00	105.04	99.95	5.09	54.00	51.04	190	354 Average	Horizontal	
3	2498.01	42.26	37.15	5.11	54.00	-11.74	190	354 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.28	39.01	34.25	4.76	54.00	-14.99	311	2 Average	Vertical	
2 *	2462.00	96.60	91.51	5.09	54.00	42.60	311	2 Average	Vertical	
3	2486.09	39.40	34.30	5.10	54.00	-14.60	311	2 Average	Vertical	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.57	68.66	63.89	4.77	74.00	-5.34	299	358	Peak	Horizontal	
2 *	2412.00	109.43	104.52	4.91	74.00	35.43	299	358	Peak	Horizontal	
3	2490.96	53.49	48.38	5.11	74.00	-20.51	299	358	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.01	62.47	57.72	4.75	74.00	-11.53	116	310	Peak	Vertical	
2 *	2412.00	101.30	96.39	4.91	74.00	27.30	116	310	Peak	Vertical	
3	2483.66	52.64	47.54	5.10	74.00	-21.36	116	310	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	2389.91	50.97	46.20	4.77	54.00	-3.03	299	358 Average	Horizontal	
2 *	2412.00	99.29	94.38	4.91	54.00	45.29	299	358 Average	Horizontal	
3	2490.69	40.01	34.90	5.11	54.00	-13.99	299	358 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	2389.99	44.10	39.33	4.77	54.00	-9.90	116	310 Average	Vertical	
2 *	2412.00	91.14	86.23	4.91	54.00	37.14	116	310 Average	Vertical	
3	2483.85	39.31	34.21	5.10	54.00	-14.69	116	310 Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.15	58.15	53.39	4.76	74.00	-15.85	175	354	Peak	Horizontal	
2 *	2437.00	110.06	105.03	5.03	74.00	36.06	175	354	Peak	Horizontal	
3	2485.60	55.09	49.99	5.10	74.00	-18.91	175	354	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2373.00	53.99	49.37	4.62	74.00	-20.01	100	309	Peak	Vertical	
2 *	2437.00	100.32	95.29	5.03	74.00	26.32	100	309	Peak	Vertical	
3	2496.43	52.66	47.55	5.11	74.00	-21.34	100	309	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.42	44.31	39.54	4.77	54.00	-9.69	175	354	Average	Horizontal	
2 *	2437.00	99.62	94.59	5.03	54.00	45.62	175	354	Average	Horizontal	
3	2483.93	41.39	36.29	5.10	54.00	-12.61	175	354	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2373.38	40.50	35.87	4.63	54.00	-13.50	100	309	Average	Vertical	
2 *	2437.00	99.05	85.02	5.03	54.00	36.05	100	309	Average	Vertical	
3	2490.88	39.64	34.53	5.11	54.00	-14.36	100	309	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.55	56.53	51.77	4.76	74.00	-17.47	191	351	Peak	Horizontal	
2 *	2462.00	119.34	105.25	5.09	74.00	36.34	191	351	Peak	Horizontal	
3	2483.55	67.66	62.56	5.10	74.00	-6.34	191	351	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2334.13	53.15	48.75	4.40	74.00	-20.85	164	360	Peak	Vertical	
2 *	2462.00	101.39	96.30	5.09	74.00	27.39	164	360	Peak	Vertical	
3	2483.51	56.52	51.42	5.10	74.00	-17.48	164	360	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	2380.05	42.61	37.05	4.76	54.00	-11.39	191	351 Average	Horizontal	
2 *	2462.00	100.20	95.11	5.09	54.00	46.20	191	351 Average	Horizontal	
3	2483.51	47.98	42.88	5.10	54.00	-6.02	191	351 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	2375.66	39.90	35.25	4.65	54.00	-14.10	164	360 Average	Vertical	
2 *	2462.00	91.11	86.02	5.09	54.00	37.11	164	360 Average	Vertical	
3	2483.51	41.51	36.41	5.10	54.00	-12.49	164	360 Average	Vertical	

802.11ac VHT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.91	71.58	66.81	4.77	74.00	-2.42	217	354	Peak	Horizontal		
2	2412.00	100.50	103.59	4.91	74.00	34.50	217	354	Peak	Horizontal		
3	2492.59	53.83	48.73	5.10	74.00	-20.17	217	354	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.57	63.69	58.92	4.77	74.00	-10.31	101	312	Peak	Vertical		
2	2412.00	99.79	94.88	4.91	74.00	25.79	101	312	Peak	Vertical		
3	2498.59	52.95	47.84	5.11	74.00	-21.05	101	312	Peak	Vertical		

802.11ac VHT20

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.99	51.06	46.29	4.77	54.00	-2.94	217	354 Average	Horizontal	
2 *	2412.00	98.23	93.32	4.91	54.00	44.23	217	354 Average	Horizontal	
3	2490.92	40.14	35.03	5.11	54.00	-13.86	217	354 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.99	43.80	39.03	4.77	54.00	-10.20	101	312 Average	Vertical	
2 *	2412.00	89.47	84.56	4.91	54.00	35.47	101	312 Average	Vertical	
3	2484.91	39.14	34.04	5.10	54.00	-14.86	101	312 Average	Vertical	

802.11ac VHT20

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	2389.34	57.36	52.60	4.76	74.00	-16.64	175	354 Peak	Horizontal	
2 *	2437.00	109.32	104.29	5.03	74.00	35.32	175	354 Peak	Horizontal	
3	2490.54	54.67	49.56	5.11	74.00	-19.33	175	354 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	2364.95	53.57	49.01	4.56	74.00	-20.43	100	309 Peak	Vertical	
2 *	2437.00	100.12	95.09	5.03	74.00	26.12	100	309 Peak	Vertical	
3	2484.88	53.07	47.97	5.10	74.00	-20.93	100	309 Peak	Vertical	

802.11ac VHT 20

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.46	42.39	37.62	4.77	54.00	-11.61	230	352	Average	Horizontal		
2 *	2462.00	98.99	93.90	5.09	54.00	44.99	230	352	Average	Horizontal		
3 !	2483.51	48.93	43.83	5.10	54.00	-5.07	230	352	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.91	39.64	34.94	4.70	54.00	-14.36	164	360	Average	Vertical		
2 *	2462.00	98.51	85.42	5.09	54.00	36.51	164	360	Average	Vertical		
3	2483.55	41.87	36.77	5.10	54.00	-12.13	164	360	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11g

High Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.02	54.09	34.64	19.45	121.75	-67.66	100	224 Peak	Open	
2	0.03	58.38	38.55	19.83	119.13	-60.75	100	277 Peak	Open	
3	0.04	49.84	30.73	19.11	115.76	-65.92	100	224 Peak	Open	
4	0.08	43.85	25.59	18.26	109.68	-65.83	100	224 Peak	Open	
5	0.10	40.34	22.32	18.02	107.91	-67.57	100	235 Peak	Open	
6	0.12	37.69	19.55	18.14	105.95	-68.26	100	210 Peak	Open	

High Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.51	38.55	19.80	18.75	73.48	-34.93	100	214 Peak	Open	
2	5.05	32.35	12.68	19.67	69.50	-37.15	100	150 Peak	Open	
3	8.30	34.54	13.76	20.78	69.50	-34.96	100	230 Peak	Open	
4	12.81	35.38	13.80	21.58	69.50	-34.12	100	186 Peak	Open	
5	20.81	36.68	14.00	22.68	69.50	-32.82	100	185 Peak	Open	
6	27.16	36.85	13.85	23.00	69.50	-32.65	100	145 Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	73.65	36.95	47.40	-10.45	40.00	-3.05	283	360 Peak	Horizontal	
2	99.84	39.67	51.60	-11.93	43.50	-3.83	280	138 QP	Horizontal	
3	197.81	34.95	44.17	-9.22	43.50	-8.55	127	360 Peak	Horizontal	
4	371.44	43.14	47.40	-4.26	46.00	-2.86	100	276 QP	Horizontal	
5	445.16	35.62	38.35	-2.73	46.00	-10.38	100	172 Peak	Horizontal	
6	816.67	44.55	40.51	4.04	46.00	-1.45	100	186 QP	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	73.65	33.75	44.20	-10.45	40.00	-6.25	100	255 QP	Vertical	
2	117.30	36.85	46.92	-10.07	43.50	-6.65	100	174 Peak	Vertical	
3	222.06	34.02	42.90	-8.88	46.00	-11.98	100	164 Peak	Vertical	
4	371.44	37.70	41.96	-4.26	46.00	-8.30	100	327 Peak	Vertical	
5	519.85	35.51	36.81	-1.30	46.00	-10.49	100	152 Peak	Vertical	
6	816.67	40.93	36.89	4.04	46.00	-5.07	100	258 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	51.38	42.92	8.46	54.00	-2.62	229	39 Average	Horizontal	
2	4824.00	54.40	45.94	8.46	74.00	-19.60	229	39 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4824.00	50.43	41.97	8.46	54.00	-3.57	101	122 Average	Vertical	
2	4824.00	53.90	45.44	8.46	74.00	-20.10	101	122 Peak	Vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	52.52	43.88	8.64	54.00	-1.48	339	287	Average	Horizontal	
2	4874.00	55.35	46.71	8.64	74.00	-18.65	339	287	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	52.27	43.63	8.64	54.00	-1.73	100	360	Average	Vertical	
2	4874.00	55.24	46.60	8.64	74.00	-18.76	100	360	Peak	Vertical	

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	48.37	39.52	8.85	54.00	-5.63	100	224	Average	Horizontal	
2	4924.00	52.60	43.75	8.85	74.00	-21.40	100	224	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	52.90	44.05	8.85	54.00	-1.10	155	5	Average	Vertical	
2	4924.00	55.80	46.95	8.85	74.00	-18.20	155	5	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4824.00	32.22	23.76	8.46	54.00	-21.78	100	40 Average	Horizontal		
2 4824.00	46.13	37.67	8.46	74.00	-27.87	100	40 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 4824.00	33.20	24.74	8.46	54.00	-20.80	121	360 Average	Vertical		
2 4824.00	47.12	38.66	8.46	74.00	-26.88	121	360 Peak	Vertical		

802.11g

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4874.00	35.11	26.47	8.64	54.00	-18.89	100	360 Average	Horizontal	
2	4874.00	49.06	40.42	8.64	74.00	-24.94	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4874.00	33.19	24.55	8.64	54.00	-20.81	100	220 Average	Vertical	
2	4874.00	47.20	38.56	8.64	74.00	-26.80	100	220 Peak	Vertical	

802.11g

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	33.90	25.05	8.85	54.00	-20.10	100	227 Average	Horizontal	
2	4924.00	47.78	38.93	8.85	74.00	-26.22	100	227 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4924.00	35.96	27.11	8.85	54.00	-18.04	175	360 Average	Vertical	
2	4924.00	50.69	41.84	8.85	74.00	-23.31	175	360 Peak	Vertical	

802.11ac VHT20

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.92	23.46	8.46	54.00	-22.08	300	28	Average	Horizontal		
2	4824.00	46.26	37.80	8.46	74.00	-27.74	300	28	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	32.79	24.33	8.46	54.00	-21.21	100	360	Average	Vertical		
2	4824.00	47.24	38.78	8.46	74.00	-26.76	100	360	Peak	Vertical		

802.11ac VHT20

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	32.87	24.23	8.64	54.00	-21.13	200	281	Average	Horizontal	
2	4874.00	47.11	38.47	8.64	74.00	-26.89	200	281	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	34.22	25.58	8.64	54.00	-19.78	218	360	Average	Vertical	
2	4874.00	47.81	39.17	8.64	74.00	-26.19	218	360	Peak	Vertical	

802.11ac VHT20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	4924.00	33.43	24.58	8.85	54.00	-20.57	200	33 Average	Horizontal	
2	4924.00	46.73	37.88	8.85	74.00	-27.27	200	33 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit	cm	deg			
1	4924.00	34.87	26.02	8.85	54.00	-19.13	155	360 Average	Vertical	
2	4924.00	49.80	40.95	8.85	74.00	-24.20	155	360 Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
	MHz	dBuV	dB	dBuV	dB			
1	0.29	35.77	26.14	9.63	50.41	-14.64 Average	line1	
2	0.29	43.46	33.83	9.63	60.41	-16.95 QP	line1	
3	1.15	32.41	22.75	9.66	46.00	-13.59 Average	line1	
4	1.15	45.11	35.45	9.66	56.00	-10.89 QP	line1	
5	1.79	40.93	31.25	9.68	46.00	-5.07 Average	line1	
6	1.79	52.14	42.46	9.68	56.00	-3.86 QP	line1	
7	2.29	38.01	28.33	9.68	46.00	-7.99 Average	line1	
8	2.29	48.76	39.08	9.68	56.00	-7.24 QP	line1	
9	5.43	28.13	18.41	9.72	50.00	-21.87 Average	line1	
10	5.43	38.59	28.87	9.72	60.00	-21.41 QP	line1	
11	21.81	24.71	14.92	9.79	50.00	-25.29 Average	line1	
12	21.81	30.72	20.93	9.79	60.00	-29.28 QP	line1	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Level Factor	Line	Limit			
	MHz	dBuV	dB	dBuV	dB			
1	0.30	27.42	17.79	9.63	50.37	-22.95 Average	neutral	
2	0.30	40.25	30.62	9.63	60.37	-20.12 QP	neutral	
3	1.78	32.18	22.50	9.68	46.00	-13.82 Average	neutral	
4	1.78	46.71	39.03	9.68	56.00	-7.29 QP	neutral	
5	3.14	26.70	17.00	9.70	46.00	-19.30 Average	neutral	
6	3.14	46.34	36.64	9.70	56.00	-9.66 QP	neutral	
7	4.15	25.72	16.02	9.70	46.00	-20.28 Average	neutral	
8	4.15	42.20	32.50	9.70	56.00	-13.80 QP	neutral	
9	8.59	24.04	14.27	9.77	50.00	-25.96 Average	neutral	
10	8.59	35.35	25.58	9.77	60.00	-24.65 QP	neutral	
11	16.50	21.18	11.32	9.86	50.00	-28.82 Average	neutral	
12	16.50	31.33	21.47	9.86	60.00	-28.67 QP	neutral	

<Series Model>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	55.48	35.65	19.83	119.13	-63.65	100	115 Peak	Open	
2	0.05	47.41	28.39	19.02	113.93	-66.52	100	223 Peak	Open	
3	0.06	43.96	25.74	18.22	111.34	-67.38	100	222 Peak	Open	
4	0.10	40.13	22.11	18.02	107.86	-67.73	100	197 Peak	Open	
5	0.12	38.18	20.03	18.15	105.94	-67.76	100	197 Peak	Open	
6	0.15	34.13	15.83	18.30	104.35	-70.22	100	197 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.48	39.88	21.15	18.73	94.01	-54.13	100	196 Peak	Open	
2	3.05	32.51	13.52	18.99	69.50	-36.99	100	275 Peak	Open	
3	9.73	34.81	13.64	21.17	69.50	-34.69	100	145 Peak	Open	
4	15.76	34.50	12.70	21.80	69.50	-35.00	100	154 Peak	Open	
5	19.67	36.33	13.53	22.80	69.50	-33.17	100	183 Peak	Open	
6	26.69	36.30	13.36	22.94	69.50	-33.20	100	255 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	222.06	42.18	51.06	-8.88	46.00	-3.82	100	133 Peak	Horizontal	
2	371.44	43.55	47.81	-4.26	46.00	-2.45	100	284 QP	Horizontal	
3	816.67	43.40	39.36	4.04	46.00	-2.60	100	190 QP	Horizontal	
4	891.36	41.88	36.99	4.89	46.00	-4.12	100	186 Peak	Horizontal	
5	916.58	42.47	37.27	5.20	46.00	-3.53	100	189 QP	Horizontal	
6	948.83	43.37	37.68	5.69	46.00	-2.63	100	186 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	79.47	34.24	45.75	-11.51	40.00	-5.76	100	166 Peak	Vertical	
2	222.06	40.08	48.96	-8.88	46.00	-5.92	200	82 Peak	Vertical	
3	371.44	43.66	47.92	-4.26	46.00	-2.34	100	109 QP	Vertical	
4	816.67	41.84	37.80	4.04	46.00	-4.16	100	215 Peak	Vertical	
5	916.58	40.73	35.53	5.20	46.00	-5.27	100	204 Peak	Vertical	
6	948.83	39.38	33.69	5.69	46.00	-6.62	100	217 Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.32	21.89	12.26	9.63	49.62	-27.73	Average	line1	
2	0.32	38.99	29.36	9.63	59.62	-20.63	QP	line1	
3	1.25	32.84	22.38	9.66	46.00	-13.96	Average	line1	
4	1.25	43.26	33.60	9.66	56.00	-12.74	QP	line1	
5	1.77	43.41	33.73	9.68	46.00	-2.59	Average	line1	
6	1.77	52.39	42.71	9.68	56.00	-3.61	QP	line1	
7	3.15	43.15	33.45	9.70	46.00	-2.85	Average	line1	
8	3.15	54.75	45.05	9.70	56.00	-1.25	QP	line1	
9	8.59	32.44	22.68	9.76	50.00	-17.56	Average	line1	
10	8.59	41.15	31.39	9.76	60.00	-18.85	QP	line1	
11	16.41	22.68	12.88	9.80	50.00	-27.32	Average	line1	
12	16.41	31.38	21.58	9.80	60.00	-28.62	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.50	32.86	23.22	9.64	46.00	-13.14	Average	neutral	
2	0.50	43.09	33.45	9.64	56.00	-12.91	QP	neutral	
3	0.88	33.10	23.44	9.66	46.00	-12.90	Average	neutral	
4	0.88	46.82	37.16	9.66	56.00	-9.18	QP	neutral	
5	1.77	41.75	32.07	9.68	46.00	-4.25	Average	neutral	
6	1.77	50.77	41.09	9.68	56.00	-5.23	QP	neutral	
7	3.14	35.06	25.36	9.70	46.00	-10.94	Average	neutral	
8	3.14	48.06	38.36	9.70	56.00	-7.94	QP	neutral	
9	6.43	28.43	18.68	9.75	50.00	-21.57	Average	neutral	
10	6.43	38.23	28.48	9.75	60.00	-21.77	QP	neutral	
11	22.25	24.24	14.37	9.87	50.00	-25.76	Average	neutral	
12	22.25	30.04	20.17	9.87	60.00	-29.96	QP	neutral	