

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Main Model>

Band Edges, 4.5GHz ~ 7GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4757.00	55.18	46.46	8.72	74.00	-18.82	318	52 Peak	Horizontal			
2 *	5180.00	103.01	94.19	8.91	68.20	34.81	318	52 Peak	Horizontal			
3	5409.50	55.33	46.09	9.24	74.00	-18.67	318	52 Peak	Horizontal			



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5131.50	55.08	46.30	8.78	74.00	-18.92	100	156 Peak	Vertical			
2 *	5180.00	100.39	91.48	8.91	68.20	32.19	100	156 Peak	Vertical			
3	5407.00	54.85	45.58	9.27	74.00	-19.15	100	156 Peak	Vertical			

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	42.77	34.01	8.76	54.00	-11.23	318	52	Average	Horizontal	
2 *	5180.00	93.66	84.75	8.91	54.00	39.66	318	52	Average	Horizontal	
3	5480.00	42.41	33.15	9.26	54.00	-11.59	318	52	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	42.44	33.68	8.76	54.00	-11.56	100	156	Average	Vertical	
2 *	5180.00	90.71	81.00	8.91	54.00	36.71	100	156	Average	Vertical	
3	5390.00	42.44	33.15	9.29	54.00	-11.56	100	156	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4587.50	55.15	47.39	7.76	74.00	-18.85	351	50	Peak	Horizontal	
2 *	5200.00	103.02	94.00	9.02	68.20	34.82	351	50	Peak	Horizontal	
3	5415.50	56.13	46.93	9.20	74.00	-17.87	351	50	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5090.00	55.72	46.91	8.81	74.00	-18.28	112	148	Peak	Vertical	
2 *	5200.00	100.55	91.53	9.02	68.20	32.35	112	148	Peak	Vertical	
3	5429.50	55.75	46.64	9.11	74.00	-18.25	112	148	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5088.00	41.86	33.02	8.84	54.00	-12.14	351	50	Average	Horizontal	
2 *	5200.00	93.59	84.57	9.02	54.00	39.59	351	50	Average	Horizontal	
3	5494.50	42.48	33.20	9.28	54.00	-11.52	351	50	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	42.23	33.47	8.76	54.00	-11.77	112	148	Average	Vertical	
2 *	5200.00	91.05	82.03	9.02	54.00	37.05	112	148	Average	Vertical	
3	5390.00	42.39	33.10	9.29	54.00	-11.61	112	148	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.58	55.26	46.58	8.76	74.00	-18.74	344	49	Peak	Horizontal	
2 *	5240.00	103.47	94.74	8.73	68.20	35.27	344	49	Peak	Horizontal	
3	5488.00	56.06	46.80	9.26	74.00	-17.94	344	49	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5067.50	55.20	46.28	8.92	74.00	-18.80	100	148	Peak	Vertical	
2 *	5240.00	100.38	91.65	8.73	68.20	32.18	100	148	Peak	Vertical	
3	5401.00	56.70	47.40	9.30	74.00	-17.30	100	148	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5128.50	42.23	33.44	8.79	54.00	-11.77	344	49	Average	Horizontal		
2 *	5240.00	93.50	84.77	8.73	54.00	39.50	344	49	Average	Horizontal		
3	5402.00	42.60	33.30	9.30	54.00	-11.40	344	49	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.50	42.00	33.24	8.76	54.00	-12.00	100	148	Average	Vertical		
2 *	5240.00	90.61	81.88	8.73	54.00	36.61	100	148	Average	Vertical		
3	5398.00	42.39	33.10	9.29	54.00	-11.61	100	148	Average	Vertical		

802.11ac VHT20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4897.00	55.07	46.32	8.75	74.00	-18.93	334	47	Peak	Horizontal	
2 *	5180.00	102.29	93.38	8.91	68.28	34.09	334	47	Peak	Horizontal	
3	5418.00	55.67	46.48	9.19	74.00	-18.33	334	47	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	54.84	46.06	8.78	74.00	-19.16	192	103	Peak	Vertical	
2 *	5180.00	100.65	91.74	8.91	68.28	32.45	192	103	Peak	Vertical	
3	5408.00	55.54	46.28	9.26	74.00	-18.46	192	103	Peak	Vertical	

802.11ac VHT20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	42.18	33.42	8.76	54.00	-11.82	334	47	Average	Horizontal	
2 *	5180.00	92.73	83.82	8.91	54.00	38.75	334	47	Average	Horizontal	
3	5496.50	42.21	32.94	9.27	54.00	-11.79	334	47	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	42.38	33.62	8.76	54.00	-11.62	192	103	Average	Vertical	
2 *	5180.00	91.33	82.42	8.91	54.00	37.33	192	103	Average	Vertical	
3	5398.50	42.42	33.13	9.29	54.00	-11.58	192	103	Average	Vertical	


802.11ac VHT20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5115.50	55.91	47.11	8.80	74.00	-18.09	352	48	Peak	Horizontal	
2 *	5200.00	102.20	93.18	9.02	68.20	34.00	352	48	Peak	Horizontal	
3	5397.50	56.06	46.77	9.29	74.00	-17.94	352	48	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	56.14	47.36	8.78	74.00	-17.86	192	98	Peak	Vertical	
2 *	5200.00	101.06	92.04	9.02	68.20	33.66	192	98	Peak	Vertical	
3	5396.00	55.46	46.20	9.26	74.00	-18.54	192	98	Peak	Vertical	

802.11ac VHT20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5068.58	41.88	32.97	8.91	54.00	-12.12	352	48	Average	Horizontal	
2 *	5200.00	92.76	83.74	9.02	54.00	38.76	352	48	Average	Horizontal	
3	5416.00	42.35	33.15	9.20	54.00	-11.65	352	48	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	42.18	33.42	8.76	54.00	-11.82	192	98	Average	Vertical	
2 *	5200.00	92.17	83.15	9.02	54.00	38.17	192	98	Average	Vertical	
3	5387.00	42.67	33.52	9.15	54.00	-11.33	192	98	Average	Vertical	


802.11ac VHT20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	54.97	46.18	8.79	74.00	-19.83	386	53	Peak	Horizontal	
2 *	5240.00	101.87	93.14	8.73	68.20	33.67	386	53	Peak	Horizontal	
3	5406.50	55.61	46.34	9.27	74.00	-18.39	386	53	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.00	54.62	45.85	8.77	74.00	-19.38	200	103	Peak	Vertical	
2 *	5240.00	101.83	93.10	8.73	68.20	33.63	200	103	Peak	Vertical	
3	5402.00	55.04	45.74	9.30	74.00	-18.96	200	103	Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.00	41.92	33.16	8.76	54.00	-12.08	386	53	Average	Horizontal		
2 *	5240.00	92.48	83.75	8.73	54.00	38.48	386	53	Average	Horizontal		
3	5404.50	42.46	33.18	9.28	54.00	-11.54	386	53	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.50	42.25	33.49	8.76	54.00	-11.75	208	103	Average	Vertical		
2 *	5240.00	93.07	84.34	8.73	54.00	39.07	208	103	Average	Vertical		
3	5402.00	42.81	33.51	9.30	54.00	-11.19	208	103	Average	Vertical		


802.11ac VHT40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5025.50	56.02	47.24	8.78	74.00	-17.98	374	262	Peak	Horizontal		
2 *	5190.00	99.24	90.28	8.96	68.28	31.04	374	262	Peak	Horizontal		
3	5440.50	55.45	46.41	9.04	74.00	-18.55	374	262	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.00	57.48	48.72	8.76	74.00	-16.52	201	97	Peak	Vertical		
2 *	5190.00	99.91	90.95	8.96	68.28	31.71	201	97	Peak	Vertical		
3	5403.50	55.80	46.51	9.29	74.00	-18.20	201	97	Peak	Vertical		

802.11ac VHT40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.00	42.99	34.23	8.76	54.00	-11.01	374	262 Average	Horizontal	
2 *	5190.00	88.74	79.78	8.96	54.00	34.74	374	262 Average	Horizontal	
3	5398.50	43.24	33.95	9.29	54.00	-10.76	374	262 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5147.50	43.91	35.15	8.76	54.00	-10.09	201	97 Average	Vertical	
2 *	5190.00	90.16	81.20	8.96	54.00	36.16	201	97 Average	Vertical	
3	5414.50	43.27	34.06	9.21	54.00	-10.73	201	97 Average	Vertical	


802.11ac VHT40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5082.00	55.48	46.61	8.87	74.00	-18.52	349	270	Peak	Horizontal		
2 *	5230.00	100.56	91.76	8.80	68.20	32.36	349	270	Peak	Horizontal		
3	5401.50	55.55	46.25	9.30	74.00	-18.45	349	270	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5080.50	55.44	46.55	8.89	74.00	-18.56	138	93	Peak	Vertical		
2 *	5230.00	100.77	91.97	8.80	68.20	32.57	138	93	Peak	Vertical		
3	5402.50	55.91	46.61	9.30	74.00	-18.09	138	93	Peak	Vertical		

802.11ac VHT40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.50	42.63	33.87	8.76	54.00	-11.37	349	270	Average	Horizontal		
2 *	5230.00	90.55	81.75	8.80	54.00	36.55	349	270	Average	Horizontal		
3	5402.50	43.00	33.70	9.30	54.00	-11.00	349	270	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5145.50	43.11	34.34	8.77	54.00	-10.89	138	93	Average	Vertical		
2 *	5230.00	91.11	82.31	8.80	54.00	37.11	138	93	Average	Vertical		
3	5407.00	43.38	34.11	9.27	54.00	-10.62	138	93	Average	Vertical		


802.11ac VHT80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5118.00	65.74	56.94	8.80	74.00	-8.26	348	272	Peak	Horizontal		
2 *	5210.00	100.26	99.32	8.94	68.20	40.06	348	272	Peak	Horizontal		
3	5350.50	62.52	53.85	8.67	74.00	-11.48	348	272	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.50	72.39	63.62	8.77	74.00	-1.61	199	95	Peak	Vertical		
2 *	5210.00	107.77	98.83	8.94	68.20	39.57	199	95	Peak	Vertical		
3	5358.00	63.92	55.15	8.77	74.00	-10.88	199	95	Peak	Vertical		

802.11ac VHT80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.00	47.46	38.66	8.80	54.00	-6.54	348	272	Average	Horizontal	
2 *	5210.00	98.60	89.66	8.94	54.00	44.60	348	272	Average	Horizontal	
3	5356.50	45.57	36.82	8.75	54.00	-8.43	348	272	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	52.34	43.58	8.76	54.00	-1.66	199	95	Average	Vertical	
2 *	5210.00	98.40	89.46	8.94	54.00	44.40	199	95	Average	Vertical	
3	5357.00	46.45	37.69	8.76	54.00	-7.55	199	95	Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5186.50	55.61	46.00	8.81	74.00	-18.39	309	39	Peak	Horizontal		
2 *	5260.00	103.59	94.81	8.78	68.20	35.39	309	39	Peak	Horizontal		
3	5419.00	56.05	46.86	9.19	74.00	-17.95	309	39	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4923.50	54.76	45.91	8.85	74.00	-19.24	100	154	Peak	Vertical		
2 *	5260.00	101.26	92.48	8.78	68.20	33.06	100	154	Peak	Vertical		
3	5414.50	56.16	46.95	9.21	74.00	-17.84	100	154	Peak	Vertical		

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.00	42.06	33.38	8.76	54.00	-11.94	309	39	Average	Horizontal
2 *	5260.00	94.18	85.40	8.78	54.00	40.18	309	39	Average	Horizontal
3	5402.50	42.65	33.35	9.30	54.00	-11.35	309	39	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.00	41.96	33.18	8.78	54.00	-12.04	100	154	Average	Vertical
2 *	5260.00	91.22	82.44	8.78	54.00	37.22	100	154	Average	Vertical
3	5400.50	42.42	33.11	9.31	54.00	-11.58	100	154	Average	Vertical


802.11a

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4923.00	55.66	46.81	8.85	74.00	-18.34	377	53	Peak	Horizontal		
2 *	5300.00	105.53	90.32	9.21	68.20	37.33	377	53	Peak	Horizontal		
3	5498.50	57.58	48.32	9.26	74.00	-16.42	377	53	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5133.21	56.26	47.48	8.78	74.00	-17.74	113	152	Peak	Vertical		
2 *	5300.00	102.01	92.80	9.21	68.20	33.61	113	152	Peak	Vertical		
3	5401.43	56.13	46.83	9.30	74.00	-17.87	113	152	Peak	Vertical		

802.11a

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.50	41.85	33.09	8.76	54.00	-12.15	377	53 Average	Horizontal	
2 *	5300.00	95.46	86.25	9.21	54.00	41.46	377	53 Average	Horizontal	
3	5400.50	42.65	33.34	9.31	54.00	-11.35	377	53 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.29	41.89	33.12	8.77	54.00	-12.11	113	152 Average	Vertical	
2 *	5300.00	92.12	82.91	9.21	54.00	38.12	113	152 Average	Vertical	
3	5417.50	42.46	33.26	9.20	54.00	-11.54	113	152 Average	Vertical	


802.11a

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4964.00	55.97	47.12	8.85	74.00	-18.03	354	49	Peak	Horizontal		
2 *	5320.00	104.51	95.51	9.00	68.20	36.31	354	49	Peak	Horizontal		
3	5422.50	55.19	46.03	9.16	74.00	-18.81	354	49	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4724.00	54.69	46.22	8.47	74.00	-19.31	160	93	Peak	Vertical		
2 *	5320.00	102.24	93.24	9.00	68.20	34.04	160	93	Peak	Vertical		
3	5357.50	55.77	47.01	8.76	74.00	-18.23	160	93	Peak	Vertical		

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	41.81	33.05	8.76	54.00	-12.19	354	49	Average	Horizontal	
2 *	5320.00	95.16	86.16	9.00	54.00	41.16	354	49	Average	Horizontal	
3	5352.00	42.67	33.98	8.69	54.00	-11.33	354	49	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	41.91	33.14	8.77	54.00	-12.89	168	93	Average	Vertical	
2 *	5320.00	93.27	84.27	9.00	54.00	39.27	168	93	Average	Vertical	
3	5390.50	42.79	33.60	9.19	54.00	-11.21	168	93	Average	Vertical	


802.11ac VHT20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5078.50	54.89	46.01	8.88	74.00	-19.11	341	52 Peak	Horizontal		
2 *	5260.00	102.85	94.07	8.78	68.20	34.65	341	52 Peak	Horizontal		
3	5402.50	54.69	45.39	9.30	74.00	-19.31	341	52 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	54.95	46.18	8.77	74.00	-19.05	204	112 Peak	Vertical		
2 *	5260.00	102.92	94.14	8.78	68.20	34.72	204	112 Peak	Vertical		
3	5426.00	54.94	45.82	9.12	74.00	-19.06	204	112 Peak	Vertical		

802.11ac VHT20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.50	42.15	33.39	8.76	54.00	-11.85		341	52	Average	Horizontal	
2 *	5260.00	93.38	84.60	8.78	54.00	39.38		341	52	Average	Horizontal	
3	5400.00	42.62	33.31	9.31	54.00	-11.38		341	52	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.50	41.96	33.20	8.76	54.00	-12.04		284	112	Average	Vertical	
2 *	5260.00	93.39	84.61	8.78	54.00	39.39		284	112	Average	Vertical	
3	5397.50	42.62	33.33	9.29	54.00	-11.38		284	112	Average	Vertical	


802.11ac VHT20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4951.50	56.09	47.15	8.94	74.00	-17.91	337	50	Peak	Horizontal	
2 *	5380.00	104.47	95.26	9.21	68.20	36.27	337	50	Peak	Horizontal	
3	5393.50	56.44	47.21	9.23	74.00	-17.56	337	50	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4774.00	55.11	46.50	8.61	74.00	-18.89	209	113	Peak	Vertical	
2 *	5380.00	102.60	93.39	9.21	68.20	34.40	209	113	Peak	Vertical	
3	5380.00	56.69	47.63	9.06	74.00	-17.31	209	113	Peak	Vertical	

802.11ac VHT20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.00	42.17	33.48	8.77	54.00	-11.83	337	50	Average	Horizontal	
2 *	5300.00	94.56	85.35	9.21	54.00	40.56	337	50	Average	Horizontal	
3	5406.50	42.82	33.55	9.27	54.00	-11.18	337	50	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	42.00	33.30	8.78	54.00	-11.92	209	113	Average	Vertical	
2 *	5300.00	93.31	84.10	9.21	54.00	39.31	209	113	Average	Vertical	
3	5413.00	42.66	33.44	9.22	54.00	-11.34	209	113	Average	Vertical	

802.11ac VHT20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4900.00	54.78	45.97	8.81	74.00	-19.22	355	47	Peak	Horizontal		
2 *	5320.00	104.56	95.56	9.00	68.20	36.36	355	47	Peak	Horizontal		
3	5436.00	55.72	46.66	9.06	74.00	-18.28	355	47	Peak	Horizontal		

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5032.50	54.90	46.06	8.84	74.00	-19.10	196	105	Peak	Vertical		
2 *	5320.00	104.16	95.16	9.00	68.20	35.96	196	105	Peak	Vertical		
3	5373.50	57.07	48.10	8.97	74.00	-16.93	196	105	Peak	Vertical		

802.11ac VHT20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.58	42.36	33.59	8.77	54.00	-11.64	355	47	Average	Horizontal	
2 *	5320.00	95.66	86.66	9.00	54.00	41.66	355	47	Average	Horizontal	
3	5427.00	43.82	33.90	9.12	54.00	-10.98	355	47	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5110.00	42.33	33.53	8.80	54.00	-11.67	196	105	Average	Vertical	
2 *	5320.00	95.36	86.36	9.00	54.00	41.36	196	105	Average	Vertical	
3	5404.00	43.25	33.96	9.29	54.00	-10.75	196	105	Average	Vertical	


802.11ac VHT40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4751.50	56.09	47.33	8.76	74.00	-17.91	345	271	Peak	Horizontal	
2 *	5270.00	101.15	92.27	8.88	68.20	32.95	345	271	Peak	Horizontal	
3	5425.50	55.46	46.32	9.14	74.00	-18.54	345	271	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5012.00	55.09	46.39	8.70	74.00	-18.91	148	92	Peak	Vertical	
2 *	5270.00	100.47	91.59	8.88	68.20	32.27	148	92	Peak	Vertical	
3	5378.50	55.77	46.74	9.03	74.00	-18.23	148	92	Peak	Vertical	

802.11ac VHT40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.58	42.57	33.79	8.78	54.00	-11.43	345	271	Average	Horizontal	
2 *	5270.00	91.81	82.93	8.88	54.00	37.81	345	271	average	Horizontal	
3	5486.00	43.07	33.80	9.27	54.00	-10.93	345	271	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	42.79	34.02	8.77	54.00	-11.21	148	92	Average	Vertical	
2 *	5270.00	91.88	82.92	8.88	54.00	37.88	148	92	Average	Vertical	
3	5485.00	43.29	34.01	9.28	54.00	-10.71	148	92	Average	Vertical	


802.11ac VHT40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5064.00	55.24	46.33	8.91	74.00	-18.76	318	269	Peak	Horizontal	
2 *	5310.00	99.89	90.78	9.11	68.20	31.69	318	269	Peak	Horizontal	
3	5423.00	55.85	46.70	9.15	74.00	-18.15	318	269	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4744.50	55.59	46.90	8.69	74.00	-18.41	154	94	Peak	Vertical	
2 *	5310.00	101.32	92.21	9.11	68.20	33.12	154	94	Peak	Vertical	
3	5352.50	59.76	51.07	8.69	74.00	-14.24	154	94	Peak	Vertical	

802.11ac VHT40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	42.44	33.68	8.76	54.00	-11.56	318	269	Average	Horizontal	
2 *	5310.00	90.65	81.54	9.11	54.00	36.65	318	269	Average	Horizontal	
3	5350.00	43.59	34.93	8.66	54.00	-10.41	318	269	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5133.50	42.50	33.00	8.78	54.00	-11.42	154	94	Average	Vertical	
2 *	5310.00	91.59	82.48	9.11	54.00	37.59	154	94	Average	Vertical	
3	5350.00	45.44	36.78	8.66	54.00	-8.56	154	94	Average	Vertical	


802.11ac VHT80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.00	57.25	48.46	8.79	74.00	-16.75	341	274	Peak	Horizontal	
2 *	5290.00	105.89	96.79	9.10	68.20	37.69	341	274	Peak	Horizontal	
3	5420.50	60.74	51.57	9.17	74.00	-13.26	341	274	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	58.86	50.10	8.76	74.00	-15.14	287	105	Peak	Vertical	
2 *	5290.00	107.14	98.04	9.10	68.20	38.94	287	105	Peak	Vertical	
3	5355.50	66.83	58.09	8.74	74.00	-7.17	287	105	Peak	Vertical	

802.11ac VHT80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	45.91	37.15	8.76	54.00	-8.09	341	274	Average	Horizontal	
2 *	5290.00	96.37	87.27	9.10	54.00	42.37	341	274	Average	Horizontal	
3	5370.50	47.52	38.58	8.94	54.00	-6.48	341	274	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	45.01	36.24	8.77	54.00	-8.99	287	105	Average	Vertical	
2 *	5290.00	97.57	88.47	9.10	54.00	43.57	287	105	Average	Vertical	
3 !	5351.00	52.07	43.40	8.67	54.00	-1.93	287	105	Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.58	54.47	45.27	9.20	74.00	-19.53	348	36	Peak	Horizontal	
2	5464.50	54.29	45.28	9.01	68.20	-13.91	348	36	Peak	Horizontal	
3 *	5500.00	103.02	93.98	9.12	68.20	34.82	348	36	Peak	Horizontal	
4	6795.00	56.36	46.85	9.51	68.20	-11.84	348	36	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.50	55.46	46.26	9.20	74.00	-18.54	206	80	Peak	Vertical	
2	5462.00	53.84	44.84	9.00	68.20	-14.36	206	80	Peak	Vertical	
3 *	5500.00	100.74	91.62	9.12	68.20	32.54	206	80	Peak	Vertical	
4	6777.00	56.59	47.12	9.47	68.20	-11.61	206	80	Peak	Vertical	

802.11a

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5393.58	42.69	33.46	9.23	54.00	-11.31	348	36	Average	Horizontal	
2 *	5500.00	93.74	84.62	9.12	54.00	39.74	348	36	Average	Horizontal	

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5411.58	42.61	33.38	9.23	54.00	-11.39	286	88	Average	Vertical	
2 *	5500.00	91.89	82.77	9.12	54.00	37.89	286	88	Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5392.00	55.61	46.39	9.22	74.00	-18.39	368	63	Peak	Horizontal		
2	5466.50	54.51	45.49	9.02	68.20	-13.69	368	63	Peak	Horizontal		
3 *	5580.00	101.44	92.59	8.85	68.20	33.24	368	63	Peak	Horizontal		
4	6930.50	56.96	47.48	9.48	68.20	-11.24	368	63	Peak	Horizontal		

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5409.00	56.32	47.06	9.26	74.00	-17.68	211	99	Peak	Vertical		
2	5465.00	55.26	46.25	9.01	68.20	-12.94	211	99	Peak	Vertical		
3 *	5580.00	101.17	92.32	8.85	68.20	32.97	211	99	Peak	Vertical		
4	6069.00	56.77	47.13	9.64	68.20	-11.43	211	99	Peak	Vertical		

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5486.00	42.31	33.04	9.27	54.00	-11.69	368	63	Average	Horizontal	
2 *	5580.00	92.36	83.51	8.85	54.00	38.36	368	63	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5487.00	42.60	33.33	9.27	54.00	-11.40	211	99	Average	Vertical	
2 *	5580.00	91.68	82.83	8.85	54.00	37.68	211	99	Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5397.50	54.72	45.43	9.29	74.00	-19.28	375	53	Peak	Horizontal	
2	5462.50	54.53	45.53	9.00	68.20	-13.67	375	53	Peak	Horizontal	
3 *	5700.00	102.44	93.63	8.81	68.20	34.24	375	53	Peak	Horizontal	
4	5726.00	57.17	48.15	9.02	68.20	-11.03	375	53	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5426.50	55.02	45.90	9.12	74.00	-18.98	203	101	Peak	Vertical	
2	5463.00	53.86	44.86	9.00	68.20	-14.34	203	101	Peak	Vertical	
3 *	5700.00	100.37	91.56	8.81	68.20	32.17	203	101	Peak	Vertical	
4	6544.00	57.11	47.43	9.68	68.20	-11.09	203	101	Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5426.00	42.32	33.20	9.12	54.00	-11.68	375	53	Average	Horizontal	
2 *	5700.00	92.55	83.74	8.81	54.00	38.55	375	53	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5403.50	42.36	33.07	9.29	54.00	-11.64	203	101	Average	Vertical	
2 *	5700.00	91.02	82.21	8.81	54.00	37.02	203	101	Average	Vertical	


802.11a

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5426.50	55.33	46.21	9.12	74.00	-18.67	372	53 Peak	Horizontal	
2	5464.00	53.63	44.61	9.02	68.20	-14.57	372	53 Peak	Horizontal	
3	5720.00	100.83	91.85	8.98	122.20	-21.37	372	53 Peak	Horizontal	
4	5852.00	55.20	46.09	9.11	117.64	-62.44	372	53 Peak	Horizontal	
5	5874.50	55.36	46.19	9.17	105.34	-49.98	372	53 Peak	Horizontal	
6	5912.50	55.29	46.08	9.21	77.42	-22.13	372	53 Peak	Horizontal	
7	5977.00	56.23	46.66	9.37	68.20	-11.97	372	53 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5379.00	55.03	45.99	9.04	74.00	-18.97	224	101 Peak	Vertical	
2	5465.00	53.98	44.97	9.01	68.20	-14.22	224	101 Peak	Vertical	
3	5720.00	99.70	90.72	8.98	122.20	-22.50	224	101 Peak	Vertical	
4	5854.50	54.86	45.74	9.12	111.94	-57.08	224	101 Peak	Vertical	
5	5872.00	54.95	45.80	9.15	106.04	-51.09	224	101 Peak	Vertical	
6	5900.00	55.57	46.36	9.21	86.66	-31.09	224	101 Peak	Vertical	
7	5981.50	56.02	46.62	9.40	68.20	-12.18	224	101 Peak	Vertical	

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.50	42.26	32.96	9.30	54.00	-11.74	372	53	Average	Horizontal	
2 *	5720.00	92.05	83.07	8.98	54.00	38.05	372	53	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.50	42.35	33.06	9.29	54.00	-11.65	224	101	Average	Vertical	
2 *	5720.00	90.24	81.26	8.98	54.00	36.24	224	101	Average	Vertical	

802.11ac VHT20

CH 100 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5481.50	58.06	48.76	9.30	74.00	-15.94	366	49	Peak	Horizontal	
2	5470.00	56.91	47.69	9.02	68.20	-11.29	366	49	Peak	Horizontal	
3 *	5500.00	105.44	96.32	9.12	68.20	37.24	366	49	Peak	Horizontal	
4	6734.50	57.29	47.94	9.35	68.20	-10.91	366	49	Peak	Horizontal	

CH 100 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.50	59.07	49.87	9.20	74.00	-14.93	287	101	Peak	Vertical	
2	5460.50	62.47	53.45	9.02	68.20	-5.73	287	101	Peak	Vertical	
3 *	5500.00	104.40	95.28	9.12	68.20	36.20	287	101	Peak	Vertical	
4	6119.00	57.86	47.97	9.89	68.20	-10.34	287	101	Peak	Vertical	


802.11ac VHT20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	43.36	34.07	9.29	54.00	-10.64	366	49	Average	Horizontal	
2 *	5500.00	94.94	85.82	9.12	54.00	40.94	366	49	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	43.73	34.74	8.99	54.00	-10.27	287	101	Average	Vertical	
2 *	5500.00	94.44	85.32	9.12	54.00	40.44	287	101	Average	Vertical	

802.11ac VHT20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5480.50	56.06	46.00	9.26	74.00	-17.94	395	53	Peak	Horizontal		
2	5470.00	55.11	46.09	9.02	68.20	-13.09	395	53	Peak	Horizontal		
3 *	5580.00	101.85	93.00	8.85	68.20	33.65	395	53	Peak	Horizontal		
4	6960.50	56.90	47.41	9.49	68.20	-11.30	395	53	Peak	Horizontal		

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5445.00	55.32	46.32	9.00	74.00	-18.68	201	100	Peak	Vertical		
2	5460.50	53.84	44.82	9.02	68.20	-14.36	201	100	Peak	Vertical		
3 *	5580.00	102.00	93.15	8.85	68.20	33.80	201	100	Peak	Vertical		
4	6748.50	56.61	47.19	9.42	68.20	-11.59	201	100	Peak	Vertical		

802.11ac VHT20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5481.58	43.18	33.88	9.30	54.00	-10.82	395	53	Average	Horizontal	
2 *	5580.00	93.26	84.41	8.85	54.00	39.26	395	53	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.58	43.23	34.03	9.20	54.00	-10.77	201	100	Average	Vertical	
2 *	5580.00	93.42	84.57	8.85	54.00	39.42	201	100	Average	Vertical	

802.11ac VHT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5417.50	56.58	47.38	9.20	74.00	-17.42	328	26	Peak	Horizontal
2	5469.00	54.14	45.15	8.99	74.00	-19.86	328	26	Peak	Horizontal
3 *	5700.00	103.79	94.98	8.81	68.20	35.59	328	26	Peak	Horizontal
4	5725.00	59.01	50.00	9.01	68.20	-9.19	328	26	Peak	Horizontal

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5447.50	55.10	46.11	8.99	74.00	-18.90	215	101	Peak	Vertical
2	5469.50	55.20	46.17	9.03	68.20	-13.00	215	101	Peak	Vertical
3 *	5700.00	100.99	92.18	8.81	68.20	32.79	215	101	Peak	Vertical
4	5729.00	59.23	50.18	9.05	68.20	-8.97	215	101	Peak	Vertical

802.11ac VHT20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.50	43.09	33.79	9.30	54.00	-10.91	328	26	Average	Horizontal	
2 *	5700.00	94.31	85.50	8.81	54.00	40.31	328	26	Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5401.50	43.17	33.93	9.24	54.00	-10.83	215	101	Average	Vertical	
2 *	5700.00	92.37	83.56	8.81	54.00	38.57	215	101	Average	Vertical	


802.11ac VHT20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5378.00	54.99	45.97	9.02	74.00	-19.01	343	20 Peak	Horizontal	
2	5468.00	55.54	46.52	9.02	68.20	-12.66	343	20 Peak	Horizontal	
3	5728.00	104.23	95.25	8.98	122.20	-17.97	343	20 Peak	Horizontal	
4	5725.00	100.84	91.83	9.01	122.20	-21.36	343	20 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5489.50	55.98	46.74	9.24	74.00	-18.02	225	102 Peak	Vertical	
2	5467.50	54.92	45.90	9.02	68.20	-13.28	225	102 Peak	Vertical	
3	5728.00	102.36	93.38	8.98	122.20	-19.84	225	102 Peak	Vertical	
4	5725.00	99.91	90.90	9.01	122.20	-22.29	225	102 Peak	Vertical	