


802.11ac VHT20

CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5483.00	43.09	33.00	9.29	54.00	-10.91	343	20	Average	Horizontal	
2 *	5720.00	94.57	85.59	8.98	54.00	40.57	343	20	Average	Horizontal	

CH 144 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.00	43.15	33.91	9.24	54.00	-10.85	225	102	Average	Vertical	
2 *	5720.00	92.26	83.28	8.98	54.00	38.26	225	102	Average	Vertical	


	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5452.50	59.86	59.88	8.98	74.00	-14.14	219	79 Peak		Vertical	
2	5464.50	62.16	13.15	9.01	68.20	-6.04	219	79 Peak		Vertical	
3	5510.00	99.47	90.40	9.07	68.20	31.27	219	79 Peak		Vertical	
4	6639.50	57.16	47.82	9.34	68.20	-11.04	219	79 Peak		Vertical	

802.11ac VHT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5481.58	43.56	34.26	9.30	54.00	-10.44	375	67	Average	Horizontal	
2 *	5510.00	90.91	81.04	9.07	54.00	36.91	375	67	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5480.00	44.19	35.20	8.99	54.00	-9.81	219	79	Average	Vertical	
2 *	5510.00	90.31	81.24	9.07	54.00	36.31	219	79	Average	Vertical	


802.11ac VHT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.50	55.76	46.52	9.24	74.00	-18.24	370	64	Peak	Horizontal	
2	5466.00	54.63	45.62	9.01	68.20	-13.57	370	64	Peak	Horizontal	
3 *	5550.00	100.63	91.71	8.92	68.20	32.43	370	64	Peak	Horizontal	
4	6524.50	57.10	47.46	9.64	68.20	-11.10	370	64	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5410.00	55.61	46.37	9.24	74.00	-18.39	370	297	Peak	Vertical	
2	5461.00	56.73	47.74	8.99	68.20	-11.47	370	297	Peak	Vertical	
3 *	5550.00	99.06	90.14	8.92	68.20	30.86	370	297	Peak	Vertical	
4	6613.00	56.52	47.22	9.30	68.20	-11.68	370	297	Peak	Vertical	

802.11ac VHT40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5416.50	43.46	34.17	9.29	54.00	-10.54	378	64	Average	Horizontal	
2 *	5550.00	91.17	82.25	8.92	54.00	37.17	378	64	Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5416.50	43.35	34.15	9.20	54.00	-10.65	378	297	Average	Vertical	
2 *	5550.00	89.85	80.93	8.92	54.00	35.85	378	297	Average	Vertical	


802.11ac VHT40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5442.00	54.97	45.94	9.03	74.00	-19.03	353	65	Peak	Horizontal		
2	5467.00	54.11	45.09	9.02	68.20	-14.09	353	65	Peak	Horizontal		
3 *	5670.00	99.76	90.94	8.82	68.20	31.56	353	65	Peak	Horizontal		
4	6876.00	57.15	47.71	9.44	68.20	-11.05	353	65	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5445.50	56.02	47.02	9.00	74.00	-17.98	365	305	Peak	Vertical		
2	5463.00	54.94	45.94	9.00	68.20	-13.26	365	305	Peak	Vertical		
3 *	5670.00	97.86	89.84	8.02	68.20	29.66	365	305	Peak	Vertical		
4	5992.50	57.83	48.36	9.47	68.20	-10.37	365	305	Peak	Vertical		

802.11ac VHT40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5484.58	43.24	33.96	9.28	54.00	-10.76	353	65	Average	Horizontal	
2 *	5670.00	90.54	81.72	8.82	54.00	36.54	353	65	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5484.00	43.07	33.78	9.29	54.00	-10.93	365	305	Average	Vertical	
2 *	5670.00	87.94	79.12	8.82	54.00	33.94	365	305	Average	Vertical	


802.11ac VHT40

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5434.00	55.11	46.03	9.08	74.00	-18.89	348	68 Peak	Horizontal	
2	5469.50	54.12	45.13	8.99	68.20	-14.08	348	68 Peak	Horizontal	
3	5710.00	99.26	90.37	8.89	122.20	-22.94	348	68 Peak	Horizontal	
4	5851.00	55.33	46.21	9.12	119.92	-64.59	348	68 Peak	Horizontal	
5	5866.50	55.12	45.98	9.14	107.58	-52.46	348	68 Peak	Horizontal	
6	5882.50	55.53	46.35	9.18	99.63	-44.10	348	68 Peak	Horizontal	
7	5990.00	56.10	46.65	9.45	68.20	-12.10	348	68 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5406.00	55.75	46.48	9.27	74.00	-18.25	359	300 Peak	Vertical	
2	5469.50	54.55	45.52	9.03	68.20	-13.65	359	300 Peak	Vertical	
3	5710.00	99.21	90.32	8.89	122.20	-22.99	359	300 Peak	Vertical	
4	5850.50	55.52	46.40	9.12	121.06	-65.54	359	300 Peak	Vertical	
5	5855.50	55.72	46.60	9.12	110.66	-54.94	359	300 Peak	Vertical	
6	5885.00	56.40	47.22	9.18	97.77	-41.37	359	300 Peak	Vertical	
7	5929.50	55.91	46.79	9.21	68.20	-12.29	359	300 Peak	Vertical	

802.11ac VHT40

CH 142 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5394.00	43.05	33.81	9.24	54.00	-10.95	348	68	Average	Horizontal	
2 *	5710.00	90.21	81.32	8.89	54.00	36.21	348	68	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5404.00	43.01	33.72	9.29	54.00	-10.99	359	300	Average	Vertical	
2 *	5710.00	90.09	81.20	8.89	54.00	36.09	359	300	Average	Vertical	


802.11ac VHT80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5446.00	66.29	57.30	8.99	74.00	-7.71	314	25	Peak	Horizontal	
2	5466.50	66.63	57.61	9.02	68.20	-1.57	314	25	Peak	Horizontal	
3 *	5538.00	106.60	97.61	8.99	68.20	38.40	314	25	Peak	Horizontal	
4	5966.00	57.43	48.12	9.31	68.20	-19.77	314	25	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	63.91	54.92	8.99	74.00	-10.09	363	301	Peak	Vertical	
2	5469.00	66.56	57.53	9.03	68.20	-1.64	363	301	Peak	Vertical	
3 *	5538.00	106.24	97.25	8.99	68.20	38.04	363	301	Peak	Vertical	
4	6893.50	58.45	48.97	9.48	68.20	-9.75	363	301	Peak	Vertical	

802.11ac VHT80


CH 106 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5454.00	64.25	55.27	8.98	74.00	-9.75	322	27	Peak	Horizontal		
2	5462.00	64.71	55.71	9.00	68.20	-3.49	322	27	Peak	Horizontal		
3	5610.00	108.58	99.76	8.82	68.20	40.38	322	27	Peak	Horizontal		
4	5730.00	63.87	54.81	9.06	68.20	-4.33	322	27	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5451.00	63.03	54.07	8.96	74.00	-10.97	325	317	Peak	Vertical		
2	5462.50	63.05	54.05	9.00	68.20	-5.15	325	317	Peak	Vertical		
3	5610.00	105.92	97.10	8.82	68.20	37.72	325	317	Peak	Vertical		
4	5732.50	60.89	51.82	9.07	68.20	-7.31	325	317	Peak	Vertical		


802.11ac VHT80

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.50	47.63	38.64	8.99	54.00	-6.37	322	27	Average	Horizontal	
2 *	5610.00	98.55	89.73	8.82	54.00	44.55	322	27	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	46.90	37.91	8.99	54.00	-7.10	325	317	Average	Vertical	
2 *	5610.00	96.50	87.68	8.82	54.00	42.50	325	317	Average	Vertical	


802.11ac VHT80

CH 138 (Horizontal) Peak

CH 138 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.50	58.12	49.81	9.11	74.00	-15.88	312	25	Peak	Horizontal	
2	5469.00	56.93	47.90	9.03	68.20	-11.27	312	25	Peak	Horizontal	
3	5690.00	108.17	99.36	8.81	122.20	-14.03	312	25	Peak	Horizontal	
4	5852.50	59.24	50.13	9.11	116.50	-57.26	312	25	Peak	Horizontal	
5	5859.00	57.78	48.65	9.13	109.68	-51.90	312	25	Peak	Horizontal	
6	5876.50	57.19	48.03	9.16	104.09	-46.90	312	25	Peak	Horizontal	
7	5967.50	56.52	47.20	9.32	68.20	-11.68	312	25	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5404.00	56.88	47.59	9.29	74.00	-17.12	360	299	Peak	Vertical	
2	5463.00	54.74	45.74	9.00	68.20	-13.46	360	299	Peak	Vertical	
3	5690.00	104.62	95.81	8.81	122.20	-17.58	360	299	Peak	Vertical	
4	5853.00	57.76	48.64	9.12	115.36	-57.60	360	299	Peak	Vertical	
5	5872.50	57.84	48.68	9.16	105.90	-48.06	360	299	Peak	Vertical	
6	5886.50	55.90	46.71	9.19	96.66	-40.76	360	299	Peak	Vertical	
7	5951.50	56.36	47.14	9.22	68.20	-11.04	360	299	Peak	Vertical	


802.11ac VHT80

CH 138 (Horizontal) Average

CH 138 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5412.00	45.84	36.61	9.23	54.00	-8.16	312	25	Average	Horizontal	
2 *	5690.00	98.36	89.55	8.81	54.00	44.36	312	25	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5419.00	44.98	35.79	9.19	54.00	-9.02	360	299	Average	Vertical	
2 *	5690.00	95.90	87.09	8.81	54.00	41.90	360	299	Average	Vertical	

Mask, 4.5GHz ~ 7GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5611.50	55.51	46.69	8.82	68.20	-12.69	392	24	Peak	Horizontal
2	5682.00	55.81	46.99	8.82	91.92	-36.11	392	24	Peak	Horizontal
3	5714.50	55.58	46.65	8.93	109.26	-53.68	392	24	Peak	Horizontal
4	5721.00	59.40	50.42	8.98	115.64	-56.24	392	24	Peak	Horizontal
5	5745.00	101.99	92.82	9.17	135.00	-33.01	392	24	Peak	Horizontal
6	5850.00	54.77	45.65	9.12	135.00	-80.23	392	24	Peak	Horizontal
7	5866.00	55.99	46.85	9.14	107.72	-51.73	392	24	Peak	Horizontal
8	5900.00	55.92	46.71	9.21	86.66	-30.74	392	24	Peak	Horizontal
9	5983.00	56.21	46.80	9.41	68.20	-11.99	392	24	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5563.00	55.85	46.96	8.89	68.20	-12.35	212	100	Peak	Vertical
2	5692.50	54.90	46.09	8.81	99.67	-44.77	212	100	Peak	Vertical
3	5720.00	56.52	47.54	8.98	110.80	-54.28	212	100	Peak	Vertical
4	5724.00	57.19	48.19	9.00	130.16	-72.97	212	100	Peak	Vertical
5	5745.00	101.12	91.95	9.17	135.00	-33.88	212	100	Peak	Vertical
6	5853.00	54.25	45.13	9.12	120.40	-66.23	212	100	Peak	Vertical
7	5860.50	55.46	46.33	9.13	109.26	-53.80	212	100	Peak	Vertical
8	5895.50	56.55	47.35	9.20	89.99	-33.44	212	100	Peak	Vertical
9	5957.00	56.19	46.94	9.25	68.20	-12.01	212	100	Peak	Vertical


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5610.00	56.38	47.56	8.82	68.20	-11.82	386	27	Peak	Horizontal
2	5682.50	55.67	46.85	8.82	92.29	-36.62	386	27	Peak	Horizontal
3	5712.00	55.30	46.39	8.91	108.56	-53.26	386	27	Peak	Horizontal
4	5722.00	55.64	46.65	8.99	120.48	-64.04	386	27	Peak	Horizontal
5	5785.00	102.62	93.48	9.14	135.00	-32.38	386	27	Peak	Horizontal
6	5851.50	55.36	46.25	9.11	127.74	-72.30	386	27	Peak	Horizontal
7	5856.50	56.03	46.91	9.12	110.38	-54.35	386	27	Peak	Horizontal
8	5918.00	56.24	47.03	9.21	73.36	-17.12	386	27	Peak	Horizontal
9	5976.00	56.20	46.83	9.37	68.20	-12.00	386	27	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5498.00	56.16	47.06	9.10	68.20	-12.04	208	101	Peak	Vertical
2	5678.50	54.83	46.82	8.81	89.33	-34.50	208	101	Peak	Vertical
3	5706.50	54.63	45.76	8.87	107.02	-52.39	208	101	Peak	Vertical
4	5724.50	55.30	46.29	9.01	132.58	-77.28	208	101	Peak	Vertical
5	5785.00	100.09	90.95	9.14	135.00	-34.91	208	101	Peak	Vertical
6	5851.50	54.84	45.73	9.11	127.74	-72.90	208	101	Peak	Vertical
7	5856.00	55.56	46.44	9.12	110.52	-54.96	208	101	Peak	Vertical
8	5909.50	57.11	47.90	9.21	79.64	-22.53	208	101	Peak	Vertical
9	5976.00	56.50	47.13	9.37	68.20	-11.70	208	101	Peak	Vertical

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5539.50	55.58	46.62	8.96	68.20	-12.62	378	28 Peak	Horizontal	
2	5670.50	55.61	46.79	8.82	83.41	-27.80	378	28 Peak	Horizontal	
3	5700.00	55.46	46.65	8.81	105.20	-49.74	378	28 Peak	Horizontal	
4	5724.00	54.68	45.68	9.00	130.16	-75.48	378	28 Peak	Horizontal	
5	5825.00	102.16	93.05	9.11	135.00	-32.84	378	28 Peak	Horizontal	
6	5853.00	56.90	47.78	9.12	120.40	-63.58	378	28 Peak	Horizontal	
7	5857.00	56.95	47.83	9.12	110.24	-53.29	378	28 Peak	Horizontal	
8	5896.00	56.25	47.05	9.20	89.62	-33.37	378	28 Peak	Horizontal	
9	5983.50	56.06	46.65	9.41	68.20	-12.14	378	28 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5493.00	55.94	46.85	9.09	68.20	-12.26	228	98 Peak	Vertical	
2	5660.50	56.70	47.88	8.82	76.00	-19.30	228	98 Peak	Vertical	
3	5715.00	55.65	46.72	8.93	109.40	-53.75	228	98 Peak	Vertical	
4	5725.00	55.42	46.41	9.01	135.00	-79.58	228	98 Peak	Vertical	
5	5825.00	99.16	90.05	9.11	135.00	-35.84	228	98 Peak	Vertical	
6	5855.00	57.70	48.58	9.12	110.00	-53.10	228	98 Peak	Vertical	
7	5855.00	57.70	48.58	9.12	110.00	-53.10	228	98 Peak	Vertical	
8	5893.50	56.19	46.99	9.20	91.47	-35.28	228	98 Peak	Vertical	
9	5977.00	56.82	47.45	9.37	68.20	-11.38	228	98 Peak	Vertical	


802.11ac VHT20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5575.00	55.97	47.10	8.87	68.20	-12.23	340	21 Peak	Horizontal	
2	5697.00	57.89	49.08	8.81	102.99	-45.10	340	21 Peak	Horizontal	
3	5720.00	60.90	51.92	8.98	110.80	-49.90	340	21 Peak	Horizontal	
4	5724.50	64.09	55.08	9.01	132.58	-68.49	340	21 Peak	Horizontal	
5	5745.00	104.11	94.94	9.17	135.00	-30.09	340	21 Peak	Horizontal	
6	5855.00	56.01	46.00	9.12	110.00	-54.79	340	21 Peak	Horizontal	
7	5864.50	56.44	47.30	9.14	108.14	-51.70	340	21 Peak	Horizontal	
8	5909.00	56.81	47.60	9.21	80.01	-23.20	340	21 Peak	Horizontal	
9	5965.00	57.11	47.81	9.30	68.20	-11.09	340	21 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5522.50	56.17	47.15	9.02	68.20	-12.03	213	100 Peak	Vertical	
2	5690.00	55.55	46.74	8.81	103.73	-48.18	213	100 Peak	Vertical	
3	5719.50	59.69	50.71	8.98	110.66	-50.97	213	100 Peak	Vertical	
4	5724.50	65.67	56.66	9.01	132.58	-66.91	213	100 Peak	Vertical	
5	5745.00	103.13	93.96	9.17	135.00	-31.87	213	100 Peak	Vertical	
6	5851.00	56.44	47.32	9.12	130.16	-73.72	213	100 Peak	Vertical	
7	5872.50	56.38	47.22	9.16	105.90	-49.52	213	100 Peak	Vertical	
8	5880.50	56.69	47.52	9.17	101.11	-44.42	213	100 Peak	Vertical	
9	5932.00	56.13	46.92	9.21	68.20	-12.07	213	100 Peak	Vertical	


802.11ac VHT20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5580.00	55.61	46.76	8.85	68.20	-12.59	322	17 Peak	Horizontal	
2	5655.50	55.31	46.50	8.81	72.29	-16.98	322	17 Peak	Horizontal	
3	5720.00	57.02	48.04	8.98	110.80	-53.78	322	17 Peak	Horizontal	
4	5720.00	57.02	48.04	8.98	110.80	-53.78	322	17 Peak	Horizontal	
5	5785.00	104.13	94.99	9.14	135.00	-30.87	322	17 Peak	Horizontal	
6	5853.50	56.39	47.27	9.12	118.06	-61.67	322	17 Peak	Horizontal	
7	5871.50	56.95	47.80	9.15	106.18	-49.23	322	17 Peak	Horizontal	
8	5895.50	56.81	47.61	9.20	89.99	-33.18	322	17 Peak	Horizontal	
9	5938.50	56.66	47.45	9.21	68.20	-11.54	322	17 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5575.50	56.22	47.35	8.87	68.20	-11.98	219	101 Peak	Vertical	
2	5670.00	56.49	47.68	8.81	87.48	-30.99	219	101 Peak	Vertical	
3	5701.00	55.26	46.44	8.82	105.48	-50.22	219	101 Peak	Vertical	
4	5723.00	55.59	46.60	8.99	125.32	-69.73	219	101 Peak	Vertical	
5	5785.00	101.66	92.52	9.14	135.00	-33.34	219	101 Peak	Vertical	
6	5854.50	57.12	48.00	9.12	113.22	-56.10	219	101 Peak	Vertical	
7	5869.50	56.34	47.19	9.15	106.74	-50.40	219	101 Peak	Vertical	
8	5886.50	56.99	47.80	9.19	96.66	-39.67	219	101 Peak	Vertical	
9	5965.00	56.68	47.38	9.30	68.20	-11.52	219	101 Peak	Vertical	


802.11ac VHT20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5470.00	56.13	47.08	9.05	68.20	-12.07	346	15	Peak	Horizontal
2	5694.00	55.87	47.05	8.82	100.78	-44.91	346	15	Peak	Horizontal
3	5710.00	56.31	47.42	8.89	108.00	-51.69	346	15	Peak	Horizontal
4	5724.50	55.55	46.54	9.01	132.58	-77.03	346	15	Peak	Horizontal
5	5825.00	104.02	94.91	9.11	135.00	-30.98	346	15	Peak	Horizontal
6	5851.00	60.59	51.47	9.12	130.16	-69.57	346	15	Peak	Horizontal
7	5862.50	56.86	47.72	9.14	108.70	-51.84	346	15	Peak	Horizontal
8	5906.50	56.49	47.28	9.21	81.85	-25.36	346	15	Peak	Horizontal
9	5932.50	57.30	48.09	9.21	68.20	-10.90	346	15	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5545.50	56.59	47.66	8.93	68.20	-11.61	217	100	Peak	Vertical
2	5669.00	55.59	46.77	8.82	82.30	-26.71	217	100	Peak	Vertical
3	5710.00	55.81	46.92	8.89	108.00	-52.19	217	100	Peak	Vertical
4	5725.00	55.53	46.52	9.01	135.00	-79.47	217	100	Peak	Vertical
5	5825.00	101.68	92.77	9.11	135.00	-33.12	217	100	Peak	Vertical
6	5850.00	59.10	49.98	9.12	135.00	-75.90	217	100	Peak	Vertical
7	5855.00	57.12	48.00	9.12	110.00	-53.68	217	100	Peak	Vertical
8	5878.00	56.99	47.82	9.17	102.97	-45.98	217	100	Peak	Vertical
9	5939.00	56.74	47.53	9.21	68.20	-11.46	217	100	Peak	Vertical


802.11ac VHT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5512.50	56.28	47.21	9.87	68.20	-11.92	366	52 Peak	Horizontal	
2	5652.50	55.30	46.49	8.81	78.06	-14.76	366	52 Peak	Horizontal	
3	5718.50	60.25	51.28	8.97	110.38	-50.13	366	52 Peak	Horizontal	
4	5724.50	65.13	56.12	9.01	132.58	-67.45	366	52 Peak	Horizontal	
5	5755.00	99.22	90.01	9.21	135.00	-35.78	366	52 Peak	Horizontal	
6	5852.50	54.97	45.86	9.11	122.50	-67.93	366	52 Peak	Horizontal	
7	5861.50	55.52	46.38	9.14	108.98	-53.46	366	52 Peak	Horizontal	
8	5882.00	56.43	47.26	9.17	100.00	-43.57	366	52 Peak	Horizontal	
9	5927.00	56.46	47.25	9.21	68.20	-11.74	366	52 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.50	55.52	46.70	8.82	68.20	-12.68	395	309 Peak	Vertical	
2	5656.00	54.95	46.14	8.81	72.66	-17.71	395	309 Peak	Vertical	
3	5720.00	58.73	49.75	8.98	110.80	-52.07	395	309 Peak	Vertical	
4	5723.50	60.15	51.15	9.00	127.74	-67.59	395	309 Peak	Vertical	
5	5755.00	97.67	88.46	9.21	135.00	-37.33	395	309 Peak	Vertical	
6	5850.00	55.02	45.90	9.12	135.00	-79.98	395	309 Peak	Vertical	
7	5865.00	56.25	47.11	9.14	100.00	-51.75	395	309 Peak	Vertical	
8	5887.50	56.15	46.97	9.18	95.92	-39.77	395	309 Peak	Vertical	
9	5951.00	56.30	47.08	9.22	68.20	-11.90	395	309 Peak	Vertical	

802.11ac VHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.50	55.38	46.57	8.81	68.20	-12.82	349	16 Peak	Horizontal	
2	5659.00	55.30	46.49	8.81	68.20	-12.90	349	16 Peak	Horizontal	
3	5717.00	57.81	48.85	8.96	109.96	-52.15	349	16 Peak	Horizontal	
4	5721.50	56.88	47.90	8.98	118.06	-61.18	349	16 Peak	Horizontal	
5	5795.00	100.12	91.00	9.12	135.00	-34.88	349	16 Peak	Horizontal	
6	5851.50	57.74	48.63	9.11	127.74	-70.00	349	16 Peak	Horizontal	
7	5874.00	55.99	46.82	9.17	105.48	-49.49	349	16 Peak	Horizontal	
8	5908.50	58.64	49.43	9.21	80.38	-21.74	349	16 Peak	Horizontal	
9	5993.00	56.19	46.72	9.47	68.20	-12.01	349	16 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5667.00	54.90	45.88	9.02	68.20	-13.30	352	310 Peak	Vertical	
2	5671.00	54.67	45.85	8.82	83.78	-29.11	352	310 Peak	Vertical	
3	5706.50	55.18	46.31	8.87	107.02	-51.84	352	310 Peak	Vertical	
4	5721.00	54.88	45.90	8.98	115.64	-60.76	352	310 Peak	Vertical	
5	5795.00	97.60	88.48	9.12	135.00	-37.40	352	310 Peak	Vertical	
6	5850.00	54.00	45.68	9.12	135.00	-80.20	352	310 Peak	Vertical	
7	5875.00	55.11	45.95	9.16	105.20	-50.09	352	310 Peak	Vertical	
8	5903.00	55.77	46.56	9.21	84.44	-28.67	352	310 Peak	Vertical	
9	5997.50	55.88	46.38	9.50	68.20	-12.32	352	310 Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5647.50	62.92	54.10	8.82	68.20	-5.28	349	34 Peak	Horizontal	
2	5684.00	68.11	59.29	8.82	93.40	-25.29	349	34 Peak	Horizontal	
3	5720.00	69.88	60.90	8.98	110.80	-40.92	349	34 Peak	Horizontal	
4	5720.00	69.88	60.90	8.98	110.80	-40.92	349	34 Peak	Horizontal	
5	5775.00	107.20	95.04	9.16	135.00	-27.80	349	34 Peak	Horizontal	
6	5853.00	66.30	57.18	9.12	120.40	-54.18	349	34 Peak	Horizontal	
7	5865.50	68.25	59.11	9.14	107.86	-39.61	349	34 Peak	Horizontal	
8	5876.00	68.05	58.89	9.16	104.46	-36.41	349	34 Peak	Horizontal	
9	5940.50	61.19	51.98	9.21	68.20	-7.01	349	34 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5632.00	61.17	52.36	8.81	68.20	-7.03	332	303 Peak	Vertical	
2	5692.00	66.34	57.53	8.81	99.30	-32.96	332	303 Peak	Vertical	
3	5719.00	69.03	60.06	8.97	110.52	-41.49	332	303 Peak	Vertical	
4	5723.50	70.85	61.85	9.00	127.74	-56.89	332	303 Peak	Vertical	
5	5775.00	107.13	97.97	9.16	135.00	-27.87	332	303 Peak	Vertical	
6	5855.00	63.68	54.56	9.12	110.00	-47.12	332	303 Peak	Vertical	
7	5869.50	66.83	57.68	9.15	106.74	-39.91	332	303 Peak	Vertical	
8	5892.50	64.68	55.48	9.20	92.21	-27.53	332	303 Peak	Vertical	
9	5928.50	60.40	51.19	9.21	68.20	-7.80	332	303 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-1


802.11a

CH 36(Open) (9kHz ~ 150kHz)

CH 36(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	57.46	37.63	19.83	119.13	-61.67	100	58	Peak	Open	
2	0.05	48.17	29.15	19.02	114.16	-65.99	100	236	Peak	Open	
3	0.06	45.51	27.50	18.01	111.82	-66.31	100	215	Peak	Open	
4	0.09	41.76	23.68	18.08	108.79	-67.03	100	230	Peak	Open	
5	0.11	38.56	20.49	18.07	106.86	-68.30	100	230	Peak	Open	
6	0.13	35.66	17.45	18.21	105.27	-69.61	100	230	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.48	38.98	20.25	18.73	94.01	-55.03	100	222	Peak	Open	
2	5.76	33.43	12.95	20.48	69.50	-36.07	100	324	Peak	Open	
3	11.88	34.96	13.26	21.70	69.50	-34.54	100	107	Peak	Open	
4	15.79	35.73	13.91	21.82	69.50	-33.77	100	3	Peak	Open	
5	19.94	36.28	13.46	22.82	69.50	-33.22	100	360	Peak	Open	
6	24.96	36.18	12.94	23.24	69.50	-33.32	100	231	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11a

CH 36 (Horizontal)

CH 36(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	73.65	35.94	46.39	-10.45	40.00	-4.06	300	164 QP	Horizontal	
2	80.44	33.87	45.67	-11.80	40.00	-6.13	300	250 Peak	Horizontal	
3	94.99	39.54	52.41	-12.87	43.50	-3.96	200	280 Peak	Horizontal	
4	286.08	36.83	43.10	-6.27	46.00	-9.17	100	121 Peak	Horizontal	
5	371.44	40.20	44.46	-4.26	46.00	-5.80	100	123 Peak	Horizontal	
6	816.67	43.64	39.80	4.84	46.00	-2.16	100	192 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	73.65	36.75	47.20	-10.45	40.00	-3.25	100	272 QP	Vertical	
2	79.47	34.42	45.93	-11.51	40.00	-5.58	300	155 Peak	Vertical	
3	115.36	35.50	45.62	-10.12	43.50	-8.00	100	118 Peak	Vertical	
4	371.44	37.42	41.68	-4.26	46.00	-8.58	100	193 Peak	Vertical	
5	668.26	36.64	35.37	1.27	46.00	-9.36	100	208 Peak	Vertical	
6	816.67	38.24	34.20	4.04	46.00	-7.76	100	39 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	51.31	41.89	9.42	68.20	-16.89	300	275	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	50.33	40.91	9.42	68.20	-17.87	100	353	Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	51.72	42.30	9.42	68.20	-16.48	100	40 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	50.23	40.81	9.42	68.20	-17.97	200	62 Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	52.12	42.63	9.49	68.20	-16.08	200	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	50.76	41.27	9.49	68.20	-17.44	200	59 Peak	Vertical	

802.11ac VHT20

CH 36 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	50.98	41.56	9.42	68.20	-17.22	300	307 Peak	Horizontal	

CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	50.78	41.36	9.42	68.20	-17.42	100	311 Peak	Vertical	

802.11ac VHT20

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	52.15	42.73	9.42	68.20	-16.05	277	360	Peak	Horizontal	

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	51.90	42.48	9.42	68.20	-16.30	100	208	Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	52.42	42.93	9.49	68.20	-15.78	100	45 Peak	Horizontal	

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	51.00	41.51	9.49	68.20	-17.20	200	67 Peak	Vertical	


802.11ac VHT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	51.05	41.63	9.42	68.20	-17.15	300	326 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	50.44	41.02	9.42	68.20	-17.76	300	344 Peak	Vertical	


802.11ac VHT40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	51.02	41.55	9.47	68.20	-17.18	100	85 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	50.16	40.69	9.47	68.20	-18.04	200	67 Peak	Vertical	


802.11ac VHT80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	50.17	40.73	9.44	68.20	-18.03	200	326 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10420.00	49.99	40.55	9.44	68.20	-18.21	100	139 Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10520.00	52.68	43.19	9.49	68.20	-15.52	200	340	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10520.00	50.84	41.35	9.49	68.20	-17.36	100	201	Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	36.41	26.96	9.45	54.00	-17.59	200	224	Average	Horizontal	
2	10600.00	51.35	41.90	9.45	74.00	-22.65	200	224	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	36.32	26.87	9.45	54.00	-17.68	100	237	Average	Vertical	
2	10600.00	49.39	39.94	9.45	74.00	-24.61	100	237	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	36.68	27.29	9.39	54.00	-17.32	100	248	Average	Horizontal	
2	10640.00	51.20	41.81	9.39	74.00	-22.80	100	248	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	36.19	26.80	9.39	54.00	-17.81	153	360	Average	Vertical	
2	10640.00	50.05	40.66	9.39	74.00	-23.95	153	360	Peak	Vertical	


802.11ac VHT20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	52.45	42.96	9.49	68.20	-15.75	200	117 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	50.96	41.47	9.49	68.20	-17.24	100	266 Peak	Vertical	


802.11ac VHT20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	38.74	29.29	9.45	54.00	-15.26	100	118	Average	Horizontal	
2	10600.00	51.88	42.43	9.45	74.00	-22.12	100	118	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	38.70	29.25	9.45	54.00	-15.30	200	162	Average	Vertical	
2	10600.00	51.57	42.12	9.45	74.00	-22.43	200	162	Peak	Vertical	

802.11ac VHT20

CH 64 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	37.77	28.38	9.39	54.00	-16.23	300	283	Average	Horizontal	
2	10640.00	51.47	42.08	9.39	74.00	-22.53	300	283	Peak	Horizontal	

CH 64 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	36.67	27.28	9.39	54.00	-17.33	300	72	Average	Vertical	
2	10640.00	51.33	41.94	9.39	74.00	-22.67	300	72	Peak	Vertical	


802.11ac VHT40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	51.36	41.88	9.48	68.20	-16.84	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	51.00	41.52	9.48	68.20	-17.20	200	47 Peak	Vertical	


802.11ac VHT40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	37.67	28.25	9.42	54.00	-16.33	100	318	Average	Horizontal	
2	10620.00	49.71	40.29	9.42	74.00	-24.29	100	318	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	37.01	27.59	9.42	54.00	-16.99	200	297	Average	Vertical	
2	10620.00	50.27	40.85	9.42	74.00	-23.73	200	297	Peak	Vertical	


802.11ac VHT80

CH 58 (Horizontal)


CH 58 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	36.01	26.77	9.24	54.00	-17.99	112	360	Average	Horizontal	
2	11000.00	49.42	40.18	9.24	74.00	-24.58	112	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	35.04	26.70	9.24	54.00	-18.06	181	360	Average	Vertical	
2	11000.00	49.15	39.91	9.24	74.00	-24.65	181	360	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	36.26	27.04	9.22	54.00	-17.74	221	360	Average	Horizontal	
2	11160.00	49.64	40.42	9.22	74.00	-24.36	221	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	36.00	26.78	9.22	54.00	-18.00	249	360	Average	Vertical	
2	11160.00	49.19	39.97	9.22	74.00	-24.61	249	360	Peak	Vertical	

802.11a

CH 140 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	37.78	28.43	9.35	54.00	-16.22	300	304	Average	Horizontal	
2	11400.00	51.00	41.65	9.35	74.00	-23.00	300	304	Peak	Horizontal	

CH 140 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	38.13	28.78	9.35	54.00	-15.67	100	197	Average	Vertical	
2	11400.00	50.62	41.27	9.35	74.00	-23.38	100	197	Peak	Vertical	


802.11a

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11440.00	36.68	27.27	9.33	54.00	-17.40	100	267 Average	Horizontal	
2	11440.00	49.68	40.35	9.33	74.00	-24.32	100	267 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11440.00	37.69	28.36	9.33	54.00	-16.31	100	243 Average	Vertical	
2	11440.00	49.77	40.44	9.33	74.00	-24.23	100	243 Peak	Vertical	