


**802.11ac VHT20**

**CH 100 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11000.00 | 36.15  | 26.91 | 9.24   | 54.00  | -17.85 | 100  | 40   | Average | Horizontal |      |
| 2 | 11000.00 | 49.97  | 40.73 | 9.24   | 74.00  | -24.03 | 100  | 40   | Peak    | Horizontal |      |

**CH 100 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11000.00 | 36.04  | 26.80 | 9.24   | 54.00  | -17.96 | 100  | 342  | Average | Vertical  |      |
| 2 | 11000.00 | 49.86  | 40.62 | 9.24   | 74.00  | -24.14 | 100  | 342  | Peak    | Vertical  |      |


**802.11ac VHT20**

**CH 116 (Horizontal)**

**CH 116 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11160.00 | 36.81  | 27.59 | 9.22   | 54.00  | -17.19 | 278  | 360  | Average | Horizontal |      |
| 2 | 11160.00 | 50.84  | 41.62 | 9.22   | 74.00  | -23.16 | 278  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11160.00 | 36.11  | 26.89 | 9.22   | 54.00  | -17.89 | 308  | 355  | Average | Vertical  |      |
| 2 | 11160.00 | 50.26  | 41.04 | 9.22   | 74.00  | -23.74 | 308  | 355  | Peak    | Vertical  |      |


**802.11ac VHT20**

**CH 140 (Horizontal)**

**CH 140 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11400.00 | 39.00  | 29.73 | 9.35   | 54.00  | -14.92 | 200  | 360  | Average | Horizontal |      |
| 2 | 11400.00 | 53.09  | 43.74 | 9.35   | 74.00  | -20.91 | 200  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11400.00 | 38.00  | 29.63 | 9.35   | 54.00  | -15.02 | 100  | 325  | Average | Vertical  |      |
| 2 | 11400.00 | 50.65  | 41.30 | 9.35   | 74.00  | -23.35 | 100  | 325  | Peak    | Vertical  |      |


**802.11ac VHT20**

**CH 144 (Horizontal)**

**CH 144 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11440.00 | 37.73  | 28.40 | 9.33  | 54.00  | -16.27 | 300  | 360 Average | Horizontal |      |
| 2 | 11440.00 | 51.50  | 42.17 | 9.33  | 74.00  | -22.50 | 300  | 360 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg        |           |      |
| 1 | 11440.00 | 37.20  | 27.87 | 9.33  | 54.00  | -16.00 | 100  | 25 Average | Vertical  |      |
| 2 | 11440.00 | 49.92  | 40.59 | 9.33  | 74.00  | -24.00 | 100  | 25 Peak    | Vertical  |      |


**802.11ac VHT40**

**CH 102 (Horizontal)**

**CH 102 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11820.00 | 36.50  | 27.27 | 9.23   | 54.00  | -17.50 | 154  | 360  | Average | Horizontal |      |
| 2 | 11820.00 | 49.78  | 40.55 | 9.23   | 74.00  | -24.22 | 154  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11820.00 | 35.93  | 26.70 | 9.23   | 54.00  | -18.07 | 200  | 12   | Average | Vertical  |      |
| 2 | 11820.00 | 49.75  | 40.52 | 9.23   | 74.00  | -24.25 | 200  | 12   | Peak    | Vertical  |      |


**802.11ac VHT40**

**CH 110 (Horizontal)**

**CH 110 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11100.00 | 36.65  | 27.46 | 9.19   | 54.00  | -17.35 | 100  | 259  | Average | Horizontal |      |
| 2 | 11100.00 | 49.59  | 40.40 | 9.19   | 74.00  | -24.41 | 100  | 259  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11100.00 | 36.51  | 27.32 | 9.19   | 54.00  | -17.49 | 188  | 360  | Average | Vertical  |      |
| 2 | 11100.00 | 49.14  | 39.95 | 9.19   | 74.00  | -24.86 | 188  | 360  | Peak    | Vertical  |      |


**802.11ac VHT40**

**CH 134 (Horizontal)**

**CH 134 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11340.00 | 38.07  | 28.69 | 9.38   | 54.00  | -15.93 | 100  | 225  | Average | Horizontal |      |
| 2 | 11340.00 | 51.39  | 42.01 | 9.38   | 74.00  | -22.61 | 100  | 225  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11340.00 | 37.94  | 28.56 | 9.38   | 54.00  | -16.06 | 200  | 43   | Average | Vertical  |      |
| 2 | 11340.00 | 50.77  | 41.39 | 9.38   | 74.00  | -23.23 | 200  | 43   | Peak    | Vertical  |      |


**802.11ac VHT40**

**CH 142 (Horizontal)**

**CH 142 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11420.00 | 38.62  | 29.28 | 9.34  | 54.00  | -15.38 | 100  | 331 Average | Horizontal |      |
| 2 | 11420.00 | 49.93  | 40.59 | 9.34  | 74.00  | -24.07 | 100  | 331 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11420.00 | 38.69  | 29.35 | 9.34  | 54.00  | -15.31 | 100  | 221 Average | Vertical  |      |
| 2 | 11420.00 | 50.60  | 41.26 | 9.34  | 74.00  | -23.40 | 100  | 221 Peak    | Vertical  |      |

**802.11ac VHT80**

**CH 106 (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11060.00 | 37.65  | 28.44 | 9.21   | 54.00  | -16.35 | 200  | 114  | Average | Horizontal |      |
| 2 | 11060.00 | 49.67  | 40.46 | 9.21   | 74.00  | -24.33 | 200  | 114  | Peak    | Horizontal |      |

**CH 106 (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11060.00 | 37.41  | 28.20 | 9.21   | 54.00  | -16.59 | 100  | 221  | Average | Vertical  |      |
| 2 | 11060.00 | 49.32  | 40.11 | 9.21   | 74.00  | -24.68 | 100  | 221  | Peak    | Vertical  |      |


**802.11ac VHT80**

**CH 122 (Horizontal)**

**CH 122 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11220.00 | 37.89  | 28.62 | 9.27   | 54.00  | -16.11 | 100  | 64   | Average | Horizontal |      |
| 2 | 11220.00 | 49.89  | 40.62 | 9.27   | 74.00  | -24.11 | 100  | 64   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11220.00 | 37.74  | 28.47 | 9.27   | 54.00  | -16.26 | 100  | 114  | Average | Vertical  |      |
| 2 | 11220.00 | 49.58  | 40.31 | 9.27   | 74.00  | -24.42 | 100  | 114  | Peak    | Vertical  |      |


**802.11ac VHT80**

**CH 138 (Horizontal)**

**CH 138 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note       |
|---|----------|--------|-------|-------|--------|--------|------|--------|-----------|------------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |            |
| 1 | 11920.00 | 38.65  | 29.26 | 9.39  | 54.00  | -15.35 | 196  | 360    | Average   | Horizontal |
| 2 | 11920.00 | 51.20  | 41.61 | 9.39  | 74.00  | -22.80 | 196  | 360    | Peak      | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note     |
|---|----------|--------|-------|-------|--------|--------|------|--------|-----------|----------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |          |
| 1 | 11920.00 | 38.54  | 29.15 | 9.39  | 54.00  | -15.46 | 180  | 218    | Average   | Vertical |
| 2 | 11920.00 | 51.09  | 41.70 | 9.39  | 74.00  | -22.91 | 180  | 218    | Peak      | Vertical |

**U-NII-3**


**802.11a**

**CH 149 (Horizontal)**

**CH 149 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11490.00 | 36.89  | 27.59 | 9.30  | 54.00  | -17.11 | 100  | 227 Average | Horizontal |      |
| 2 | 11490.00 | 50.15  | 40.85 | 9.30  | 74.00  | -23.85 | 100  | 227 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11490.00 | 36.85  | 27.55 | 9.30  | 54.00  | -17.15 | 100  | 360 Average | Vertical  |      |
| 2 | 11490.00 | 50.11  | 40.81 | 9.30  | 74.00  | -23.89 | 100  | 360 Peak    | Vertical  |      |


**802.11a**

**CH 157 (Horizontal)**

**CH 157 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11570.00 | 36.37  | 27.11 | 9.26   | 54.00  | -17.63 | 100  | 360  | Average | Horizontal |      |
| 2 | 11570.00 | 49.41  | 40.15 | 9.26   | 74.00  | -24.59 | 100  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11570.00 | 36.65  | 27.39 | 9.26   | 54.00  | -17.35 | 100  | 164  | Average | Vertical  |      |
| 2 | 11570.00 | 49.51  | 40.25 | 9.26   | 74.00  | -24.49 | 100  | 164  | Peak    | Vertical  |      |


**802.11a**

**CH 165 (Horizontal)**

**CH 165 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11650.00 | 36.92  | 26.78 | 9.32   | 54.00  | -17.98 | 183  | 360  | Average | Horizontal |      |
| 2 | 11650.00 | 49.73  | 40.41 | 9.32   | 74.00  | -24.27 | 183  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11650.00 | 35.97  | 26.65 | 9.32   | 54.00  | -18.03 | 100  | 347  | Average | Vertical  |      |
| 2 | 11650.00 | 50.24  | 40.92 | 9.32   | 74.00  | -23.76 | 100  | 347  | Peak    | Vertical  |      |


**802.11ac VHT20**

**CH 149 (Horizontal)**

**CH 149 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11490.00 | 37.43  | 28.13 | 9.30   | 54.00  | -16.57 | 204  | 360  | Average | Horizontal |      |
| 2 | 11490.00 | 51.27  | 41.97 | 9.30   | 74.00  | -22.73 | 204  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11490.00 | 37.40  | 28.10 | 9.30   | 54.00  | -16.60 | 300  | 151  | Average | Vertical  |      |
| 2 | 11490.00 | 51.20  | 41.90 | 9.30   | 74.00  | -22.60 | 300  | 151  | Peak    | Vertical  |      |


**802.11ac VHT20**

**CH 157 (Horizontal)**

**CH 157 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11570.00 | 36.74  | 27.48 | 9.26  | 54.00  | -17.26 | 200  | 290 Average | Horizontal |      |
| 2 | 11570.00 | 50.71  | 41.45 | 9.26  | 74.00  | -23.29 | 200  | 290 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11570.00 | 36.39  | 27.13 | 9.26  | 54.00  | -17.61 | 205  | 360 Average | Vertical  |      |
| 2 | 11570.00 | 50.30  | 41.04 | 9.26  | 74.00  | -23.70 | 205  | 360 Peak    | Vertical  |      |


**802.11ac VHT20**

**CH 165 (Horizontal)**

**CH 165 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11650.00 | 36.47  | 27.15 | 9.32   | 54.00  | -17.53 | 100  | 67   | Average | Horizontal |      |
| 2 | 11650.00 | 50.85  | 41.53 | 9.32   | 74.00  | -23.15 | 100  | 67   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11650.00 | 36.36  | 27.04 | 9.32   | 54.00  | -17.64 | 148  | 360  | Average | Vertical  |      |
| 2 | 11650.00 | 50.21  | 40.89 | 9.32   | 74.00  | -23.79 | 148  | 360  | Peak    | Vertical  |      |


**802.11ac VHT40**

**CH 151 (Horizontal)**

**CH 151 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11510.00 | 36.60  | 27.31 | 9.29   | 54.00  | -17.40 | 200  | 360  | Average | Horizontal |      |
| 2 | 11510.00 | 49.44  | 40.15 | 9.29   | 74.00  | -24.56 | 200  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11510.00 | 36.51  | 27.22 | 9.29   | 54.00  | -17.49 | 150  | 360  | Average | Vertical  |      |
| 2 | 11510.00 | 49.71  | 40.42 | 9.29   | 74.00  | -24.29 | 150  | 360  | Peak    | Vertical  |      |


**802.11ac VHT40**

**CH 159 (Horizontal)**

**CH 159 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11590.00 | 36.64  | 27.39 | 9.25   | 54.00  | -17.36 | 160  | 360  | Average | Horizontal |      |
| 2 | 11590.00 | 49.54  | 40.29 | 9.25   | 74.00  | -24.46 | 160  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fonghiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11590.00 | 36.87  | 27.62 | 9.25   | 54.00  | -17.13 | 100  | 211  | Average | Vertical  |      |
| 2 | 11590.00 | 49.38  | 40.13 | 9.25   | 74.00  | -24.62 | 100  | 211  | Peak    | Vertical  |      |


**802.11ac VHT80**

**CH 155 (Horizontal)**

**CH 155 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11550.00 | 37.82  | 28.55 | 9.27   | 54.00  | -16.18 | 100  | 18   | Average | Horizontal |      |
| 2 | 11550.00 | 50.33  | 41.06 | 9.27   | 74.00  | -23.67 | 100  | 18   | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fongiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11550.00 | 37.74  | 28.47 | 9.27   | 54.00  | -16.26 | 100  | 37   | Average | Vertical  |      |
| 2 | 11550.00 | 50.32  | 41.05 | 9.27   | 74.00  | -23.68 | 100  | 37   | Peak    | Vertical  |      |

# Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


## Worst Band

### (Line)

### (Neutral)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

|    | Freq  | Level | Read         | Limit | Over  | Remark         | Pol/Phase | Note |
|----|-------|-------|--------------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level Factor | Line  | Limit |                |           |      |
| 1  | 0.27  | 37.12 | 27.48        | 9.64  | 51.24 | -14.12 Average | line1     |      |
| 2  | 0.27  | 44.33 | 34.69        | 9.64  | 61.24 | -16.91 QP      | line1     |      |
| 3  | 0.91  | 29.55 | 19.89        | 9.66  | 46.00 | -16.45 Average | line1     |      |
| 4  | 0.91  | 44.54 | 34.88        | 9.66  | 56.00 | -11.46 QP      | line1     |      |
| 5  | 1.77  | 40.43 | 30.75        | 9.68  | 46.00 | -5.57 Average  | line1     |      |
| 6  | 1.77  | 50.99 | 41.31        | 9.68  | 56.00 | -5.01 QP       | line1     |      |
| 7  | 3.00  | 37.18 | 27.40        | 9.70  | 46.00 | -8.90 Average  | line1     |      |
| 8  | 3.00  | 48.66 | 38.96        | 9.70  | 56.00 | -7.34 QP       | line1     |      |
| 9  | 6.46  | 27.63 | 17.89        | 9.74  | 50.00 | -22.37 Average | line1     |      |
| 10 | 6.46  | 37.36 | 27.62        | 9.74  | 60.00 | -22.64 QP      | line1     |      |
| 11 | 16.66 | 24.59 | 14.79        | 9.80  | 50.00 | -25.41 Average | line1     |      |
| 12 | 16.66 | 33.18 | 23.38        | 9.80  | 60.00 | -26.82 QP      | line1     |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

|    | Freq  | Level | Read         | Limit | Over  | Remark         | Pol/Phase | Note |
|----|-------|-------|--------------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level Factor | Line  | Limit |                |           |      |
| 1  | 0.29  | 28.06 | 18.43        | 9.63  | 50.49 | -22.43 Average | neutral   |      |
| 2  | 0.29  | 41.08 | 31.45        | 9.63  | 60.49 | -19.41 QP      | neutral   |      |
| 3  | 0.84  | 16.24 | 6.58         | 9.66  | 46.00 | -29.76 Average | neutral   |      |
| 4  | 0.84  | 35.03 | 25.37        | 9.66  | 56.00 | -20.97 QP      | neutral   |      |
| 5  | 1.82  | 32.10 | 22.42        | 9.68  | 46.00 | -13.90 Average | neutral   |      |
| 6  | 1.82  | 48.41 | 38.73        | 9.68  | 56.00 | -7.59 QP       | neutral   |      |
| 7  | 3.06  | 30.88 | 21.18        | 9.70  | 46.00 | -15.12 Average | neutral   |      |
| 8  | 3.06  | 49.22 | 39.52        | 9.70  | 56.00 | -6.78 QP       | neutral   |      |
| 9  | 8.42  | 26.03 | 16.26        | 9.77  | 50.00 | -23.97 Average | neutral   |      |
| 10 | 8.42  | 39.92 | 30.15        | 9.77  | 60.00 | -20.08 QP      | neutral   |      |
| 11 | 16.66 | 22.09 | 12.23        | 9.86  | 50.00 | -27.91 Average | neutral   |      |
| 12 | 16.66 | 32.26 | 22.40        | 9.86  | 60.00 | -27.74 QP      | neutral   |      |

**<Series Model>**

**Spurious Emissions, Tx Mode, 9kHz ~ 30MHz**


**802.11a**

**CH 36 (Open) (9kHz ~ 150kHz)**

**CH 36 (Open) (150kHz ~ 30MHz)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 0.03 | 55.73  | 35.90 | 19.83 | 119.13 | -63.40 | 100  | 301 Peak | Open      |      |
| 2 | 0.04 | 48.47  | 29.39 | 19.08 | 115.70 | -67.23 | 100  | 224 Peak | Open      |      |
| 3 | 0.06 | 44.74  | 26.73 | 18.01 | 111.82 | -67.08 | 100  | 214 Peak | Open      |      |
| 4 | 0.07 | 43.36  | 24.92 | 18.44 | 110.38 | -67.02 | 100  | 203 Peak | Open      |      |
| 5 | 0.10 | 38.94  | 20.92 | 18.02 | 107.90 | -68.96 | 100  | 203 Peak | Open      |      |
| 6 | 0.12 | 36.33  | 18.18 | 18.15 | 105.94 | -69.61 | 100  | 201 Peak | Open      |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq  | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 0.48  | 37.65  | 18.92 | 18.73 | 94.01  | -56.36 | 100  | 202 Peak | Open      |      |
| 2 | 6.27  | 33.79  | 13.05 | 20.74 | 69.50  | -35.71 | 100  | 293 Peak | Open      |      |
| 3 | 13.73 | 35.81  | 14.26 | 21.55 | 69.50  | -33.69 | 100  | 120 Peak | Open      |      |
| 4 | 17.05 | 35.48  | 13.18 | 22.30 | 69.50  | -34.02 | 100  | 118 Peak | Open      |      |
| 5 | 22.72 | 36.77  | 14.62 | 22.15 | 69.50  | -32.73 | 100  | 124 Peak | Open      |      |
| 6 | 27.52 | 36.39  | 13.38 | 23.01 | 69.50  | -33.11 | 100  | 100 Peak | Open      |      |

## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


**802.11a**

**CH 36 (Horizontal)**

**CH 36 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Limit  | Over   | APos  | TPos | Remark   | Pol/Phase  | Note |
|---|--------|--------|-------|--------|--------|-------|------|----------|------------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg      |            |      |
| 1 | 98.87  | 37.65  | 49.63 | -11.98 | 43.50  | -5.85 | 200  | 91 Peak  | Horizontal |      |
| 2 | 222.06 | 41.25  | 50.13 | -8.88  | 46.00  | -4.75 | 100  | 222 Peak | Horizontal |      |
| 3 | 371.44 | 43.58  | 47.84 | -4.26  | 46.00  | -2.42 | 100  | 351 QP   | Horizontal |      |
| 4 | 816.67 | 43.34  | 39.30 | 4.04   | 46.00  | -2.66 | 100  | 200 QP   | Horizontal |      |
| 5 | 891.36 | 42.03  | 37.14 | 4.89   | 46.00  | -3.97 | 100  | 192 Peak | Horizontal |      |
| 6 | 940.83 | 43.26  | 37.57 | 5.69   | 46.00  | -2.74 | 100  | 189 QP   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Limit  | Over   | APos  | TPos | Remark   | Pol/Phase | Note |
|---|--------|--------|-------|--------|--------|-------|------|----------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m   | dBuV/m | dB    | cm   | deg      |           |      |
| 1 | 79.47  | 36.36  | 47.87 | -11.51 | 40.00  | -3.64 | 100  | 179 Peak | Vertical  |      |
| 2 | 222.06 | 38.45  | 47.33 | -8.88  | 46.00  | -7.55 | 200  | 65 Peak  | Vertical  |      |
| 3 | 371.44 | 43.30  | 47.56 | -4.26  | 46.00  | -2.70 | 100  | 112 QP   | Vertical  |      |
| 4 | 816.67 | 42.38  | 38.34 | 4.04   | 46.00  | -3.62 | 100  | 196 Peak | Vertical  |      |
| 5 | 841.89 | 38.88  | 34.90 | 3.98   | 46.00  | -7.12 | 100  | 184 Peak | Vertical  |      |
| 6 | 891.36 | 41.42  | 36.53 | 4.89   | 46.00  | -4.58 | 100  | 227 Peak | Vertical  |      |

# Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


## Worst Band

### (Line)

### (Neutral)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

|    | Freq  | Level | Read         | Limit | Over  |                |           |      |
|----|-------|-------|--------------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level Factor | Line  | Limit | Remark         | Pol/Phase | Note |
|    | MHz   | dBuV  | dB           | dBuV  | dB    |                |           |      |
| 1  | 0.27  | 33.03 | 23.39        | 9.64  | 51.24 | -18.21 Average | line1     |      |
| 2  | 0.27  | 41.77 | 32.13        | 9.64  | 61.24 | -19.47 QP      | line1     |      |
| 3  | 0.88  | 41.14 | 31.48        | 9.66  | 46.00 | -4.86 Average  | line1     |      |
| 4  | 0.88  | 50.62 | 40.96        | 9.66  | 56.00 | -5.38 QP       | line1     |      |
| 5  | 1.83  | 37.45 | 27.77        | 9.68  | 46.00 | -8.55 Average  | line1     |      |
| 6  | 1.83  | 48.69 | 39.01        | 9.68  | 56.00 | -7.31 QP       | line1     |      |
| 7  | 3.17  | 35.67 | 25.97        | 9.70  | 46.00 | -10.33 Average | line1     |      |
| 8  | 3.17  | 48.45 | 38.75        | 9.70  | 56.00 | -7.55 QP       | line1     |      |
| 9  | 6.73  | 27.86 | 18.12        | 9.74  | 50.00 | -22.14 Average | line1     |      |
| 10 | 6.73  | 37.45 | 27.71        | 9.74  | 60.00 | -22.55 QP      | line1     |      |
| 11 | 16.25 | 22.04 | 12.24        | 9.80  | 50.00 | -27.96 Average | line1     |      |
| 12 | 16.25 | 30.63 | 20.83        | 9.80  | 60.00 | -29.37 QP      | line1     |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

|    | Freq  | Level | Read         | Limit | Over  |                |           |      |
|----|-------|-------|--------------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level Factor | Line  | Limit | Remark         | Pol/Phase | Note |
|    | MHz   | dBuV  | dB           | dBuV  | dB    |                |           |      |
| 1  | 0.22  | 8.27  | -1.36        | 9.63  | 52.77 | -44.50 Average | neutral   |      |
| 2  | 0.22  | 24.26 | 14.63        | 9.63  | 62.77 | -38.51 QP      | neutral   |      |
| 3  | 0.88  | 31.79 | 22.13        | 9.66  | 46.00 | -14.21 Average | neutral   |      |
| 4  | 0.88  | 45.82 | 36.16        | 9.66  | 56.00 | -10.18 QP      | neutral   |      |
| 5  | 1.76  | 36.04 | 26.36        | 9.68  | 46.00 | -9.96 Average  | neutral   |      |
| 6  | 1.76  | 52.43 | 42.75        | 9.68  | 56.00 | -3.57 QP       | neutral   |      |
| 7  | 3.15  | 30.94 | 21.24        | 9.70  | 46.00 | -15.06 Average | neutral   |      |
| 8  | 3.15  | 50.00 | 40.30        | 9.70  | 56.00 | -6.00 QP       | neutral   |      |
| 9  | 8.37  | 22.88 | 13.03        | 9.77  | 50.00 | -27.20 Average | neutral   |      |
| 10 | 8.37  | 36.26 | 26.49        | 9.77  | 60.00 | -23.74 QP      | neutral   |      |
| 11 | 16.66 | 19.41 | 9.55         | 9.86  | 50.00 | -30.59 Average | neutral   |      |
| 12 | 16.66 | 30.38 | 20.52        | 9.86  | 60.00 | -29.62 QP      | neutral   |      |