







## APPENDIX A - AC POWER LINE CONDUCTED EMISSIONS

Phase: N



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F | Remark |
|-----|-----------------|----------------|-------------|--------------|--------------|-------------|----------|-----|--------|
| 1   | 0.2441          | 40.13          | 9.63        | 49.76        | 61.96        | -12.20      | QP       | P   |        |
| 2   | 0.2441          | 29.92          | 9.63        | 39.55        | 51.96        | -12.41      | AVG      | P   |        |
| 3   | 0.4004          | 44.31          | 9.62        | 53.93        | 57.85        | -3.92       | QP       | P   |        |
| 4 * | 0.4004          | 35.45          | 9.62        | 45.07        | 47.85        | -2.78       | AVG      | P   |        |
| 5   | 0.4713          | 33.06          | 9.62        | 42.68        | 56.49        | -13.81      | QP       | P   |        |
| 6   | 0.4713          | 18.42          | 9.62        | 28.04        | 46.49        | -18.45      | AVG      | P   |        |
| 7   | 0.5828          | 34.07          | 9.62        | 43.69        | 56.00        | -12.31      | QP       | P   |        |
| 8   | 0.5828          | 23.07          | 9.62        | 32.69        | 46.00        | -13.31      | AVG      | P   |        |
| 9   | 0.8034          | 29.00          | 9.62        | 38.62        | 56.00        | -17.38      | QP       | P   |        |
| 10  | 0.8034          | 17.21          | 9.62        | 26.83        | 46.00        | -19.17      | AVG      | P   |        |
| 11  | 1.9939          | 31.84          | 9.65        | 41.49        | 56.00        | -14.51      | QP       | P   |        |
| 12  | 1.9939          | 21.75          | 9.65        | 31.40        | 46.00        | -14.60      | AVG      | P   |        |



## **APPENDIX B - RADIATED EMISSION -9 KHZ TO 30 MHZ**


The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

## APPENDIX C - RADIATED EMISSION-30 MHZ TO 1000 MHZ

Only show the worst mode:

|           |                          |              |          |
|-----------|--------------------------|--------------|----------|
| Test Mode | TX Mode_1Mbps Channel 00 | Polarization | Vertical |
|-----------|--------------------------|--------------|----------|




| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Azimuth (deg.) | P/F | Remark |
|-----|-----------------|----------------|---------------|----------------|----------------|-------------|----------|-------------|----------------|-----|--------|
| 1   | 64.0800         | 47.90          | -23.15        | 24.75          | 40.00          | -15.25      | QP       | 100         | 111            | P   |        |
| 2   | 401.1050        | 50.04          | -19.19        | 30.85          | 46.00          | -15.15      | QP       | 199         | 211            | P   |        |
| 3 * | 468.1650        | 54.94          | -17.41        | 37.53          | 46.00          | -8.47       | QP       | 213         | 176            | P   |        |
| 4   | 498.7302        | 50.03          | -16.81        | 33.22          | 46.00          | -12.78      | QP       | 109         | 161            | P   |        |
| 5   | 565.9775        | 48.50          | -14.89        | 33.61          | 46.00          | -12.39      | QP       | 200         | 211            | P   |        |
| 6   | 602.9287        | 47.09          | -13.71        | 33.38          | 46.00          | -12.62      | QP       | 100         | 190            | P   |        |

### REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                          |              |            |
|-----------|--------------------------|--------------|------------|
| Test Mode | TX Mode_1Mbps Channel 00 | Polarization | Horizontal |
|-----------|--------------------------|--------------|------------|



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB/m) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Height (cm) | Azimuth (deg.) | P/F | Remark |
|-----|-----------------|----------------|---------------|----------------|----------------|-------------|----------|-------------|----------------|-----|--------|
| 1   | 64.0800         | 53.28          | -23.15        | 30.13          | 40.00          | -9.87       | QP       | 200         | 349            | P   |        |
| 2   | 230.2295        | 55.04          | -25.00        | 30.04          | 46.00          | -15.96      | QP       | 100         | 97             | P   |        |
| 3   | 415.4486        | 51.76          | -18.65        | 33.11          | 46.00          | -12.89      | QP       | 153         | 176            | P   |        |
| 4   | 458.3987        | 51.11          | -17.61        | 33.50          | 46.00          | -12.50      | QP       | 100         | 255            | P   |        |
| 5   | 569.9688        | 45.69          | -14.75        | 30.94          | 46.00          | -15.06      | QP       | 210         | 313            | P   |        |
| 6 * | 804.2523        | 46.28          | -9.82         | 36.46          | 46.00          | -9.54       | QP       | 139         | 119            | P   |        |

# REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

## APPENDIX D - RADIATED EMISSION - ABOVE 1000 MHZ

Test Result of RADIATED EMISSION-1000MHz TO 25GHz

Test Mode : GFSK TX Low

| No. | Freq<br>MHz | Polarity | Reading<br>(dBuV/m) | Correct<br>Factor | Result<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin | Remark |
|-----|-------------|----------|---------------------|-------------------|--------------------|-------------------|--------|--------|
| 1   | 4804        | V        | 89.62               | -27.15            | 62.47              | 74                | -11.53 | Peak   |
| 2   | 4804        | V        | 69.21               | -27.15            | 42.06              | 54                | -11.94 | Avg    |
| 3   | 7206        | --       | --                  | --                |                    | --                |        | --     |
| 4   | 9608        | --       | --                  | --                |                    | --                |        | --     |
| 5   | 4804        | H        | 90.39               | -27.15            | 63.24              | 74                | -10.76 | Peak   |
| 6   | 4804        | H        | 68.27               | -27.15            | 41.12              | 54                | -12.88 | Avg    |
| 7   | 7206        | --       | --                  | --                | --                 | --                | --     | --     |
| 8   | 9608        | --       | --                  | --                | --                 | --                | --     | --     |

Test Mode : GFSK TX Mid

|   |      |    |       |        |       |    |        |      |
|---|------|----|-------|--------|-------|----|--------|------|
| 1 | 4880 | V  | 91.35 | -27.83 | 63.52 | 74 | -10.48 | Peak |
| 2 | 4880 | V  | 72.01 | -27.83 | 44.18 | 54 | -9.82  | Avg  |
| 3 | 7320 | -- | --    | --     |       | -- |        | --   |
| 4 | 9760 | -- | --    | --     |       | -- |        | --   |
| 5 | 4880 | H  | 89.62 | -27.83 | 61.79 | 74 | -12.21 | Peak |
| 6 | 4880 | H  | 66.05 | -27.83 | 38.22 | 54 | -15.78 | Avg  |
| 7 | 7320 | -- | --    | --     | --    | -- | --     | --   |
| 8 | 9760 | -- | --    | --     | --    | -- | --     | --   |

Test Mode : GFSK TX High

|   |      |    |       |        |       |    |        |      |
|---|------|----|-------|--------|-------|----|--------|------|
| 1 | 4960 | V  | 96.36 | -28.45 | 66.86 | 74 | -7.14  | Peak |
| 2 | 4960 | V  | 75.14 | -28.45 | 44.83 | 54 | -9.17  | Avg  |
| 3 | 7440 | -- | --    | --     |       | -- |        | --   |
| 4 | 9920 | -- | --    | --     |       | -- |        | --   |
| 5 | 4960 | H  | 90.59 | -28.45 | 61.79 | 74 | -12.21 | Peak |
| 6 | 4960 | H  | 69.01 | -28.45 | 39.86 | 54 | -14.14 | Avg  |
| 7 | 7440 | -- | --    | --     | --    | -- | --     | --   |
| 8 | 9920 | -- | --    | --     | --    | -- | --     | --   |

Note: 1. Means other frequency and mode comply with standard requirements and at least have 20dB margin.  
2. Correct Factor=Cable Loss+ Antenna Factor-Amplifier Gain.  
Result=Reading + Correct Factor. Margin= Result-Limit.

## Test Result of Radiated Spurious at Band edges


| Test Results                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |          |                  |                | PASS                   |                |        |        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|------------------|----------------|------------------------|----------------|--------|--------|
| Frequency Range                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |          |                  |                | 2310MHz~2410MHz        |                |        |        |
| Test Mode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |          |                  |                | 1Mbps: GFSK TX 2402MHz |                |        |        |
| N o.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Freq MHz | Polarity | Reading (dBuV/m) | Correct Factor | Result (dBuV/m)        | Limit (dBuV/m) | Margin | Remark |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2390     | H        | 72.69            | -21.47         | 51.22                  | 74.00          | -22.78 | Peak   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2390     | H        | --               | -21.47         |                        | 54.00          | -54    | Avg    |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2400     | H        | 76.71            | -26.12         | 50.59                  | 74.00          | -23.41 | Peak   |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2400     | H        | --               | -26.12         | --                     | 54.00          | --     | Avg    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |          |                  |                |                        |                |        |        |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2390     | V        | 68.64            | -21.47         | 48.37                  | 74.00          | -25.63 | Peak   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2390     | V        | --               | -21.47         |                        | 54.00          | -54    | Avg    |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2400     | V        | 75.02            | -26.12         | 47.13                  | 74.00          | -26.87 | Peak   |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2400     | V        | --               | -26.12         | --                     | 54.00          | --     | Avg    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |          |                  |                |                        |                |        |        |
| Test Results                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |          |          |                  |                | PASS                   |                |        |        |
| Frequency Range                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |          |                  |                | 2450MHz~2550MHz        |                |        |        |
| Test Mode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |          |                  |                | 1Mbps: GFSK TX 2480MHz |                |        |        |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2483.5   | H        | 74.31            | -25.29         | 49.02                  | 74             | -24.98 | Peak   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2483.5   | H        | --               | -25.29         | --                     | 54.00          | --     | Avg    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |          |                  |                |                        |                |        |        |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2483.5   | V        | 74.31            | -25.29         | 49.02                  | 74             | -24.98 | Peak   |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2483.5   | V        | --               | -25.29         | --                     | 54.00          | --     | Avg    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |          |                  |                |                        |                |        |        |
| <p>Note: 1. Means other frequency and mode comply with standard requirements and at least have 20dB margin.</p> <p>2. Correct Factor=Cable Loss+ Antenna Factor-Amplifier Gain.<br/>Result=Reading + Correct Factor.<br/>Margin= Result-Limit.</p> <p>3. If the limits for the measurement with the average detector are met when using a receiver with a peak detector, the test unit shall be deemed to meet both limits and the measurement with the average detector need not be carried out.</p> |          |          |                  |                |                        |                |        |        |

## APPENDIX E - BANDWIDTH

### -6dB Bandwidth


| TestMode | Antenna | Freq(MHz) | DTS BW [MHz] | FL[MHz] | FH[MHz] | Limit[MHz] | Verdict |
|----------|---------|-----------|--------------|---------|---------|------------|---------|
| BLE_1M   | Ant1    | 2402      | 0.66         | 2401.67 | 2402.33 | 0.5        | PASS    |
|          |         | 2440      | 0.66         | 2439.67 | 2440.32 | 0.5        | PASS    |
|          |         | 2480      | 0.67         | 2479.66 | 2480.34 | 0.5        | PASS    |
| BLE_2M   | Ant1    | 2402      | 1.16         | 2401.42 | 2402.59 | 0.5        | PASS    |
|          |         | 2440      | 1.14         | 2439.44 | 2440.57 | 0.5        | PASS    |
|          |         | 2480      | 1.14         | 2479.44 | 2480.58 | 0.5        | PASS    |

BLE\_1M Ant1 2402




Date: 30.APR.2024 10:37:59

BLE\_1M Ant1 2440




Date: 30.APR.2024 10:42:04

### BLE 1M Ant1 2480




Date: 30.APR.2024 10:44:10

### BLE 2M Ant1 2402




Date: 30.APR.2024 10:47:03

### BLE 2M Ant1 2440




Date: 30.APR.2024 10:55:39




## 99% Occupied Bandwidth

| TestMode | Antenna | Freq(MHz) | OCB [MHz] | FL[MHz]   | FH[MHz]   |
|----------|---------|-----------|-----------|-----------|-----------|
| BLE_1M   | Ant1    | 2402      | 1.047     | 2401.4805 | 2402.5275 |
|          |         | 2440      | 1.051     | 2439.4765 | 2440.5275 |
|          |         | 2480      | 1.059     | 2479.4725 | 2480.5315 |
| BLE_2M   | Ant1    | 2402      | 2.094     | 2400.9690 | 2403.0629 |
|          |         | 2440      | 2.082     | 2438.9690 | 2441.0509 |
|          |         | 2480      | 2.09      | 2478.9650 | 2481.0549 |


### BLE 1M Ant1 2402




### BLE 1M Ant1 2440




### BLE\_1M\_Ant1\_2480




### BLE\_2M\_Ant1\_2402



### BLE\_2M\_Ant1\_2440






## APPENDIX F - MAXIMUM OUTPUT POWER


| TestMode | Antenna | Freq(MHz) | Conducted Peak Power[dBm] | Conducted Limit[dBm] | Verdict |
|----------|---------|-----------|---------------------------|----------------------|---------|
| BLE_1M   | Ant1    | 2402      | -3.85                     | ≤30                  | PASS    |
|          |         | 2440      | -3.03                     | ≤30                  | PASS    |
|          |         | 2480      | -5.17                     | ≤30                  | PASS    |
| BLE_2M   | Ant1    | 2402      | -3.84                     | ≤30                  | PASS    |
|          |         | 2440      | -3.06                     | ≤30                  | PASS    |
|          |         | 2480      | -5.06                     | ≤30                  | PASS    |

BLE\_1M\_Ant1\_2402




Date: 30.APR.2024 10:38:14

BLE\_1M\_Ant1\_2440




Date: 16.MAY.2024 10:46:55

### BLE\_1M\_Ant1\_2480




Date: 30.APR.2024 10:44:25

### BLE\_2M\_Ant1\_2402




Date: 30.APR.2024 10:47:18

### BLE\_2M\_Ant1\_2440



Date: 16.MAY.2024 10:44:00




## APPENDIX G - CONDUCTED SPURIOUS EMISSION


### Spurious Emission

| TestMode | Antenna | Freq(MHz) | FreqRange [MHz] | RefLevel [dBm] | Result[dBm] | Limit[dBm] | Verdict |
|----------|---------|-----------|-----------------|----------------|-------------|------------|---------|
| BLE_1M   | Ant1    | 2402      | 30~1000         | -4.38          | -55.13      | ≤-24.38    | PASS    |
|          |         |           | 1000~26500      | -4.38          | -45.71      | ≤-24.38    | PASS    |
|          |         | 2440      | 30~1000         | -6.03          | -60.40      | ≤-26.03    | PASS    |
|          |         |           | 1000~26500      | -6.03          | -33.77      | ≤-26.03    | PASS    |
|          |         | 2480      | 30~1000         | -5.98          | -53.15      | ≤-25.98    | PASS    |
|          |         |           | 1000~26500      | -5.98          | -46.36      | ≤-25.98    | PASS    |
| BLE_2M   | Ant1    | 2402      | 30~1000         | -4.94          | -54.85      | ≤-24.94    | PASS    |
|          |         |           | 1000~26500      | -4.94          | -45.05      | ≤-24.94    | PASS    |
|          |         | 2440      | 30~1000         | -6.44          | -59.6       | ≤-26.44    | PASS    |
|          |         |           | 1000~26500      | -6.44          | -45.79      | ≤-26.44    | PASS    |
|          |         | 2480      | 30~1000         | -6.30          | -53.81      | ≤-26.30    | PASS    |
|          |         |           | 1000~26500      | -6.30          | -46.2       | ≤-26.30    | PASS    |


BLE\_1M\_Ant1\_2402\_30~1000




BLE\_1M\_Ant1\_2402\_1000~26500




### BLE\_1M\_Ant1\_2440\_30~1000




### BLE\_1M\_Ant1\_2440\_1000~26500




### BLE\_1M\_Ant1\_2480\_30~1000




### BLE 1M Ant1 2480 1000~26500




### BLE 2M Ant1 2402 30~1000




### BLE 2M Ant1 2402 1000~26500




### BLE\_2M\_Ant1\_2440\_30~1000




### BLE\_2M\_Ant1\_2440\_1000~26500



### BLE\_2M\_Ant1\_2480\_30~1000






## Reference level measurement


| TestMode | Antenna | Freq(MHz) | Max.Point[MHz] | Result[dBm] |
|----------|---------|-----------|----------------|-------------|
| BLE_1M   | Ant1    | 2402      | 2402.25        | -4.38       |
|          |         | 2440      | 2440.25        | -6.03       |
|          |         | 2480      | 2480.25        | -5.98       |
| BLE_2M   | Ant1    | 2402      | 2401.99        | -4.94       |
|          |         | 2440      | 2439.99        | -6.44       |
|          |         | 2480      | 2479.99        | -6.30       |

BLE\_1M\_Ant1\_2402




Date: 30.APR.2024 10:39:35

BLE\_1M\_Ant1\_2440




Date: 30.APR.2024 10:42:36

### BLE\_1M\_Ant1\_2480




Date: 30.APR.2024 10:45:39

### BLE\_2M\_Ant1\_2402




Date: 30.APR.2024 10:48:32

### BLE\_2M\_Ant1\_2440




Date: 30.APR.2024 10:56:11




### Band edge measurements


| TestMode | Antenna | ChName | Freq(MHz) | RefLevel[dBm] | Result[dBm] | Limit[dBm] | Verdict |
|----------|---------|--------|-----------|---------------|-------------|------------|---------|
| BLE_1M   | Ant1    | Low    | 2402      | -4.38         | -48.45      | ≤-24.38    | PASS    |
|          |         | High   | 2480      | -5.98         | -47.06      | ≤-25.98    | PASS    |
| BLE_2M   | Ant1    | Low    | 2402      | -4.94         | -36.99      | ≤-24.94    | PASS    |
|          |         | High   | 2480      | -6.30         | -47.87      | ≤-26.3     | PASS    |




### BLE 1M Ant1\_High\_2480



### BLE 2M Ant1\_Low\_2402



### BLE 2M Ant1\_High\_2480




## APPENDIX H- POWER SPECTRAL DENSITY

### Power Spectral Density


| TestMode | Antenna | Freq(MHz) | Result[dBm/3kHz] | Limit[dBm/3kHz] | Verdict |
|----------|---------|-----------|------------------|-----------------|---------|
| BLE_1M   | Ant1    | 2402      | -21.13           | ≤8.00           | PASS    |
|          |         | 2440      | -21.00           | ≤8.00           | PASS    |
|          |         | 2480      | -23.04           | ≤8.00           | PASS    |
| BLE_2M   | Ant1    | 2402      | -23.45           | ≤8.00           | PASS    |
|          |         | 2440      | -23.08           | ≤8.00           | PASS    |
|          |         | 2480      | -24.83           | ≤8.00           | PASS    |

BLE 1M Ant1 2402




Date: 30.APR.2024 10:38:29

BLE 1M Ant1 2440




Date: 16.MAY.2024 10:47:05


### BLE\_1M\_Ant1\_2480




### BLE\_2M\_Ant1\_2402



### BLE\_2M\_Ant1\_2440






### APPENDIX I DUTY CYCLE


| TestMode | Antenna | Freq(MHz) | ON Time [ms] | Period [ms] | X      | DC [%] | xFactor | Limit | Verdict |
|----------|---------|-----------|--------------|-------------|--------|--------|---------|-------|---------|
| BLE_1M   | Ant1    | 2402      | 2.13         | 2.50        | 0.8520 | 85.20  | 0.70    | ---   | ---     |
|          |         | 2440      | 2.12         | 2.50        | 0.8480 | 84.80  | 0.72    | ---   | ---     |
|          |         | 2480      | 2.13         | 2.50        | 0.8520 | 85.20  | 0.70    | ---   | ---     |
| BLE_2M   | Ant1    | 2402      | 1.07         | 1.88        | 0.5691 | 56.91  | 2.45    | ---   | ---     |
|          |         | 2440      | 1.07         | 1.87        | 0.5722 | 57.22  | 2.42    | ---   | ---     |
|          |         | 2480      | 1.07         | 1.88        | 0.5691 | 56.91  | 2.45    | ---   | ---     |

#### BLE 1M Ant1 2402




Date: 30.APR.2024 10:37:51

#### BLE 1M Ant1 2440




Date: 30.APR.2024 10:41:55

### BLE 1M Ant1\_2480




Date: 30.APR.2024 10:44:02

### BLE 2M Ant1\_2402




Date: 30.APR.2024 10:46:55

### BLE 2M Ant1\_2440



Date: 30.APR.2024 10:55:31



**End of Test Report**