







11AX20SISO_Ant1_5700




11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5270




11AX40SISO_Ant1_5310




11AX40SISO_Ant1_5510




11AX40SISO_Ant1_5550




11AX40SISO_Ant1_5670




11AX40SISO_Ant1_5755




11AX40SISO_Ant1_5795




11AX80SISO_Ant1_5210




11AX80SISO_Ant1_5290




11AX80SISO_Ant1_5530



11AX80SISO_Ant1_5610



11AX80SISO_Ant1_5775




APPENDIXG - POWER SPECTRAL DENSITY

TestMode	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	5180	2.21	≤11.00	PASS
	5200	1.68	≤11.00	PASS
	5240	0.92	≤11.00	PASS
	5260	1.32	≤11.00	PASS
	5280	0.73	≤11.00	PASS
	5320	0.55	≤11.00	PASS
	5500	1.46	≤11.00	PASS
	5580	1.55	≤11.00	PASS
	5700	2.53	≤11.00	PASS
	5745	0.88	≤30.00	PASS
	5785	1.62	≤30.00	PASS
	5825	2.37	≤30.00	PASS
11N20SISO	5180	1.93	≤11.00	PASS
	5200	1.69	≤11.00	PASS
	5240	1.21	≤11.00	PASS
	5260	1.05	≤11.00	PASS
	5280	0.95	≤11.00	PASS
	5320	0.79	≤11.00	PASS
	5500	1.76	≤11.00	PASS
	5580	1.48	≤11.00	PASS
	5700	2.28	≤11.00	PASS
	5745	0.39	≤30.00	PASS
	5785	0.86	≤30.00	PASS
	5825	2.05	≤30.00	PASS
11N40SISO	5190	-1.48	≤11.00	PASS
	5230	-0.10	≤11.00	PASS
	5270	-1.42	≤11.00	PASS
	5310	-1.60	≤11.00	PASS
	5510	-1.78	≤11.00	PASS
	5550	-1.42	≤11.00	PASS
	5670	-0.78	≤11.00	PASS
	5755	-1.93	≤30.00	PASS
	5795	-0.58	≤30.00	PASS
11AC20SISO	5180	0.79	≤11.00	PASS
	5200	1.22	≤11.00	PASS
	5240	0.45	≤11.00	PASS
	5260	1.08	≤11.00	PASS
	5280	4.62	≤11.00	PASS
	5320	3.25	≤11.00	PASS
	5500	1.50	≤11.00	PASS
	5580	1.61	≤11.00	PASS
	5700	3.76	≤11.00	PASS
	5745	0.11	≤30.00	PASS
	5785	1.10	≤30.00	PASS
	5825	-3.04	≤30.00	PASS
11AC40SISO	5190	3.14	≤11.00	PASS
	5230	3.07	≤11.00	PASS
	5270	2.56	≤11.00	PASS
	5310	2.04	≤11.00	PASS
	5510	-0.85	≤11.00	PASS
	5550	0.26	≤11.00	PASS
	5670	1.22	≤11.00	PASS
	5755	-1.59	≤30.00	PASS
	5795	-1.48	≤30.00	PASS
11AC80SISO	5210	-2.39	≤11.00	PASS
	5290	0.12	≤11.00	PASS
	5530	-3.29	≤11.00	PASS
	5610	-2.62	≤11.00	PASS
	5775	-5.23	≤30.00	PASS
11AX20SISO	5180	6.82	≤11.00	PASS
	5200	3.05	≤11.00	PASS
	5240	5.36	≤11.00	PASS
	5260	5.67	≤11.00	PASS


		5280	5.38	≤11.00	PASS
		5320	4.20	≤11.00	PASS
		5500	2.27	≤11.00	PASS
		5580	3.26	≤11.00	PASS
		5700	3.55	≤11.00	PASS
		5745	-4.13	≤30.00	PASS
		5785	-2.33	≤30.00	PASS
		5825	-1.56	≤30.00	PASS
	11AX40SISO	5190	3.70	≤11.00	PASS
		5230	3.22	≤11.00	PASS
		5270	-1.05	≤11.00	PASS
		5310	1.91	≤11.00	PASS
		5510	-0.97	≤11.00	PASS
		5550	0.11	≤11.00	PASS
		5670	0.22	≤11.00	PASS
		5755	-4.29	≤30.00	PASS
	11AX80SISO	5795	-4.43	≤30.00	PASS
		5210	0.95	≤11.00	PASS
		5290	0.19	≤11.00	PASS
		5530	-3.75	≤11.00	PASS
		5610	-4.12	≤11.00	PASS
		5775	-8.01	≤30.00	PASS

11A_Ant1_5180




Date: 6.MAY.2024 18:42:40

11A_Ant1_5200




Date: 6.MAY.2024 18:48:38

11A_Ant1_5240




Date: 6.MAY.2024 18:54:25


11A_Ant1_5260




11A_Ant1_5280



11A_Ant1_5320




11A_Ant1_5500




Date: 6.MAY.2024 19:15:39

11A Ant1 5580




Date: 6.MAY.2024 19:22:41

11A Ant1 5700



Date: 6.MAY.2024 19:27:59


11A Ant1 5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200



11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310




11N40SISO_Ant1_5510




11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200



11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320




11AC20SISO_Ant1_5500




11AC20SISO Ant1 5580




11AC20SISO Ant1 5700



11AC20SISO Ant1 5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5610




11AC80SISO_Ant1_5775



11AX20SISO_Ant1_5180



11AX20SISO_Ant1_5200




11AX20SISO_Ant1_5240




11AX20SISO_Ant1_5260



11AX20SISO_Ant1_5280




11AX20SISO_Ant1_5320




11AX20SISO_Ant1_5500




11AX20SISO_Ant1_5580




11AX20SISO_Ant1_5700



11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190



11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5270



11AX40SISO_Ant1_5310




11AX40SISO_Ant1_5510




11AX40SISO_Ant1_5550




11AX40SISO_Ant1_5670




11AX40SISO_Ant1_5755




11AX40SISO_Ant1_5795




11AX80SISO_Ant1_5210




11AX80SISO_Ant1_5290




11AX80SISO_Ant1_5530



11AX80SISO_Ant1_5610



11AX80SISO_Ant1_5775



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factorand RBW Factor is compen sated in the graph.

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factorand RBW Factor is compen sated in the graph.

APPENDIX H - Frequency Stability

TestMode	Freq(MHz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	5180	NV	NT	-40000.00	-7.722008	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	-20000.00	-3.861004	20	PASS
	5200	NV	NT	-20000.00	-3.846154	20	PASS
		LV	NT	-20000.00	-3.846154	20	PASS
		HV	NT	0.00	0.000000	20	PASS
	5240	NV	NT	-40000.00	-7.633588	20	PASS
		LV	NT	-20000.00	-3.816794	20	PASS
		HV	NT	-20000.00	-3.816794	20	PASS
	5260	NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	-20000.00	-3.802281	20	PASS
	5280	NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	-20000.00	-3.787879	20	PASS
	5320	NV	NT	-20000.00	-3.759398	20	PASS
		LV	NT	-20000.00	-3.759398	20	PASS
		HV	NT	-40000.00	-7.518797	20	PASS
	5500	NV	NT	-20000.00	-3.636364	20	PASS
		LV	NT	-20000.00	-3.636364	20	PASS
		HV	NT	-20000.00	-3.636364	20	PASS
	5580	NV	NT	-20000.00	-3.584229	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	0.00	0.000000	20	PASS
	5700	NV	NT	-20000.00	-3.508772	20	PASS
		LV	NT	-20000.00	-3.508772	20	PASS
		HV	NT	-20000.00	-3.508772	20	PASS
	5745	NV	NT	-20000.00	-3.481288	20	PASS
		LV	NT	-20000.00	-3.481288	20	PASS
		HV	NT	-20000.00	-3.481288	20	PASS
	5785	NV	NT	-20000.00	-3.457217	20	PASS
		LV	NT	-20000.00	-3.457217	20	PASS
		HV	NT	0.00	0.000000	20	PASS
	5825	NV	NT	-20000.00	-3.433476	20	PASS
		LV	NT	-20000.00	-3.433476	20	PASS
		HV	NT	0.00	0.000000	20	PASS
11N20SISO	5180	NV	NT	-80000.00	-15.444015	20	PASS
		LV	NT	-40000.00	-7.722008	20	PASS
		HV	NT	-20000.00	-3.861004	20	PASS
	5200	NV	NT	-20000.00	-3.846154	20	PASS
		LV	NT	-40000.00	-7.692308	20	PASS
		HV	NT	-20000.00	-3.846154	20	PASS
	5240	NV	NT	-40000.00	-7.633588	20	PASS
		LV	NT	-40000.00	-7.633588	20	PASS
		HV	NT	-40000.00	-7.633588	20	PASS
	5260	NV	NT	-40000.00	-7.604563	20	PASS
		LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-20000.00	-3.802281	20	PASS
	5280	NV	NT	-20000.00	-3.787879	20	PASS
		LV	NT	-40000.00	-7.575758	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
	5320	NV	NT	-40000.00	-7.518797	20	PASS
		LV	NT	-60000.00	-11.278195	20	PASS
		HV	NT	-40000.00	-7.518797	20	PASS
	5500	NV	NT	-60000.00	-10.909091	20	PASS
		LV	NT	-20000.00	-3.636364	20	PASS
		HV	NT	-60000.00	-10.909091	20	PASS
	5580	NV	NT	-40000.00	-7.168459	20	PASS
		LV	NT	-20000.00	-3.584229	20	PASS
		HV	NT	-20000.00	-3.584229	20	PASS

		5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
	11N40SISO	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
		5270	NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-15.065913	20	PASS
		5510	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
		5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.054674	20	PASS
		5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	11AC20SISO	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-40000.00	-7.692308	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-40000.00	-7.633588	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	-40000.00	-7.604563	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5280	NV	NT	20000.00	3.787879	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5320	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.518797	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5500	NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
		5580	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
		5700	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS

		5785	LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
		5825	HV	NT	-20000.00	-3.457217	20	PASS
			NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11AC40SIS O		5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5230	LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5270	HV	NT	-40000.00	-7.590133	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-15.065913	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
		5310	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
			NV	NT	-40000.00	-7.207207	20	PASS
		5510	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	40000.00	7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
		5550	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5670	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
		5755	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
		5795	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC80SIS O		5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5290	NV	NT	-80000.00	-15.122873	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	80000.00	15.122873	20	PASS
		5530	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5610	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-14.260250	20	PASS
		5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AX20SIS O		5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5260	NV	NT	-40000.00	-7.604563	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-20000.00	-3.802281	20	PASS
		5280	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.575758	20	PASS
		5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	0.00	0.000000	20	PASS

11AX40SIS O	5500	HV	NT	0.00	0.000000	20	PASS
		NV	NT	-40000.00	-7.272727	20	PASS
		LV	NT	-20000.00	-3.636364	20	PASS
	5580	HV	NT	-20000.00	-3.636364	20	PASS
		NV	NT	-40000.00	-7.168459	20	PASS
		LV	NT	-60000.00	-10.752688	20	PASS
	5700	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5745	HV	NT	-20000.00	-3.508772	20	PASS
		NV	NT	-40000.00	-6.962576	20	PASS
		LV	NT	-60000.00	-10.443864	20	PASS
	5785	HV	NT	-40000.00	-6.962576	20	PASS
		NV	NT	-20000.00	-3.457217	20	PASS
		LV	NT	-40000.00	-6.914434	20	PASS
	5825	HV	NT	-20000.00	-3.457217	20	PASS
		NV	NT	-20000.00	-3.433476	20	PASS
		LV	NT	-20000.00	-3.433476	20	PASS
	5190	HV	NT	-40000.00	-6.866953	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5230	HV	NT	0.00	0.000000	20	PASS
		NV	NT	-40000.00	-7.648184	20	PASS
		LV	NT	-40000.00	-7.648184	20	PASS
	5270	HV	NT	40000.00	7.648184	20	PASS
		NV	NT	-40000.00	-7.590133	20	PASS
		LV	NT	-40000.00	-7.590133	20	PASS
	5310	HV	NT	40000.00	7.590133	20	PASS
		NV	NT	-40000.00	-7.532957	20	PASS
		LV	NT	-40000.00	-7.532957	20	PASS
	5510	HV	NT	-40000.00	-7.532957	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5550	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	-40000.00	-7.207207	20	PASS
	5670	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	40000.00	7.054674	20	PASS
	5755	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5795	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
11AX80SIS O	5210	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5290	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5530	HV	NT	-80000.00	-15.122873	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5610	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
	5775	HV	NT	0.00	0.000000	20	PASS
		NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS

TestMode	Freq(MHz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	5180	NV	-30	-20000.00	-3.861004	20	PASS
		NV	-20	-20000.00	-3.861004	20	PASS
		NV	-10	20000.00	3.861004	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	20000.00	3.861004	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
	5200	NV	-30	-20000.00	-3.846154	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-20000.00	-3.846154	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.846154	20	PASS
		NV	30	-20000.00	-3.846154	20	PASS
		NV	40	-20000.00	-3.846154	20	PASS
	5240	NV	-30	-20000.00	-3.816794	20	PASS
		NV	-20	-20000.00	-3.816794	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.816794	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.816794	20	PASS
		NV	30	-20000.00	-3.816794	20	PASS
		NV	40	-20000.00	-3.816794	20	PASS
	5260	NV	-30	-20000.00	-3.802281	20	PASS
		NV	-20	-20000.00	-3.802281	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.802281	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.802281	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-20000.00	-3.802281	20	PASS
	5280	NV	-30	-20000.00	-3.787879	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.787879	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-20000.00	-3.787879	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-20000.00	-3.787879	20	PASS
	5320	NV	-30	-20000.00	-3.759398	20	PASS
		NV	-20	-20000.00	-3.759398	20	PASS
		NV	-10	-20000.00	-3.759398	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-20000.00	-3.759398	20	PASS
		NV	20	-20000.00	-3.759398	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-20000.00	-3.759398	20	PASS
	5500	NV	-30	-20000.00	-3.636364	20	PASS
		NV	-20	-20000.00	-3.636364	20	PASS
		NV	-10	-20000.00	-3.636364	20	PASS
		NV	0	-20000.00	-3.636364	20	PASS
		NV	10	-20000.00	-3.636364	20	PASS
		NV	20	-40000.00	-7.272727	20	PASS
		NV	30	-20000.00	-3.636364	20	PASS
		NV	40	-20000.00	-3.636364	20	PASS

		5580	NV	50	-20000.00	-3.636364	20	PASS
			NV	-30	-20000.00	-3.584229	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.168459	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-20000.00	-3.584229	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
		5700	NV	50	-20000.00	-3.584229	20	PASS
			NV	-30	-20000.00	-3.508772	20	PASS
			NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5745	NV	50	-20000.00	-3.508772	20	PASS
			NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5785	NV	50	-20000.00	-3.481288	20	PASS
			NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
		5825	NV	50	0.00	0.000000	20	PASS
			NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
11N20SISO		5180	NV	50	0.00	0.000000	20	PASS
			NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	-40000.00	-7.722008	20	PASS
			NV	-10	-60000.00	-11.583012	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-60000.00	-11.583012	20	PASS
			NV	40	-40000.00	-7.722008	20	PASS
		5200	NV	50	-40000.00	-7.722008	20	PASS
			NV	-30	-20000.00	-3.846154	20	PASS
			NV	-20	-40000.00	-7.692308	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	-40000.00	-7.692308	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-40000.00	-7.692308	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	40	-20000.00	-3.846154	20	PASS
		5240	NV	50	-40000.00	-7.692308	20	PASS
			NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	-60000.00	-11.450382	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS

			NV	0	-40000.00	-7.633588	20	PASS
			NV	10	-40000.00	-7.633588	20	PASS
			NV	20	-40000.00	-7.633588	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-40000.00	-7.633588	20	PASS
		5260	NV	-30	-20000.00	-3.802281	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.802281	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.604563	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	-20000.00	-3.802281	20	PASS
			NV	40	-20000.00	-3.802281	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5280	NV	-30	-40000.00	-7.575758	20	PASS
			NV	-20	-40000.00	-7.575758	20	PASS
			NV	-10	-40000.00	-7.575758	20	PASS
			NV	0	-20000.00	-3.787879	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.575758	20	PASS
			NV	30	-40000.00	-7.575758	20	PASS
			NV	40	-20000.00	-3.787879	20	PASS
			NV	50	-20000.00	-3.787879	20	PASS
		5320	NV	-30	-40000.00	-7.518797	20	PASS
			NV	-20	-40000.00	-7.518797	20	PASS
			NV	-10	-40000.00	-7.518797	20	PASS
			NV	0	-60000.00	-11.278195	20	PASS
			NV	10	-20000.00	-3.759398	20	PASS
			NV	20	-40000.00	-7.518797	20	PASS
			NV	30	-60000.00	-11.278195	20	PASS
			NV	40	-40000.00	-7.518797	20	PASS
			NV	50	-40000.00	-7.518797	20	PASS
		5500	NV	-30	-60000.00	-10.909091	20	PASS
			NV	-20	-20000.00	-3.636364	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-40000.00	-7.272727	20	PASS
			NV	10	-20000.00	-3.636364	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-40000.00	-7.272727	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-60000.00	-10.909091	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-40000.00	-7.168459	20	PASS
			NV	-10	-40000.00	-7.168459	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-40000.00	-7.168459	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	40	-40000.00	-7.168459	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-20000.00	-3.508772	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	-60000.00	-10.526316	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
			NV	20	-40000.00	-7.017544	20	PASS
			NV	30	-40000.00	-7.017544	20	PASS
			NV	40	-40000.00	-7.017544	20	PASS
			NV	50	-40000.00	-7.017544	20	PASS
		5745	NV	-30	20000.00	3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS

11N40SISO	5785	NV	40	0.00	0.000000	20	PASS
		NV	50	-20000.00	-3.481288	20	PASS
		NV	-30	-20000.00	-3.457217	20	PASS
		NV	-20	-20000.00	-3.457217	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-20000.00	-3.457217	20	PASS
		NV	20	20000.00	3.457217	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-40000.00	-6.914434	20	PASS
		NV	50	0.00	0.000000	20	PASS
	5825	NV	-30	20000.00	3.433476	20	PASS
		NV	-20	-20000.00	-3.433476	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-20000.00	-3.433476	20	PASS
		NV	20	-40000.00	-6.866953	20	PASS
		NV	30	-20000.00	-3.433476	20	PASS
		NV	40	20000.00	3.433476	20	PASS
		NV	50	0.00	0.000000	20	PASS
	5190	NV	-30	0.00	0.000000	20	PASS
		NV	-20	-40000.00	-7.707129	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	0.00	0.000000	20	PASS
		NV	50	0.00	0.000000	20	PASS
	5230	NV	-30	-40000.00	-7.648184	20	PASS
		NV	-20	-80000.00	-15.296367	20	PASS
		NV	-10	-40000.00	-7.648184	20	PASS
		NV	0	-40000.00	-7.648184	20	PASS
		NV	10	-40000.00	-7.648184	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-40000.00	-7.648184	20	PASS
	5270	NV	50	-40000.00	-7.648184	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	0.00	0.000000	20	PASS
		NV	20	-40000.00	-7.590133	20	PASS
		NV	30	-40000.00	-7.590133	20	PASS
	5310	NV	40	-40000.00	-7.590133	20	PASS
		NV	50	-40000.00	-7.590133	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	0.00	0.000000	20	PASS
		NV	-10	-40000.00	-7.532957	20	PASS
		NV	0	-80000.00	-15.065913	20	PASS
		NV	10	-80000.00	-15.065913	20	PASS
		NV	20	0.00	0.000000	20	PASS
	5510	NV	30	-40000.00	-7.532957	20	PASS
		NV	40	-40000.00	-7.532957	20	PASS
		NV	50	-40000.00	-7.532957	20	PASS
		NV	-30	-40000.00	-7.259528	20	PASS
		NV	-20	-80000.00	-14.519056	20	PASS
		NV	-10	-40000.00	-7.259528	20	PASS
		NV	0	-40000.00	-7.259528	20	PASS
		NV	10	-40000.00	-7.259528	20	PASS
	5550	NV	20	-40000.00	-7.259528	20	PASS
		NV	30	-40000.00	-7.259528	20	PASS
		NV	40	-40000.00	-7.259528	20	PASS
	5550	NV	50	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
	5550	NV	-20	0.00	0.000000	20	PASS
		NV	0	0.00	0.000000	20	PASS

11AC20SIS O			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.207207	20	PASS
			NV	10	-40000.00	-7.207207	20	PASS
			NV	20	-40000.00	-7.207207	20	PASS
			NV	30	-80000.00	-14.414414	20	PASS
			NV	40	-80000.00	-14.414414	20	PASS
		5670	NV	50	0.00	0.000000	20	PASS
			NV	-30	40000.00	7.054674	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	40000.00	7.054674	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.054674	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.054674	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5795	NV	50	-40000.00	-6.950478	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-60000.00	-11.583012	20	PASS
			NV	-10	-60000.00	-11.583012	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	40	-40000.00	-7.722008	20	PASS
		5200	NV	50	-40000.00	-7.722008	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-40000.00	-7.692308	20	PASS
		5240	NV	40	-40000.00	-7.692308	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
			NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.633588	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-40000.00	-7.633588	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
		5260	NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-40000.00	-7.633588	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5280	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.802281	20	PASS
			NV	-10	-40000.00	-7.604563	20	PASS
			NV	-30	-20000.00	-3.787879	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS

			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.787879	20	PASS
			NV	40	-20000.00	-3.787879	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5320	NV	-30	-40000.00	-7.518797	20	PASS
			NV	-20	-20000.00	-3.759398	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	-40000.00	-7.518797	20	PASS
			NV	10	-20000.00	-3.759398	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.759398	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	20000.00	3.759398	20	PASS
		5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	-40000.00	-7.272727	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.272727	20	PASS
			NV	20	-40000.00	-7.272727	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.636364	20	PASS
		5580	NV	-30	-20000.00	-3.584229	20	PASS
			NV	-20	-40000.00	-7.168459	20	PASS
			NV	-10	-20000.00	-3.584229	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.168459	20	PASS
			NV	30	-20000.00	-3.584229	20	PASS
			NV	40	-20000.00	-3.584229	20	PASS
			NV	50	-40000.00	-7.168459	20	PASS
		5700	NV	-30	-20000.00	-3.508772	20	PASS
			NV	-20	-40000.00	-7.017544	20	PASS
			NV	-10	-20000.00	-3.508772	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-40000.00	-7.017544	20	PASS
			NV	20	-20000.00	-3.508772	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-20000.00	-3.508772	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-60000.00	-10.443864	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	40	-40000.00	-6.914434	20	PASS
			NV	50	-40000.00	-6.914434	20	PASS
		5825	NV	-30	-60000.00	-10.300429	20	PASS
			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS

11AC40SIS O			NV	40	-40000.00	-6.866953	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
		5190	NV	-30	-40000.00	-7.707129	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	40000.00	7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.707129	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5230	NV	-30	-40000.00	-7.648184	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-80000.00	-15.296367	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5270	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.590133	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.590133	20	PASS
			NV	20	-40000.00	-7.590133	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.590133	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5310	NV	-30	-40000.00	-7.532957	20	PASS
			NV	-20	-40000.00	-7.532957	20	PASS
			NV	-10	-40000.00	-7.532957	20	PASS
			NV	0	-40000.00	-7.532957	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5510	NV	-30	-80000.00	-14.519056	20	PASS
			NV	-20	-40000.00	-7.259528	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-80000.00	-14.519056	20	PASS
			NV	20	-40000.00	-7.259528	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.259528	20	PASS
			NV	50	-40000.00	-7.259528	20	PASS
		5550	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.207207	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.207207	20	PASS
		5670	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS

			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-40000.00	-6.950478	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	40000.00	6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	11AC80SIS O	5210	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5290	NV	-30	-80000.00	-15.122873	20	PASS
			NV	-20	-80000.00	-15.122873	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-80000.00	-15.122873	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5530	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5610	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5775	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	11AX20SIS O	5180	NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.722008	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	0.00	0.000000	20	PASS

			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-40000.00	-7.722008	20	PASS
		5200	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.692308	20	PASS
			NV	-10	-20000.00	-3.846154	20	PASS
			NV	0	-40000.00	-7.692308	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-40000.00	-7.692308	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	40	-20000.00	-3.846154	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
		5240	NV	-30	-20000.00	-3.816794	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	40	-40000.00	-7.633588	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5260	NV	-30	-20000.00	-3.802281	20	PASS
			NV	-20	-20000.00	-3.802281	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.604563	20	PASS
			NV	10	-20000.00	-3.802281	20	PASS
			NV	20	-20000.00	-3.802281	20	PASS
			NV	30	-40000.00	-7.604563	20	PASS
			NV	40	-20000.00	-3.802281	20	PASS
			NV	50	-20000.00	-3.802281	20	PASS
		5280	NV	-30	-20000.00	-3.787879	20	PASS
			NV	-20	-20000.00	-3.787879	20	PASS
			NV	-10	-40000.00	-7.575758	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.575758	20	PASS
			NV	20	-20000.00	-3.787879	20	PASS
			NV	30	-40000.00	-7.575758	20	PASS
			NV	40	-40000.00	-7.575758	20	PASS
			NV	50	-40000.00	-7.575758	20	PASS
		5320	NV	-30	-20000.00	-3.759398	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.759398	20	PASS
			NV	0	-40000.00	-7.518797	20	PASS
			NV	10	-40000.00	-7.518797	20	PASS
			NV	20	-20000.00	-3.759398	20	PASS
			NV	30	-60000.00	-11.278195	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.518797	20	PASS
		5500	NV	-30	-20000.00	-3.636364	20	PASS
			NV	-20	-20000.00	-3.636364	20	PASS
			NV	-10	-40000.00	-7.272727	20	PASS
			NV	0	-20000.00	-3.636364	20	PASS
			NV	10	-40000.00	-7.272727	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.636364	20	PASS
			NV	40	-20000.00	-3.636364	20	PASS
			NV	50	-60000.00	-10.909091	20	PASS
		5580	NV	-30	-40000.00	-7.168459	20	PASS
			NV	-20	-20000.00	-3.584229	20	PASS
			NV	-10	-20000.00	-3.584229	20	PASS
			NV	0	-20000.00	-3.584229	20	PASS
			NV	10	-20000.00	-3.584229	20	PASS
			NV	20	-20000.00	-3.584229	20	PASS
			NV	30	-40000.00	-7.168459	20	PASS
			NV	40	-40000.00	-7.168459	20	PASS
			NV	50	-60000.00	-10.752688	20	PASS
		5700	NV	-30	-20000.00	-3.508772	20	PASS

	11AX40SIS O		NV	-20	-20000.00	-3.508772	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.508772	20	PASS
			NV	10	-20000.00	-3.508772	20	PASS
			NV	20	-60000.00	-10.526316	20	PASS
			NV	30	-20000.00	-3.508772	20	PASS
			NV	40	-40000.00	-7.017544	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5745	NV	-30	-60000.00	-10.443864	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-40000.00	-6.962576	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-40000.00	-6.962576	20	PASS
		5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
		5190	NV	-30	-40000.00	-7.707129	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.707129	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5230	NV	-30	-40000.00	-7.648184	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.648184	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5270	NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.590133	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.590133	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.590133	20	PASS
		5310	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.532957	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-7.532957	20	PASS

			NV	20	-40000.00	-7.532957	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.532957	20	PASS
		5510	NV	-30	-40000.00	-7.259528	20	PASS
			NV	-20	-40000.00	-7.259528	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.259528	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.259528	20	PASS
		5550	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.207207	20	PASS
			NV	50	-40000.00	-7.207207	20	PASS
		5670	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.054674	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.054674	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
		5795	NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	6.902502	20	PASS
	11AX80SIS O	5210	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5290	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-80000.00	-15.122873	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-80000.00	-15.122873	20	PASS

		5530	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5610	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5775	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	80000.00	13.852814	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

End of Test Report