

SPECIFICATION FOR APPROVAL

CUSTOMER:

H-008

CUST P/N:

P/N:

43.5*0.6-20.5*10TS-6.5uH-0.08*24p*2

Description:

Sing-Layer Coil +length 40MM G43.5-20.5-10TS-6.5uH-0.08-24p-2,type

DESC:

20.5*38.5*0.08*24*2P*10TS*40

DATE:

2026-8-12

Version:

A.0

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
		Huang DiJun	

Dongguan Xingguanghuaye Electronics Technology Co., Ltd.

Address: No. 6 Ma'anling Shahu Community, Tangxia Town, Dongguan City,

Intelligent Manufacturing Industrial Park



TEL: 18938518708

Version Change History

[illegible]

Dongguan Xingguanghuaye Electronics Technology Co., Ltd.


DESC	20.5*38.5*0.08*24*2P*10TS*40	Rev: A.0	CUST:	
			P/N:	43.5*0.6-20.5*10TS-6.5uH-0.08*24p*2
			CUST P/N:	



A	43.5±0.5
B	38.5±1
C	20.5±0.5
E	3±1
H	40±2
I	0.6±0.1
T	1.7Max(Self-type、High Adhesive)
T	1.35Max(NO Self-type、High Adhesive)

Remark:	
1.Coil Bonded to hard ferrite:	
G43. 5*5. 3*0. 6	
2. 8mm(Ref) type wrapping at wire egress	

二、 SCHEMATIC DIAGRAM:



NO.	TERMINAL		WIRE	Turns		Winding Direction
	S	F	Self-bonding 0.08*24P*2	10Ts	Sing-1Layer	CCW

三、 Winding Specification:

PREPARED BY/DATE	CHECKED BY/DATE
	Huang Di Jun2026-8-12

TEMPERATURE:25±10°C, RELATIVE HUMIDITY:65±20%



43.5*0.6-20.5*10TS-6.5uH-0.08*24p*2

Dongguan Xingguanghuaye Electronics Technology Co., Ltd.

DESC	20.5*38.5*0.08*24*2P*10TS*40	Rev: A.0	CUST:	
			P/N:	43.5*0.6-20.5*10TS-6.5uH-0.08*24p*2
			CUST P/N:	

五、PACKING:

5.1 Packing pictures:




5.2 Packing Quantity:

Item	Quantity	Material
Box	600Pcs	370*265*55mm
Big Carton	1800 Pcs	420*270*310mm

5.3 The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.

六、Recommended Soldering Technologies

Recommmand Reflow Curve (TIME:Second)



PREPARED BY/DATE	CHECKED BY/DATE
	Huang Di Jun2026-8-12

Dongguan Xingguanghuaye Electronics Technology Co., Ltd.

DESC	20.5*38.5*0.08*24*2P*10TS*40	Rev: A.0	CUST:	
			P/N:	43.5*0.6-20.5*10TS-6.5uH-0.08*24p*2
			CUST P/N:	
七、 Material List:				
NO.	Material name	Description	Martnumber	Material
1	Wire	0.08*24p*2		2UEW
2	Sn	High-temperature solder		
3	Acetone	/		
4	Glue	White Glue		
5	Ferriet	G43. 5*5. 3*0. 6		
6	Type	41. 5*0. 1mm		
7				
8				
9				
10				
11				
PREPARED BY/DATE			CHECKED BY/DATE	
			Huang Di Jun2026-8-12	