


5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.27G	105.43	Inf	-Inf	100.55	3	Vertical	333	2.69	-	31.32	6.99	33.43			
PK	5.27G	118.19	Inf	-Inf	113.31	3	Vertical	333	2.69	-	31.32	6.99	33.43			
PK	10.54G	56.77	68.20	-11.43	41.36	3	Vertical	53	1.00	-	39.60	9.97	34.16			
AV	15.81G	44.46	54.00	-9.54	29.33	3	Vertical	28	1.00	-	37.96	12.17	35.00			
PK	15.81G	57.92	74.00	-16.08	42.79	3	Vertical	28	1.00	-	37.96	12.17	35.00			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.31G	93.68	Inf	-Inf	88.89	3	Horizontal	57	2.68	-	31.22	7.01	33.44			
PK	5.31G	106.62	Inf	-Inf	101.83	3	Horizontal	57	2.68	-	31.22	7.01	33.44			
AV	10.62G	42.56	54.00	-11.44	26.93	3	Horizontal	26	1.00	-	39.84	10.00	34.21			
PK	10.62G	56.63	74.00	-17.37	41.00	3	Horizontal	26	1.00	-	39.84	10.00	34.21			
AV	15.93G	44.38	54.00	-9.62	29.32	3	Horizontal	34	1.00	-	37.84	12.25	35.03			
PK	15.93G	57.29	74.00	-16.71	42.23	3	Horizontal	34	1.00	-	37.84	12.25	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.31G	103.60	Inf	-Inf	98.81	3	Vertical	341	2.69	-	31.22	7.01	33.44			
PK	5.31G	116.73	Inf	-Inf	111.94	3	Vertical	341	2.69	-	31.22	7.01	33.44			
AV	10.62G	43.05	54.00	-10.95	27.42	3	Vertical	48	1.00	-	39.84	10.00	34.21			
PK	10.62G	56.81	74.00	-17.19	41.18	3	Vertical	48	1.00	-	39.84	10.00	34.21			
AV	15.93G	44.31	54.00	-9.69	29.25	3	Vertical	59	1.00	-	37.84	12.25	35.03			
PK	15.93G	57.96	74.00	-16.04	42.90	3	Vertical	59	1.00	-	37.84	12.25	35.03			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.51G	92.57	Inf	-Inf	87.23	3	Horizontal	60	2.48	-	31.70	7.11	33.47			
PK	5.51G	105.52	Inf	-Inf	100.18	3	Horizontal	60	2.48	-	31.70	7.11	33.47			
AV	11.02G	43.68	54.00	-10.32	27.83	3	Horizontal	49	1.00	-	40.16	10.15	34.46			
PK	11.02G	56.42	74.00	-17.58	40.57	3	Horizontal	49	1.00	-	40.16	10.15	34.46			
PK	16.53G	60.04	68.20	-8.16	43.63	3	Horizontal	16	1.00	-	38.88	12.67	35.14			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.51G	103.63	Inf	-Inf	98.29	3	Vertical	321	2.65	-	31.70	7.11	33.47			
PK	5.51G	116.30	Inf	-Inf	110.96	3	Vertical	321	2.65	-	31.70	7.11	33.47			
AV	11.02G	43.92	54.00	-10.08	28.07	3	Vertical	59	1.00	-	40.16	10.15	34.46			
PK	11.02G	57.44	74.00	-16.56	41.59	3	Vertical	59	1.00	-	40.16	10.15	34.46			
PK	16.53G	59.78	68.20	-8.42	43.37	3	Vertical	24	1.00	-	38.88	12.67	35.14			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5590MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.59G	92.97	Inf	-Inf	87.70	3	Horizontal	51	2.77	-	31.62	7.15	33.50			
PK	5.59G	105.36	Inf	-Inf	100.09	3	Horizontal	51	2.77	-	31.62	7.15	33.50			
AV	11.18G	43.66	54.00	-10.34	28.36	3	Horizontal	18	1.00	-	39.58	10.22	34.50			
PK	11.18G	56.51	74.00	-17.49	41.21	3	Horizontal	18	1.00	-	39.58	10.22	34.50			
PK	16.77G	60.25	68.20	-7.95	43.15	3	Horizontal	31	1.00	-	39.50	12.73	35.13			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5590MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.59G	105.10	Inf	-Inf	99.83	3	Vertical	324	2.53	-	31.62	7.15	33.50			
PK	5.59G	117.78	Inf	-Inf	112.51	3	Vertical	324	2.53	-	31.62	7.15	33.50			
AV	11.18G	44.17	54.00	-9.83	28.87	3	Vertical	64	1.00	-	39.58	10.22	34.50			
PK	11.18G	57.59	74.00	-16.41	42.29	3	Vertical	64	1.00	-	39.58	10.22	34.50			
PK	16.77G	59.94	68.20	-8.26	42.84	3	Vertical	23	1.00	-	39.50	12.73	35.13			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.67G	93.14	Inf	-Inf	87.65	3	Horizontal	48	2.78	-	31.82	7.20	33.53			
PK	5.67G	105.11	Inf	-Inf	99.62	3	Horizontal	48	2.78	-	31.82	7.20	33.53			
AV	11.34G	43.74	54.00	-10.26	28.21	3	Horizontal	45	1.00	-	39.78	10.30	34.55			
PK	11.34G	56.52	74.00	-17.48	40.99	3	Horizontal	45	1.00	-	39.78	10.30	34.55			
PK	17.01G	60.33	68.20	-7.87	43.30	3	Horizontal	21	1.00	-	39.36	12.79	35.12			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.67G	106.04	Inf	-Inf	100.55	3	Vertical	325	2.54	-	31.82	7.20	33.53			
PK	5.67G	118.26	Inf	-Inf	112.77	3	Vertical	325	2.54	-	31.82	7.20	33.53			
AV	11.34G	44.18	54.00	-9.82	28.65	3	Vertical	55	1.00	-	39.78	10.30	34.55			
PK	11.34G	57.66	74.00	-16.34	42.13	3	Vertical	55	1.00	-	39.78	10.30	34.55			
PK	17.01G	60.06	68.20	-8.14	43.03	3	Vertical	29	1.00	-	39.36	12.79	35.12			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.71G	92.95	Inf	-Inf	87.27	3	Horizontal	49	2.57	-	32.00	7.23	33.55			
PK	5.71G	105.02	Inf	-Inf	99.34	3	Horizontal	49	2.57	-	32.00	7.23	33.55			
AV	11.42G	43.76	54.00	-10.24	28.17	3	Horizontal	32	1.00	-	39.84	10.33	34.58			
PK	11.42G	56.47	74.00	-17.53	40.88	3	Horizontal	32	1.00	-	39.84	10.33	34.58			
PK	17.13G	60.04	68.20	-8.16	42.88	3	Horizontal	46	1.00	-	39.40	12.83	35.07			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.71G	106.24	Inf	-Inf	100.56	3	Vertical	323	2.59	-	32.00	7.23	33.55			
PK	5.71G	119.25	Inf	-Inf	113.57	3	Vertical	323	2.59	-	32.00	7.23	33.55			
AV	11.42G	44.08	54.00	-9.92	28.49	3	Vertical	61	1.00	-	39.84	10.33	34.58			
PK	11.42G	57.49	74.00	-16.51	41.90	3	Vertical	61	1.00	-	39.84	10.33	34.58			
PK	17.13G	60.14	68.20	-8.06	42.98	3	Vertical	26	1.00	-	39.40	12.83	35.07			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.755G	94.49	Inf	-Inf	88.79	3	Horizontal	53	2.55	-	32.01	7.26	33.57			
PK	5.755G	106.79	Inf	-Inf	101.09	3	Horizontal	53	2.55	-	32.01	7.26	33.57			
AV	11.51G	43.64	54.00	-10.36	27.99	3	Horizontal	58	1.00	-	39.88	10.37	34.60			
PK	11.51G	57.14	74.00	-16.86	41.49	3	Horizontal	58	1.00	-	39.88	10.37	34.60			
PK	17.265G	60.47	68.20	-7.73	43.05	3	Horizontal	21	1.00	-	39.56	12.87	35.01			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.755G	108.69	Inf	-Inf	102.99	3	Vertical	323	2.56	-	32.01	7.26	33.57			
PK	5.755G	121.40	Inf	-Inf	115.70	3	Vertical	323	2.56	-	32.01	7.26	33.57			
AV	11.51G	44.11	54.00	-9.89	28.46	3	Vertical	231	1.00	-	39.88	10.37	34.60			
PK	11.51G	57.66	74.00	-16.34	42.01	3	Vertical	231	1.00	-	39.88	10.37	34.60			
PK	17.265G	59.78	68.20	-8.42	42.36	3	Vertical	13	1.00	-	39.56	12.87	35.01			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.795G	94.50	Inf	-Inf	88.70	3	Horizontal	48	2.56	-	32.09	7.29	33.58			
PK	5.795G	107.01	Inf	-Inf	101.21	3	Horizontal	48	2.56	-	32.09	7.29	33.58			
AV	11.59G	43.72	54.00	-10.28	28.37	3	Horizontal	45	1.00	-	39.56	10.40	34.61			
PK	11.59G	57.29	74.00	-16.71	41.94	3	Horizontal	45	1.00	-	39.56	10.40	34.61			
PK	17.385G	60.56	68.20	-7.64	42.30	3	Horizontal	87	1.00	-	40.31	12.91	34.96			


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.21G	88.26	Inf	-Inf	83.08	3	Horizontal	61	2.60	-	31.64	6.96	33.42			
PK	5.21G	100.96	Inf	-Inf	95.78	3	Horizontal	61	2.60	-	31.64	6.96	33.42			
PK	10.42G	56.81	68.20	-11.39	41.46	3	Horizontal	49	1.00	-	39.54	9.91	34.10			
AV	15.63G	44.58	54.00	-9.42	29.45	3	Horizontal	25	1.00	-	38.02	12.06	34.95			
PK	15.63G	57.75	74.00	-16.25	42.62	3	Horizontal	25	1.00	-	38.02	12.06	34.95			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.21G	98.43	Inf	-Inf	93.25	3	Vertical	323	2.68	-	31.64	6.96	33.42			
PK	5.21G	111.33	Inf	-Inf	106.15	3	Vertical	323	2.68	-	31.64	6.96	33.42			
PK	10.42G	56.57	68.20	-11.63	41.22	3	Vertical	225	1.00	-	39.54	9.91	34.10			
AV	15.63G	44.64	54.00	-9.36	29.51	3	Vertical	218	1.00	-	38.02	12.06	34.95			
PK	15.63G	57.74	74.00	-16.26	42.61	3	Vertical	218	1.00	-	38.02	12.06	34.95			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.29G	89.12	Inf	-Inf	84.32	3	Horizontal	62	2.63	-	31.24	7.00	33.44			
PK	5.29G	101.89	Inf	-Inf	97.09	3	Horizontal	62	2.63	-	31.24	7.00	33.44			
PK	10.58G	56.59	68.20	-11.61	41.08	3	Horizontal	38	1.00	-	39.72	9.98	34.19			
AV	15.87G	44.35	54.00	-9.65	29.32	3	Horizontal	33	1.00	-	37.84	12.21	35.02			
PK	15.87G	57.22	74.00	-16.78	42.19	3	Horizontal	33	1.00	-	37.84	12.21	35.02			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.29G	100.66	Inf	-Inf	95.86	3	Vertical	338	2.69	-	31.24	7.00	33.44			
PK	5.29G	113.48	Inf	-Inf	108.68	3	Vertical	338	2.69	-	31.24	7.00	33.44			
PK	10.58G	56.52	68.20	-11.68	41.01	3	Vertical	29	1.00	-	39.72	9.98	34.19			
AV	15.87G	44.26	54.00	-9.74	29.23	3	Vertical	42	1.00	-	37.84	12.21	35.02			
PK	15.87G	57.16	74.00	-16.84	42.13	3	Vertical	42	1.00	-	37.84	12.21	35.02			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.53G	86.95	Inf	-Inf	81.61	3	Horizontal	57	2.63	-	31.70	7.12	33.48			
PK	5.53G	100.08	Inf	-Inf	94.74	3	Horizontal	57	2.63	-	31.70	7.12	33.48			
AV	11.06G	43.61	54.00	-10.39	27.85	3	Horizontal	69	1.00	-	40.06	10.17	34.47			
PK	11.06G	56.34	74.00	-17.66	40.58	3	Horizontal	69	1.00	-	40.06	10.17	34.47			
PK	16.59G	59.87	68.20	-8.33	43.69	3	Horizontal	9	1.00	-	38.64	12.68	35.14			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.53G	99.16	Inf	-Inf	93.82	3	Vertical	324	2.56	-	31.70	7.12	33.48			
PK	5.53G	112.51	Inf	-Inf	107.17	3	Vertical	324	2.56	-	31.70	7.12	33.48			
AV	11.06G	43.86	54.00	-10.14	28.10	3	Vertical	54	1.00	-	40.06	10.17	34.47			
PK	11.06G	57.36	74.00	-16.64	41.60	3	Vertical	54	1.00	-	40.06	10.17	34.47			
PK	16.59G	59.74	68.20	-8.46	43.56	3	Vertical	47	1.00	-	38.64	12.68	35.14			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.61G	88.25	Inf	-Inf	82.98	3	Horizontal	51	2.74	-	31.62	7.16	33.51			
PK	5.61G	101.33	Inf	-Inf	96.06	3	Horizontal	51	2.74	-	31.62	7.16	33.51			
AV	11.22G	43.62	54.00	-10.38	28.40	3	Horizontal	76	1.00	-	39.50	10.24	34.52			
PK	11.22G	56.49	74.00	-17.51	41.27	3	Horizontal	76	1.00	-	39.50	10.24	34.52			
PK	16.83G	60.12	68.20	-8.08	43.00	3	Horizontal	25	1.00	-	39.50	12.75	35.13			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.61G	100.98	Inf	-Inf	95.71	3	Vertical	324	2.59	-	31.62	7.16	33.51			
PK	5.61G	113.70	Inf	-Inf	108.43	3	Vertical	324	2.59	-	31.62	7.16	33.51			
AV	11.22G	44.12	54.00	-9.88	28.90	3	Vertical	59	1.00	-	39.50	10.24	34.52			
PK	11.22G	57.46	74.00	-16.54	42.24	3	Vertical	59	1.00	-	39.50	10.24	34.52			
PK	16.83G	59.87	68.20	-8.33	42.75	3	Vertical	55	1.00	-	39.50	12.75	35.13			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.69G	89.12	Inf	-Inf	83.51	3	Horizontal	49	2.75	-	31.94	7.21	33.54			
PK	5.69G	102.36	Inf	-Inf	96.75	3	Horizontal	49	2.75	-	31.94	7.21	33.54			
AV	11.38G	43.74	54.00	-10.26	28.19	3	Horizontal	35	1.00	-	39.80	10.31	34.56			
PK	11.38G	56.41	74.00	-17.59	40.86	3	Horizontal	35	1.00	-	39.80	10.31	34.56			
PK	17.07G	59.88	68.20	-8.32	42.64	3	Horizontal	54	1.00	-	39.52	12.81	35.09			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.69G	101.80	Inf	-Inf	96.19	3	Vertical	323	2.60	-	31.94	7.21	33.54			
PK	5.69G	114.60	Inf	-Inf	108.99	3	Vertical	323	2.60	-	31.94	7.21	33.54			
AV	11.38G	43.95	54.00	-10.05	28.40	3	Vertical	58	1.00	-	39.80	10.31	34.56			
PK	11.38G	57.41	74.00	-16.59	41.86	3	Vertical	58	1.00	-	39.80	10.31	34.56			
PK	17.07G	60.12	68.20	-8.08	42.88	3	Vertical	45	1.00	-	39.52	12.81	35.09			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.775G	91.51	Inf	-Inf	85.76	3	Horizontal	49	2.62	-	32.05	7.27	33.57			
PK	5.775G	104.60	Inf	-Inf	98.85	3	Horizontal	49	2.62	-	32.05	7.27	33.57			
AV	11.55G	43.53	54.00	-10.47	27.95	3	Horizontal	58	1.00	-	39.80	10.39	34.61			
PK	11.55G	57.06	74.00	-16.94	41.48	3	Horizontal	58	1.00	-	39.80	10.39	34.61			
PK	17.325G	60.35	68.20	-7.85	42.54	3	Horizontal	29	1.00	-	39.90	12.89	34.98			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.775G	104.24	Inf	-Inf	98.49	3	Vertical	325	2.56	-	32.05	7.27	33.57			
PK	5.775G	117.21	Inf	-Inf	111.46	3	Vertical	325	2.56	-	32.05	7.27	33.57			
AV	11.55G	44.05	54.00	-9.95	28.47	3	Vertical	236	1.00	-	39.80	10.39	34.61			
PK	11.55G	57.62	74.00	-16.38	42.04	3	Vertical	236	1.00	-	39.80	10.39	34.61			
PK	17.325G	59.66	68.20	-8.54	41.85	3	Vertical	44	1.00	-	39.90	12.89	34.98			

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.25G	85.35	Inf	-Inf	80.40	3	Horizontal	58	2.68	-	31.40	6.98	33.43			
PK	5.25G	98.11	Inf	-Inf	93.16	3	Horizontal	58	2.68	-	31.40	6.98	33.43			
PK	10.5G	56.52	68.20	-11.68	41.11	3	Horizontal	45	1.00	-	39.60	9.95	34.14			
AV	15.75G	44.28	54.00	-9.72	28.82	3	Horizontal	27	1.00	-	38.30	12.14	34.98			
PK	15.75G	57.19	74.00	-16.81	41.73	3	Horizontal	27	1.00	-	38.30	12.14	34.98			

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB/m)	(dB)	(dB)			
AV	5.25G	96.45	Inf	-Inf	91.50	3	Vertical	338	2.75	-	31.40	6.98	33.43			
PK	5.25G	109.25	Inf	-Inf	104.30	3	Vertical	338	2.75	-	31.40	6.98	33.43			
PK	10.5G	56.44	68.20	-11.76	41.03	3	Vertical	32	1.00	-	39.60	9.95	34.14			
AV	15.75G	44.23	54.00	-9.77	28.77	3	Vertical	55	1.00	-	38.30	12.14	34.98			
PK	15.75G	57.11	74.00	-16.89	41.65	3	Vertical	55	1.00	-	38.30	12.14	34.98			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.57G	84.20	Inf	-Inf	78.90	3	Horizontal	56	2.88	-	31.66	7.14	33.50			
PK	5.57G	96.98	Inf	-Inf	91.68	3	Horizontal	56	2.88	-	31.66	7.14	33.50			
AV	11.14G	43.58	54.00	-10.42	28.13	3	Horizontal	51	1.00	-	39.74	10.20	34.49			
PK	11.14G	56.31	74.00	-17.69	40.86	3	Horizontal	51	1.00	-	39.74	10.20	34.49			
PK	16.71G	59.82	68.20	-8.38	42.90	3	Horizontal	14	1.00	-	39.34	12.71	35.13			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.57G	95.34	Inf	-Inf	90.04	3	Vertical	321	2.60	-	31.66	7.14	33.50			
PK	5.57G	108.11	Inf	-Inf	102.81	3	Vertical	321	2.60	-	31.66	7.14	33.50			
AV	11.14G	43.75	54.00	-10.25	28.30	3	Vertical	59	1.00	-	39.74	10.20	34.49			
PK	11.14G	57.28	74.00	-16.72	41.83	3	Vertical	59	1.00	-	39.74	10.20	34.49			
PK	16.71G	59.65	68.20	-8.55	42.73	3	Vertical	41	1.00	-	39.34	12.71	35.13			



5.47-5.725GHz_be240_240MHz_Nss2,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.61G	77.33	Inf	-Inf	72.06	3	Horizontal	157	2.20	-	31.62	7.16	33.51			
PK	5.61G	90.26	Inf	-Inf	84.99	3	Horizontal	157	2.20	-	31.62	7.16	33.51			
AV	11.22G	43.42	54.00	-10.58	28.20	3	Horizontal	49	1.00	-	39.50	10.24	34.52			
PK	11.22G	56.15	74.00	-17.85	40.93	3	Horizontal	49	1.00	-	39.50	10.24	34.52			
PK	16.83G	59.66	68.20	-8.54	42.54	3	Horizontal	20	1.00	-	39.50	12.75	35.13			

5.47-5.725GHz_be240_240MHz_Nss2,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX






Configuration 3: Model: NWA55BE

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.008G	48.25	54.00	-5.75	3	Vertical	129	1.92	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.068G	48.41	54.00	-5.59	3	Vertical	128	1.90	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.388G	51.58	54.00	-2.42	3	Vertical	154	1.78	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.593G	64.60	68.20	-3.60	3	Vertical	168	1.84	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.988G	45.10	54.00	-8.90	40.11	3	Horizontal	163	1.05	-	31.55	6.84	33.40				
PK	4.988G	58.82	74.00	-15.18	53.83	3	Horizontal	163	1.05	-	31.55	6.84	33.40				
AV	5.18G	91.86	Inf	-Inf	86.55	3	Horizontal	163	1.05	-	31.78	6.95	33.42				
PK	5.18G	101.62	Inf	-Inf	96.31	3	Horizontal	163	1.05	-	31.78	6.95	33.42				
PK	10.36G	57.28	68.20	-10.92	41.96	3	Horizontal	311	3.01	-	39.50	9.88	34.06				
AV	15.54G	44.61	54.00	-9.39	29.00	3	Horizontal	42	1.00	-	38.54	12.00	34.93				
PK	15.54G	57.68	74.00	-16.32	42.07	3	Horizontal	42	1.00	-	38.54	12.00	34.93				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.988G	48.11	54.00	-5.89	43.12	3	Vertical	180	1.94	-	31.55	6.84	33.40				
PK	4.988G	60.13	74.00	-13.87	55.14	3	Vertical	180	1.94	-	31.55	6.84	33.40				
AV	5.18G	106.90	Inf	-Inf	101.59	3	Vertical	156	1.94	-	31.78	6.95	33.42				
PK	5.18G	116.74	Inf	-Inf	111.43	3	Vertical	156	1.94	-	31.78	6.95	33.42				
PK	10.36G	56.29	68.20	-11.91	40.97	3	Vertical	321	1.55	-	39.50	9.88	34.06				
AV	15.54G	44.72	54.00	-9.28	29.11	3	Vertical	29	1.00	-	38.54	12.00	34.93				
PK	15.54G	57.46	74.00	-16.54	41.85	3	Vertical	29	1.00	-	38.54	12.00	34.93				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.008G	45.38	54.00	-8.62	40.32	3	Horizontal	161	1.00	-	31.60	6.85	33.39			
PK	5.008G	58.11	74.00	-15.89	53.05	3	Horizontal	161	1.00	-	31.60	6.85	33.39			
AV	5.2G	92.53	Inf	-Inf	87.29	3	Horizontal	161	1.00	-	31.70	6.96	33.42			
PK	5.2G	102.38	Inf	-Inf	97.14	3	Horizontal	161	1.00	-	31.70	6.96	33.42			
PK	10.4G	57.26	68.20	-10.94	41.95	3	Horizontal	313	3.09	-	39.50	9.90	34.09			
AV	15.6G	44.67	54.00	-9.33	29.38	3	Horizontal	35	1.00	-	38.20	12.04	34.95			
PK	15.6G	57.74	74.00	-16.26	42.45	3	Horizontal	35	1.00	-	38.20	12.04	34.95			
AV	20.8G	42.51	54.00	-11.49	36.04	3	Horizontal	316	2.21	-	37.70	14.02	45.25			
PK	20.8G	56.45	74.00	-17.55	49.98	3	Horizontal	316	2.21	-	37.70	14.02	45.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.008G	48.25	54.00	-5.75	43.19	3	Vertical	129	1.92	-	31.60	6.85	33.39			
PK	5.008G	60.52	74.00	-13.48	55.46	3	Vertical	129	1.92	-	31.60	6.85	33.39			
AV	5.2G	106.85	Inf	-Inf	101.61	3	Vertical	129	1.92	-	31.70	6.96	33.42			
PK	5.2G	116.48	Inf	-Inf	111.24	3	Vertical	129	1.92	-	31.70	6.96	33.42			
PK	10.4G	56.26	68.20	-11.94	40.95	3	Vertical	319	1.54	-	39.50	9.90	34.09			
AV	15.6G	44.69	54.00	-9.31	29.40	3	Vertical	25	1.00	-	38.20	12.04	34.95			
PK	15.6G	57.41	74.00	-16.59	42.12	3	Vertical	25	1.00	-	38.20	12.04	34.95			
AV	20.8G	42.40	54.00	-11.60	35.93	3	Vertical	16	2.72	-	37.70	14.02	45.25			
PK	20.8G	56.33	74.00	-17.67	49.86	3	Vertical	16	2.72	-	37.70	14.02	45.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	5.048G	45.36	54.00	-8.64	40.28	3	Horizontal	164	1.00	-	31.60	6.88	33.40				
PK	5.048G	58.52	74.00	-15.48	53.44	3	Horizontal	164	1.00	-	31.60	6.88	33.40				
AV	5.24G	92.42	Inf	-Inf	87.41	3	Horizontal	164	1.00	-	31.46	6.98	33.43				
PK	5.24G	102.45	Inf	-Inf	97.44	3	Horizontal	164	1.00	-	31.46	6.98	33.43				
PK	10.48G	57.34	68.20	-10.86	41.93	3	Horizontal	316	3.04	-	39.60	9.94	34.13				
AV	15.72G	44.69	54.00	-9.31	29.31	3	Horizontal	29	1.00	-	38.24	12.12	34.98				
PK	15.72G	57.82	74.00	-16.18	42.44	3	Horizontal	29	1.00	-	38.24	12.12	34.98				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.048G	48.10	54.00	-5.90	43.02	3	Vertical	130	1.90	-	31.60	6.88	33.40			
PK	5.048G	60.79	74.00	-13.21	55.71	3	Vertical	130	1.90	-	31.60	6.88	33.40			
AV	5.24G	107.46	Inf	-Inf	102.45	3	Vertical	130	1.90	-	31.46	6.98	33.43			
PK	5.24G	117.02	Inf	-Inf	112.01	3	Vertical	130	1.90	-	31.46	6.98	33.43			
PK	10.48G	56.35	68.20	-11.85	40.94	3	Vertical	322	1.46	-	39.60	9.94	34.13			
AV	15.72G	44.74	54.00	-9.26	29.36	3	Vertical	36	1.00	-	38.24	12.12	34.98			
PK	15.72G	57.46	74.00	-16.54	42.08	3	Vertical	36	1.00	-	38.24	12.12	34.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.068G	45.48	54.00	-8.52	40.35	3	Horizontal	161	1.04	-	31.64	6.89	33.40			
PK	5.068G	58.27	74.00	-15.73	53.14	3	Horizontal	161	1.04	-	31.64	6.89	33.40			
AV	5.26G	92.43	Inf	-Inf	87.51	3	Horizontal	161	1.04	-	31.36	6.99	33.43			
PK	5.26G	102.40	Inf	-Inf	97.48	3	Horizontal	161	1.04	-	31.36	6.99	33.43			
PK	10.52G	56.98	68.20	-11.22	41.57	3	Horizontal	23	1.00	-	39.60	9.96	34.15			
AV	15.78G	44.49	54.00	-9.51	29.21	3	Horizontal	31	1.00	-	38.12	12.15	34.99			
PK	15.78G	57.82	74.00	-16.18	42.54	3	Horizontal	31	1.00	-	38.12	12.15	34.99			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	5.068G	48.41	54.00	-5.59	43.28	3	Vertical	128	1.90	-	31.64	6.89	33.40				
PK	5.068G	60.80	74.00	-13.20	55.67	3	Vertical	128	1.90	-	31.64	6.89	33.40				
AV	5.26G	107.28	Inf	-Inf	102.36	3	Vertical	128	1.90	-	31.36	6.99	33.43				
PK	5.26G	116.81	Inf	-Inf	111.89	3	Vertical	128	1.90	-	31.36	6.99	33.43				
PK	10.52G	56.65	68.20	-11.55	41.24	3	Vertical	44	1.00	-	39.60	9.96	34.15				
AV	15.78G	44.18	54.00	-9.82	28.90	3	Vertical	29	1.00	-	38.12	12.15	34.99				
PK	15.78G	57.61	74.00	-16.39	42.33	3	Vertical	29	1.00	-	38.12	12.15	34.99				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.3G	92.64	Inf	-Inf	87.88	3	Horizontal	159	1.06	-	31.20	7.00	33.44			
PK	5.3G	102.58	Inf	-Inf	97.82	3	Horizontal	159	1.06	-	31.20	7.00	33.44			
AV	10.6G	43.44	54.00	-10.56	27.85	3	Horizontal	15	1.00	-	39.80	9.99	34.20			
PK	10.6G	57.03	74.00	-16.97	41.44	3	Horizontal	15	1.00	-	39.80	9.99	34.20			
AV	15.9G	44.82	54.00	-9.18	29.71	3	Horizontal	36	1.00	-	37.90	12.23	35.02			
PK	15.9G	57.90	74.00	-16.10	42.79	3	Horizontal	36	1.00	-	37.90	12.23	35.02			
AV	21.2G	42.73	54.00	-11.27	36.02	3	Horizontal	334	1.00	-	37.60	14.10	44.99			
PK	21.2G	56.00	74.00	-18.00	49.29	3	Horizontal	334	1.00	-	37.60	14.10	44.99			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.3G	107.02	Inf	-Inf	102.26	3	Vertical	131	1.95	-	31.20	7.00	33.44			
PK	5.3G	116.60	Inf	-Inf	111.84	3	Vertical	131	1.95	-	31.20	7.00	33.44			
AV	10.6G	43.60	54.00	-10.40	28.01	3	Vertical	45	1.00	-	39.80	9.99	34.20			
PK	10.6G	56.71	74.00	-17.29	41.12	3	Vertical	45	1.00	-	39.80	9.99	34.20			
AV	15.9G	44.23	54.00	-9.77	29.12	3	Vertical	24	1.00	-	37.90	12.23	35.02			
PK	15.9G	57.66	74.00	-16.34	42.55	3	Vertical	24	1.00	-	37.90	12.23	35.02			
AV	21.2G	42.16	54.00	-11.84	35.45	3	Vertical	29	1.00	-	37.60	14.10	44.99			
PK	21.2G	55.42	74.00	-18.58	48.71	3	Vertical	29	1.00	-	37.60	14.10	44.99			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.32G	93.51	Inf	-Inf	88.70	3	Horizontal	161	1.05	-	31.24	7.01	33.44			
PK	5.32G	103.32	Inf	-Inf	98.51	3	Horizontal	161	1.05	-	31.24	7.01	33.44			
AV	10.64G	43.38	54.00	-10.62	27.73	3	Horizontal	18	1.00	-	39.88	10.00	34.23			
PK	10.64G	56.94	74.00	-17.06	41.29	3	Horizontal	18	1.00	-	39.88	10.00	34.23			
AV	15.96G	44.61	54.00	-9.39	29.60	3	Horizontal	34	1.00	-	37.78	12.27	35.04			
PK	15.96G	57.86	74.00	-16.14	42.85	3	Horizontal	34	1.00	-	37.78	12.27	35.04			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.32G	108.22	Inf	-Inf	103.41	3	Vertical	161	1.94	-	31.24	7.01	33.44			
PK	5.32G	117.46	Inf	-Inf	112.65	3	Vertical	161	1.94	-	31.24	7.01	33.44			
AV	10.64G	43.65	54.00	-10.35	28.00	3	Vertical	52	1.00	-	39.88	10.00	34.23			
PK	10.64G	56.74	74.00	-17.26	41.09	3	Vertical	52	1.00	-	39.88	10.00	34.23			
AV	15.96G	44.28	54.00	-9.72	29.27	3	Vertical	35	1.00	-	37.78	12.27	35.04			
PK	15.96G	57.69	74.00	-16.31	42.68	3	Vertical	35	1.00	-	37.78	12.27	35.04			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.308G	58.47	68.20	-9.73	53.68	3	Horizontal	182	1.11	-	31.22	7.01	33.44			
AV	5.5G	91.93	Inf	-Inf	86.60	3	Horizontal	182	1.11	-	31.70	7.10	33.47			
PK	5.5G	101.47	Inf	-Inf	96.14	3	Horizontal	182	1.11	-	31.70	7.10	33.47			
AV	11G	43.75	54.00	-10.25	27.86	3	Horizontal	42	1.00	-	40.20	10.14	34.45			
PK	11G	56.35	74.00	-17.65	40.46	3	Horizontal	42	1.00	-	40.20	10.14	34.45			
PK	16.5G	59.97	68.20	-8.23	43.45	3	Horizontal	20	1.00	-	39.00	12.66	35.14			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.308G	64.44	68.20	-3.76	59.65	3	Vertical	164	1.81	-	31.22	7.01	33.44			
AV	5.5G	105.49	Inf	-Inf	100.16	3	Vertical	164	1.81	-	31.70	7.10	33.47			
PK	5.5G	115.16	Inf	-Inf	109.83	3	Vertical	164	1.81	-	31.70	7.10	33.47			
AV	11G	44.02	54.00	-9.98	28.13	3	Vertical	60	1.00	-	40.20	10.14	34.45			
PK	11G	57.33	74.00	-16.67	41.44	3	Vertical	60	1.00	-	40.20	10.14	34.45			
PK	16.5G	59.78	68.20	-8.42	43.26	3	Vertical	55	1.00	-	39.00	12.66	35.14			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	5.388G	45.12	54.00	-8.88	40.15	3	Horizontal	184	1.09	-	31.38	7.04	33.45				
PK	5.388G	59.53	74.00	-14.47	54.56	3	Horizontal	184	1.09	-	31.38	7.04	33.45				
AV	5.58G	93.81	Inf	-Inf	88.53	3	Horizontal	184	1.09	-	31.64	7.14	33.50				
PK	5.58G	104.04	Inf	-Inf	98.76	3	Horizontal	184	1.09	-	31.64	7.14	33.50				
AV	11.16G	43.77	54.00	-10.23	28.40	3	Horizontal	22	1.00	-	39.66	10.21	34.50				
PK	11.16G	56.51	74.00	-17.49	41.14	3	Horizontal	22	1.00	-	39.66	10.21	34.50				
PK	16.74G	60.27	68.20	-7.93	43.22	3	Horizontal	30	1.00	-	39.46	12.72	35.13				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	5.388G	51.58	54.00	-2.42	46.61	3	Vertical	154	1.78	-	31.38	7.04	33.45				
PK	5.388G	62.83	74.00	-11.17	57.86	3	Vertical	154	1.78	-	31.38	7.04	33.45				
AV	5.58G	106.69	Inf	-Inf	101.41	3	Vertical	154	1.78	-	31.64	7.14	33.50				
PK	5.58G	116.32	Inf	-Inf	111.04	3	Vertical	154	1.78	-	31.64	7.14	33.50				
AV	11.16G	44.14	54.00	-9.86	28.77	3	Vertical	62	1.00	-	39.66	10.21	34.50				
PK	11.16G	57.53	74.00	-16.47	42.16	3	Vertical	62	1.00	-	39.66	10.21	34.50				
PK	16.74G	60.07	68.20	-8.13	43.02	3	Vertical	40	1.00	-	39.46	12.72	35.13				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.7G	93.51	Inf	-Inf	87.84	3	Horizontal	186	1.15	-	32.00	7.22	33.55			
PK	5.7G	103.79	Inf	-Inf	98.12	3	Horizontal	186	1.15	-	32.00	7.22	33.55			
PK	5.892G	59.18	68.20	-9.02	53.21	3	Horizontal	186	1.15	-	32.27	7.32	33.62			
AV	11.4G	43.70	54.00	-10.30	28.15	3	Horizontal	50	1.00	-	39.80	10.32	34.57			
PK	11.4G	56.57	74.00	-17.43	41.02	3	Horizontal	50	1.00	-	39.80	10.32	34.57			
PK	17.1G	60.29	68.20	-7.91	43.15	3	Horizontal	31	1.00	-	39.40	12.82	35.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.7G	106.65	Inf	-Inf	100.98	3	Vertical	168	1.79	-	32.00	7.22	33.55			
PK	5.7G	116.54	Inf	-Inf	110.87	3	Vertical	168	1.79	-	32.00	7.22	33.55			
PK	5.892G	63.38	68.20	-4.82	57.41	3	Vertical	168	1.79	-	32.27	7.32	33.62			
AV	11.4G	44.20	54.00	-9.80	28.65	3	Vertical	62	1.00	-	39.80	10.32	34.57			
PK	11.4G	57.58	74.00	-16.42	42.03	3	Vertical	62	1.00	-	39.80	10.32	34.57			
PK	17.1G	60.03	68.20	-8.17	42.89	3	Vertical	31	1.00	-	39.40	12.82	35.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.72G	94.19	Inf	-Inf	88.51	3	Horizontal	185	1.14	-	32.00	7.23	33.55			
PK	5.72G	104.30	Inf	-Inf	98.62	3	Horizontal	185	1.14	-	32.00	7.23	33.55			
PK	5.912G	59.41	68.20	-8.79	53.42	3	Horizontal	185	1.14	-	32.30	7.32	33.63			
AV	11.44G	43.67	54.00	-10.33	28.03	3	Horizontal	19	1.00	-	39.88	10.34	34.58			
PK	11.44G	56.50	74.00	-17.50	40.86	3	Horizontal	19	1.00	-	39.88	10.34	34.58			
PK	17.16G	60.09	68.20	-8.11	42.88	3	Horizontal	30	1.00	-	39.42	12.84	35.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.72G	106.74	Inf	-Inf	101.06	3	Vertical	169	1.80	-	32.00	7.23	33.55			
PK	5.72G	116.87	Inf	-Inf	111.19	3	Vertical	169	1.80	-	32.00	7.23	33.55			
PK	5.912G	63.94	68.20	-4.26	57.95	3	Vertical	169	1.80	-	32.30	7.32	33.63			
AV	11.44G	44.03	54.00	-9.97	28.39	3	Vertical	49	1.00	-	39.88	10.34	34.58			
PK	11.44G	57.32	74.00	-16.68	41.68	3	Vertical	49	1.00	-	39.88	10.34	34.58			
PK	17.16G	59.86	68.20	-8.34	42.65	3	Vertical	42	1.00	-	39.42	12.84	35.05			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.553G	58.76	68.20	-9.44	53.43	3	Horizontal	175	1.14	-	31.69	7.13	33.49			
AV	5.745G	98.81	Inf	-Inf	93.12	3	Horizontal	175	1.14	-	32.00	7.25	33.56			
PK	5.745G	109.25	Inf	-Inf	103.56	3	Horizontal	175	1.14	-	32.00	7.25	33.56			
AV	11.49G	43.69	54.00	-10.31	28.02	3	Horizontal	39	1.00	-	39.90	10.37	34.60			
PK	11.49G	57.22	74.00	-16.78	41.55	3	Horizontal	39	1.00	-	39.90	10.37	34.60			
PK	17.235G	60.55	68.20	-7.65	43.21	3	Horizontal	42	1.00	-	39.50	12.86	35.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.553G	63.45	68.20	-4.75	58.12	3	Vertical	167	1.76	-	31.69	7.13	33.49			
AV	5.745G	110.81	Inf	-Inf	105.12	3	Vertical	167	1.76	-	32.00	7.25	33.56			
PK	5.745G	120.92	Inf	-Inf	115.23	3	Vertical	167	1.76	-	32.00	7.25	33.56			
AV	11.49G	44.09	54.00	-9.91	28.42	3	Vertical	222	1.00	-	39.90	10.37	34.60			
PK	11.49G	57.69	74.00	-16.31	42.02	3	Vertical	222	1.00	-	39.90	10.37	34.60			
PK	17.235G	59.77	68.20	-8.43	42.43	3	Vertical	30	1.00	-	39.50	12.86	35.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.593G	58.94	68.20	-9.26	53.69	3	Horizontal	177	1.21	-	31.61	7.15	33.51			
AV	5.785G	99.24	Inf	-Inf	93.47	3	Horizontal	177	1.21	-	32.07	7.28	33.58			
PK	5.785G	109.45	Inf	-Inf	103.68	3	Horizontal	177	1.21	-	32.07	7.28	33.58			
AV	11.57G	43.78	54.00	-10.22	28.32	3	Horizontal	31	1.00	-	39.68	10.39	34.61			
PK	11.57G	57.19	74.00	-16.81	41.73	3	Horizontal	31	1.00	-	39.68	10.39	34.61			
PK	17.355G	60.52	68.20	-7.68	42.46	3	Horizontal	25	1.00	-	40.13	12.90	34.97			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.593G	64.60	68.20	-3.60	59.35	3	Vertical	168	1.84	-	31.61	7.15	33.51			
AV	5.785G	111.15	Inf	-Inf	105.38	3	Vertical	168	1.84	-	32.07	7.28	33.58			
PK	5.785G	121.21	Inf	-Inf	115.44	3	Vertical	168	1.84	-	32.07	7.28	33.58			
AV	11.57G	44.12	54.00	-9.88	28.66	3	Vertical	225	1.00	-	39.68	10.39	34.61			
PK	11.57G	57.78	74.00	-16.22	42.32	3	Vertical	225	1.00	-	39.68	10.39	34.61			
PK	17.355G	59.71	68.20	-8.49	41.65	3	Vertical	26	1.00	-	40.13	12.90	34.97			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.825G	99.56	Inf	-Inf	93.75	3	Horizontal	180	1.22	-	32.10	7.30	33.59			
PK	5.825G	109.82	Inf	-Inf	104.01	3	Horizontal	180	1.22	-	32.10	7.30	33.59			
AV	11.65G	43.76	54.00	-10.24	28.76	3	Horizontal	42	1.00	-	39.20	10.42	34.62			
PK	11.65G	57.31	74.00	-16.69	42.31	3	Horizontal	42	1.00	-	39.20	10.42	34.62			
PK	17.475G	60.65	68.20	-7.55	41.89	3	Horizontal	30	1.00	-	40.75	12.93	34.92			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.825G	111.18	Inf	-Inf	105.37	3	Vertical	160	1.81	-	32.10	7.30	33.59			
PK	5.825G	121.25	Inf	-Inf	115.44	3	Vertical	160	1.81	-	32.10	7.30	33.59			
AV	11.65G	44.18	54.00	-9.82	29.18	3	Vertical	221	1.00	-	39.20	10.42	34.62			
PK	11.65G	57.68	74.00	-16.32	42.68	3	Vertical	221	1.00	-	39.20	10.42	34.62			
PK	17.475G	59.91	68.20	-8.29	41.15	3	Vertical	40	1.00	-	40.75	12.93	34.92			





Configuration 1: Model: IAP500BE
















































































































































































Band Edge measurement


Appendix D.7




























Modulation	be EHT40	Test Freq. (MHz)	5190						
Polarization	Horizontal-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):62									
Level (dBUV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5121.90	58.33	74.00	-15.67	53.03	5.30	Peak	100	198
2	5356.50	57.59	74.00	-16.41	52.70	4.89	Peak	100	198


































Modulation	be EHT40	Test Freq. (MHz)	5510						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):62									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5459.70	48.83	54.00	-5.17	43.59	5.24	Average	201	2























































Modulation	be EHT80	Test Freq. (MHz)	5530						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):62									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5456.86	45.85	54.00	-8.15	40.62	5.23	Average	100	198


























Band Edge measurement


Appendix D.7















Modulation	be EHT240	Test Freq. (MHz)	5610						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):62									
Level (dBUV/m) Frequency (MHz)									
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5427.15	41.05	54.00	-12.95	35.94	5.11	Average	110	130








Modulation	be EHT240	Test Freq. (MHz)	5610						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):62									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5410.00	48.18	54.00	-5.82	43.14	5.04	Average	167	346





Configuration 2: Model: NWA30BE















































































Modulation	11a	Test Freq. (MHz)	5500						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):64									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5428.46	45.34	54.00	-8.66	40.23	5.11	Average	249	61






























Band Edge measurement


Appendix D.8








Modulation	11a	Test Freq. (MHz)	5720						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):64									
Level (dBuV/m) 1 Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5457.53	45.20	54.00	-8.80	39.96	5.24	Average	247	55





































































































































Band Edge measurement


Appendix D.8








Modulation	be EHT20	Test Freq. (MHz)	5720						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):64									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	level				reading			High	Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5427.15	45.34	54.00	-8.66	40.23	5.11	Average	274	52

































































































Modulation	be EHT40	Test Freq. (MHz)	5550						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):64									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5421.72	46.50	54.00	-7.50	41.41	5.09	Average	251	319














































































































































Modulation	be EHT240	Test Freq. (MHz)	5610						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):64									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5445.28	40.65	54.00	-13.35	35.46	5.19	Average	157	220





Modulation	be EHT240	Test Freq. (MHz)	5610						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):64									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5425.68	48.25	54.00	-5.75	43.15	5.10	Average	209	103



Configuration 3: Model: NWA55BE

