




Test Mode	IEEE 802.11be(EHT320)_Ant_2
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6105	479.21	317.32	320	Pass
6265	629.40	319.85	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	580.76	318.82	320	Pass

6425 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	596.35	316.88	320	Pass
6745	607.64	317.47	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	622.35	317.30	320	Pass

6905 26 dB Bandwidth  Center Freq 6.905000000 GHz Ref Offset 11.7 dB Ref 38.00 dBm Center Freq 6.905000000 GHz VBW 50 MHz Span 800 MHz CF Step 80.000000 MHz Occupied Bandwidth 368.98 MHz Total Power 29.6 dBm Transmit Freq Error -26.470 MHz % of OBW Power 99.00 % x dB Bandwidth 622.4 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center Freq 6.905000000 GHz Ref Offset 11.7 dB Ref 38.00 dBm Center Freq 6.905000000 GHz VBW 50 MHz Span 800 MHz CF Step 80.000000 MHz Occupied Bandwidth 317.30 MHz Total Power 26.8 dBm Transmit Freq Error -1.7300 MHz % of OBW Power 99.00 % x dB Bandwidth 682.1 MHz x dB -26.00 dB	-	-


APPENDIX C MAXIMUM POWER SPECTRAL DENSIT

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-0.98	0.00	1.51	5.00	Pass
6175	-1.12	0.00	1.37	5.00	Pass
6415	-1.05	0.00	1.44	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-1.12	0.00	1.05	5.00	Pass
6475	-1.25	0.00	0.92	5.00	Pass
6515	-0.92	0.00	1.25	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-1.45	0.00	1.25	5.00	Pass
6695	-1.20	0.00	1.50	5.00	Pass
6855	-1.25	0.00	1.45	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-2.91	0.00	1.49	5.00	Pass
6995	-2.43	0.00	1.97	5.00	Pass
7095	-2.68	0.00	1.72	5.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.02	0.00	1.47	5.00	Pass
6175	-0.85	0.00	1.64	5.00	Pass
6415	-0.98	0.00	1.51	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-1.19	0.00	0.98	5.00	Pass
6475	-0.94	0.00	1.23	5.00	Pass
6515	-1.07	0.00	1.10	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-1.20	0.00	1.50	5.00	Pass
6695	-1.25	0.00	1.45	5.00	Pass
6855	-1.15	0.00	1.55	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-3.15	0.00	1.25	5.00	Pass
6995	-2.79	0.00	1.61	5.00	Pass
7095	-2.64	0.00	1.76	5.00	Pass



Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	4.50	5.00	Pass
6175	4.52	5.00	Pass
6415	4.49	5.00	Pass
6435	4.03	5.00	Pass
6475	4.09	5.00	Pass
6515	4.19	5.00	Pass
6535	4.39	5.00	Pass
6695	4.49	5.00	Pass
6855	4.51	5.00	Pass
6875	4.38	5.00	Pass
6995	4.80	5.00	Pass
7095	4.75	5.00	Pass