



Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.20	0.00	1.29	5.00	Pass
6165	-0.98	0.00	1.51	5.00	Pass
6405	-0.82	0.00	1.67	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-1.23	0.00	0.94	5.00	Pass
6485	-1.22	0.00	0.95	5.00	Pass
6525	-1.47	0.00	0.70	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-0.95	0.00	1.75	5.00	Pass
6725	-1.13	0.00	1.57	5.00	Pass
6845	-0.56	0.00	2.14	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-2.58	0.00	1.82	5.00	Pass
7005	-2.73	0.00	1.67	5.00	Pass
7085	-3.07	0.00	1.33	5.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-0.96	0.00	1.53	5.00	Pass
6165	-0.91	0.00	1.58	5.00	Pass
6405	-1.14	0.00	1.35	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-0.98	0.00	1.19	5.00	Pass
6485	-1.27	0.00	0.90	5.00	Pass
6525	-1.37	0.00	0.80	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-1.13	0.00	1.57	5.00	Pass
6725	-1.16	0.00	1.54	5.00	Pass
6845	-1.03	0.00	1.67	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-2.83	0.00	1.57	5.00	Pass
7005	-3.22	0.00	1.18	5.00	Pass
7085	-2.90	0.00	1.50	5.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	4.42	5.00	Pass
6165	4.56	5.00	Pass
6405	4.52	5.00	Pass
6445	4.08	5.00	Pass
6485	3.94	5.00	Pass
6525	3.76	5.00	Pass
6565	4.67	5.00	Pass
6725	4.57	5.00	Pass
6845	4.92	5.00	Pass
6885	4.71	5.00	Pass
7005	4.44	5.00	Pass
7085	4.43	5.00	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-0.98	0.00	1.51	5.00	Pass
6145	-0.88	0.00	1.61	5.00	Pass
6385	-0.62	0.00	1.87	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-1.03	0.00	1.14	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-1.50	0.00	1.20	5.00	Pass
6705	-1.02	0.00	1.68	5.00	Pass
6865	-0.83	0.00	1.87	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-2.68	0.00	1.72	5.00	Pass
7025	-3.04	0.00	1.36	5.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.06	0.00	1.43	5.00	Pass
6145	-0.69	0.00	1.80	5.00	Pass
6385	-0.81	0.00	1.68	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-1.17	0.00	1.00	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-1.49	0.00	1.21	5.00	Pass
6705	-0.70	0.00	2.00	5.00	Pass
6865	-1.01	0.00	1.69	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-2.69	0.00	1.71	5.00	Pass
7025	-2.61	0.00	1.79	5.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	4.48	5.00	Pass
6145	4.72	5.00	Pass
6385	4.79	5.00	Pass
6465	4.08	5.00	Pass
6545	4.22	5.00	Pass
6705	4.85	5.00	Pass
6865	4.79	5.00	Pass
6945	4.73	5.00	Pass
7025	4.59	5.00	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.44	0.09	1.14	5.00	Pass
6185	-1.31	0.09	1.27	5.00	Pass
6345	-1.44	0.09	1.14	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-1.06	0.09	1.20	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-1.13	0.09	1.66	5.00	Pass
6825	-0.89	0.09	1.90	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-3.00	0.09	1.49	5.00	Pass




Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.17	0.09	1.41	5.00	Pass
6185	-1.11	0.09	1.47	5.00	Pass
6345	-1.25	0.09	1.33	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-0.96	0.09	1.30	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-1.11	0.09	1.68	5.00	Pass
6825	-0.99	0.09	1.80	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-3.21	0.09	1.28	5.00	Pass




Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	4.29	5.00	Pass
6185	4.38	5.00	Pass
6345	4.25	5.00	Pass
6505	4.26	5.00	Pass
6665	4.68	5.00	Pass
6825	4.86	5.00	Pass
6985	4.40	5.00	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.1
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6105	-1.23	0.00	1.26	5.00	Pass
6265	-0.84	0.00	1.65	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6425	-0.83	0.00	1.34	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6585	-1.43	0.00	1.27	5.00	Pass
6745	-1.30	0.00	1.40	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6905	-2.57	0.00	1.83	5.00	Pass



Test Mode	IEEE 802.11be(EHT320)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6105	-1.11	0.00	1.38	5.00	Pass
6265	-1.11	0.00	1.38	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6425	-1.02	0.00	1.15	5.00	Pass

