


Test Mode	IEEE 802.11be (EHT160)	Test Date	2025/11/12
Test Frequency	5570MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11140.0000	44.83	5.13	49.96	74.00	-24.04	Peak	
2 *	11140.0000	31.33	5.13	36.46	54.00	-17.54	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT240)	Test Date	2026/3/25
Test Frequency	5610MHz	Polarization	Vertical
Temp	20°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11220.00	43.48	2.82	46.30	74.00	-27.70	peak	
2	*	11220.00	31.65	2.82	34.47	54.00	-19.53	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	IEEE 802.11a	Test Date	2025/12/10
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5721.400	110.6	11.19	121.83	74.00	47.83	peak	No Limit
2	X	5721.400	102.7	11.19	113.94	74.00	39.94	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2025/12/10
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5722.400	109.0	11.19	120.19	74.00	46.19	peak	No Limit
2	X	5722.400	99.29	11.19	110.48	74.00	36.48	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/12/10
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5694.800	107.0	11.14	118.19	74.00	44.19	peak	No Limit
2	X	5694.800	96.21	11.14	107.35	74.00	33.35	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/12/10
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5696.000	104.2	11.06	115.30	74.00	41.30	peak	No Limit
2	X	5696.000	91.72	11.06	102.78	74.00	28.78	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2025/12/11
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5722.400	108.8	11.19	120.04	74.00	46.04	peak	No Limit
2	X	5722.400	98.73	11.19	109.92	74.00	35.92	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2025/12/11
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5693.600	106.4	11.14	117.61	74.00	43.61	peak	No Limit
2	X	5693.600	95.21	11.14	106.35	74.00	32.35	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2025/12/11
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5672.000	108.7	11.11	119.88	74.00	45.88	peak	No Limit
2	X	5672.000	93.91	11.11	105.02	74.00	31.02	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11a	Test Date	2025/11/11
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11440.00	43.97	5.31	49.28	74.00	-24.72	peak	
2	*	11440.00	31.86	5.31	37.17	54.00	-16.83	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2025/11/11
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	44.27	5.31	49.58	74.00	-24.42	peak	
2	*	11440.00	31.94	5.31	37.25	54.00	-16.75	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/11/11
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11420.00	43.75	5.30	49.05	74.00	-24.95	peak	
2	*	11420.00	32.00	5.30	37.30	54.00	-16.70	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2025/11/11
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.00	43.52	5.26	48.78	74.00	-25.22	peak	
2	*	11380.00	31.59	5.26	36.85	54.00	-17.15	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT20)	Test Date	2025/11/11
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11440.00	44.21	5.31	49.52	74.00	-24.48	peak	
2	*	11440.00	31.97	5.31	37.28	54.00	-16.72	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT40)	Test Date	2025/11/11
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11420.00	44.12	5.30	49.42	74.00	-24.58	peak	
2	*	11420.00	31.79	5.30	37.09	54.00	-16.91	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11be (EHT80)	Test Date	2025/11/11
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11380.00	44.95	5.26	50.21	74.00	-23.79	peak	
2	*	11380.00	31.30	5.26	36.56	54.00	-17.44	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2025/11/12
Test Frequency	5795MHz	Polarization	Vertical
Temp	25°C	Hum.	65%



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	20720.0000	44.48	-8.89	35.59	74.00	-38.41	Peak	
2 *	20720.0000	32.12	-8.89	23.23	54.00	-30.77	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

APPENDIX D BANDWIDTH


Test Mode	IEEE 802.11a
-----------	--------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.189	16.800
40	5200	21.459	16.800
48	5240	21.490	16.900

CH36




Date: 27.OCT.2025 22:36:46

CH40
26 dB Bandwidth



Date: 27.OCT.2025 22:38:09

CH48




Date: 27.OCT.2025 22:42:26


99 % Occupied Bandwidth



Date: 27.OCT.2025 22:36:19




Date: 27.OCT.2025 22:37:43




Date: 27.OCT.2025 22:42:01


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.190	16.800
60	5300	21.689	16.900
64	5320	21.289	16.900

CH52



Date: 27.OCT.2025 22:55:48

CH60
26 dB Bandwidth



Date: 27.OCT.2025 22:54:04

CH64



Date: 27.OCT.2025 22:57:08

99 % Occupied Bandwidth


Date: 27.OCT.2025 22:55:23




Date: 27.OCT.2025 22:53:38




Date: 27.OCT.2025 22:56:40

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.050	16.800
116	5580	21.950	16.800
140	5700	21.399	16.800

CH100




Date: 27.OCT.2025 22:58:28

CH116
26 dB Bandwidth



Date: 27.OCT.2025 22:59:52

CH140




Date: 27.OCT.2025 23:11:47


99 % Occupied Bandwidth



Date: 27.OCT.2025 22:58:03




Date: 27.OCT.2025 22:59:27




Date: 27.OCT.2025 23:11:22

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.450	18.600	0.5	Complies
157	5785	16.500	29.300	0.5	Complies
165	5825	16.450	31.400	0.5	Complies

CH149




Date: 27.OCT.2025 23:13:17

CH157
6 dB Bandwidth



Date: 27.OCT.2025 23:14:54

CH165




Date: 27.OCT.2025 23:16:18


99 % Occupied Bandwidth



Date: 27.OCT.2025 23:13:09




Date: 27.OCT.2025 23:14:26




Date: 27.OCT.2025 23:15:49

Test Mode	IEEE 802.11ac(VHT20)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	24.690	18.200
40	5200	28.350	18.200
48	5240	25.790	18.200

CH36



Date: 28.OCT.2025 00:10:46

CH40
26 dB Bandwidth



Date: 28.OCT.2025 00:12:38

CH48



Date: 28.OCT.2025 00:16:06

99 % Occupied Bandwidth


Date: 28.OCT.2025 00:10:21




Date: 28.OCT.2025 00:12:16




Date: 28.OCT.2025 00:15:40


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.400	18.100
60	5300	23.000	18.200
64	5320	22.790	18.000

CH52



Date: 28.OCT.2025 00:19:42

CH60
26 dB Bandwidth



Date: 28.OCT.2025 00:21:25

CH64



Date: 28.OCT.2025 00:22:51

99 % Occupied Bandwidth


Date: 28.OCT.2025 00:19:18




Date: 28.OCT.2025 00:21:00




Date: 28.OCT.2025 00:22:24

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	23.088	18.100
116	5580	23.199	18.200
140	5700	22.990	18.100

CH100




Date: 28.OCT.2025 00:26:22

CH116
26 dB Bandwidth



Date: 28.OCT.2025 00:27:42

CH140




Date: 28.OCT.2025 00:30:39


99 % Occupied Bandwidth



Date: 28.OCT.2025 00:25:57




Date: 28.OCT.2025 00:27:18




Date: 28.OCT.2025 00:30:12

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.650	22.400	0.5	Complies
157	5785	17.850	31.100	0.5	Complies
165	5825	17.650	33.300	0.5	Complies

CH149




Date: 28.OCT.2025 00:32:11

CH157
6 dB Bandwidth



Date: 28.OCT.2025 00:33:30

CH165




Date: 28.OCT.2025 00:34:40


99 % Occupied Bandwidth



Date: 28.OCT.2025 00:31:43



Date: 28.OCT.2025 00:33:03




Date: 28.OCT.2025 00:34:13

Test Mode	IEEE 802.11ac(VHT40)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	43.999	38.600
46	5230	43.598	37.600

CH38




Date: 29.OCT.2025 20:49:23

CH46 26 dB Bandwidth




Date: 29.OCT.2025 20:51:03

99 % Occupied Bandwidth




Date: 29.OCT.2025 20:46:02




Date: 29.OCT.2025 20:50:27


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	43.798	37.400
62	5310	43.609	37.400

CH54



Date: 29.OCT.2025 20:55:37

CH62
26 dB Bandwidth


Date: 29.OCT.2025 20:57:39

99 % Occupied Bandwidth



Date: 29.OCT.2025 20:55:02



Date: 29.OCT.2025 20:57:03


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	43.990	37.400
110	5550	43.900	37.400
134	5670	44.108	37.400

CH102




Date: 29.OCT.2025 21:03:54

CH110
26 dB Bandwidth




Date: 29.OCT.2025 21:05:32

CH134




Date: 29.OCT.2025 21:08:26


99 % Occupied Bandwidth



Date: 29.OCT.2025 21:03:16




Date: 29.OCT.2025 21:04:54



Date: 29.OCT.2025 21:07:52


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	48.000	0.5	Complies
159	5795	36.500	65.600	0.5	Complies

CH151




Date: 29.OCT.2025 21:10:16

CH159 6 dB Bandwidth




Date: 29.OCT.2025 21:11:47

99 % Occupied Bandwidth



Date: 29.OCT.2025 21:09:38




Date: 29.OCT.2025 21:11:08

Test Mode	IEEE 802.11ac(VHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	91.590	76.800

CH42
26 dB Bandwidth



Date: 29.OCT.2025 21:14:59


99 % Occupied Bandwidth



Date: 29.OCT.2025 21:14:18


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	92.200	76.800

CH58 26 dB Bandwidth







Date: 29.OCT.2025 21:16:33

99 % Occupied Bandwidth




Date: 29.OCT.2025 21:16:00

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	92.000	76.800
122	5610	91.200	76.800

CH106

CH122
26 dB Bandwidth

99 % Occupied Bandwidth



Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.000	92.800	0.5	Complies

CH155 6 dB Bandwidth



Date: 29.OCT.2025 21:21:02

99 % Occupied Bandwidth




Date: 29.OCT.2025 21:20:25

Test Mode	IEEE 802.11ac(VHT160)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	171.600	156.800

CH50 26 dB Bandwidth



Date: 29.OCT.2025 21:29:21


99 % Occupied Bandwidth



Date: 29.OCT.2025 21:25:58


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	170.000	156.800

CH114
26 dB Bandwidth



Date: 29.OCT.2025 21:31:01

99 % Occupied Bandwidth




Date: 29.OCT.2025 21:30:30


Test Mode	IEEE 802.11be(EHT20)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	27.550	19.300
40	5200	27.800	19.400
48	5240	26.990	19.300

CH36




Date: 29.OCT.2025 22:55:42

CH40
26 dB Bandwidth



Date: 29.OCT.2025 22:57:25

CH48




Date: 29.OCT.2025 23:01:53


99 % Occupied Bandwidth



Date: 29.OCT.2025 22:55:42




Date: 29.OCT.2025 22:57:25




Date: 29.OCT.2025 23:01:53

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	23.559	19.300
60	5300	23.000	19.200
64	5320	23.390	19.300

CH52




Date: 29.OCT.2025 23:04:47

CH60
26 dB Bandwidth



Date: 29.OCT.2025 23:09:01

CH64




Date: 29.OCT.2025 23:10:25


99 % Occupied Bandwidth



Date: 29.OCT.2025 23:04:24





Date: 29.OCT.2025 23:08:35




Date: 29.OCT.2025 23:10:00

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	22.789	19.300
116	5580	22.750	19.200
140	5700	23.050	19.400

CH100


CH116
26 dB Bandwidth


CH140



99 % Occupied Bandwidth

