



Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	19.050	22.400	0.5	Complies
157	5785	19.150	30.200	0.5	Complies
165	5825	18.889	33.800	0.5	Complies

CH149




Date: 29.OCT.2025 23:22:42

CH157
6 dB Bandwidth



Date: 29.OCT.2025 23:23:45

CH165




Date: 29.OCT.2025 23:24:57


99 % Occupied Bandwidth



Date: 29.OCT.2025 23:22:15



Date: 29.OCT.2025 23:23:18




Date: 29.OCT.2025 23:24:31


Test Mode	IEEE 802.11be(EHT40)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	44.000	38.800
46	5230	44.300	38.800

CH38




Date: 29.OCT.2025 23:27:09


CH46
26 dB Bandwidth


Date: 29.OCT.2025 23:32:27

99 % Occupied Bandwidth




Date: 29.OCT.2025 23:26:36




Date: 29.OCT.2025 23:31:53

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	43.400	38.800
62	5310	43.790	38.800

CH54




Date: 29.OCT.2025 23:14:08


CH62
26 dB Bandwidth


Date: 29.OCT.2025 23:16:14

99 % Occupied Bandwidth




Date: 29.OCT.2025 23:13:12




Date: 29.OCT.2025 23:15:17

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	43.808	38.800
110	5550	43.799	38.800
134	5670	43.790	38.600

CH102




Date: 29.OCT.2025 23:40:29

CH110
26 dB Bandwidth



Date: 29.OCT.2025 23:42:16

CH134




Date: 29.OCT.2025 23:45:01


99 % Occupied Bandwidth



Date: 29.OCT.2025 23:39:53




Date: 29.OCT.2025 23:41:40




Date: 29.OCT.2025 23:44:23

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	38.190	38.800	0.5	Complies
159	5795	38.209	38.800	0.5	Complies



CH151



CH159 6 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	IEEE 802.11be(EHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	93.400	78.400

CH42 26 dB Bandwidth



Date: 29.OCT.2025 23:53:53


99 % Occupied Bandwidth



Date: 29.OCT.2025 23:53:13


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	94.200	78.400

CH58 26 dB Bandwidth



Date: 29.OCT.2025 23:55:01


99 % Occupied Bandwidth



Date: 29.OCT.2025 23:54:29


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	93.800	78.000
122	5610	94.200	78.400

CH106




Date: 29.OCT.2025 23:16:48

CH122
26 dB Bandwidth




Date: 29.OCT.2025 23:18:36

99 % Occupied Bandwidth




Date: 29.OCT.2025 23:16:08



Date: 29.OCT.2025 23:18:02


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.600	78.000	0.5	Complies

CH155 6 dB Bandwidth



Date: 30.OCT.2025 00:00:25

99 % Occupied Bandwidth




Date: 29.OCT.2025 23:59:48

Test Mode	IEEE 802.11be(EHT160)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	168.400	158.400

CH50 26 dB Bandwidth



Date: 30.OCT.2025 00:19:58


99 % Occupied Bandwidth



Date: 30.OCT.2025 00:05:46


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	167.990	158.400

CH114 26 dB Bandwidth



Date: 30.OCT.2025 00:17:00

99 % Occupied Bandwidth




Date: 30.OCT.2025 00:10:36

Test Mode	IEEE 802.11be(EHT240)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
122	5610	259.800	237.600

CH122 26 dB Bandwidth



Date: 23.MAR.2026 12:00:03

99 % Occupied Bandwidth




Date: 23.MAR.2026 11:59:33

Straddle Channel:

Test Mode	IEEE 802.11a
-----------	--------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
144	5720	21.090	16.800

CH144 26 dB Bandwidth



Date: 30.OCT.2025 17:51:25

99 % Occupied Bandwidth




Date: 30.OCT.2025 17:50:58

Test Mode	IEEE 802.11ac(VHT20)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
144	5720	23.000	18.100

CH144 26 dB Bandwidth



Date: 30.OCT.2025 18:00:19

99 % Occupied Bandwidth




Date: 30.OCT.2025 17:59:53

Test Mode	IEEE 802.11ac(VHT40)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
142	5710	43.390	37.600

CH142 26 dB Bandwidth



Date: 30.OCT.2025 18:03:11

99 % Occupied Bandwidth




Date: 30.OCT.2025 18:02:56


Test Mode	IEEE 802.11ac(VHT80)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
138	5690	92.790	76.800

CH138 26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	IEEE 802.11be(EHT20)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
144	5720	24.900	19.200

CH144 26 dB Bandwidth



Date: 30.OCT.2025 18:13:03

99 % Occupied Bandwidth




Date: 30.OCT.2025 18:12:34

Test Mode	IEEE 802.11be(EHT40)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
142	5710	44.100	38.800

CH142 26 dB Bandwidth



Date: 30.OCT.2025 18:16:19

99 % Occupied Bandwidth




Date: 30.OCT.2025 18:15:43

Test Mode	IEEE 802.11be(EHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
138	5690	94.000	78.000

CH138 26 dB Bandwidth



Date: 30.OCT.2025 18:18:16

99 % Occupied Bandwidth



Date: 30.OCT.2025 18:17:39

APPENDIX E CONDUCTED OUTPUT POWER

Test Mode	IEEE 802.11a_Ant1	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.44	0.0879	30.00	1.0000	Pass
5200	22.21	0.1663	30.00	1.0000	Pass
5240	22.14	0.1637	30.00	1.0000	Pass
5260	17.02	0.0504	23.98	0.2500	Pass
5300	16.86	0.0485	23.98	0.2500	Pass
5320	16.98	0.0499	23.98	0.2500	Pass
5500	15.84	0.0384	23.98	0.2500	Pass
5580	16.24	0.0421	23.98	0.2500	Pass
5700	15.89	0.0388	23.98	0.2500	Pass
5745	22.42	0.1746	30.00	1.0000	Pass
5785	22.29	0.1694	30.00	1.0000	Pass
5825	20.69	0.1172	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Ant2	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.51	0.0893	30.00	1.0000	Pass
5200	22.40	0.1738	30.00	1.0000	Pass
5240	22.44	0.1754	30.00	1.0000	Pass
5260	17.08	0.0511	23.98	0.2500	Pass
5300	16.97	0.0498	23.98	0.2500	Pass
5320	17.36	0.0545	23.98	0.2500	Pass
5500	15.86	0.0385	23.98	0.2500	Pass
5580	16.62	0.0459	23.98	0.2500	Pass
5700	16.12	0.0409	23.98	0.2500	Pass
5745	22.46	0.1762	30.00	1.0000	Pass
5785	22.60	0.1820	30.00	1.0000	Pass
5825	21.20	0.1318	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Ant3	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.99	0.0998	30.00	1.0000	Pass
5200	23.09	0.2037	30.00	1.0000	Pass
5240	23.07	0.2028	30.00	1.0000	Pass
5260	17.32	0.0540	23.98	0.2500	Pass
5300	17.73	0.0593	23.98	0.2500	Pass
5320	17.27	0.0533	23.98	0.2500	Pass
5500	16.52	0.0449	23.98	0.2500	Pass
5580	17.30	0.0537	23.98	0.2500	Pass
5700	15.93	0.0392	23.98	0.2500	Pass
5745	23.07	0.2028	30.00	1.0000	Pass
5785	23.16	0.2070	30.00	1.0000	Pass
5825	21.24	0.1330	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Ant4	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.70	0.0933	30.00	1.0000	Pass
5200	22.61	0.1824	30.00	1.0000	Pass
5240	22.53	0.1791	30.00	1.0000	Pass
5260	17.22	0.0527	23.98	0.2500	Pass
5300	17.19	0.0524	23.98	0.2500	Pass
5320	17.19	0.0524	23.98	0.2500	Pass
5500	16.61	0.0458	23.98	0.2500	Pass
5580	17.03	0.0505	23.98	0.2500	Pass
5700	16.07	0.0405	23.98	0.2500	Pass
5745	22.87	0.1936	30.00	1.0000	Pass
5785	22.78	0.1897	30.00	1.0000	Pass
5825	21.75	0.1496	30.00	1.0000	Pass

Test Mode	IEEE 802.11a_Total	Test Date	2025/12/26
-----------	--------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.69	0.3707	30.00	1.0000	Pass
5200	28.61	0.7261	30.00	1.0000	Pass
5240	28.58	0.7211	30.00	1.0000	Pass
5260	23.24	0.2208	23.98	0.2500	Pass
5300	23.22	0.2099	23.98	0.2500	Pass
5320	23.22	0.2099	23.98	0.2500	Pass
5500	22.24	0.1675	23.98	0.2500	Pass
5580	22.84	0.1923	23.98	0.2500	Pass
5700	22.02	0.1592	23.98	0.2500	Pass
5745	28.73	0.7464	30.00	1.0000	Pass
5785	28.74	0.7482	30.00	1.0000	Pass
5825	27.26	0.5321	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.07	0.0807	30.00	1.0000	Pass
5200	22.15	0.1641	30.00	1.0000	Pass
5240	22.03	0.1596	30.00	1.0000	Pass
5260	16.93	0.0493	23.98	0.2500	Pass
5300	16.85	0.0484	23.98	0.2500	Pass
5320	17.05	0.0507	23.98	0.2500	Pass
5500	16.84	0.0483	23.98	0.2500	Pass
5580	16.96	0.0497	23.98	0.2500	Pass
5700	16.34	0.0431	23.98	0.2500	Pass
5745	22.36	0.1722	30.00	1.0000	Pass
5785	22.46	0.1762	30.00	1.0000	Pass
5825	22.68	0.1854	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.91	0.0778	30.00	1.0000	Pass
5200	22.32	0.1706	30.00	1.0000	Pass
5240	22.36	0.1722	30.00	1.0000	Pass
5260	17.35	0.0543	23.98	0.2500	Pass
5300	17.33	0.0541	23.98	0.2500	Pass
5320	17.52	0.0565	23.98	0.2500	Pass
5500	16.98	0.0499	23.98	0.2500	Pass
5580	17.15	0.0519	23.98	0.2500	Pass
5700	16.63	0.0460	23.98	0.2500	Pass
5745	22.68	0.1854	30.00	1.0000	Pass
5785	22.73	0.1875	30.00	1.0000	Pass
5825	22.87	0.1936	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.70	0.0933	30.00	1.0000	Pass
5200	22.91	0.1954	30.00	1.0000	Pass
5240	23.01	0.2000	30.00	1.0000	Pass
5260	18.02	0.0634	23.98	0.2500	Pass
5300	17.90	0.0617	23.98	0.2500	Pass
5320	17.66	0.0583	23.98	0.2500	Pass
5500	17.69	0.0587	23.98	0.2500	Pass
5580	17.73	0.0593	23.98	0.2500	Pass
5700	17.27	0.0533	23.98	0.2500	Pass
5745	23.31	0.2143	30.00	1.0000	Pass
5785	23.29	0.2133	30.00	1.0000	Pass
5825	22.84	0.1923	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	19.35	0.0861	30.00	1.0000	Pass
5200	22.71	0.1866	30.00	1.0000	Pass
5240	22.49	0.1774	30.00	1.0000	Pass
5260	17.68	0.0586	23.98	0.2500	Pass
5300	17.40	0.0550	23.98	0.2500	Pass
5320	17.71	0.0590	23.98	0.2500	Pass
5500	17.22	0.0527	23.98	0.2500	Pass
5580	17.22	0.0527	23.98	0.2500	Pass
5700	17.45	0.0556	23.98	0.2500	Pass
5745	22.79	0.1901	30.00	1.0000	Pass
5785	22.83	0.1919	30.00	1.0000	Pass
5825	23.02	0.2004	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	25.29	0.3381	30.00	1.0000	Pass
5200	28.55	0.7161	30.00	1.0000	Pass
5240	28.51	0.7096	30.00	1.0000	Pass
5260	23.53	0.2254	23.98	0.2500	Pass
5300	23.41	0.2193	23.98	0.2500	Pass
5320	23.51	0.2244	23.98	0.2500	Pass
5500	23.22	0.2099	23.98	0.2500	Pass
5580	23.30	0.2138	23.98	0.2500	Pass
5700	22.97	0.1982	23.98	0.2500	Pass
5745	28.82	0.7621	30.00	1.0000	Pass
5785	28.86	0.7691	30.00	1.0000	Pass
5825	28.87	0.7709	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.18	0.0415	30.00	1.0000	Pass
5230	22.05	0.1603	30.00	1.0000	Pass
5270	16.40	0.0437	23.98	0.2500	Pass
5310	16.53	0.0450	23.98	0.2500	Pass
5510	16.80	0.0479	23.98	0.2500	Pass
5550	16.90	0.0490	23.98	0.2500	Pass
5670	17.02	0.0504	23.98	0.2500	Pass
5755	22.15	0.1641	30.00	1.0000	Pass
5795	22.74	0.1879	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.35	0.0432	30.00	1.0000	Pass
5230	22.56	0.1803	30.00	1.0000	Pass
5270	16.76	0.0474	23.98	0.2500	Pass
5310	16.93	0.0493	23.98	0.2500	Pass
5510	16.94	0.0494	23.98	0.2500	Pass
5550	17.06	0.0508	23.98	0.2500	Pass
5670	17.10	0.0513	23.98	0.2500	Pass
5755	22.72	0.1871	30.00	1.0000	Pass
5795	23.38	0.2178	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	17.14	0.0518	30.00	1.0000	Pass
5230	22.86	0.1932	30.00	1.0000	Pass
5270	17.67	0.0585	23.98	0.2500	Pass
5310	17.79	0.0601	23.98	0.2500	Pass
5510	17.65	0.0582	23.98	0.2500	Pass
5550	17.74	0.0594	23.98	0.2500	Pass
5670	17.78	0.0600	23.98	0.2500	Pass
5755	22.59	0.1816	30.00	1.0000	Pass
5795	23.24	0.2109	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.83	0.0482	30.00	1.0000	Pass
5230	22.38	0.1730	30.00	1.0000	Pass
5270	17.31	0.0538	23.98	0.2500	Pass
5310	17.44	0.0555	23.98	0.2500	Pass
5510	17.81	0.0604	23.98	0.2500	Pass
5550	17.31	0.0538	23.98	0.2500	Pass
5670	17.56	0.0570	23.98	0.2500	Pass
5755	22.27	0.1687	30.00	1.0000	Pass
5795	23.62	0.2301	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	22.66	0.1845	30.00	1.0000	Pass
5230	28.49	0.7063	30.00	1.0000	Pass
5270	23.08	0.2032	23.98	0.2500	Pass
5310	23.22	0.2099	23.98	0.2500	Pass
5510	23.34	0.2158	23.98	0.2500	Pass
5550	23.28	0.2128	23.98	0.2500	Pass
5670	23.40	0.2188	23.98	0.2500	Pass
5755	28.46	0.7015	30.00	1.0000	Pass
5795	29.28	0.8472	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	16.55	0.0452	30.00	1.0000	Pass
5290	16.59	0.0456	23.98	0.2500	Pass
5530	16.63	0.0460	23.98	0.2500	Pass
5610	17.15	0.0519	23.98	0.2500	Pass
5775	17.41	0.0551	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	16.52	0.0449	30.00	1.0000	Pass
5290	16.57	0.0454	23.98	0.2500	Pass
5530	17.11	0.0514	23.98	0.2500	Pass
5610	17.59	0.0574	23.98	0.2500	Pass
5775	18.21	0.0662	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	16.74	0.0472	30.00	1.0000	Pass
5290	17.20	0.0525	23.98	0.2500	Pass
5530	16.65	0.0462	23.98	0.2500	Pass
5610	18.14	0.0652	23.98	0.2500	Pass
5775	18.19	0.0659	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	16.46	0.0443	30.00	1.0000	Pass
5290	16.99	0.0500	23.98	0.2500	Pass
5530	16.76	0.0474	23.98	0.2500	Pass
5610	17.65	0.0582	23.98	0.2500	Pass
5775	18.17	0.0656	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	22.59	0.1816	30.00	1.0000	Pass
5290	22.87	0.1936	23.98	0.2500	Pass
5530	22.82	0.1914	23.98	0.2500	Pass
5610	23.58	0.2280	23.98	0.2500	Pass
5775	24.03	0.2529	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT160)_Ant1	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	16.87	0.0486	23.98	0.2500	Pass
5570	16.89	0.0489	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT160)_Ant2	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	17.13	0.0516	23.98	0.2500	Pass
5570	17.19	0.0524	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT160)_Ant3	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	17.08	0.0511	23.98	0.2500	Pass
5570	17.05	0.0507	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT160)_Ant4	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	16.61	0.0458	23.98	0.2500	Pass
5570	17.01	0.0502	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT160)_Total	Test Date	2025/12/26
-----------	------------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	22.95	0.1972	23.98	0.2500	Pass
5570	23.06	0.2023	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.64	0.0461	30.00	1.0000	Pass
5200	22.16	0.1644	30.00	1.0000	Pass
5240	22.26	0.1683	30.00	1.0000	Pass
5260	17.37	0.0546	23.98	0.2500	Pass
5300	17.11	0.0514	23.98	0.2500	Pass
5320	15.01	0.0317	23.98	0.2500	Pass
5500	10.61	0.0115	23.98	0.2500	Pass
5580	16.82	0.0481	23.98	0.2500	Pass
5700	16.63	0.0460	23.98	0.2500	Pass
5745	22.53	0.1791	30.00	1.0000	Pass
5785	22.54	0.1795	30.00	1.0000	Pass
5825	20.79	0.1199	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.74	0.0472	30.00	1.0000	Pass
5200	22.38	0.1730	30.00	1.0000	Pass
5240	22.55	0.1799	30.00	1.0000	Pass
5260	17.42	0.0552	23.98	0.2500	Pass
5300	17.27	0.0533	23.98	0.2500	Pass
5320	15.16	0.0328	23.98	0.2500	Pass
5500	10.95	0.0124	23.98	0.2500	Pass
5580	17.18	0.0522	23.98	0.2500	Pass
5700	15.99	0.0397	23.98	0.2500	Pass
5745	22.66	0.1845	30.00	1.0000	Pass
5785	22.80	0.1905	30.00	1.0000	Pass
5825	21.31	0.1352	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.62	0.0578	30.00	1.0000	Pass
5200	23.17	0.2075	30.00	1.0000	Pass
5240	23.21	0.2094	30.00	1.0000	Pass
5260	18.22	0.0664	23.98	0.2500	Pass
5300	18.06	0.0640	23.98	0.2500	Pass
5320	16.00	0.0398	23.98	0.2500	Pass
5500	11.40	0.0138	23.98	0.2500	Pass
5580	17.96	0.0625	23.98	0.2500	Pass
5700	16.42	0.0439	23.98	0.2500	Pass
5745	23.42	0.2198	30.00	1.0000	Pass
5785	23.40	0.2188	30.00	1.0000	Pass
5825	21.24	0.1330	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.35	0.0543	30.00	1.0000	Pass
5200	22.92	0.1959	30.00	1.0000	Pass
5240	22.80	0.1905	30.00	1.0000	Pass
5260	17.89	0.0615	23.98	0.2500	Pass
5300	17.61	0.0577	23.98	0.2500	Pass
5320	15.83	0.0383	23.98	0.2500	Pass
5500	11.63	0.0146	23.98	0.2500	Pass
5580	17.75	0.0596	23.98	0.2500	Pass
5700	16.77	0.0475	23.98	0.2500	Pass
5745	23.04	0.2014	30.00	1.0000	Pass
5785	22.96	0.1977	30.00	1.0000	Pass
5825	21.84	0.1528	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT20)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	23.13	0.2056	30.00	1.0000	Pass
5200	28.70	0.7413	30.00	1.0000	Pass
5240	28.74	0.7482	30.00	1.0000	Pass
5260	23.76	0.2377	23.98	0.2500	Pass
5300	23.55	0.2265	23.98	0.2500	Pass
5320	21.54	0.1426	23.98	0.2500	Pass
5500	17.19	0.0524	23.98	0.2500	Pass
5580	23.47	0.2223	23.98	0.2500	Pass
5700	22.48	0.1770	23.98	0.2500	Pass
5745	28.95	0.7852	30.00	1.0000	Pass
5785	28.96	0.7870	30.00	1.0000	Pass
5825	27.33	0.5408	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.64	0.0366	30.00	1.0000	Pass
5230	19.64	0.0920	30.00	1.0000	Pass
5270	17.19	0.0524	23.98	0.2500	Pass
5310	12.99	0.0199	23.98	0.2500	Pass
5510	11.92	0.0156	23.98	0.2500	Pass
5550	17.18	0.0522	23.98	0.2500	Pass
5670	17.21	0.0526	23.98	0.2500	Pass
5755	20.35	0.1084	30.00	1.0000	Pass
5795	21.13	0.1297	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.84	0.0384	30.00	1.0000	Pass
5230	20.19	0.1045	30.00	1.0000	Pass
5270	17.48	0.0560	23.98	0.2500	Pass
5310	13.23	0.0210	23.98	0.2500	Pass
5510	12.32	0.0171	23.98	0.2500	Pass
5550	17.50	0.0562	23.98	0.2500	Pass
5670	17.58	0.0573	23.98	0.2500	Pass
5755	21.09	0.1285	30.00	1.0000	Pass
5795	22.06	0.1607	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.64	0.0461	30.00	1.0000	Pass
5230	20.43	0.1104	30.00	1.0000	Pass
5270	18.01	0.0632	23.98	0.2500	Pass
5310	14.19	0.0262	23.98	0.2500	Pass
5510	12.87	0.0194	23.98	0.2500	Pass
5550	18.09	0.0644	23.98	0.2500	Pass
5670	18.13	0.0650	23.98	0.2500	Pass
5755	21.18	0.1312	30.00	1.0000	Pass
5795	21.58	0.1439	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.37	0.0434	30.00	1.0000	Pass
5230	20.15	0.1035	30.00	1.0000	Pass
5270	17.79	0.0601	23.98	0.2500	Pass
5310	14.06	0.0255	23.98	0.2500	Pass
5510	12.75	0.0188	23.98	0.2500	Pass
5550	17.89	0.0615	23.98	0.2500	Pass
5670	17.66	0.0583	23.98	0.2500	Pass
5755	21.41	0.1384	30.00	1.0000	Pass
5795	21.77	0.1503	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT40)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	22.16	0.1644	30.00	1.0000	Pass
5230	26.13	0.4102	30.00	1.0000	Pass
5270	23.65	0.2317	23.98	0.2500	Pass
5310	19.67	0.0927	23.98	0.2500	Pass
5510	18.50	0.0708	23.98	0.2500	Pass
5550	23.70	0.2344	23.98	0.2500	Pass
5670	23.68	0.2333	23.98	0.2500	Pass
5755	27.05	0.5070	30.00	1.0000	Pass
5795	27.67	0.5848	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	17.60	0.0575	30.00	1.0000	Pass
5290	17.36	0.0545	23.98	0.2500	Pass
5530	16.92	0.0492	23.98	0.2500	Pass
5610	17.35	0.0543	23.98	0.2500	Pass
5775	20.94	0.1242	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	17.97	0.0627	30.00	1.0000	Pass
5290	17.63	0.0579	23.98	0.2500	Pass
5530	17.17	0.0521	23.98	0.2500	Pass
5610	17.68	0.0586	23.98	0.2500	Pass
5775	21.46	0.1400	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	18.74	0.0748	30.00	1.0000	Pass
5290	18.24	0.0667	23.98	0.2500	Pass
5530	17.89	0.0615	23.98	0.2500	Pass
5610	18.34	0.0682	23.98	0.2500	Pass
5775	21.38	0.1374	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	18.29	0.0675	30.00	1.0000	Pass
5290	18.01	0.0632	23.98	0.2500	Pass
5530	17.82	0.0605	23.98	0.2500	Pass
5610	18.28	0.0673	23.98	0.2500	Pass
5775	21.58	0.1439	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT80)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	24.19	0.2624	30.00	1.0000	Pass
5290	23.84	0.2421	23.98	0.2500	Pass
5530	23.49	0.2234	23.98	0.2500	Pass
5610	23.95	0.2483	23.98	0.2500	Pass
5775	27.37	0.5458	30.00	1.0000	Pass

Test Mode	IEEE 802.11be (EHT160)_Ant1	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	17.04	0.0506	23.98	0.2500	Pass
5570	16.94	0.0494	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT160)_Ant2	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	17.11	0.0514	23.98	0.2500	Pass
5570	17.20	0.0525	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT160)_Ant3	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	18.11	0.0647	23.98	0.2500	Pass
5570	17.71	0.0590	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT160)_Ant4	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	17.93	0.0621	23.98	0.2500	Pass
5570	17.93	0.0621	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT160)_Total	Test Date	2025/12/26
-----------	------------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	23.59	0.2286	23.98	0.2500	Pass
5570	23.48	0.2228	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT240)_Ant1	Test Date	2026/3/23
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5610	15.47	0.0352	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT240)_Ant2	Test Date	2026/3/23
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5610	15.88	0.0387	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT240)_Ant3	Test Date	2026/3/23
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5610	16.47	0.0444	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT240)_Ant4	Test Date	2026/3/23
-----------	-----------------------------	-----------	-----------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5610	16.75	0.0473	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT240)_Total	Test Date	2026/3/23
-----------	------------------------------	-----------	-----------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5610	22.19	0.1656	23.98	0.2500	Pass

Straddle Channel:

Test Mode	IEEE 802.11a_Ant1	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	17.33	0.0541	23.98	0.2500	Pass

Test Mode	IEEE 802.11a_Ant2	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	17.44	0.0555	23.98	0.2500	Pass

Test Mode	IEEE 802.11a_Ant3	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	18.07	0.0641	23.98	0.2500	Pass

Test Mode	IEEE 802.11a_Ant4	Test Date	2025/12/26
-----------	-------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	17.72	0.0592	23.98	0.2500	Pass

Test Mode	IEEE 802.11a_Total	Test Date	2025/12/26
-----------	--------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	23.67	0.2328	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	16.52	0.0449	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	16.86	0.0485	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	17.70	0.0589	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	17.48	0.0560	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT20)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	23.19	0.2084	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	16.89	0.0489	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	17.22	0.0527	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	17.87	0.0612	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	17.41	0.0551	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT40)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	23.38	0.2178	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	16.92	0.0492	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	17.19	0.0524	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	17.88	0.0614	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	17.61	0.0577	23.98	0.2500	Pass

Test Mode	IEEE 802.11ac (VHT80)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	23.44	0.2208	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	16.95	0.495	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	16.82	0.481	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	16.97	0.498	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	16.94	0.494	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT20)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5720	22.94	0.1968	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	16.71	0.0469	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	16.95	0.0495	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	17.78	0.0600	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT40)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	17.41	0.0551	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT40)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5710	23.25	0.2104	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant1	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	17.01	0.0502	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant2	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	17.55	0.0569	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant3	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	18.23	0.0665	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT80)_Ant4	Test Date	2025/12/26
-----------	----------------------------	-----------	------------

Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	18.34	0.0682	23.98	0.2500	Pass

Test Mode	IEEE 802.11be (EHT80)_Total	Test Date	2025/12/26
-----------	-----------------------------	-----------	------------


Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5690	23.84	0.2421	23.98	0.2500	Pass

Note: Output power = Measure result + Cable loss


APPENDIX F POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Ant 1
-----------	--------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	9.43	0.00	9.43	17.00	Pass
5200	9.60	0.00	9.60	17.00	Pass
5240	9.73	0.00	9.73	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	4.68	0.00	4.68	11.00	Pass
5300	4.73	0.00	4.73	11.00	Pass
5320	4.49	0.00	4.49	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	4.84	0.00	4.84	11.00	Pass
5580	5.03	0.00	5.03	11.00	Pass
5700	4.22	0.00	4.22	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	7.69	0.00	7.69	30.00	Pass
5785	7.95	0.00	7.95	30.00	Pass
5825	7.34	0.00	7.34	30.00	Pass




Test Mode	IEEE 802.11a_Ant 2
-----------	--------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	9.48	0.00	9.48	17.00	Pass
5200	9.61	0.00	9.61	17.00	Pass
5240	9.59	0.00	9.59	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	3.88	0.00	3.88	11.00	Pass
5300	4.14	0.00	4.14	11.00	Pass
5320	3.87	0.00	3.87	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	4.33	0.00	4.33	11.00	Pass
5580	4.44	0.00	4.44	11.00	Pass
5700	3.70	0.00	3.70	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	7.77	0.00	7.77	30.00	Pass
5785	8.07	0.00	8.07	30.00	Pass
5825	6.94	0.00	6.94	30.00	Pass




Test Mode	IEEE 802.11a_Ant 3
-----------	--------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	9.03	0.00	9.03	17.00	Pass
5200	9.10	0.00	9.10	17.00	Pass
5240	9.31	0.00	9.31	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	4.22	0.00	4.22	11.00	Pass
5300	4.31	0.00	4.31	11.00	Pass
5320	4.14	0.00	4.14	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	5.17	0.00	5.17	11.00	Pass
5580	4.78	0.00	4.78	11.00	Pass
5700	4.36	0.00	4.36	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	8.81	0.00	8.81	30.00	Pass
5785	8.99	0.00	8.99	30.00	Pass
5825	7.97	0.00	7.97	30.00	Pass




Test Mode	IEEE 802.11a_Ant 4
-----------	--------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	9.04	0.00	9.04	17.00	Pass
5200	8.93	0.00	8.93	17.00	Pass
5240	9.15	0.00	9.15	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	4.49	0.00	4.49	11.00	Pass
5300	4.84	0.00	4.84	11.00	Pass
5320	4.77	0.00	4.77	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	5.03	0.00	5.03	11.00	Pass
5580	4.90	0.00	4.90	11.00	Pass
5700	4.28	0.00	4.28	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	8.17	0.00	8.17	30.00	Pass
5785	8.46	0.00	8.46	30.00	Pass
5825	8.46	0.00	8.46	30.00	Pass




Test Mode	IEEE 802.11a_Total
-----------	--------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	15.27	0.00	15.27	17.00	Pass
5200	15.34	0.00	15.34	17.00	Pass
5240	15.47	0.00	15.47	17.00	Pass
5260	10.35	0.00	10.35	11.00	Pass
5300	10.54	0.00	10.54	11.00	Pass
5320	10.35	0.00	10.35	11.00	Pass
5500	10.87	0.00	10.87	11.00	Pass
5580	10.81	0.00	10.81	11.00	Pass
5700	10.17	0.00	10.17	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	14.15	0.00	14.15	30.00	Pass
5785	14.41	0.00	14.41	30.00	Pass
5825	13.74	0.00	13.74	30.00	Pass

Test Mode	IEEE 802.11ac (VHT20)_Ant 1
-----------	-----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	9.14	0.00	9.14	17.00	Pass
5200	9.15	0.00	9.15	17.00	Pass
5240	9.28	0.00	9.28	17.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	4.31	0.00	4.31	11.00	Pass
5300	4.33	0.00	4.33	11.00	Pass
5320	4.20	0.00	4.20	11.00	Pass

