



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	4.81	0.00	4.81	11.00	Pass
5580	5.27	0.00	5.27	11.00	Pass
5700	3.94	0.00	3.94	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	7.05	0.00	7.05	30.00	Pass
5785	7.04	0.00	7.04	30.00	Pass
5825	6.07	0.00	6.07	30.00	Pass




Test Mode	IEEE 802.11ac (VHT20)_Ant 2
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	9.58	0.00	9.58	17.00	Pass
5200	9.42	0.00	9.42	17.00	Pass
5240	9.30	0.00	9.30	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	3.83	0.00	3.83	11.00	Pass
5300	4.08	0.00	4.08	11.00	Pass
5320	3.85	0.00	3.85	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	4.39	0.00	4.39	11.00	Pass
5580	5.15	0.00	5.15	11.00	Pass
5700	3.81	0.00	3.81	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	7.18	0.00	7.18	30.00	Pass
5785	7.14	0.00	7.14	30.00	Pass
5825	6.17	0.00	6.17	30.00	Pass




Test Mode	IEEE 802.11ac (VHT20)_Ant 3
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	8.25	0.00	8.25	17.00	Pass
5200	8.38	0.00	8.38	17.00	Pass
5240	8.54	0.00	8.54	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	4.27	0.00	4.27	11.00	Pass
5300	4.42	0.00	4.42	11.00	Pass
5320	4.10	0.00	4.10	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	4.62	0.00	4.62	11.00	Pass
5580	4.55	0.00	4.55	11.00	Pass
5700	3.85	0.00	3.85	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	7.91	0.00	7.91	30.00	Pass
5785	7.81	0.00	7.81	30.00	Pass
5825	7.40	0.00	7.40	30.00	Pass




Test Mode	IEEE 802.11ac (VHT20)_Ant 4
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	8.37	0.00	8.37	17.00	Pass
5200	8.62	0.00	8.62	17.00	Pass
5240	8.48	0.00	8.48	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	3.64	0.00	3.64	11.00	Pass
5300	3.82	0.00	3.82	11.00	Pass
5320	4.02	0.00	4.02	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	4.88	0.00	4.88	11.00	Pass
5580	4.82	0.00	4.82	11.00	Pass
5700	3.89	0.00	3.89	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	7.69	0.00	7.69	30.00	Pass
5785	7.13	0.00	7.13	30.00	Pass
5825	6.58	0.00	6.58	30.00	Pass




Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	14.89	0.00	14.89	17.00	Pass
5200	14.93	0.00	14.93	17.00	Pass
5240	14.94	0.00	14.94	17.00	Pass
5260	10.04	0.00	10.04	11.00	Pass
5300	10.19	0.00	10.19	11.00	Pass
5320	10.06	0.00	10.06	11.00	Pass
5500	10.70	0.00	10.70	11.00	Pass
5580	10.98	0.00	10.98	11.00	Pass
5700	9.89	0.00	9.89	11.00	Pass


Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	13.49	0.00	13.49	30.00	Pass
5785	13.31	0.00	13.31	30.00	Pass
5825	12.61	0.00	12.61	30.00	Pass

Test Mode	IEEE 802.11ac (VHT40)_Ant 1
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	5.67	0.00	5.67	17.00	Pass
5230	5.61	0.00	5.61	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5270	0.07	0.00	0.07	11.00	Pass
5310	-0.10	0.00	-0.10	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5510	0.59	0.00	0.59	11.00	Pass
5550	1.06	0.00	1.06	11.00	Pass
5670	-0.29	0.00	-0.29	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	2.25	0.00	2.25	30.00	Pass
5795	3.22	0.00	3.22	30.00	Pass




Test Mode	IEEE 802.11ac (VHT40)_Ant 2
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	4.71	0.00	4.71	17.00	Pass
5230	5.41	0.00	5.41	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5270	0.49	0.00	0.49	11.00	Pass
5310	0.66	0.00	0.66	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5510	1.27	0.00	1.27	11.00	Pass
5550	1.80	0.00	1.80	11.00	Pass
5670	0.45	0.00	0.45	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	3.98	0.00	3.98	30.00	Pass
5795	3.31	0.00	3.31	30.00	Pass




Test Mode	IEEE 802.11ac (VHT40)_Ant 3
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	5.56	0.00	5.56	17.00	Pass
5230	6.01	0.00	6.01	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5270	0.80	0.00	0.80	11.00	Pass
5310	0.84	0.00	0.84	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5510	1.60	0.00	1.60	11.00	Pass
5550	1.40	0.00	1.40	11.00	Pass
5670	0.19	0.00	0.19	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	4.89	0.00	4.89	30.00	Pass
5795	4.60	0.00	4.60	30.00	Pass




Test Mode	IEEE 802.11ac (VHT40)_Ant 4
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	4.50	0.00	4.50	17.00	Pass
5230	6.01	0.00	6.01	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5270	0.59	0.00	0.59	11.00	Pass
5310	0.82	0.00	0.82	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5510	1.88	0.00	1.88	11.00	Pass
5550	2.05	0.00	2.05	11.00	Pass
5670	0.87	0.00	0.87	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	3.08	0.00	3.08	30.00	Pass
5795	3.16	0.00	3.16	30.00	Pass




Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5190	11.16	0.00	11.16	17.00	Pass
5230	11.79	0.00	11.79	17.00	Pass
5270	6.52	0.00	6.52	11.00	Pass
5310	6.59	0.00	6.59	11.00	Pass
5510	7.38	0.00	7.38	11.00	Pass
5550	7.61	0.00	7.61	11.00	Pass
5670	6.35	0.00	6.35	11.00	Pass


Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	9.68	0.00	9.68	30.00	Pass
5795	9.64	0.00	9.64	30.00	Pass

Test Mode	IEEE 802.11ac (VHT80)_Ant 1
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	3.42	0.09	3.51	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5290	-1.47	0.09	-1.38	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5530	-1.15	0.09	-1.06	11.00	Pass
5610	-1.77	0.09	-1.68	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	0.39	0.09	0.48	30.00	Pass




Test Mode	IEEE 802.11ac (VHT80)_Ant 2
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	2.92	0.09	3.01	17.00	Pass

5210 MHz	-	-
 Ref: 20 dBm *Att: 30 dB *BW: 1 MHz *View: 3 MHz *Sweep: 20 Hz *Marker: 1 [1] 2.92 dBm 5.174400000 GHz Center: 5.21 GHz 20 MHz/ Span: 200 MHz Date: 30.OCT.2025 21:56:10	-	-


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5290	-1.99	0.09	-1.90	11.00	Pass

5290 MHz	-	-
 Ref: 20 dBm *Att: 30 dB *BW: 1 MHz *View: 3 MHz *Sweep: 20 Hz *Marker: 1 [1] -1.99 dBm 5.259400000 GHz Center: 5.29 GHz 20 MHz/ Span: 200 MHz Date: 30.OCT.2025 21:58:51	-	-

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5530	-0.76	0.09	-0.67	11.00	Pass
5610	-0.94	0.09	-0.85	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	0.93	0.09	1.02	30.00	Pass




Test Mode	IEEE 802.11ac (VHT80)_Ant 3
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	3.81	0.09	3.90	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5290	-0.82	0.09	-0.73	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5530	0.08	0.09	0.17	11.00	Pass
5610	-0.10	0.09	-0.01	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	1.34	0.09	1.43	30.00	Pass




Test Mode	IEEE 802.11ac (VHT80)_Ant 4
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	2.91	0.09	3.00	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5290	-2.59	0.09	-2.50	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5530	-1.58	0.09	-1.49	11.00	Pass
5610	-1.85	0.09	-1.76	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	-0.08	0.09	0.01	30.00	Pass




Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5210	9.30	0.09	9.39	17.00	Pass
5290	4.35	0.09	4.44	11.00	Pass
5530	5.21	0.09	5.30	11.00	Pass
5610	4.92	0.09	5.01	11.00	Pass


Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	6.70	0.09	6.79	30.00	Pass

Test Mode	IEEE 802.11ac (VHT160)_Ant 1
-----------	------------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5250	-4.05	0.00	-4.05	11.00	Pass

5250 MHz	-	-
 Ref: 20 dBm Att: 30 dB BW: 20 MHz Center: 5.25 GHz Span: 400 MHz Marker 1 [1]: -4.05 dBm 5.211000000 GHz	-	-

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5570	-4.47	0.00	-4.47	11.00	Pass

5570 MHz	-	-
 Ref: 20 dBm Att: 30 dB BW: 20 MHz Center: 5.57 GHz Span: 400 MHz Marker 1 [1]: -4.47 dBm 5.574000000 GHz	-	-

Test Mode	IEEE 802.11ac (VHT160)_Ant 2
-----------	------------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5250	-4.36	0.00	-4.36	11.00	Pass


5250 MHz	-	-
Ref: 20 dBm *Att: 30 dB *BW: 1 MHz *VM: 3 dB *SMT: 20 Hz Marker 1 [1]: -4.36 dBm 5.250000000 GHz Center: 5.25 GHz 60 MHz Span: 400 MHz Date: 30.OCT.2025 22:08:02	-	-

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5570	-3.64	0.00	-3.64	11.00	Pass


5570 MHz	-	-
Ref: 20 dBm *Att: 30 dB *BW: 1 MHz *VM: 3 dB *SMT: 20 Hz Marker 1 [1]: -3.64 dBm 5.568000000 GHz Center: 5.57 GHz 60 MHz Span: 400 MHz Date: 30.OCT.2025 22:08:39	-	-

Test Mode	IEEE 802.11ac (VHT160)_Ant 3
-----------	------------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5250	-3.42	0.00	-3.42	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5570	-2.66	0.00	-2.66	11.00	Pass




Test Mode	IEEE 802.11ac (VHT160)_Ant 4
-----------	------------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5250	-4.38	0.00	-4.38	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5570	-4.06	0.00	-4.06	11.00	Pass




Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5250	1.99	0.00	1.99	11.00	Pass
5570	2.37	0.00	2.37	11.00	Pass

Test Mode	IEEE 802.11be (EHT20)_Ant 1
-----------	-----------------------------


Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	7.85	0.15	8.00	17.00	Pass
5200	7.99	0.15	8.14	17.00	Pass
5240	8.10	0.15	8.25	17.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	3.08	0.15	3.23	11.00	Pass
5300	3.01	0.15	3.16	11.00	Pass
5320	2.61	0.15	2.76	11.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5500	3.52	0.15	3.67	11.00	Pass
5580	4.08	0.15	4.23	11.00	Pass
5700	-1.43	0.15	-1.28	11.00	Pass




Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	6.66	0.15	6.81	30.00	Pass
5785	6.24	0.15	6.39	30.00	Pass
5825	5.62	0.15	5.77	30.00	Pass



Test Mode	IEEE 802.11be (EHT20)_Ant 2
-----------	-----------------------------

Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5180	7.80	0.15	7.95	17.00	Pass
5200	8.07	0.15	8.22	17.00	Pass
5240	8.17	0.15	8.32	17.00	Pass



Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
5260	3.01	0.15	3.16	11.00	Pass
5300	2.87	0.15	3.02	11.00	Pass
5320	2.61	0.15	2.76	11.00	Pass

