


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 12.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	71.73	74.00	-2.27	75.22	3	Horizontal	184	1.80	-	32.00	8.39	43.88			
AV	5.15G	50.31	54.00	-3.69	53.79	3	Horizontal	184	1.80	-	32.00	8.39	43.87			
PK	5.1912G	114.88	Inf	-Inf	118.56	3	Horizontal	184	1.80	-	31.75	8.42	43.85			
AV	5.1916G	102.49	Inf	-Inf	106.17	3	Horizontal	184	1.80	-	31.75	8.42	43.85			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 12.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37884G	56.29	68.20	-11.91	47.80	3	Vertical	108	1.39	-	39.16	12.43	43.10			
PK	15.56732G	59.69	74.00	-14.31	47.99	3	Vertical	298	2.91	-	37.80	16.17	42.27			
AV	15.56687G	48.11	54.00	-5.89	36.41	3	Vertical	298	2.91	-	37.80	16.17	42.27			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 12.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37558G	56.31	68.20	-11.89	47.82	3	Horizontal	45	2.10	-	39.15	12.43	43.09			
PK	15.56645G	60.81	74.00	-13.19	49.11	3	Horizontal	242	1.94	-	37.80	16.17	42.27			
AV	15.56686G	48.15	54.00	-5.85	36.45	3	Horizontal	242	1.94	-	37.80	16.17	42.27			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting Z1
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1418G	70.63	74.00	-3.37	74.17	3	Vertical	177	1.80	-	31.95	8.39	43.88			
AV	5.1446G	52.08	54.00	-1.92	55.60	3	Vertical	177	1.80	-	31.97	8.39	43.88			
PK	5.2412G	120.80	Inf	-Inf	124.75	3	Vertical	177	1.80	-	31.45	8.43	43.83			
AV	5.24G	109.09	Inf	-Inf	113.03	3	Vertical	177	1.80	-	31.46	8.43	43.83			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5230MHz_TX

EUT Y_2TX
Setting Z1
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	72.07	74.00	-1.93	75.56	3	Horizontal	186	1.80	-	32.00	8.39	43.88			
AV	5.15G	53.44	54.00	-0.56	56.92	3	Horizontal	186	1.80	-	32.00	8.39	43.87			
PK	5.2486G	122.06	Inf	-Inf	126.04	3	Horizontal	186	1.80	-	31.41	8.44	43.83			
AV	5.2118G	109.92	Inf	-Inf	113.71	3	Horizontal	186	1.80	-	31.63	8.42	43.84			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting Z1
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45939G	57.06	68.20	-11.14	48.43	3	Vertical	188	2.71	-	39.32	12.49	43.18			
PK	15.68533G	60.25	74.00	-13.75	48.92	3	Vertical	303	2.19	-	37.51	16.18	42.36			
AV	15.69292G	48.12	54.00	-5.88	36.75	3	Vertical	303	2.19	-	37.56	16.18	42.37			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting Z1
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46139G	57.44	68.20	-10.76	48.81	3	Horizontal	212	1.64	-	39.32	12.49	43.18			
PK	15.69062G	59.69	74.00	-14.31	48.34	3	Horizontal	28	1.33	-	37.54	16.18	42.37			
AV	15.68737G	47.79	54.00	-6.21	36.46	3	Horizontal	28	1.33	-	37.52	16.18	42.37			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting Z1
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	64.87	74.00	-9.13	68.37	3	Vertical	180	1.80	-	31.99	8.39	43.88			
AV	5.1443G	48.65	54.00	-5.35	52.17	3	Vertical	180	1.80	-	31.97	8.39	43.88			
PK	5.2787G	121.30	Inf	-Inf	125.37	3	Vertical	180	1.80	-	31.29	8.45	43.81			
AV	5.2598G	109.71	Inf	-Inf	113.73	3	Vertical	180	1.80	-	31.36	8.44	43.82			
PK	5.3543G	68.63	74.00	-5.37	72.53	3	Vertical	180	1.80	-	31.40	8.47	43.77			
AV	5.357G	51.56	54.00	-2.44	55.46	3	Vertical	180	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
Setting Z1
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1461G	64.92	74.00	-9.08	68.43	3	Horizontal	178	1.80	-	31.98	8.39	43.88			
AV	5.15G	48.94	54.00	-5.06	52.42	3	Horizontal	178	1.80	-	32.00	8.39	43.87			
PK	5.2676G	121.84	Inf	-Inf	125.89	3	Horizontal	178	1.80	-	31.33	8.44	43.82			
AV	5.2883G	110.22	Inf	-Inf	114.33	3	Horizontal	178	1.80	-	31.25	8.45	43.81			
PK	5.3642G	69.57	74.00	-4.43	73.46	3	Horizontal	178	1.80	-	31.40	8.48	43.77			
AV	5.3501G	53.29	54.00	-0.71	57.19	3	Horizontal	178	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
Setting Z1
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53914G	57.85	68.20	-10.35	49.10	3	Vertical	6	2.01	-	39.40	12.55	43.20			
PK	15.81145G	59.04	74.00	-14.96	47.88	3	Vertical	90	1.76	-	37.43	16.19	42.46			
AV	15.80946G	47.36	54.00	-6.64	36.19	3	Vertical	90	1.76	-	37.44	16.19	42.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting Z1
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54189G	57.26	68.20	-10.94	48.50	3	Horizontal	349	2.88	-	39.40	12.55	43.19			
PK	15.80877G	59.04	74.00	-14.96	47.86	3	Horizontal	111	1.30	-	37.45	16.19	42.46			
AV	15.80603G	47.23	54.00	-6.77	36.04	3	Horizontal	111	1.30	-	37.46	16.19	42.46			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 13.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2988G	114.92	Inf	-Inf	119.07	3	Vertical	183	1.80	-	31.20	8.45	43.80			
AV	5.299G	101.72	Inf	-Inf	105.87	3	Vertical	183	1.80	-	31.20	8.45	43.80			
PK	5.357G	71.19	74.00	-2.81	75.09	3	Vertical	183	1.80	-	31.40	8.47	43.77			
AV	5.3564G	47.15	54.00	-6.85	51.05	3	Vertical	183	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 13.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3262G	116.29	Inf	-Inf	120.32	3	Horizontal	177	1.80	-	31.30	8.46	43.79			
AV	5.3282G	103.62	Inf	-Inf	107.64	3	Horizontal	177	1.80	-	31.31	8.46	43.79			
PK	5.3528G	73.92	74.00	-0.08	77.82	3	Horizontal	177	1.80	-	31.40	8.47	43.77			
AV	5.35G	48.72	54.00	-5.28	52.63	3	Horizontal	177	1.80	-	31.40	8.47	43.78			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 13.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61989G	58.55	74.00	-15.45	49.66	3	Vertical	311	2.38	-	39.44	12.60	43.15			
AV	10.62351G	45.88	54.00	-8.12	36.96	3	Vertical	311	2.38	-	39.45	12.61	43.14			
PK	15.93012G	58.45	74.00	-15.55	47.63	3	Vertical	219	1.22	-	37.18	16.20	42.56			
AV	15.93276G	46.71	54.00	-7.29	35.90	3	Vertical	219	1.22	-	37.17	16.20	42.56			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
Setting 13.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62347G	57.94	74.00	-16.06	49.02	3	Horizontal	165	1.33	-	39.45	12.61	43.14			
AV	10.6232G	45.92	54.00	-8.08	37.00	3	Horizontal	165	1.33	-	39.45	12.61	43.14			
PK	15.92793G	57.69	74.00	-16.31	46.85	3	Horizontal	240	1.92	-	37.19	16.20	42.55			
AV	15.93375G	46.58	54.00	-7.42	35.78	3	Horizontal	240	1.92	-	37.16	16.20	42.56			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
Setting 13.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4574G	64.59	74.00	-9.41	68.13	3	Vertical	182	1.80	-	31.63	8.55	43.72			
AV	5.4588G	45.84	54.00	-8.16	49.37	3	Vertical	182	1.80	-	31.64	8.55	43.72			
PK	5.467G	65.13	68.20	-3.07	68.62	3	Vertical	182	1.80	-	31.67	8.56	43.72			
PK	5.5158G	104.66	Inf	-Inf	107.96	3	Vertical	182	1.80	-	31.77	8.61	43.68			
AV	5.4964G	92.00	Inf	-Inf	95.32	3	Vertical	182	1.80	-	31.79	8.59	43.70			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
Setting 13.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	64.24	74.00	-9.76	67.77	3	Horizontal	176	1.80	-	31.64	8.55	43.72			
AV	5.4506G	45.87	54.00	-8.13	49.45	3	Horizontal	176	1.80	-	31.60	8.54	43.72			
PK	5.4692G	66.92	68.20	-1.28	70.40	3	Horizontal	176	1.80	-	31.68	8.56	43.72			
PK	5.5252G	106.08	Inf	-Inf	109.38	3	Horizontal	176	1.80	-	31.75	8.62	43.67			
AV	5.5262G	94.27	Inf	-Inf	97.57	3	Horizontal	176	1.80	-	31.75	8.62	43.67			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
Setting 13.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01923G	59.12	74.00	-14.88	49.17	3	Vertical	52	1.57	-	39.96	12.89	42.90			
AV	11.01743G	47.21	54.00	-6.79	37.25	3	Vertical	52	1.57	-	39.97	12.89	42.90			
PK	16.53101G	60.35	68.20	-7.85	47.20	3	Vertical	260	1.33	-	39.04	16.26	42.15			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
Setting 13.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01741G	58.95	74.00	-15.05	48.99	3	Horizontal	71	1.04	-	39.97	12.89	42.90			
AV	11.01714G	47.24	54.00	-6.76	37.28	3	Horizontal	71	1.04	-	39.97	12.89	42.90			
PK	16.52648G	60.82	68.20	-7.38	47.65	3	Horizontal	255	2.30	-	39.05	16.26	42.14			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 15
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4516G	64.61	74.00	-9.39	68.18	3	Vertical	184	1.80	-	31.61	8.54	43.72			
PK	5.4621G	64.82	68.20	-3.38	68.33	3	Vertical	184	1.80	-	31.65	8.56	43.72			
AV	5.4588G	46.44	54.00	-7.56	49.97	3	Vertical	184	1.80	-	31.64	8.55	43.72			
PK	5.5557G	114.94	Inf	-Inf	118.24	3	Vertical	184	1.80	-	31.69	8.65	43.64			
AV	5.5551G	102.11	Inf	-Inf	105.41	3	Vertical	184	1.80	-	31.69	8.65	43.64			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 15
04-W-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4597G	65.40	74.00	-8.60	68.93	3	Horizontal	177	1.80	-	31.64	8.55	43.72				
AV	5.4528G	46.75	54.00	-7.25	50.31	3	Horizontal	177	1.80	-	31.61	8.55	43.72				
PK	5.4678G	66.46	68.20	-1.74	69.95	3	Horizontal	177	1.80	-	31.67	8.56	43.72				
PK	5.5458G	117.06	Inf	-Inf	120.36	3	Horizontal	177	1.80	-	31.71	8.64	43.65				
AV	5.5647G	104.82	Inf	-Inf	108.13	3	Horizontal	177	1.80	-	31.67	8.66	43.64				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT Y_2TX
Setting 15
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10212G	59.05	74.00	-14.95	49.29	3	Vertical	233	2.71	-	39.69	12.95	42.88			
AV	11.09725G	47.19	54.00	-6.81	37.42	3	Vertical	233	2.71	-	39.71	12.94	42.88			
PK	16.65277G	60.35	68.20	-7.85	47.18	3	Vertical	226	1.46	-	39.11	16.27	42.21			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT Y_2TX
Setting 15
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10336G	58.98	74.00	-15.02	49.21	3	Horizontal	313	2.70	-	39.69	12.95	42.87			
AV	11.09955G	47.29	54.00	-6.71	37.52	3	Horizontal	313	2.70	-	39.70	12.95	42.88			
PK	16.64518G	60.94	68.20	-7.26	47.80	3	Horizontal	100	1.95	-	39.08	16.27	42.21			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT Y_2TX
Setting 13
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	113.70	Inf	-Inf	116.68	3	Vertical	183	1.80	-	31.81	8.76	43.55			
AV	5.654G	101.30	Inf	-Inf	104.27	3	Vertical	183	1.80	-	31.82	8.76	43.55			
PK	5.7338G	67.82	68.20	-0.38	70.38	3	Vertical	183	1.80	-	32.07	8.84	43.47			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT Y_2TX
Setting 13
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6816G	115.10	Inf	-Inf	117.90	3	Horizontal	178	1.80	-	31.93	8.79	43.52			
AV	5.6636G	102.85	Inf	-Inf	105.77	3	Horizontal	178	1.80	-	31.85	8.77	43.54			
PK	5.739G	65.39	68.20	-2.81	67.92	3	Horizontal	178	1.80	-	32.08	8.85	43.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT Y_2TX
Setting 13
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3417G	59.55	74.00	-14.45	49.45	3	Vertical	218	1.85	-	39.77	13.12	42.79			
AV	11.33778G	47.54	54.00	-6.46	37.47	3	Vertical	218	1.85	-	39.75	13.12	42.80			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT Y_2TX
Setting 13
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33899G	59.65	74.00	-14.35	49.56	3	Horizontal	170	2.64	-	39.76	13.12	42.79			
AV	11.33666G	47.45	54.00	-6.55	37.38	3	Horizontal	170	2.64	-	39.75	13.12	42.80			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 24.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.692G	124.03	Inf	-Inf	126.77	3	Vertical	184	1.80	-	31.97	8.80	43.51			
AV	5.7132G	112.65	Inf	-Inf	115.29	3	Vertical	184	1.80	-	32.03	8.82	43.49			
PK	5.8504G	67.98	68.20	-0.22	70.26	3	Vertical	184	1.80	-	32.10	8.97	43.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 24.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7024G	124.88	Inf	-Inf	127.57	3	Horizontal	178	1.80	-	32.00	8.81	43.50			
AV	5.7028G	113.21	Inf	-Inf	115.89	3	Horizontal	178	1.80	-	32.01	8.81	43.50			
PK	5.8536G	66.54	68.20	-1.66	68.81	3	Horizontal	178	1.80	-	32.11	8.97	43.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 24.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41455G	59.64	74.00	-14.36	49.34	3	Vertical	38	2.66	-	39.90	13.17	42.77			
AV	11.41725G	47.56	54.00	-6.44	37.26	3	Vertical	38	2.66	-	39.90	13.17	42.77			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 24.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39965G	59.38	74.00	-14.62	49.09	3	Horizontal	241	2.67	-	39.90	13.16	42.77			
AV	11.42015G	47.70	54.00	-6.30	37.39	3	Horizontal	241	2.67	-	39.90	13.18	42.77			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
Setting 21.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6515G	69.17	69.31	-0.14	72.16	3	Vertical	185	1.80	-	31.81	8.75	43.55			
PK	5.74G	119.75	Inf	-Inf	122.28	3	Vertical	185	1.80	-	32.08	8.85	43.46			
AV	5.7575G	108.41	Inf	-Inf	110.88	3	Vertical	185	1.80	-	32.10	8.87	43.44			
PK	5.9615G	59.72	68.20	-8.48	61.54	3	Vertical	185	1.80	-	32.32	9.10	43.24			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
Setting 21.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	70.03	70.42	-0.39	73.01	3	Horizontal	178	1.80	-	31.81	8.76	43.55			
PK	5.7675G	120.62	Inf	-Inf	123.07	3	Horizontal	178	1.80	-	32.10	8.88	43.43			
AV	5.748G	109.50	Inf	-Inf	111.99	3	Horizontal	178	1.80	-	32.10	8.86	43.45			
PK	5.9315G	59.70	68.20	-8.50	61.61	3	Horizontal	178	1.80	-	32.30	9.06	43.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
Setting 21.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.51415G	58.71	74.00	-15.29	48.26	3	Vertical	252	1.05	-	39.97	13.24	42.76				
AV	11.49775G	47.29	54.00	-6.71	36.80	3	Vertical	252	1.05	-	40.00	13.23	42.74				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
Setting 21.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49485G	59.05	74.00	-14.95	48.57	3	Horizontal	341	2.28	-	39.99	13.23	42.74			
AV	11.49295G	47.31	54.00	-6.69	36.83	3	Horizontal	341	2.28	-	39.99	13.23	42.74			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
Setting 23.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.52	68.20	-0.68	70.52	3	Vertical	186	1.80	-	31.80	8.75	43.55			
PK	5.777G	120.69	Inf	-Inf	123.12	3	Vertical	186	1.80	-	32.10	8.89	43.42			
AV	5.7775G	109.75	Inf	-Inf	112.18	3	Vertical	186	1.80	-	32.10	8.89	43.42			
PK	5.9925G	60.33	68.20	-7.87	62.03	3	Vertical	186	1.80	-	32.38	9.13	43.21			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
Setting 23.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	69.55	70.42	-0.87	72.53	3	Horizontal	178	1.80	-	31.81	8.76	43.55			
PK	5.7865G	122.66	Inf	-Inf	125.07	3	Horizontal	178	1.80	-	32.10	8.90	43.41			
AV	5.787G	110.42	Inf	-Inf	112.83	3	Horizontal	178	1.80	-	32.10	8.90	43.41			
PK	6.0115G	60.12	68.20	-8.08	61.77	3	Horizontal	178	1.80	-	32.40	9.15	43.20			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
Setting 23.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5941G	58.71	74.00	-15.29	48.56	3	Vertical	85	2.56	-	39.72	13.30	42.87			
AV	11.60215G	47.17	54.00	-6.83	37.06	3	Vertical	85	2.56	-	39.69	13.31	42.89			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
Setting 23.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5731G	59.10	74.00	-14.90	48.85	3	Horizontal	215	1.75	-	39.81	13.28	42.84			
AV	11.59665G	46.93	54.00	-7.07	36.80	3	Horizontal	215	1.75	-	39.71	13.30	42.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 14
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	73.12	74.00	-0.88	76.65	3	Vertical	177	1.80	-	31.96	8.39	43.88			
AV	5.144G	50.32	54.00	-3.68	53.85	3	Vertical	177	1.80	-	31.96	8.39	43.88			
PK	5.2212G	112.32	Inf	-Inf	116.16	3	Vertical	177	1.80	-	31.57	8.43	43.84			
AV	5.2016G	99.77	Inf	-Inf	103.51	3	Vertical	177	1.80	-	31.69	8.42	43.85			
PK	5.3524G	66.46	74.00	-7.54	70.36	3	Vertical	177	1.80	-	31.40	8.47	43.77			
AV	5.3576G	47.05	54.00	-6.95	50.94	3	Vertical	177	1.80	-	31.40	8.48	43.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 14
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	73.75	74.00	-0.25	77.25	3	Horizontal	185	1.80	-	31.99	8.39	43.88			
AV	5.15G	51.06	54.00	-2.94	54.54	3	Horizontal	185	1.80	-	32.00	8.39	43.87			
PK	5.2296G	112.39	Inf	-Inf	116.28	3	Horizontal	185	1.80	-	31.52	8.43	43.84			
AV	5.1916G	100.38	Inf	-Inf	104.06	3	Horizontal	185	1.80	-	31.75	8.42	43.85			
PK	5.3596G	68.33	74.00	-5.67	72.22	3	Horizontal	185	1.80	-	31.40	8.48	43.77			
AV	5.3512G	47.22	54.00	-6.78	51.12	3	Horizontal	185	1.80	-	31.40	8.47	43.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 14
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.6372G	60.83	74.00	-13.17	49.60	3	Vertical	299	2.12	-	37.38	16.18	42.33			
AV	15.62895G	47.13	54.00	-6.87	35.84	3	Vertical	299	2.12	-	37.43	16.18	42.32			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 14
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.62945G	59.39	74.00	-14.61	48.11	3	Horizontal	58	1.68	-	37.42	16.18	42.32			
AV	15.6198G	47.14	54.00	-6.86	35.79	3	Horizontal	58	1.68	-	37.48	16.18	42.31			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 13.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	64.35	74.00	-9.65	67.91	3	Vertical	176	1.80	-	31.93	8.39	43.88			
AV	5.1464G	46.64	54.00	-7.36	50.15	3	Vertical	176	1.80	-	31.98	8.39	43.88			
PK	5.2612G	111.67	Inf	-Inf	115.69	3	Vertical	176	1.80	-	31.36	8.44	43.82			
AV	5.26G	99.14	Inf	-Inf	103.16	3	Vertical	176	1.80	-	31.36	8.44	43.82			
PK	5.382G	72.16	74.00	-1.84	76.04	3	Vertical	176	1.80	-	31.40	8.48	43.76			
AV	5.3572G	47.73	54.00	-6.27	51.62	3	Vertical	176	1.80	-	31.40	8.48	43.77			
PK	5.4768G	59.35	68.20	-8.85	62.78	3	Vertical	176	1.80	-	31.71	8.57	43.71			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 13.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	64.45	74.00	-9.55	68.03	3	Horizontal	187	1.80	-	31.92	8.38	43.88			
AV	5.15G	46.75	54.00	-7.25	50.23	3	Horizontal	187	1.80	-	32.00	8.39	43.87			
PK	5.2516G	112.42	Inf	-Inf	116.41	3	Horizontal	187	1.80	-	31.39	8.44	43.82			
AV	5.27G	99.79	Inf	-Inf	103.85	3	Horizontal	187	1.80	-	31.32	8.44	43.82			
PK	5.354G	72.37	74.00	-1.63	76.27	3	Horizontal	187	1.80	-	31.40	8.47	43.77			
AV	5.35G	48.43	54.00	-5.57	52.34	3	Horizontal	187	1.80	-	31.40	8.47	43.78			
PK	5.4816G	60.12	68.20	-8.08	63.52	3	Horizontal	187	1.80	-	31.73	8.58	43.71			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT Y_2TX
Setting 13.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.86765G	58.40	74.00	-15.60	47.48	3	Vertical	167	2.03	-	37.24	16.19	42.51			
AV	15.8706G	46.20	54.00	-7.80	35.28	3	Vertical	167	2.03	-	37.24	16.19	42.51			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT Y_2TX
Setting 13.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	15.86975G	58.24	74.00	-15.76	47.32	3	Horizontal	237	1.58	-	37.24	16.19	42.51				
AV	15.8672G	46.19	54.00	-7.81	35.28	3	Horizontal	237	1.58	-	37.23	16.19	42.51				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
Setting 13
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3225G	58.52	68.20	-9.68	62.56	3	Vertical	180	1.80	-	31.29	8.46	43.79			
PK	5.458G	65.16	74.00	-8.84	68.70	3	Vertical	180	1.80	-	31.63	8.55	43.72			
AV	5.4575G	47.25	54.00	-6.75	50.79	3	Vertical	180	1.80	-	31.63	8.55	43.72			
PK	5.467G	66.66	68.20	-1.54	70.15	3	Vertical	180	1.80	-	31.67	8.56	43.72			
PK	5.5345G	108.95	Inf	-Inf	112.26	3	Vertical	180	1.80	-	31.73	8.63	43.67			
AV	5.535G	96.78	Inf	-Inf	100.09	3	Vertical	180	1.80	-	31.73	8.63	43.67			
PK	5.7635G	59.39	68.20	-8.81	61.86	3	Vertical	180	1.80	-	32.10	8.87	43.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
Setting 13
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.285G	58.96	68.20	-9.24	63.06	3	Horizontal	176	1.80	-	31.26	8.45	43.81			
PK	5.4595G	65.89	74.00	-8.11	69.42	3	Horizontal	176	1.80	-	31.64	8.55	43.72			
AV	5.4465G	47.04	54.00	-6.96	50.64	3	Horizontal	176	1.80	-	31.59	8.54	43.73			
PK	5.4695G	67.95	68.20	-0.25	71.43	3	Horizontal	176	1.80	-	31.68	8.56	43.72			
PK	5.5665G	111.37	Inf	-Inf	114.67	3	Horizontal	176	1.80	-	31.67	8.66	43.63			
AV	5.565G	99.14	Inf	-Inf	102.45	3	Horizontal	176	1.80	-	31.67	8.66	43.64			
PK	5.768G	60.20	68.20	-8.00	62.65	3	Horizontal	176	1.80	-	32.10	8.88	43.43			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
Setting 13
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04755G	58.79	74.00	-15.21	48.87	3	Vertical	283	1.26	-	39.90	12.91	42.89			
AV	11.0825G	46.60	54.00	-7.40	36.78	3	Vertical	283	1.26	-	39.77	12.93	42.88			
PK	16.58885G	60.94	68.20	-7.26	47.94	3	Vertical	345	1.69	-	38.92	16.26	42.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
Setting 13
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06405G	59.29	74.00	-14.71	49.42	3	Horizontal	158	2.75	-	39.84	12.92	42.89			
AV	11.08365G	46.63	54.00	-7.37	36.81	3	Horizontal	158	2.75	-	39.77	12.93	42.88			
PK	16.5898G	60.83	68.20	-7.37	47.83	3	Horizontal	216	2.25	-	38.92	16.26	42.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 14.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	66.13	74.00	-7.87	69.67	3	Vertical	185	1.80	-	31.63	8.55	43.72			
PK	5.4612G	65.47	68.20	-2.73	69.00	3	Vertical	185	1.80	-	31.64	8.55	43.72			
AV	5.4596G	46.25	54.00	-7.75	49.78	3	Vertical	185	1.80	-	31.64	8.55	43.72			
PK	5.634G	110.93	Inf	-Inf	114.02	3	Vertical	185	1.80	-	31.74	8.74	43.57			
AV	5.634G	98.83	Inf	-Inf	101.92	3	Vertical	185	1.80	-	31.74	8.74	43.57			
PK	5.756G	67.90	68.20	-0.30	70.38	3	Vertical	185	1.80	-	32.10	8.86	43.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 14.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	67.61	74.00	-6.39	71.14	3	Horizontal	175	1.80	-	31.64	8.55	43.72			
AV	5.4488G	46.46	54.00	-7.54	50.05	3	Horizontal	175	1.80	-	31.60	8.54	43.73			
PK	5.464G	66.59	68.20	-1.61	70.09	3	Horizontal	175	1.80	-	31.66	8.56	43.72			
PK	5.644G	112.58	Inf	-Inf	115.61	3	Horizontal	175	1.80	-	31.78	8.75	43.56			
AV	5.6436G	100.57	Inf	-Inf	103.61	3	Horizontal	175	1.80	-	31.77	8.75	43.56			
PK	5.7528G	68.00	68.20	-0.20	70.49	3	Horizontal	175	1.80	-	32.10	8.86	43.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT Y_2TX
Setting 14.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.24145G	59.29	74.00	-14.71	49.59	3	Vertical	83	2.29	-	39.48	13.05	42.83			
AV	11.23995G	46.51	54.00	-7.49	36.81	3	Vertical	83	2.29	-	39.48	13.05	42.83			
PK	16.8426G	61.23	68.20	-6.97	47.01	3	Vertical	210	2.09	-	40.24	16.29	42.31			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT Y_2TX
Setting 14.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22255G	58.57	74.00	-15.43	48.92	3	Horizontal	225	1.77	-	39.45	13.03	42.83			
AV	11.24105G	46.49	54.00	-7.51	36.79	3	Horizontal	225	1.77	-	39.48	13.05	42.83			
PK	16.8336G	61.25	68.20	-6.95	47.09	3	Horizontal	161	1.31	-	40.17	16.29	42.30			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 20.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	117.52	Inf	-Inf	120.51	3	Vertical	184	1.80	-	31.81	8.75	43.55			
AV	5.7132G	105.14	Inf	-Inf	107.78	3	Vertical	184	1.80	-	32.03	8.82	43.49			
PK	5.8504G	67.72	68.20	-0.48	70.00	3	Vertical	184	1.80	-	32.10	8.97	43.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 20.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6632G	118.51	Inf	-Inf	121.43	3	Horizontal	176	1.80	-	31.85	8.77	43.54			
AV	5.6636G	106.26	Inf	-Inf	109.18	3	Horizontal	176	1.80	-	31.85	8.77	43.54			
PK	5.8532G	67.24	68.20	-0.96	69.51	3	Horizontal	176	1.80	-	32.11	8.97	43.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 20.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39035G	59.27	74.00	-14.73	49.02	3	Vertical	65	2.76	-	39.88	13.15	42.78			
AV	11.40475G	46.95	54.00	-7.05	36.66	3	Vertical	65	2.76	-	39.90	13.16	42.77			
PK	17.05075G	61.87	68.20	-6.33	47.92	3	Vertical	251	1.65	-	40.10	16.32	42.47			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 20.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3895G	59.50	74.00	-14.50	49.25	3	Horizontal	360	2.93	-	39.88	13.15	42.78			
AV	11.4039G	46.93	54.00	-7.07	36.64	3	Horizontal	360	2.93	-	39.90	13.16	42.77			
PK	17.0808G	61.20	68.20	-7.00	47.36	3	Horizontal	326	1.29	-	40.04	16.32	42.52			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 17.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	64.36	68.20	-3.84	67.48	3	Vertical	187	1.80	-	31.72	8.73	43.57			
PK	5.7975G	113.31	Inf	-Inf	115.70	3	Vertical	187	1.80	-	32.10	8.91	43.40			
AV	5.7975G	100.83	Inf	-Inf	103.22	3	Vertical	187	1.80	-	32.10	8.91	43.40			
PK	5.969G	60.55	68.20	-7.65	62.34	3	Vertical	187	1.80	-	32.34	9.10	43.23			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
Setting 17.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	67.69	68.20	-0.51	70.82	3	Horizontal	177	1.80	-	31.71	8.73	43.57			
PK	5.787G	115.06	Inf	-Inf	117.47	3	Horizontal	177	1.80	-	32.10	8.90	43.41			
AV	5.7475G	102.69	Inf	-Inf	105.20	3	Horizontal	177	1.80	-	32.09	8.85	43.45			
PK	5.935G	59.94	68.20	-8.26	61.84	3	Horizontal	177	1.80	-	32.30	9.07	43.27			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT Y_2TX
Setting 17.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5346G	58.66	74.00	-15.34	48.26	3	Vertical	53	1.69	-	39.93	13.26	42.79			
AV	11.5364G	46.72	54.00	-7.28	36.32	3	Vertical	53	1.69	-	39.93	13.26	42.79			
PK	17.3334G	61.35	68.20	-6.85	46.82	3	Vertical	87	1.11	-	41.10	16.35	42.92			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT Y_2TX
Setting 17.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54515G	59.06	74.00	-14.94	48.69	3	Horizontal	340	2.12	-	39.91	13.26	42.80			
AV	11.53385G	46.71	54.00	-7.29	36.31	3	Horizontal	340	2.12	-	39.93	13.26	42.79			
PK	17.30565G	61.83	68.20	-6.37	47.59	3	Horizontal	230	2.88	-	40.77	16.34	42.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 4.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1234G	72.61	74.00	-1.39	76.28	3	Vertical	181	1.80	-	31.84	8.38	43.89			
AV	5.1426G	46.41	54.00	-7.59	49.94	3	Vertical	181	1.80	-	31.96	8.39	43.88			
PK	5.223G	99.10	Inf	-Inf	102.95	3	Vertical	181	1.80	-	31.56	8.43	43.84			
AV	5.2014G	86.61	Inf	-Inf	90.35	3	Vertical	181	1.80	-	31.69	8.42	43.85			
PK	5.4012G	66.94	74.00	-7.06	70.80	3	Vertical	181	1.80	-	31.40	8.49	43.75			
PK	5.487G	59.46	68.20	-8.74	62.84	3	Vertical	181	1.80	-	31.75	8.58	43.71			
AV	5.4558G	46.58	54.00	-7.42	50.13	3	Vertical	181	1.80	-	31.62	8.55	43.72			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
Setting 4.5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.121G	73.38	74.00	-0.62	77.06	3	Horizontal	176	1.80	-	31.83	8.38	43.89			
AV	5.1498G	46.53	54.00	-7.47	50.02	3	Horizontal	176	1.80	-	32.00	8.39	43.88			
PK	5.3076G	100.24	Inf	-Inf	104.35	3	Horizontal	176	1.80	-	31.23	8.46	43.80			
AV	5.2698G	87.65	Inf	-Inf	91.71	3	Horizontal	176	1.80	-	31.32	8.44	43.82			
PK	5.3994G	69.12	74.00	-4.88	72.98	3	Horizontal	176	1.80	-	31.40	8.49	43.75			
PK	5.4798G	61.73	68.20	-6.47	65.15	3	Horizontal	176	1.80	-	31.72	8.57	43.71			
AV	5.4534G	46.65	54.00	-7.35	50.21	3	Horizontal	176	1.80	-	31.61	8.55	43.72			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
Setting 4.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.72705G	60.10	74.00	-13.90	48.67	3	Vertical	217	2.60	-	37.65	16.18	42.40			
AV	15.73155G	47.31	54.00	-6.69	35.87	3	Vertical	217	2.60	-	37.66	16.18	42.40			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
Setting 4.5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.7325G	59.18	74.00	-14.82	47.74	3	Horizontal	251	1.88	-	37.66	16.18	42.40			
AV	15.72865G	47.38	54.00	-6.62	35.94	3	Horizontal	251	1.88	-	37.66	16.18	42.40			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3228G	59.21	68.20	-8.99	63.25	3	Vertical	189	1.80	-	31.29	8.46	43.79			
PK	5.4422G	69.32	74.00	-4.68	72.95	3	Vertical	189	1.80	-	31.57	8.53	43.73			
PK	5.4608G	62.88	68.20	-5.32	66.41	3	Vertical	189	1.80	-	31.64	8.55	43.72			
AV	5.4572G	45.93	54.00	-8.07	49.47	3	Vertical	189	1.80	-	31.63	8.55	43.72			
PK	5.6324G	96.57	Inf	-Inf	99.68	3	Vertical	189	1.80	-	31.73	8.73	43.57			
AV	5.633G	84.56	Inf	-Inf	87.67	3	Vertical	189	1.80	-	31.73	8.73	43.57			
PK	5.726G	64.51	68.20	-3.69	67.10	3	Vertical	189	1.80	-	32.05	8.83	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 5
04-W-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3498G	63.82	68.20	-4.38	67.73	3	Horizontal	176	1.80	-	31.40	8.47	43.78			
PK	5.444G	72.92	74.00	-1.08	76.53	3	Horizontal	176	1.80	-	31.58	8.54	43.73			
AV	5.4488G	46.12	54.00	-7.88	49.71	3	Horizontal	176	1.80	-	31.60	8.54	43.73			
PK	5.4692G	66.50	68.20	-1.70	69.98	3	Horizontal	176	1.80	-	31.68	8.56	43.72			
PK	5.645G	100.63	Inf	-Inf	103.66	3	Horizontal	176	1.80	-	31.78	8.75	43.56			
AV	5.6048G	88.75	Inf	-Inf	92.02	3	Horizontal	176	1.80	-	31.62	8.71	43.60			
PK	5.7272G	65.78	68.20	-2.42	68.37	3	Horizontal	176	1.80	-	32.05	8.83	43.47			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
Setting 5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1412G	59.11	74.00	-14.89	49.45	3	Vertical	103	2.57	-	39.54	12.98	42.86			
AV	11.164G	46.46	54.00	-7.54	36.85	3	Vertical	103	2.57	-	39.47	12.99	42.85			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
Setting 5
04-W-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1298G	58.78	74.00	-15.22	49.10	3	Horizontal	260	2.34	-	39.58	12.97	42.87			
AV	11.1648G	46.54	54.00	-7.46	36.93	3	Horizontal	260	2.34	-	39.47	12.99	42.85			

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 9
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.148G	44.79	54.00	-9.21	48.29	3	Vertical	3	1.80	-	31.99	8.39	43.88			
PK	5.3124G	60.93	68.20	-7.27	65.01	3	Vertical	3	1.80	-	31.25	8.46	43.79			
PK	5.4468G	57.31	74.00	-16.69	60.91	3	Vertical	3	1.80	-	31.59	8.54	43.73			
PK	5.4672G	62.06	68.20	-6.14	65.55	3	Vertical	3	1.80	-	31.67	8.56	43.72			
AV	5.4588G	46.05	54.00	-7.95	49.58	3	Vertical	3	1.80	-	31.64	8.55	43.72			
PK	5.6328G	99.77	Inf	-Inf	102.88	3	Vertical	3	1.80	-	31.73	8.73	43.57			
AV	5.7132G	89.82	Inf	-Inf	92.46	3	Vertical	3	1.80	-	32.03	8.82	43.49			
PK	5.856G	60.42	68.20	-7.78	62.67	3	Vertical	3	1.80	-	32.12	8.97	43.34			

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 9
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.304G	62.01	68.20	-6.19	66.13	3	Horizontal	0	1.80	-	31.22	8.46	43.80			
AV	5.1492G	45.37	54.00	-8.63	48.86	3	Horizontal	0	1.80	-	32.00	8.39	43.88			
PK	5.454G	64.80	74.00	-9.20	68.35	3	Horizontal	0	1.80	-	31.62	8.55	43.72			
AV	5.4084G	47.60	54.00	-6.40	51.42	3	Horizontal	0	1.80	-	31.43	8.50	43.75			
PK	5.4684G	60.15	68.20	-8.05	63.64	3	Horizontal	0	1.80	-	31.67	8.56	43.72			
PK	5.7216G	103.48	Inf	-Inf	106.09	3	Horizontal	0	1.80	-	32.04	8.83	43.48			
AV	5.6448G	92.80	Inf	-Inf	95.83	3	Horizontal	0	1.80	-	31.78	8.75	43.56			
PK	5.8644G	58.62	68.20	-9.58	60.82	3	Horizontal	0	1.80	-	32.16	8.98	43.34			

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 9
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22616G	58.99	74.00	-15.01	49.33	3	Vertical	260	1.61	-	39.45	13.04	42.83			
AV	11.21086G	47.00	54.00	-7.00	37.39	3	Vertical	260	1.61	-	39.42	13.03	42.84			
PK	16.82868G	60.84	68.20	-7.36	46.72	3	Vertical	314	2.48	-	40.13	16.29	42.30			

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 9
04-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22542G	58.36	74.00	-15.64	48.70	3	Horizontal	301	2.59	-	39.45	13.04	42.83			
AV	11.21276G	46.80	54.00	-7.20	37.18	3	Horizontal	301	2.59	-	39.43	13.03	42.84			
PK	16.82914G	60.53	68.20	-7.67	46.41	3	Horizontal	336	2.58	-	40.13	16.29	42.30			