



Shenzhen Meihejia Technology Co., Ltd.

Antenna test report

Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen



customer name	Telconn	project name	PG7101A
Commissioning frequency band	GSM 850/900/1800/1900 + W1900/850	structure mode	coaxial cable +FPC
Radio frequency engineer	Cao gong	construction engineer	Liang gong
Antenna type	PIFA	date	2022-8-12

Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen




Test environment

	test project	equipment
1 (parameter)	1. (Return Loss) 2. (VSWR)	Agilent E5071B HP 8753D
2. (Active)	1. (TRP) 2. (TIS)	1. ETS 7x4x3 m (3D) Chamber ETS 5x3x3 m (3D) Chamber 2. Agilent 8960 E5515B × 2 StarPoint SP6011
3. (Passive)	1. (Gain) 2. (Efficiency)	1. ETS 7x4x3 m (3D) Chamber ETS 5x3x3 m (3D) Chamber 2. Agilent E5071B HP 8753D

Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen




Test Equipment




Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen

Antenna position

main antenna



W/G/B antenna



Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen



GSM

Frequency Band	EGSM 900			DCS 1800		
channel	1	62	124	512	698	885
TRP	27.6	26.7	26.6	26.2	26.3	26.6
TIS			-103.5			-103.8
Frequency Band	GSM 850			PCS 1900		
channel	128	190	251	512	661	810
TRP	25.3	26.5	27.8	27.0	27.1	27.3
TIS			-105.9			-102.3


WCDMA

Frequency Band	WCDMA 1900			WCDMA 850		
channel	L	M	H	L	M	H
TRP	16.1	16.5	16.7	16.2	17.1	17.3
TIS			-103.5			-105.3

Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen

Wifi Antenna test


Test environment:
the office distance
from the router:
about 15 meters



Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen

GPS star search test

The measured effect of GPS cold start is below:
CN value of 40 The actual location value is 1 bits
CN values of 35 The actual positioning is 4 bits
The actual positioning is 8 bits





Efficient (main antenna)

Passive Test For D1										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver
800	30.67	-5.13	-1.51	-3.66	17.724	12.947	-1.51	-11.35	42.72	42
820	32.65	-4.86	-0.77	-2.92	20.524	12.125	-0.77	-12.96	42.18	42.13
840	36.41	-4.39	-0.85	-3	22.9	13.508	-0.85	-13.22	42.51	42.62
860	33.35	-4.77	-2.05	-4.2	19.065	14.289	-2.05	-12.83	42.82	43.1
880	28.91	-5.39	-2.99	-5.14	15.783	13.123	-2.99	-12.91	43.16	43.39
900	26	-5.85	-3.22	-5.37	13.955	12.045	-3.22	-13.54	43.53	43.46
920	23.83	-6.23	-3.22	-5.37	12.131	11.702	-3.22	-14.26	44.16	44.23
940	18.33	-7.37	-3.64	-5.79	8.514	9.812	-3.64	-16.99	44.31	44.56
960	11.74	-9.3	-5.14	-7.29	5.034	6.707	-5.14	-17.24	44.12	44.24
980	6.7	-11.74	-7.32	-9.47	2.906	3.792	-7.32	-19.43	44.13	43.98
1000	5.67	-12.46	-8.84	-10.99	2.775	2.895	-8.84	-22.08	45.83	46.03

Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen





Efficient (main antenna)

Passive Test For D3										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHIS (%)	DHIS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver
1700	53.77	-2.69	1.06	-1.09	18.33	35.443	1.06	-15.12	50.56	50.76
1720	47.63	-3.22	1.02	-1.13	15.291	32.338	1.02	-14.51	50.66	50.74
1740	46.26	-3.35	0.51	-1.64	15.493	30.765	0.51	-14.32	50.93	50.48
1760	44.61	-3.51	0.78	-1.37	14.946	29.665	0.78	-14.55	51.44	50.93
1780	43.21	-3.64	0.54	-1.61	14.502	28.707	0.54	-16.7	51.41	51.39
1800	34.29	-4.65	-0.51	-2.66	12.869	21.423	-0.51	-14.19	51.3	51.49
1820	36.75	-4.35	-0.63	-2.78	14.338	22.416	-0.63	-13.78	51.55	51.83
1840	31.96	-4.95	-1.16	-3.31	13.232	18.727	-1.16	-14.63	51.93	52.2
1860	32.36	-4.9	-1.36	-3.51	14.143	18.214	-1.36	-12.08	51.72	52.31
1880	28.34	-5.48	-2.1	-4.25	13.427	14.912	-2.1	-13.69	51.54	52.32
1900	30.99	-5.09	-1.48	-3.63	15.453	15.541	-1.48	-13.08	51.87	51.96
1920	30.3	-5.19	-1.23	-3.38	16.201	14.096	-1.23	-12.72	52.13	52.95
1940	34.5	-4.62	0.14	-2.01	19.351	15.148	0.14	-12.39	52.26	52.72
1960	30.32	-5.18	0.44	-1.71	17.631	12.691	0.44	-14.04	52.2	52.13
1980	38.14	-4.19	1.45	-0.7	23.017	15.123	1.45	-10.93	52.69	53.26
2000	35.74	-4.47	0.69	-1.46	21.909	13.828	0.69	-12.22	52.96	53.44
2020	38.93	-4.1	1.5	-0.65	25.016	13.911	1.5	-11.76	52.89	53.62
2040	41.53	-3.82	2.03	-0.12	26.588	14.937	2.03	-11.51	53.17	53.74
2060	47.22	-3.26	2.89	0.74	30.403	16.818	2.89	-11.34	53.75	54.01
2080	50.7	-2.95	2.54	0.39	33.399	17.297	2.54	-12.43	53.61	54.52
2100	47.38	-3.24	2.03	-0.12	29.286	18.096	2.03	-15.45	53.21	53.74


Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen

Efficient (main antenna)


2000.000MHz




2000.000MHz H



2000.000MHz E1



2000.000MHz E2



Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen



Efficient (WiFi/BT antenna)



Passive Test For WIFI2.4										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHIS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver
2400	54.44	-2.64	1.66	-0.49	36.506	17.938	1.66	-16.22	52.03	53.99
2410	55.22	-2.58	1.7	-0.45	36.94	18.279	1.7	-15.81	51.99	53.84
2420	49.02	-3.1	1.01	-1.14	32.633	16.388	1.01	-16.9	52.04	53.98
2430	46.25	-3.35	0.76	-1.39	30.616	15.63	0.76	-18.17	52.23	54.02
2440	59.38	-2.26	1.82	-0.33	38.93	20.45	1.82	-19.7	52.54	54.25
2450	57.83	-2.38	1.5	-0.65	37.734	20.095	1.5	-22.79	52.64	54.11
2460	51.9	-2.85	0.78	-1.37	33.475	18.423	0.78	-21.13	52.59	54.02
2470	55.06	-2.59	0.93	-1.22	35.294	19.762	0.93	-19.49	52.66	54.04
2480	65.98	-1.81	1.58	-0.57	41.665	24.312	1.58	-16.43	53.06	54.43
2490	71.08	-1.48	2.06	-0.09	44.878	26.204	1.66	-15.9	53.33	54.57
2500	60.95	-2.15	1.45	-0.7	38.271	22.674	1.45	-17.91	53.11	54.29

Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen




Efficient (WiFi/BT antenna)


2430.000MHz




2430.000MHz H



2430.000MHz E1



2430.000MHz E2



Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen




Efficient (GPS antenna)

Passive Test For GPS										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver
1500	52.4	-2.81	1.23	-0.92	13.95	38.452	1.23	-13.39	46.61	46.48
1505	49.68	-3.04	0.97	-1.18	12.896	36.786	0.97	-13.66	46.5	46.38
1510	52.97	-2.76	1.27	-0.88	13.587	39.382	1.27	-13.6	46.39	46.28
1515	51.41	-2.89	1.09	-1.06	13.002	38.407	1.09	-14.26	46.41	46.29
1520	53.35	-2.73	1.24	-0.91	13.457	39.893	1.24	-14.33	46.44	46.3
1525	49.81	-3.03	1.02	-1.13	12.547	37.268	1.02	-14.75	46.43	46.35
1530	49.91	-3.02	1.01	-1.14	12.511	37.401	1.01	-13.97	46.42	46.41
1535	47.3	-3.25	0.64	-1.51	11.872	35.428	0.64	-14.09	46.45	46.42
1540	45.42	-3.43	0.59	-1.56	11.212	34.212	0.59	-13.77	46.49	46.44
1545	45.67	-3.4	0.66	-1.49	11.125	34.54	0.66	-13.62	46.59	46.55
1550	47.48	-3.24	0.59	-1.56	11.382	36.096	0.59	-13.62	46.7	46.67
1555	49.76	-3.03	0.9	-1.25	11.729	38.035	0.9	-12.86	46.63	46.61
1560	46.61	-3.31	0.58	-1.57	10.777	35.835	0.58	-13.61	46.56	46.56
1565	44.6	-3.51	0.29	-1.86	10.218	34.38	0.29	-13.78	46.68	46.61
1570	39.39	-4.05	-0.22	-2.37	8.991	30.395	-0.22	-14.1	46.8	46.66
1575	42.19	-3.75	-0.1	-2.25	9.661	32.532	-0.1	-13.76	46.68	46.6
1580	40.23	-3.95	-0.32	-2.47	9.331	30.902	-0.32	-14.36	46.57	46.55
1585	42.3	-3.74	-0.08	-2.23	9.954	32.346	-0.08	-14.32	46.59	46.59
1590	42.28	-3.74	-0.09	-2.24	10.164	32.115	-0.09	-14.8	46.61	46.63
1595	41.33	-3.84	-0.31	-2.46	9.998	31.329	-0.31	-15.67	46.61	46.63
1600	39.77	-4	-0.33	-2.48	9.743	30.027	-0.33	-15.95	46.61	46.64


Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen

Efficient (GPS antenna)



Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen


Efficient (GPS antenna)



Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen

Environmental treatment

1. Ground the motherboard with conductive cloth.
2. Stick foam under the main antenna to raise it



3. The screen is shielded by conductive cloth.

Address: Building 43, Zhongwu Industrial Zone, Xixiang Street, Bao's District, Shenzhen



Provide better service for our customers

contacts; linkman: Xiong Qian 17688765727

address: Building 43, Zhongwu Industrial Zone, Xixiang
Street, Bao's District, Shenzhen
