GOFIRE CONFIDENTIAL

CONTEMPO Packaging Specialists	BRA	JOB	ITEM DETAIL/	RE	DA	ARTI
☐ U Corrugated Card	NO: FIRE	124	STYLE#: DIMENSI	V: 6	TE: 6/19	ST: J
■ CH Corrugated			WIDTH: 21.875" LENGTH: 5.510"			
CONTEM	TOOLI	FLX	FLX	STA	PROFILE	SR
PACKP-22	NG	PLATE:	DIE:	MP:	TOOL:	D:
INITIAL 12006	BOARST RATE:				COATING (FRONT & BACK):	
RUNS2: 85V.03+: CONCEPT	TEXT COATED PAPER		INK (FRONT AND BACK):		LOSS VARNISH	
ART: 585/HR						

FRONT

21.8750"

5.5100"

3.1250"

What's included.



Conducting a Session with Your Gofire Inhaler.

1 Search for and download the Gofire App to join the community.

Downloading the Gofire App and creating a profile will allow you to accurately dose, track and manage your use of plant-based medicines.

If you're not certain which product fits your specific needs, you can use the App to search for and find the best SmartCartridge or other product for the relief you are seeking. Once you identify the product you need, the Gofire App helps you find it at a location near you or online.

2 Get to know your Gofire Inhaler and prepare to conduct a session.

To turn the Inhaler on, press and hold the power button. While the Inhaler is turned on, go to your settings in the track portion of the App. Tap "Device Settings" and follow the App prompts. Make sure Bluetooth is enabled on your phone!



3 Insert a SmartCartridge.

Remove mouthpiece.
Press the diamond-shaped button above the dose wheel to unlock the mouthpiece.

Insert cartridge.
Remove the protective cap on the cartridge nozzle. Insert the cartridge with the Gofire logo facing out.

⚠ The cartridge LED will illuminate when inserted correctly.



4 Select your desired dose.

To choose your dose, rotate the dose wheel to the right. An audible click will indicate each turn of the dose wheel. Each click extrudes 2.5 mg of medicine from the SmartCartridge into the convection oven. For example, if your desired dose is 5 mg, you would turn the dose wheel two clicks.

The Cartridge LED illuminates white with each click and the number of clicks is displayed in the Gofire App, as is the chemical makeup of the dose.

⚠ For best results, a maximum of four clicks (10 mg) is recommended for an individual session. If your dosing regimen requires a dose larger than 10 mg, it's recommended to split the dose to ensure best performance from your Gofire Inhaler.

5 Select your desired temperature.

Pre-set low, medium and high temperatures are determined by the product manufacturer of each SmartCartridge. To choose a desired pre-set temperature, either select it from the Dose Screen in the App or double click the Power Button on your Gofire Inhaler. The Temperature LED indicator light will display purple for low temperature, blue for medium temperature and green for high temperature. Double clicking the Power Button will rotate between temperature settings.

You can also customize the pre-set temperatures for each SmartCartridge you use. Once you insert the cartridge, use the Dose Screen in the App to alter the pre-set temperatures to your preference.

6 Conduct your session.

To conduct your session, press and hold the Inhaler's Heating Button and inhale when the green diamond is displayed at the top of the Dose Screen in the App. To conduct a session without using the App, press and hold the Inhaler's Heating Button and inhale when both the Temperature LED and Battery LED are illuminated. Once at temperature, continue to hold the Heating Button while you inhale softly and deeply.

⚠ To ensure best results, inhale in a slow, steady fashion when conducting each session.

The Dose Screen in the App will indicate "Dose Remaining" or "Dosing Complete" to signal if you have completed your full dose. On the Inhaler, the Cartridge LED will illuminate in a slow "breathing" fashion to indicate there is a dose remaining or flash rapidly and disappear to indicate the dose is complete.

If you have dose remaining, repeat the heating/inhaling process to complete your dose.

⚠ To log your session or initiate an entirely new session, simply turn off your Gofire Inhaler after the "Dosing Complete" message is displayed and turn back on to select your dose for the new session.

BACK

Understanding the LED lights on your Inhaler.

Cartridge LED
Indicates the presence of vapor in the air path and if there is a dose remaining in the oven.

Flashes if dose clot is clicked. | Illuminates if Cartridge inserted. | Indicates temperature of oven.

Temperature LED
Allows you to quickly access, check, and change temperature from three pre-set temperature settings of your choice.

Factory pre-set temperatures by cartridge: | Low | Medium | High

Battery LED
Indicates the amount of battery remaining and the establishment of a Bluetooth connection.

Charge Immediately | 100% | 30% | 10%

Using your own medicines with the Gofire Inhaler.

Your Gofire Inhaler comes with a variety of inserts to be used with different products. The inhaler is not intended to be used with more than one type of product at a time. Here's what you'll need to start using your own medicines:

Loose-Leaf:
You'll need the Loose-Leaf Insert and Blank Cartridge to use your own loose-leaf with the Inhaler. Use the prongs at the end of the mouthpiece to remove the Dose Insert from the oven. Gently place the Loose-Leaf Insert into the oven and the Blank Cartridge into the SmartCartridge Housing. Load no more than a quarter gram of finely ground material into the Loose-Leaf Insert to ensure optimal experience.

Extracts:
You'll need the Extract Insert and Blank Cartridge to use your own extracts with the Inhaler. Use the prongs at the end of the mouthpiece to remove the Dose Insert from the oven. Gently place the Extract Insert into the oven and the Blank Cartridge into the SmartCartridge Housing. Load your own extracts directly into the Extract Insert to vaporize. Load the equivalent of a grain of rice to enable optimal experience and easy cleaning.

⚠ Reference the 'What's included?' diagram to ensure you're using the proper components when manually loading your own personal concentrates or loose-leaf materials. For precision dosing, visit an Authorized Gofire Retailer to purchase a Smart Cartridge and enhance dose precision.

Cleaning your device.

To keep your device in optimal working order, regular cleaning is recommended.

Inserts:
Remove the Dose Insert with the Mouthpiece. Soak the insert in isopropyl alcohol for 20 minutes. Soak the insert in hot water for 5-10 minutes after soaking in isopropyl alcohol. Place on dry surface and let dry completely. Store inserts in a clean, dry place to prevent picking up contaminants.

Oven:
Dip cotton swabs in isopropyl alcohol. Using the cotton swabs, wipe along the inside and top of the oven until they are free from oils and dirt. Dip new cotton swabs in warm water, wipe all areas cleaned with isopropyl alcohol. With the oven open, place on dry surface and let dry completely.

⚠ DO NOT POUR LIQUID INTO THE OVEN.

Air-path:
Dip the Air-path Brush in isopropyl alcohol. Open the oven door and remove the mouthpiece. Push the Air-path Brush through the air-path, from the top, until you see it poke out of the oven seal. Pull the Air-path Brush back out. Repeat as necessary. Run hot water over the air-path Brush and then push it back through the air-path to clean out any residual isopropyl alcohol. After cleaning, let device sit for a minimum of 30 min.

To reach customer service, visit www.Gofire.co/support.

Safety

Keep your Gofire and its components out of the reach of children and pets. Gofire is intended for adult-use only as it contains small parts that may present a choking hazard.
Do not heat the device when the oven door is open.
After cleaning your device, do not use for at least 30 minutes.
Do not disassemble or tamper with your Gofire. Any inappropriate, incorrect, or irresponsible use will void any warranty and can result in serious injury.
Do not use your Gofire if it appears to be damaged, broken, or is operating in an unusual or erratic manner.
Do not use your Gofire if it is unusually hot to the touch.
Do not expose your Gofire to extremely high or low temperatures.
Do not store your Gofire or any of its components in or near heat sources.
Do not use your Gofire in an atmosphere with risk of explosion or ignition.
Only use certified authentic Gofire components within your device.
Do not use your Gofire if it becomes immersed in any liquid.
Do not place your Gofire in a dishwasher, washing machine, or dryer.
Do not expose your Gofire to rain, damp, or wet environments.
Charge your Gofire using only the provided charging unit to avoid damage to your Gofire and/or charging unit.
Your Gofire contains a lithium-ion battery and should be recycled or disposed of in accordance with local requirements to avoid potential injury and/or environmental harm.
Do not dispose of the battery or any component of your Gofire in a fire as it could cause an explosion or another serious injury.
Your Gofire can only be repaired by an authorized Gofire Service Center.
Incorrectly performed repairs without the use of original spare parts can prove dangerous to the user.
Never cover the ventilation slots with any objects or materials. If the ventilation slots and hot air outlet of your device become obstructed, immediately clear the slots of any material to ensure proper cooling.

⚠ Ensure the child lock is on if you leave your device unattended. Please refer to the Gofire App for child lock details.

Intended use.

It is important to observe and practice the instructions provided in this manual. In order to use your Gofire in the best possible way for your personal use.
Gofire is not responsible for any damage or personal injury caused by inappropriate, incorrect, or irresponsible use.
Your Gofire may only be used with the recommended media and materials. The use of other substances can present a health risk.
Your Gofire is not intended to cure or prevent any medical conditions. Ask your doctor if any substance you intend to use in your Gofire is right for you before utilizing the device.
Consult your physician before using Gofire if you have medical concerns. It is possible that some plants may cause allergic or adverse reactions for the user. If this occurs, it is urgently recommended to refrain from further use of such plants.

A note from legal.

The statements set forth in this document have not been evaluated by the FDA. The Gofire Inhaler is not a medical device and is not intended to diagnose, treat, cure, or prevent any disease.
Gofire wants to make managing your alternative health a real possibility, but you should not rely on Gofire in any capacity for medical or therapeutic advice, nor should you substitute your medications for Gofire products. The use of Gofire may not be appropriate in all circumstances. Gofire, Inc. does not provide health or medical advice.

NOTICE:
This device complies with Part 15 of the FCC Rules and with Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications made to this equipment not expressly approved by Gofire Inc. may void the FCC authorization to operate this equipment.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:
(1) l'appareil ne doit pas produire de brouillages, et
(2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Warranty.

Gofire Limited Lifetime Warranty:

Gofire, Inc. ("Gofire", "We" or "Our") extends this Warranty only to the consumer who originally purchased an Inhaler and continues to own their Inhaler at the time a Warranty Service is requested ("You" or "Your"). It does not extend to any subsequent owner or other transferee of the Inhaler.

With respect to the Inhaler, the limited lifetime warranty starts on the date of purchase and lasts for the purchaser's lifetime (the "Warranty Period").

To obtain warranty service, You must email Our Customer Service Department at support@gofire.co during the Warranty Period to obtain a Defective Merchandise Authorization ("DMA") number. No warranty service will be provided without a DMA number.

Warranty information can be found at www.Gofire.co/pages/warranty.

If you would like a copy to be mailed or emailed to you free of charge, please contact help@Gofire.co or call (720) 845-6207 or reach us by mail at:

Gofire, Inc.
955 Broadway St.
Denver, Colorado, 80203

gofire™

Inhaler Guide

THIS DRAWING IS THE PROPERTY OF GO FIRE CORP.
INFORMATION CONTAINED HEREIN SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT THE PRIOR WRITTEN CONSENT OF GO FIRE CORP.
THIS DRAWING SHALL BE RETURNED UPON REQUEST.

UNLESS OTHERWISE SPECIFIED

DIMENSIONS IN:	INCHES
TOTAL RUNOUT:	.005/1.000
PERPENDICULARITY:	.005/1.000
FILLET RADII:	.010 MAX
BREAK ALL CORNERS	.010 - .025
ANGULARITY:	± 1/2°
FRACTIONALITY:	± 1/64
SURFACE ROUGHNESS:	32
TOLERANCES:	
XX.X	± .02
XX.XX	± .01
XX.XXX	± .005

MATERIAL:

FINISH:

THIRD ANGLE PROJECTION

GOFIRE

TITLE: Leaflet

SIZE: D | DWG NO: DOC-00001 | REV: 3

SCALE: | WEIGHT: