



Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	73.00	86.40	500	Complies



Date: 11.JUL.2020 15:44:59



Date: 11.JUL.2020 15:44:01

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.13	0.44	17.57	30.00	1.00	Complies
40	5200	17.97	0.44	18.41	30.00	1.00	Complies
48	5240	18.46	0.44	18.90	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.03	0.44	21.47	30.00	1.00	Complies
157	5785	21.13	0.44	21.57	30.00	1.00	Complies
165	5825	20.93	0.44	21.37	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.98	0.62	16.60	30.00	1.00	Complies
40	5200	16.13	0.62	16.75	30.00	1.00	Complies
48	5240	15.79	0.62	16.41	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.26	0.62	14.88	30.00	1.00	Complies
40	5200	14.96	0.62	15.58	30.00	1.00	Complies
48	5240	13.88	0.62	14.50	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.01	0.62	16.63	30.00	1.00	Complies
40	5200	16.33	0.62	16.95	30.00	1.00	Complies
48	5240	15.84	0.62	16.46	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.36	0.62	13.98	30.00	1.00	Complies
40	5200	12.86	0.62	13.48	30.00	1.00	Complies
48	5240	13.14	0.62	13.76	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.68	26.62	0.46	Complies
40	5200	21.91	26.62	0.46	Complies
48	5240	21.46	26.62	0.46	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.83	1.27	17.10	30.00	1.00	Complies
46	5230	17.76	1.27	19.03	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.22	1.27	13.49	30.00	1.00	Complies
46	5230	15.46	1.27	16.73	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.93	1.27	16.20	30.00	1.00	Complies
46	5230	16.83	1.27	18.10	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.21	1.27	13.48	30.00	1.00	Complies
46	5230	14.18	1.27	15.45	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.38	26.62	0.46	Complies
46	5230	23.55	26.62	0.46	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.06	0.62	18.68	30.00	1.00	Complies
157	5785	18.47	0.62	19.09	30.00	1.00	Complies
165	5825	18.29	0.62	18.91	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.82	0.62	15.44	30.00	1.00	Complies
157	5785	14.52	0.62	15.14	30.00	1.00	Complies
165	5825	15.91	0.62	16.53	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.86	0.62	17.48	30.00	1.00	Complies
157	5785	17.34	0.62	17.96	30.00	1.00	Complies
165	5825	17.52	0.62	18.14	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.04	0.62	15.66	30.00	1.00	Complies
157	5785	16.36	0.62	16.98	30.00	1.00	Complies
165	5825	16.57	0.62	17.19	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.04	26.23	0.42	Complies
157	5785	23.54	26.23	0.42	Complies
165	5825	23.80	26.23	0.42	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.85	1.27	19.12	30.00	1.00	Complies
159	5795	17.22	1.27	18.49	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.91	1.27	16.18	30.00	1.00	Complies
159	5795	13.74	1.27	15.01	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.52	1.27	17.79	30.00	1.00	Complies
159	5795	16.27	1.27	17.54	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.56	1.27	17.83	30.00	1.00	Complies
159	5795	17.08	1.27	18.35	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.87	26.23	0.42	Complies
159	5795	23.57	26.23	0.42	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.73	0.77	15.50	30.00	1.00	Complies
40	5200	16.09	0.77	16.86	30.00	1.00	Complies
48	5240	15.77	0.77	16.54	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.12	0.77	14.89	30.00	1.00	Complies
40	5200	14.82	0.77	15.59	30.00	1.00	Complies
48	5240	13.73	0.77	14.50	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.43	0.77	17.20	30.00	1.00	Complies
40	5200	16.12	0.77	16.89	30.00	1.00	Complies
48	5240	15.83	0.77	16.60	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.93	0.77	14.70	30.00	1.00	Complies
40	5200	12.81	0.77	13.58	30.00	1.00	Complies
48	5240	13.02	0.77	13.79	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.71	26.62	0.46	Complies
40	5200	21.94	26.62	0.46	Complies
48	5240	21.55	26.62	0.46	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.28	0.92	17.20	30.00	1.00	Complies
46	5230	18.32	0.92	19.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.76	0.92	13.68	30.00	1.00	Complies
46	5230	15.92	0.92	16.84	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.32	0.92	16.24	30.00	1.00	Complies
46	5230	17.35	0.92	18.27	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.71	0.92	13.63	30.00	1.00	Complies
46	5230	14.74	0.92	15.66	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.49	26.62	0.46	Complies
46	5230	23.73	26.62	0.46	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.12	1.78	15.90	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.42	1.78	12.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.14	1.78	14.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.22	1.78	12.00	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.11	26.62	0.46	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.21	0.77	18.98	30.00	1.00	Complies
157	5785	18.52	0.77	19.29	30.00	1.00	Complies
165	5825	18.34	0.77	19.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.03	0.77	15.80	30.00	1.00	Complies
157	5785	14.63	0.77	15.40	30.00	1.00	Complies
165	5825	16.11	0.77	16.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.93	0.77	17.70	30.00	1.00	Complies
157	5785	17.47	0.77	18.24	30.00	1.00	Complies
165	5825	17.78	0.77	18.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.23	0.77	16.00	30.00	1.00	Complies
157	5785	16.49	0.77	17.26	30.00	1.00	Complies
165	5825	16.73	0.77	17.50	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.34	26.23	0.42	Complies
157	5785	23.79	26.23	0.42	Complies
165	5825	24.12	26.23	0.42	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.32	0.92	19.24	30.00	1.00	Complies
159	5795	17.63	0.92	18.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.36	0.92	16.28	30.00	1.00	Complies
159	5795	14.19	0.92	15.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.06	0.92	17.98	30.00	1.00	Complies
159	5795	16.78	0.92	17.70	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.94	0.92	17.86	30.00	1.00	Complies
159	5795	17.52	0.92	18.44	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.98	26.23	0.42	Complies
159	5795	23.67	26.23	0.42	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.23	1.78	22.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.61	1.78	18.39	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.44	1.78	20.22	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.50	1.78	19.28	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.21	26.23	0.42	Complies

Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.52	0.62	16.14	30.00	1.00	Complies
40	5200	15.88	0.62	16.50	30.00	1.00	Complies
48	5240	15.17	0.62	15.79	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.82	0.62	14.44	30.00	1.00	Complies
40	5200	13.17	0.62	13.79	30.00	1.00	Complies
48	5240	13.32	0.62	13.94	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.67	0.62	16.29	30.00	1.00	Complies
40	5200	15.73	0.62	16.35	30.00	1.00	Complies
48	5240	15.72	0.62	16.34	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.72	0.62	13.34	30.00	1.00	Complies
40	5200	11.86	0.62	12.48	30.00	1.00	Complies
48	5240	12.79	0.62	13.41	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.24	26.30	0.43	Complies
40	5200	21.12	26.30	0.43	Complies
48	5240	21.06	26.30	0.43	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.42	1.27	16.69	30.00	1.00	Complies
46	5230	17.76	1.27	19.03	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.08	1.27	13.35	30.00	1.00	Complies
46	5230	15.21	1.27	16.48	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.76	1.27	16.03	30.00	1.00	Complies
46	5230	16.62	1.27	17.89	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.03	1.27	13.30	30.00	1.00	Complies
46	5230	13.93	1.27	15.20	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.13	26.30	0.43	Complies
46	5230	23.40	26.30	0.43	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.73	0.62	18.35	30.00	1.00	Complies
157	5785	17.94	0.62	18.56	30.00	1.00	Complies
165	5825	17.82	0.62	18.44	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.39	0.62	15.01	30.00	1.00	Complies
157	5785	14.12	0.62	14.74	30.00	1.00	Complies
165	5825	15.47	0.62	16.09	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.43	0.62	17.05	30.00	1.00	Complies
157	5785	16.83	0.62	17.45	30.00	1.00	Complies
165	5825	17.11	0.62	17.73	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.67	0.62	15.29	30.00	1.00	Complies
157	5785	15.94	0.62	16.56	30.00	1.00	Complies
165	5825	16.08	0.62	16.70	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.66	26.10	0.41	Complies
157	5785	23.06	26.10	0.41	Complies
165	5825	23.35	26.10	0.41	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.62	1.27	18.89	30.00	1.00	Complies
159	5795	17.21	1.27	18.48	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.83	1.27	16.10	30.00	1.00	Complies
159	5795	13.83	1.27	15.10	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.28	1.27	17.55	30.00	1.00	Complies
159	5795	16.32	1.27	17.59	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.31	1.27	17.58	30.00	1.00	Complies
159	5795	16.54	1.27	17.81	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.66	26.10	0.41	Complies
159	5795	23.43	26.10	0.41	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.81	0.77	15.58	30.00	1.00	Complies
40	5200	15.96	0.77	16.73	30.00	1.00	Complies
48	5240	15.34	0.77	16.11	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.94	0.77	14.71	30.00	1.00	Complies
40	5200	13.31	0.77	14.08	30.00	1.00	Complies
48	5240	13.47	0.77	14.24	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.82	0.77	16.59	30.00	1.00	Complies
40	5200	15.81	0.77	16.58	30.00	1.00	Complies
48	5240	15.86	0.77	16.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.87	0.77	13.64	30.00	1.00	Complies
40	5200	11.93	0.77	12.70	30.00	1.00	Complies
48	5240	12.92	0.77	13.69	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.29	26.30	0.43	Complies
40	5200	21.36	26.30	0.43	Complies
48	5240	21.36	26.30	0.43	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.54	0.92	16.46	30.00	1.00	Complies
46	5230	17.83	0.92	18.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.17	0.92	13.09	30.00	1.00	Complies
46	5230	15.34	0.92	16.26	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.82	0.92	15.74	30.00	1.00	Complies
46	5230	16.76	0.92	17.68	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.15	0.92	13.07	30.00	1.00	Complies
46	5230	14.21	0.92	15.13	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.87	26.30	0.43	Complies
46	5230	23.19	26.30	0.43	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.86	1.78	15.64	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.04	1.78	11.82	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.71	1.78	14.49	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	9.84	1.78	11.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.76	26.30	0.43	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.88	0.77	18.65	30.00	1.00	Complies
157	5785	18.11	0.77	18.88	30.00	1.00	Complies
165	5825	17.93	0.77	18.70	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.43	0.77	15.20	30.00	1.00	Complies
157	5785	14.24	0.77	15.01	30.00	1.00	Complies
165	5825	15.58	0.77	16.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.58	0.77	17.35	30.00	1.00	Complies
157	5785	16.94	0.77	17.71	30.00	1.00	Complies
165	5825	17.24	0.77	18.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.76	0.77	15.53	30.00	1.00	Complies
157	5785	16.17	0.77	16.94	30.00	1.00	Complies
165	5825	16.23	0.77	17.00	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.93	26.10	0.41	Complies
157	5785	23.37	26.10	0.41	Complies
165	5825	23.63	26.10	0.41	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.74	0.92	18.66	30.00	1.00	Complies
159	5795	17.41	0.92	18.33	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.97	0.92	15.89	30.00	1.00	Complies
159	5795	13.96	0.92	14.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.41	0.92	17.33	30.00	1.00	Complies
159	5795	16.47	0.92	17.39	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.49	0.92	17.41	30.00	1.00	Complies
159	5795	16.63	0.92	17.55	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.45	26.10	0.41	Complies
159	5795	23.23	26.10	0.41	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.83	1.78	21.61	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.27	1.78	18.05	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.93	1.78	19.71	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.94	1.78	18.72	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.76	26.10	0.41	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.31	0.44	11.75	17.00	Complies
40	5200	11.82	0.44	12.26	17.00	Complies
48	5240	11.75	0.44	12.19	17.00	Complies



Date: 9.JUL.2020 20:27:03




Date: 9.JUL.2020 20:28:56




Date: 9.JUL.2020 20:29:55

Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.96	0.44	10.40	30.00	Complies
157	5785	9.80	0.44	10.24	30.00	Complies
165	5825	9.48	0.44	9.92	30.00	Complies



Date: 9.JUL.2020 20:31:50




Date: 9.JUL.2020 20:33:25




Date: 9.JUL.2020 20:37:08

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.53	0.77	6.30	17.00	Complies
40	5200	5.55	0.77	6.32	17.00	Complies
48	5240	6.35	0.77	7.12	17.00	Complies



Date: 11.JUL.2020 15:13:43




Date: 11.JUL.2020 15:12:31




Date: 11.JUL.2020 14:58:20

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.39	0.77	6.16	17.00	Complies
40	5200	5.58	0.77	6.35	17.00	Complies
48	5240	6.52	0.77	7.29	17.00	Complies



Date: 11.JUL.2020 15:13:58




Date: 11.JUL.2020 15:12:07




Date: 11.JUL.2020 15:02:25

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.55	0.77	6.32	17.00	Complies
40	5200	5.70	0.77	6.47	17.00	Complies
48	5240	6.78	0.77	7.55	17.00	Complies



Date: 11.JUL.2020 15:14:12




Date: 11.JUL.2020 15:11:13




Date: 11.JUL.2020 15:05:22

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.62	0.77	3.39	17.00	Complies
40	5200	3.27	0.77	4.04	17.00	Complies
48	5240	4.73	0.77	5.50	17.00	Complies



Date: 11.JUL.2020 15:15:28



Date: 11.JUL.2020 15:10:14




Date: 11.JUL.2020 15:06:48

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.72	13.62	Complies
40	5200	11.92	13.62	Complies
48	5240	12.95	13.62	Complies


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.60	0.92	2.52	17.00	Complies
46	5230	3.98	0.92	4.90	17.00	Complies




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.60	0.92	2.52	17.00	Complies
46	5230	2.15	0.92	3.07	17.00	Complies




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.59	0.92	2.51	17.00	Complies
46	5230	3.62	0.92	4.54	17.00	Complies




Date: 11.JUL.2020 15:37:46




Date: 11.JUL.2020 15:34:20

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.21	0.92	0.71	17.00	Complies
46	5230	1.19	0.92	2.11	17.00	Complies



Date: 11.JUL.2020 15:38:06



Date: 11.JUL.2020 15:34:41


Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.15	13.62	Complies
46	5230	9.81	13.62	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.73	1.78	-0.95	17.00	Complies

CH42




Date: 11.JUL.2020 15:41:10

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.59	1.78	-1.81	17.00	Complies

CH42




Date: 11.JUL.2020 15:42:10

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.22	1.78	-0.44	17.00	Complies

CH42




Date: 11.JUL.2020 15:42:31

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.97	1.78	-3.19	17.00	Complies

CH42




Date: 11.JUL.2020 15:42:52

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.55	13.62	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.45	0.77	9.22	30.00	Complies
157	5785	8.44	0.77	9.21	30.00	Complies
165	5825	7.19	0.77	7.96	30.00	Complies



Date: 11.JUL.2020 14:37:54




Date: 11.JUL.2020 14:39:33




Date: 11.JUL.2020 14:53:12

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.89	0.77	8.66	30.00	Complies
157	5785	7.53	0.77	8.30	30.00	Complies
165	5825	7.61	0.77	8.38	30.00	Complies



Date: 11.JUL.2020 14:55:54




Date: 11.JUL.2020 14:54:17




Date: 11.JUL.2020 14:52:34

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 3


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.74	0.77	8.51	30.00	Complies
157	5785	7.56	0.77	8.33	30.00	Complies
165	5825	7.28	0.77	8.05	30.00	Complies



Date: 11.JUL.2020 14:55:39




Date: 11.JUL.2020 14:54:32




Date: 11.JUL.2020 14:51:55

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 4


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.15	0.77	8.92	30.00	Complies
157	5785	7.50	0.77	8.27	30.00	Complies
165	5825	7.67	0.77	8.44	30.00	Complies



Date: 11.JUL.2020 14:55:25



Date: 11.JUL.2020 14:54:46




Date: 11.JUL.2020 14:51:06

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.86	26.23	Complies
157	5785	14.57	26.23	Complies
165	5825	14.23	26.23	Complies

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.38	0.92	0.54	30.00	Complies
159	5795	0.51	0.92	1.43	30.00	Complies




Date: 11.JUL.2020 15:24:02




Date: 11.JUL.2020 15:25:30

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.25	0.92	0.67	30.00	Complies
159	5795	1.57	0.92	2.49	30.00	Complies




Date: 11.JUL.2020 15:33:00




Date: 11.JUL.2020 15:30:18

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.74	0.92	2.66	30.00	Complies
159	5795	1.39	0.92	2.31	30.00	Complies




Date: 11.JUL.2020 15:32:40




Date: 11.JUL.2020 15:30:39

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.24	0.92	0.68	30.00	Complies
159	5795	1.28	0.92	2.20	30.00	Complies



Date: 11.JUL.2020 15:32:18



Date: 11.JUL.2020 15:30:59


Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.25	26.23	Complies
159	5795	8.14	26.23	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.61	1.78	-1.83	30.00	Complies

CH155




Date: 11.JUL.2020 15:48:24

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.08	1.78	-0.30	30.00	Complies


CH155



Date: 11.JUL.2020 15:48:45

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.85	1.78	-1.07	30.00	Complies



Date: 11.JUL.2020 15:49:06

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.93	1.78	-0.15	30.00	Complies



Date: 11.JUL.2020 15:49:26

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.24	26.23	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9756
120	5179.9756
102	5179.9752
Maximum Deviation (MHz)	0.0248
Maximum Deviation (ppm)	4.7876

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9756
10	5179.9752
20	5179.9756
30	5179.9756
40	5179.9752
Maximum Deviation (MHz)	0.0248
Maximum Deviation (ppm)	4.7876

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9728
120	5744.9732
102	5744.9732
Maximum Deviation (MHz)	0.0272
Maximum Deviation (ppm)	4.7346

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9732
10	5744.9728
20	5744.9732
30	5744.9728
40	5744.9728
Maximum Deviation (MHz)	0.0272
Maximum Deviation (ppm)	4.7346

End of Test Report