


Duty Cycle


Condition	Mode	Frequency (MHz)	On Time (ms)	Period (ms)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)	Max Variation (%)
NVNT	a	5745	0.148	0.196	75.51	1.22	6.75	0.20
NVNT	a	5785	0.148	0.195	75.9	1.2	6.75	0.20
NVNT	a	5825	0.149	0.195	76.41	1.17	6.75	0.21
NVNT	n20	5745	0.176	0.223	78.92	1.03	5.67	0.18
NVNT	n20	5785	0.176	0.223	78.92	1.03	5.68	0.17
NVNT	n20	5825	0.176	0.224	78.57	1.05	5.67	0.16
NVNT	n40	5755	0.18	0.227	79.3	1.01	5.56	0.18
NVNT	n40	5795	0.18	0.227	79.3	1.01	5.55	0.19
NVNT	ac20	5745	0.164	0.212	77.36	1.11	6.08	0.19
NVNT	ac20	5785	0.165	0.211	78.2	1.07	6.09	0.14
NVNT	ac20	5825	0.164	0.212	77.36	1.11	6.09	0.13
NVNT	ac40	5755	0.156	0.203	76.85	1.14	6.4	0.19
NVNT	ac40	5795	0.157	0.203	77.34	1.12	6.4	0.18
NVNT	ac80	5775	0.164	0.211	77.73	1.09	6.08	0.20

Test Graphs


Duty Cycle NVNT a 5745MHz




Duty Cycle NVNT a 5785MHz




Duty Cycle NVNT a 5825MHz




Duty Cycle NVNT n20 5745MHz




Duty Cycle NVNT n20 5785MHz




Duty Cycle NVNT n20 5825MHz




Duty Cycle NVNT n40 5755MHz




Duty Cycle NVNT n40 5795MHz




Duty Cycle NVNT ac20 5745MHz




Duty Cycle NVNT ac20 5785MHz




Duty Cycle NVNT ac20 5825MHz




Duty Cycle NVNT ac40 5755MHz



Duty Cycle NVNT ac40 5795MHz



Duty Cycle NVNT ac80 5775MHz




Maximum Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	12.22	1.22	13.44	<=30	Pass
NVNT	a	5785	12.92	1.2	14.12	<=30	Pass
NVNT	a	5825	12.84	1.17	14.01	<=30	Pass
NVNT	n20	5745	11.26	1.03	12.29	<=30	Pass
NVNT	n20	5785	12.05	1.03	13.08	<=30	Pass
NVNT	n20	5825	11.97	1.05	13.02	<=30	Pass
NVNT	n40	5755	11.45	1.01	12.46	<=30	Pass
NVNT	n40	5795	12.16	1.01	13.17	<=30	Pass
NVNT	ac20	5745	11.27	1.11	12.38	<=30	Pass
NVNT	ac20	5785	11.98	1.07	13.05	<=30	Pass
NVNT	ac20	5825	11.9	1.11	13.01	<=30	Pass
NVNT	ac40	5755	11.3	1.14	12.44	<=30	Pass
NVNT	ac40	5795	12.03	1.12	13.15	<=30	Pass
NVNT	ac80	5775	12.19	1.09	13.28	<=30	Pass

Test Graphs


Power NVNT a 5745MHz




Power NVNT a 5785MHz




Power NVNT a 5825MHz




Power NVNT n20 5745MHz





Power NVNT n20 5785MHz




Power NVNT n20 5825MHz







Power NVNT ac20 5745MHz




Power NVNT ac20 5785MHz




Power NVNT ac20 5825MHz




Power NVNT ac40 5755MHz



Power NVNT ac40 5795MHz



Power NVNT ac80 5775MHz




-6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.33	≥ 0.5	Pass
NVNT	a	5785	16.31	≥ 0.5	Pass
NVNT	a	5825	16.28	≥ 0.5	Pass
NVNT	n20	5745	17.3	≥ 0.5	Pass
NVNT	n20	5785	17.56	≥ 0.5	Pass
NVNT	n20	5825	17.55	≥ 0.5	Pass
NVNT	n40	5755	35.84	≥ 0.5	Pass
NVNT	n40	5795	36.28	≥ 0.5	Pass
NVNT	ac20	5745	17.3	≥ 0.5	Pass
NVNT	ac20	5785	17.34	≥ 0.5	Pass
NVNT	ac20	5825	17.17	≥ 0.5	Pass
NVNT	ac40	5755	36.3	≥ 0.5	Pass
NVNT	ac40	5795	35.93	≥ 0.5	Pass
NVNT	ac80	5775	75.02	≥ 0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz




-6dB Bandwidth NVNT a 5785MHz




-6dB Bandwidth NVNT a 5825MHz




-6dB Bandwidth NVNT n20 5745MHz




-6dB Bandwidth NVNT n20 5785MHz




-6dB Bandwidth NVNT n20 5825MHz





-6dB Bandwidth NVNT n40 5755MHz




-6dB Bandwidth NVNT n40 5795MHz




-6dB Bandwidth NVNT ac20 5745MHz**-6dB Bandwidth NVNT ac20 5785MHz**


-6dB Bandwidth NVNT ac20 5825MHz




-6dB Bandwidth NVNT ac40 5755MHz



-6dB Bandwidth NVNT ac40 5795MHz



-6dB Bandwidth NVNT ac80 5775MHz




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5745	16.637
NVNT	a	5785	16.643
NVNT	a	5825	16.667
NVNT	n20	5745	17.813
NVNT	n20	5785	17.808
NVNT	n20	5825	17.755
NVNT	n40	5755	36.336
NVNT	n40	5795	36.332
NVNT	ac20	5745	17.799
NVNT	ac20	5785	17.755
NVNT	ac20	5825	17.771
NVNT	ac40	5755	36.301
NVNT	ac40	5795	36.287
NVNT	ac80	5775	75.016

Test Graphs


OBW NVNT a 5745MHz




OBW NVNT a 5785MHz




OBW NVNT a 5825MHz




OBW NVNT n20 5745MHz





OBW NVNT n20 5785MHz




OBW NVNT n20 5825MHz







OBW NVNT ac20 5745MHz




OBW NVNT ac20 5785MHz




OBW NVNT ac20 5825MHz




OBW NVNT ac40 5755MHz



OBW NVNT ac40 5795MHz




OBW NVNT ac80 5775MHz






Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total PSD (dBm/510kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	-1.055	1.22	0.165	<=30	Pass
NVNT	a	5785	-0.246	1.2	0.954	<=30	Pass
NVNT	a	5825	-0.487	1.17	0.683	<=30	Pass
NVNT	n20	5745	-2.442	1.03	-1.412	<=30	Pass
NVNT	n20	5785	-1.355	1.03	-0.325	<=30	Pass
NVNT	n20	5825	-1.53	1.05	-0.48	<=30	Pass
NVNT	n40	5755	-4.824	1.01	-3.814	<=30	Pass
NVNT	n40	5795	-4.405	1.01	-3.395	<=30	Pass
NVNT	ac20	5745	-2.113	1.11	-1.003	<=30	Pass
NVNT	ac20	5785	-1.435	1.07	-0.365	<=30	Pass
NVNT	ac20	5825	-1.282	1.11	-0.172	<=30	Pass
NVNT	ac40	5755	-5.19	1.14	-4.05	<=30	Pass
NVNT	ac40	5795	-4.449	1.12	-3.329	<=30	Pass
NVNT	ac80	5775	-6.931	1.09	-5.841	<=30	Pass
















Band Edge


Condition	Mode	Frequency (MHz)	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	-42.75	-27	Pass
NVNT	a	5825	-42.26	-27	Pass
NVNT	n20	5745	-43.25	-27	Pass
NVNT	n20	5825	-42.3	-27	Pass
NVNT	n40	5755	-43.23	-27	Pass
NVNT	n40	5795	-42.18	-27	Pass
NVNT	ac20	5745	-42.8	-27	Pass
NVNT	ac20	5825	-42.01	-27	Pass
NVNT	ac40	5755	-42.56	-27	Pass
NVNT	ac40	5795	-42.73	-27	Pass
NVNT	ac80	5775	-41.45	-3.76	Pass
NVNT	ac80	5775	-43.06	-23.3	Pass

Test Graphs


Band Edge NVNT a 5745MHz Low




Band Edge NVNT a 5825MHz High




Band Edge NVNT n20 5745MHz Low




Band Edge NVNT n20 5825MHz High




Band Edge NVNT n40 5755MHz Low




Band Edge NVNT n40 5795MHz High




Band Edge NVNT ac20 5745MHz Low




Band Edge NVNT ac20 5825MHz High




Band Edge NVNT ac40 5755MHz Low




Band Edge NVNT ac40 5795MHz High



Band Edge NVNT ac80 5775MHz High



Band Edge NVNT ac80 5775MHz Low



Restrict Band


Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5745	5650	-46.3	3.26	-43.04	Peak	<=-27	Pass
NVNT	a	5745	5650	-53.66	3.26	-50.4	Average	<=-27	Pass
NVNT	a	5745	5700	-44.8	3.26	-41.54	Peak	<=10	Pass
NVNT	a	5745	5700	-54.49	3.26	-51.23	Average	<=10	Pass
NVNT	a	5745	5720	-40.86	3.26	-37.6	Peak	<=15.6	Pass
NVNT	a	5745	5720	-54.13	3.26	-50.87	Average	<=15.6	Pass
NVNT	a	5745	5725	-38.76	3.26	-35.5	Peak	<=27	Pass
NVNT	a	5745	5725	-49.84	3.26	-46.58	Average	<=27	Pass
NVNT	a	5825	5850	-40.18	3.26	-36.92	Peak	<=27	Pass
NVNT	a	5825	5850	-50.22	3.26	-46.96	Average	<=27	Pass
NVNT	a	5825	5855	-41.9	3.26	-38.64	Peak	<=15.6	Pass
NVNT	a	5825	5855	-51.5	3.26	-48.24	Average	<=15.6	Pass
NVNT	a	5825	5875	-45.33	3.26	-42.07	Peak	<=10	Pass
NVNT	a	5825	5875	-51.58	3.26	-48.32	Average	<=10	Pass
NVNT	a	5825	5925	-44.94	3.26	-41.68	Peak	<=-27	Pass
NVNT	a	5825	5925	-52.39	3.26	-49.13	Average	<=-27	Pass
NVNT	n20	5745	5650	-45.64	3.26	-42.38	Peak	<=-27	Pass
NVNT	n20	5745	5650	-53.7	3.26	-50.44	Average	<=-27	Pass
NVNT	n20	5745	5700	-44.12	3.26	-40.86	Peak	<=10	Pass
NVNT	n20	5745	5700	-53.6	3.26	-50.34	Average	<=10	Pass
NVNT	n20	5745	5720	-43.62	3.26	-40.36	Peak	<=15.6	Pass
NVNT	n20	5745	5720	-52.81	3.26	-49.55	Average	<=15.6	Pass
NVNT	n20	5745	5725	-38.94	3.26	-35.68	Peak	<=27	Pass
NVNT	n20	5745	5725	-53.32	3.26	-50.06	Average	<=27	Pass
NVNT	n20	5825	5850	-41.38	3.26	-38.12	Peak	<=27	Pass
NVNT	n20	5825	5850	-50.36	3.26	-47.1	Average	<=27	Pass
NVNT	n20	5825	5855	-44.66	3.26	-41.4	Peak	<=15.6	Pass
NVNT	n20	5825	5855	-52.1	3.26	-48.84	Average	<=15.6	Pass
NVNT	n20	5825	5875	-43.94	3.26	-40.68	Peak	<=10	Pass
NVNT	n20	5825	5875	-53.61	3.26	-50.35	Average	<=10	Pass
NVNT	n20	5825	5925	-44.18	3.26	-40.92	Peak	<=-27	Pass
NVNT	n20	5825	5925	-53.72	3.26	-50.46	Average	<=-27	Pass
NVNT	n40	5755	5650	-45.1	3.26	-41.84	Peak	<=-27	Pass
NVNT	n40	5755	5650	-53.33	3.26	-50.07	Average	<=-27	Pass
NVNT	n40	5755	5700	-43.79	3.26	-40.53	Peak	<=10	Pass
NVNT	n40	5755	5700	-53.45	3.26	-50.19	Average	<=10	Pass
NVNT	n40	5755	5720	-37.66	3.26	-34.4	Peak	<=15.6	Pass
NVNT	n40	5755	5720	-50.93	3.26	-47.67	Average	<=15.6	Pass
NVNT	n40	5755	5725	-37.11	3.26	-33.85	Peak	<=27	Pass
NVNT	n40	5755	5725	-48.18	3.26	-44.92	Average	<=27	Pass

NVNT	n40	5795	5850	-42.89	3.26	-39.63	Peak	<=27	Pass
NVNT	n40	5795	5850	-51.1	3.26	-47.84	Average	<=27	Pass
NVNT	n40	5795	5855	-44.76	3.26	-41.5	Peak	<=15.6	Pass
NVNT	n40	5795	5855	-51.49	3.26	-48.23	Average	<=15.6	Pass
NVNT	n40	5795	5875	-44.37	3.26	-41.11	Peak	<=10	Pass
NVNT	n40	5795	5875	-52.51	3.26	-49.25	Average	<=10	Pass
NVNT	n40	5795	5925	-45.12	3.26	-41.86	Peak	<=27	Pass
NVNT	n40	5795	5925	-53.76	3.26	-50.5	Average	<=27	Pass
NVNT	ac20	5745	5650	-46.31	3.26	-43.05	Peak	<=27	Pass
NVNT	ac20	5745	5650	-53.85	3.26	-50.59	Average	<=27	Pass
NVNT	ac20	5745	5700	-43.27	3.26	-40.01	Peak	<=10	Pass
NVNT	ac20	5745	5700	-53.38	3.26	-50.12	Average	<=10	Pass
NVNT	ac20	5745	5720	-41.03	3.26	-37.77	Peak	<=15.6	Pass
NVNT	ac20	5745	5720	-52.29	3.26	-49.03	Average	<=15.6	Pass
NVNT	ac20	5745	5725	-39.72	3.26	-36.46	Peak	<=27	Pass
NVNT	ac20	5745	5725	-51.91	3.26	-48.65	Average	<=27	Pass
NVNT	ac20	5825	5850	-41.88	3.26	-38.62	Peak	<=27	Pass
NVNT	ac20	5825	5850	-50.26	3.26	-47	Average	<=27	Pass
NVNT	ac20	5825	5855	-43.47	3.26	-40.21	Peak	<=15.6	Pass
NVNT	ac20	5825	5855	-51.97	3.26	-48.71	Average	<=15.6	Pass
NVNT	ac20	5825	5875	-45.5	3.26	-42.24	Peak	<=10	Pass
NVNT	ac20	5825	5875	-54.71	3.26	-51.45	Average	<=10	Pass
NVNT	ac20	5825	5925	-42.77	3.26	-39.51	Peak	<=27	Pass
NVNT	ac20	5825	5925	-53.1	3.26	-49.84	Average	<=27	Pass
NVNT	ac40	5755	5650	-46.95	3.26	-43.69	Peak	<=27	Pass
NVNT	ac40	5755	5650	-53.31	3.26	-50.05	Average	<=27	Pass
NVNT	ac40	5755	5700	-45.09	3.26	-41.83	Peak	<=10	Pass
NVNT	ac40	5755	5700	-53.26	3.26	-50	Average	<=10	Pass
NVNT	ac40	5755	5720	-39.14	3.26	-35.88	Peak	<=15.6	Pass
NVNT	ac40	5755	5720	-49.48	3.26	-46.22	Average	<=15.6	Pass
NVNT	ac40	5755	5725	-37.06	3.26	-33.8	Peak	<=27	Pass
NVNT	ac40	5755	5725	-48.04	3.26	-44.78	Average	<=27	Pass
NVNT	ac40	5795	5850	-42.92	3.26	-39.66	Peak	<=27	Pass
NVNT	ac40	5795	5850	-51.05	3.26	-47.79	Average	<=27	Pass
NVNT	ac40	5795	5855	-42.93	3.26	-39.67	Peak	<=15.6	Pass
NVNT	ac40	5795	5855	-52.22	3.26	-48.96	Average	<=15.6	Pass
NVNT	ac40	5795	5875	-45.08	3.26	-41.82	Peak	<=10	Pass
NVNT	ac40	5795	5875	-52.93	3.26	-49.67	Average	<=10	Pass
NVNT	ac40	5795	5925	-46.24	3.26	-42.98	Peak	<=27	Pass
NVNT	ac40	5795	5925	-54.12	3.26	-50.86	Average	<=27	Pass
NVNT	ac80	5775	5850	-34.29	3.26	-31.03	Peak	<=27	Pass
NVNT	ac80	5775	5850	-48.08	3.26	-44.82	Average	<=27	Pass
NVNT	ac80	5775	5855	-41.15	3.26	-37.89	Peak	<=15.6	Pass
NVNT	ac80	5775	5855	-49.1	3.26	-45.84	Average	<=15.6	Pass


NVNT	ac80	5775	5875	-44.53	3.26	-41.27	Peak	<=10	Pass
NVNT	ac80	5775	5875	-52.01	3.26	-48.75	Average	<=10	Pass
NVNT	ac80	5775	5925	-44.62	3.26	-41.36	Peak	<=-27	Pass
NVNT	ac80	5775	5925	-53.94	3.26	-50.68	Average	<=-27	Pass
NVNT	ac80	5775	5650	-45.43	3.26	-42.17	Peak	<=-27	Pass
NVNT	ac80	5775	5650	-53.53	3.26	-50.27	Average	<=-27	Pass
NVNT	ac80	5775	5700	-39.33	3.26	-36.07	Peak	<=10	Pass
NVNT	ac80	5775	5700	-52	3.26	-48.74	Average	<=10	Pass
NVNT	ac80	5775	5720	-36.26	3.26	-33	Peak	<=15.6	Pass
NVNT	ac80	5775	5720	-48.67	3.26	-45.41	Average	<=15.6	Pass
NVNT	ac80	5775	5725	-29.3	3.26	-26.04	Peak	<=27	Pass
NVNT	ac80	5775	5725	-43.06	3.26	-39.8	Average	<=27	Pass

Test Graphs


Restrict Band NVNT a 5745MHz Peak




Restrict Band NVNT a 5745MHz Average	
1	100
2	100
3	100
4	100
5	100
6	100
7	100
8	100
9	100
10	100
11	100
12	100
13	100
14	100
15	100
16	100
17	100
18	100
19	100
20	100
21	100
22	100
23	100
24	100
25	100
26	100
27	100
28	100
29	100
30	100
31	100
32	100
33	100
34	100
35	100
36	100
37	100
38	100
39	100
40	100
41	100
42	100
43	100
44	100
45	100
46	100
47	100
48	100
49	100
50	100
51	100
52	100
53	100
54	100
55	100
56	100
57	100
58	100
59	100
60	100
61	100
62	100
63	100
64	100
65	100
66	100
67	100
68	100
69	100
70	100
71	100
72	100
73	100
74	100
75	100
76	100
77	100
78	100
79	100
80	100
81	100
82	100
83	100
84	100
85	100
86	100
87	100
88	100
89	100
90	100
91	100
92	100
93	100
94	100
95	100
96	100
97	100
98	100
99	100
100	100




Restrict Band NVNT a 5825MHz Peak




Restrict Band NVNT a 5825MHz Average




Restrict Band NVNT n20 5745MHz Peak




Restrict Band NVNT n20 5745MHz Average




Restrict Band NVNT n20 5825MHz Peak




Restrict Band NVNT n20 5825MHz Average




Restrict Band NVNT n40 5755MHz Peak




Restrict Band NVNT n40 5755MHz Average




Restrict Band NVNT n40 5795MHz Peak




Restrict Band NVNT n40 5795MHz Average




Restrict Band NVNT ac20 5745MHz Peak




Restrict Band NVNT ac20 5745MHz Average




Restrict Band NVNT ac20 5825MHz Peak




Restrict Band NVNT ac20 5825MHz Average




Restrict Band NVNT ac40 5755MHz Peak




Restrict Band NVNT ac40 5755MHz Average




Restrict Band NVNT ac40 5795MHz Peak




Restrict Band NVNT ac40 5795MHz Average




Restrict Band NVNT ac80 5775MHz Peak



Restrict Band NVNT ac80 5775MHz Average



Restrict Band NVNT ac80 5775MHz Peak



Restrict Band NVNT ac80 5775MHz Average

