






1-N41-PC2-30-50-H-6-CP-QPSK-Outer\_Full-133@0-Ant41-2695.04-23.88--36.88-PASS




1-N41-PC2-30-60-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant41-2495.99-11.08--33.98-PASS




1-N41-PC2-30-60-L-3-DFT-PI2BPSK-Outer\_Full-162@0-Ant41-2490.45-17.02--42.02-PASS




1-N41-PC2-30-60-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant41-2495.99-15.14--38.04-PASS




1-N41-PC2-30-60-L-6-CP-QPSK-Outer\_Full-162@0-Ant41-2490.36-14.29--39.29-PASS



1-N41-PC2-30-60-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@161-Ant41-2689.99-15.65--35.55-PASS




1-N41-PC2-30-60-H-3-DFT-PI2BPSK-Outer\_Full-162@0-Ant41-2689.99-26.58--46.48-PASS




1-N41-PC2-30-60-H-5-CP-QPSK-Edge\_1RB\_Right-1@161-Ant41-2690.00-18.38--38.28-PASS




1-N41-PC2-30-60-H-6-CP-QPSK-Outer\_Full-162@0-Ant41-2695.75-24.66--37.66-PASS




1-N41-PC2-30-70-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant41-2496.00-19.48--42.58-PASS




1-N41-PC2-30-70-L-3-DFT-PI2BPSK-Outer\_Full-180@0-Ant41-2490.06-16.51--41.51-PASS



1-N41-PC2-30-70-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant41-2496.00-20.55--43.65-PASS




1-N41-PC2-30-70-L-6-CP-QPSK-Outer\_Full-189@0-Ant41-2489.17-14.93--39.93-PASS




1-N41-PC2-30-70-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@188-Ant41-2690.01-19.27--39.37-PASS




1-N41-PC2-30-70-H-3-DFT-PI2BPSK-Outer\_Full-180@0-Ant41-2764.63-27.32--52.32-PASS




1-N41-PC2-30-70-H-5-CP-QPSK-Edge\_1RB\_Right-1@188-Ant41-2690.01-22.60--42.70-PASS




1-N41-PC2-30-70-H-6-CP-QPSK-Outer\_Full-189@0-Ant41-2695.72-24.71--37.71-PASS




1-N41-PC2-30-80-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant41-2496.00-18.86--41.76-PASS




1-N41-PC2-30-80-L-3-DFT-PI2BPSK-Outter\_Full-216@0-Ant41-2490.49-16.65--41.65-PASS



1-N41-PC2-30-80-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant41-2496.02-19.96--42.86-PASS




1-N41-PC2-30-80-L-6-CP-QPSK-Outter\_Full-217@0-Ant41-2490.46-16.17--41.17-PASS




1-N41-PC2-30-80-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@216-Ant41-2690.00-19.23--39.13-PASS




1-N41-PC2-30-80-H-3-DFT-PI2BPSK-Outer\_Full-216@0-Ant41-2774.76-26.79--51.79-PASS




1-N41-PC2-30-80-H-5-CP-QPSK-Edge\_1RB\_Right-1@216-Ant41-2690.00-21.45--41.35-PASS




1-N41-PC2-30-80-H-6-CP-QPSK-Outer\_Full-217@0-Ant41-2773.45-26.79--51.79-PASS




1-N41-PC2-30-90-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant41-2496.00-15.49--38.49-PASS




1-N41-PC2-30-90-L-3-DFT-PI2BPSK-Outer\_Full-240@0-Ant41-2490.44-16.66--41.66-PASS




1-N41-PC2-30-90-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant41-2496.00-17.87--40.87-PASS




1-N41-PC2-30-90-L-6-CP-QPSK-Outer\_Full-245@0-Ant41-2490.02-15.78--40.78-PASS



1-N41-PC2-30-90-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@244-Ant41-2689.98-17.92--37.92-PASS




1-N41-PC2-30-90-H-3-DFT-PI2BPSK-Outer\_Full-240@0-Ant41-2783.16-26.76--51.76-PASS




1-N41-PC2-30-90-H-5-CP-QPSK-Edge\_1RB\_Right-1@244-Ant41-2689.99-20.64--40.64-PASS




1-N41-PC2-30-90-H-6-CP-QPSK-Outer\_Full-245@0-Ant41-2695.75-26.71--39.71-PASS




1-N41-PC2-30-100-L-1-DFT-PI2BPSK-Edge\_1RB\_Left-1@0-Ant41-2496.01-14.41--37.41-PASS




1-N41-PC2-30-100-L-3-DFT-PI2BPSK-Outer\_Full-270@0-Ant41-2490.49-16.43--41.43-PASS



1-N41-PC2-30-100-L-4-CP-QPSK-Edge\_1RB\_Left-1@0-Ant41-2496.01-16.95--39.95-PASS




1-N41-PC2-30-100-L-6-CP-QPSK-Outer\_Full-273@0-Ant41-2490.34-16.01--41.01-PASS



1-N41-PC2-30-100-H-2-DFT-PI2BPSK-Edge\_1RB\_Right-1@272-Ant41-2690.01-17.42--37.42-PASS



1-N41-PC2-30-100-H-3-DFT-PI2BPSK-Outer\_Full-270@0-Ant41-2792.15-26.73--51.73-PASS



1-N41-PC2-30-100-H-5-CP-QPSK-Edge\_1RB\_Right-1@272-Ant41-2690.00-20.29--40.29-PASS




1-N41-PC2-30-100-H-6-CP-QPSK-Outer\_Full-273@0-Ant41-2793.67-26.74--51.74-PASS


## Conducted Spurious Emission for SA

### Test Result

| Band | SCS | Bandwidth | Modulation  | Channel | StartFreq | StopFreq | RB Config | Result | Limit | Verdict |
|------|-----|-----------|-------------|---------|-----------|----------|-----------|--------|-------|---------|
| N41  | 30  | 100       | DFT-PI2BPSK | L       | 0.009     | 0.15     | 1@1       | -65.97 | -55   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | L       | 0.15      | 30       | 1@1       | -67.97 | -45   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | L       | 30        | 1000     | 1@1       | -52.61 | -35   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | L       | 1000      | 3000     | 1@1       | -41.04 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | L       | 3000      | 18000    | 1@1       | -36.78 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | L       | 18000     | 26500    | 1@1       | -34.75 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | M       | 0.009     | 0.15     | 1@1       | -65.42 | -55   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | M       | 0.15      | 30       | 1@1       | -67.56 | -45   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | M       | 30        | 1000     | 1@1       | -52.85 | -35   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | M       | 1000      | 3000     | 1@1       | -41.08 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | M       | 3000      | 18000    | 1@1       | -36.71 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | M       | 18000     | 26500    | 1@1       | -34.61 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | H       | 0.009     | 0.15     | 1@1       | -65.96 | -55   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | H       | 0.15      | 30       | 1@1       | -64.17 | -45   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | H       | 30        | 1000     | 1@1       | -52.57 | -35   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | H       | 1000      | 3000     | 1@1       | -41.05 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | H       | 3000      | 18000    | 1@1       | -36.87 | -25   | PASS    |
| N41  | 30  | 100       | DFT-PI2BPSK | H       | 18000     | 26500    | 1@1       | -34.62 | -25   | PASS    |

Test Graphs





1-N41-PC2-30-100-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant41-865.66--52.61--35-PAS  
S



1-N41-PC2-30-100-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant41-3000.00--41.04--25-P  
ASS



1-N41-PC2-30-100-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-18000-Ant41-16623.00--36.78--2

## 5-PASS




1-N41-PC2-30-100-L-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-18000-26500-Ant41-25718.21--34.75--  
25-PASS



1-N41-PC2-30-100-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant41-0.01--65.42--55-PAS  
S



1-N41-PC2-30-100-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant41-0.16--67.56--45-PASS



1-N41-PC2-30-100-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant41-892.52--52.85--35-PASS



1-N41-PC2-30-100-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant41-2797.90--41.08--25-PASS




1-N41-PC2-30-100-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-18000-Ant41-16581.75--36.71--2  
5-PASS




1-N41-PC2-30-100-M-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-18000-26500-Ant41-25701.64--34.61--  
25-PASS



1-N41-PC2-30-100-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.009-0.15-Ant41-0.01--65.96--55-PAS  
S



1-N41-PC2-30-100-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-0.15-30-Ant41-0.19--64.17--45-PASS



1-N41-PC2-30-100-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-30-1000-Ant41-926.86--52.57--35-PASS



1-N41-PC2-30-100-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-1000-3000-Ant41-2994.50--41.05--25-PASS



1-N41-PC2-30-100-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-3000-18000-Ant41-16242.00--36.87--2  
5-PASS



1-N41-PC2-30-100-H-1-NS\_01-DFT-PI2BPSK-Inner\_1RB\_Left-1@1-18000-26500-Ant41-25662.54--34.62--  
25-PASS

## Field Strength of Spurious Radiation

| SA Band 41 ANT41-Low channel |               |                |                       |                        |                       |                          |                       |        |
|------------------------------|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|
| Frequency<br>(MHz)           | EIRP<br>(dBm) | Limit<br>(dBm) | Over<br>Limit<br>(dB) | S.G.<br>Power<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 5002.02                      | -62.86        | -25            | -37.86                | -68.43                 | 4.57                  | 10.14                    | Horizontal            | Pass   |
| 7503.03                      | -61.14        | -25            | -36.14                | -67.94                 | 4.94                  | 11.74                    | Horizontal            | Pass   |
| 10004.04                     | -57.43        | -25            | -32.43                | -65.0                  | 5.46                  | 13.03                    | Horizontal            | Pass   |
| 5002.02                      | -63.23        | -25            | -38.23                | -68.8                  | 4.57                  | 10.14                    | Vertical              | Pass   |
| 7503.03                      | -60.99        | -25            | -35.99                | -67.79                 | 4.94                  | 11.74                    | Vertical              | Pass   |
| 10004.04                     | -58.04        | -25            | -33.04                | -65.61                 | 5.46                  | 13.03                    | Vertical              | Pass   |

| SA Band 41 ANT41-Middle channel |               |                |                       |                        |                       |                          |                       |        |
|---------------------------------|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|
| Frequency<br>(MHz)              | EIRP<br>(dBm) | Limit<br>(dBm) | Over<br>Limit<br>(dB) | S.G.<br>Power<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 5095.98                         | -63.42        | -25            | -38.42                | -69.02                 | 4.6                   | 10.2                     | Horizontal            | Pass   |
| 7643.97                         | -60.8         | -25            | -35.8                 | -67.76                 | 4.95                  | 11.91                    | Horizontal            | Pass   |
| 10191.96                        | -57.54        | -25            | -32.54                | -65.11                 | 5.49                  | 13.06                    | Horizontal            | Pass   |
| 5095.98                         | -61.96        | -25            | -36.96                | -67.56                 | 4.6                   | 10.2                     | Vertical              | Pass   |
| 7643.97                         | -60.52        | -25            | -35.52                | -67.48                 | 4.95                  | 11.91                    | Vertical              | Pass   |
| 10191.96                        | -57.92        | -25            | -32.92                | -65.49                 | 5.49                  | 13.06                    | Vertical              | Pass   |

| SA Band 41 ANT41-High channel |               |                |                       |                        |                       |                          |                       |        |
|-------------------------------|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|
| Frequency<br>(MHz)            | EIRP<br>(dBm) | Limit<br>(dBm) | Over<br>Limit<br>(dB) | S.G.<br>Power<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 5190.0                        | -63.6         | -25            | -38.6                 | -69.23                 | 4.63                  | 10.26                    | Horizontal            | Pass   |
| 7785.0                        | -59.77        | -25            | -34.77                | -66.89                 | 4.96                  | 12.08                    | Horizontal            | Pass   |
| 10380.0                       | -56.98        | -25            | -31.98                | -64.56                 | 5.52                  | 13.1                     | Horizontal            | Pass   |
| 5190.0                        | -63.96        | -25            | -38.96                | -69.59                 | 4.63                  | 10.26                    | Vertical              | Pass   |
| 7785.0                        | -59.96        | -25            | -34.96                | -67.08                 | 4.96                  | 12.08                    | Vertical              | Pass   |
| 10380.0                       | -57.31        | -25            | -32.31                | -64.89                 | 5.52                  | 13.1                     | Vertical              | Pass   |

| DC_66A_n41A-Low channel |               |                |                       |                        |                       |                          |                       |        |
|-------------------------|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|
| Frequency<br>(MHz)      | EIRP<br>(dBm) | Limit<br>(dBm) | Over<br>Limit<br>(dB) | S.G.<br>Power<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 5002.02                 | -63.33        | -25            | -38.33                | -68.9                  | 4.57                  | 10.14                    | Horizontal            | Pass   |
| 7503.03                 | -60.75        | -25            | -35.75                | -67.55                 | 4.94                  | 11.74                    | Horizontal            | Pass   |
| 10004.04                | -57.9         | -25            | -32.9                 | -65.47                 | 5.46                  | 13.03                    | Horizontal            | Pass   |
| 5002.02                 | -63.18        | -25            | -38.18                | -68.75                 | 4.57                  | 10.14                    | Vertical              | Pass   |
| 7503.03                 | -61.16        | -25            | -36.16                | -67.96                 | 4.94                  | 11.74                    | Vertical              | Pass   |
| 10004.04                | -58.16        | -25            | -33.16                | -65.73                 | 5.46                  | 13.03                    | Vertical              | Pass   |

| DC_66A_n41A -Middle channel |               |                |                       |                        |                       |                          |                       |        |
|-----------------------------|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|
| Frequency<br>(MHz)          | EIRP<br>(dBm) | Limit<br>(dBm) | Over<br>Limit<br>(dB) | S.G.<br>Power<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 5095.98                     | -64.08        | -25            | -39.08                | -69.68                 | 4.6                   | 10.2                     | Horizontal            | Pass   |
| 7643.97                     | -61.47        | -25            | -36.47                | -68.43                 | 4.95                  | 11.91                    | Horizontal            | Pass   |
| 10191.96                    | -57.92        | -25            | -32.92                | -65.49                 | 5.49                  | 13.06                    | Horizontal            | Pass   |
| 5095.98                     | -64.03        | -25            | -39.03                | -69.63                 | 4.6                   | 10.2                     | Vertical              | Pass   |
| 7643.97                     | -61.4         | -25            | -36.4                 | -68.36                 | 4.95                  | 11.91                    | Vertical              | Pass   |
| 10191.96                    | -57.92        | -25            | -32.92                | -65.49                 | 5.49                  | 13.06                    | Vertical              | Pass   |

| DC_66A_n41A -High channel |               |                |                       |                        |                       |                          |                       |        |
|---------------------------|---------------|----------------|-----------------------|------------------------|-----------------------|--------------------------|-----------------------|--------|
| Frequency<br>(MHz)        | EIRP<br>(dBm) | Limit<br>(dBm) | Over<br>Limit<br>(dB) | S.G.<br>Power<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) | Polarization<br>(H/V) | Result |
| 5190.0                    | -64.25        | -25            | -39.25                | -69.88                 | 4.63                  | 10.26                    | Horizontal            | Pass   |
| 7785.0                    | -60.22        | -25            | -35.22                | -67.34                 | 4.96                  | 12.08                    | Horizontal            | Pass   |
| 10380.0                   | -57.66        | -25            | -32.66                | -65.24                 | 5.52                  | 13.1                     | Horizontal            | Pass   |
| 5190.0                    | -64.34        | -25            | -39.34                | -69.97                 | 4.63                  | 10.26                    | Vertical              | Pass   |
| 7785.0                    | -60.27        | -25            | -35.27                | -67.39                 | 4.96                  | 12.08                    | Vertical              | Pass   |
| 10380.0                   | -58.1         | -25            | -33.1                 | -65.68                 | 5.52                  | 13.1                     | Vertical              | Pass   |

Remark:

1) All antennas of RSE are tested, and only the worst data is presented.

## Frequency Stability for SA

### Test Result

#### Frequency Error VS. Voltage

| Voltage |     |           |             |         |           |               |                  |                |                 |         |
|---------|-----|-----------|-------------|---------|-----------|---------------|------------------|----------------|-----------------|---------|
| Band    | SCS | Bandwidth | Modulation  | Channel | RB Config | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Verdict |
| N41     | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | VH            | NT               | -12.20         | 0.00            | PASS    |
| N41     | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | VN            | NT               | 8.00           | 0.00            | PASS    |
| N41     | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | VL            | NT               | 14.40          | 0.01            | PASS    |
| N41     | 30  | 100       | CP-QPSK     | M       | 273@0     | VH            | NT               | 10.70          | 0.00            | PASS    |
| N41     | 30  | 100       | CP-QPSK     | M       | 273@0     | VN            | NT               | 14.30          | 0.01            | PASS    |
| N41     | 30  | 100       | CP-QPSK     | M       | 273@0     | VL            | NT               | 6.70           | 0.00            | PASS    |

#### Frequency Error VS. Temperature

| Temperature |     |           |             |         |           |               |                  |                |                 |         |
|-------------|-----|-----------|-------------|---------|-----------|---------------|------------------|----------------|-----------------|---------|
| Band        | SCS | Bandwidth | Modulation  | Channel | RB Config | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Verdict |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | 50               | 11.500000      | 0.004435        | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | -20              | 14.300000      | 0.005515        | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | -10              | 13.600000      | 0.005245        | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | 0                | 5.100000       | 0.001967        | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | 10               | -8.900000      | -0.003432       | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | 20               | -15.500000     | -0.005978       | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | 30               | -8.800000      | -0.003394       | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | -30              | -11.100000     | -0.004281       | PASS    |
| N41         | 30  | 100       | DFT-PI2BPSK | M       | 270@0     | NV            | 40               | -12.300000     | -0.004744       | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | 50               | -8.000000      | -0.003085       | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | -20              | 10.700000      | 0.004127        | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | -10              | 5.100000       | 0.001967        | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | 0                | 18.900000      | 0.007289        | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | 10               | 6.500000       | 0.002507        | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | 20               | -7.200000      | -0.002777       | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | 30               | 9.200000       | 0.003548        | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | 40               | 5.900000       | 0.002275        | PASS    |
| N41         | 30  | 100       | CP-QPSK     | M       | 273@0     | NV            | -30              | 13.500000      | 0.005206        | PASS    |

---End of Attachment---