



**2.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**




**2.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 844                    | 99            | 26            | 0.03      | Peak     | 9.27      | 9.7                 | 10                | Pass    |



**2.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 829                    | 99            | 26            | 0.03      | Peak     | 9.27      | 9.87                | 10                | Pass    |




2.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 9.26      | 9.82                | 10                | Pass    |




## 2.21. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 844                    | 99            | 26            | 0.03      | Peak     | 9.26      | 9.83                | 10                | Pass    |




2.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 829                    | 99            | 26            | 0.03      | Peak     | 9.28      | 9.82                | 10                | Pass    |




**2.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 9.28      | 9.83                | 10                | Pass    |




**2.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 844                    | 99            | 26            | 0.03      | Peak     | 9.28      | 9.77                | 10                | Pass    |




**2.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 831.5                  | 99            | 26            | 0.03      | Peak     | 14.1      | 14.79               | 15                | Pass    |




**2.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.73               | 15                | Pass    |




**2.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 841.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.72               | 15                | Pass    |




2.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 831.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.65               | 15                | Pass    |




## 2.29. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.66               | 15                | Pass    |




**2.30. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 841.5                  | 99            | 26            | 0.03      | Peak     | 14.06     | 14.67               | 15                | Pass    |




**2.31. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 831.5                  | 99            | 26            | 0.03      | Peak     | 14.1      | 14.65               | 15                | Pass    |




2.32. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.57               | 15                | Pass    |




**2.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 841.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.61               | 15                | Pass    |




**2.34. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 831.5                  | 99            | 26            | 0.03      | Peak     | 14.1      | 14.7                | 15                | Pass    |




**2.35. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.61               | 15                | Pass    |




**2.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 841.5                  | 99            | 26            | 0.03      | Peak     | 14.07     | 14.73               | 15                | Pass    |




**2.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 834                    | 99            | 26            | 0.03      | Peak     | 18.91     | 19.54               | 20                | Pass    |




**2.38. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 18.91     | 19.66               | 20                | Pass    |




**2.39. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 839                    | 99            | 26            | 0.03      | Peak     | 18.88     | 19.48               | 20                | Pass    |




2.40. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 834                    | 99            | 26            | 0.03      | Peak     | 18.93     | 19.58               | 20                | Pass    |




**2.41. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 18.9      | 19.54               | 20                | Pass    |




2.42. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 839                    | 99            | 26            | 0.03      | Peak     | 18.91     | 19.52               | 20                | Pass    |




**2.43. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**




2.44. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 18.89     | 19.54               | 20                | Pass    |




2.45. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 839                    | 99            | 26            | 0.03      | Peak     | 18.89     | 19.42               | 20                | Pass    |




2.46. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 834                    | 99            | 26            | 0.03      | Peak     | 18.93     | 19.62               | 20                | Pass    |




2.47. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 836.5                  | 99            | 26            | 0.03      | Peak     | 18.95     | 19.53               | 20                | Pass    |




2.48. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)



### 3. n7


3.1. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2502.5                 | 99            | 26            | 0.1       | Peak     | 4.53      | 5.37                | 5                 | Pass    |




### 3.2. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.1       | Peak     | 4.52      | 5.89                | 5                 | Pass    |




### 3.3. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2567.5                 | 99            | 26            | 0.1       | Peak     | 4.53      | 6.07                | 5                 | Pass    |




### 3.4. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2502.5                 | 99            | 26            | 0.1       | Peak     | 4.58      | 6.59                | 5                 | Pass    |




### 3.5. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.1       | Peak     | 4.57      | 6.16                | 5                 | Pass    |




**3.6. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2567.5                 | 99            | 26            | 0.1       | Peak     | 4.57      | 6.65                | 5                 | Pass    |




### 3.7. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2502.5                 | 99            | 26            | 0.1       | Peak     | 4.61      | 8.13                | 5                 | Pass    |




**3.8. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**




### 3.9. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2567.5                 | 99            | 26            | 0.1       | Peak     | 4.59      | 7.83                | 5                 | Pass    |




### 3.10. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2502.5                 | 99            | 26            | 0.1       | Peak     | 4.53      | 5.53                | 5                 | Pass    |




### 3.11. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.1       | Peak     | 4.53      | 5.39                | 5                 | Pass    |




### 3.12. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2567.5                 | 99            | 26            | 0.1       | Peak     | 4.53      | 5.38                | 5                 | Pass    |




**3.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2505                   | 99            | 26            | 0.03      | Peak     | 9.28      | 10.36               | 10                | Pass    |




**3.38. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 9.29      | 10.47               | 10                | Pass    |




**3.39. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2565                   | 99            | 26            | 0.03      | Peak     | 9.29      | 9.92                | 10                | Pass    |




**3.40. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**




**3.41. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 9.28      | 10.23               | 10                | Pass    |




**3.42. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2565                   | 99            | 26            | 0.03      | Peak     | 9.29      | 10.5                | 10                | Pass    |




**3.43. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2505                   | 99            | 26            | 0.03      | Peak     | 9.28      | 9.82                | 10                | Pass    |




**3.44. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 9.28      | 9.83                | 10                | Pass    |




**3.45. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2565                   | 99            | 26            | 0.03      | Peak     | 9.29      | 10.14               | 10                | Pass    |




**3.46. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**




3.47. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 9.29      | 9.95                | 10                | Pass    |




3.48. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2565                   | 99            | 26            | 0.03      | Peak     | 9.29      | 9.89                | 10                | Pass    |




**3.49. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2507.5                 | 99            | 26            | 0.03      | Peak     | 14.09     | 14.78               | 15                | Pass    |




3.50. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 14.11     | 16.59               | 15                | Pass    |




**3.51. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2562.5                 | 99            | 26            | 0.03      | Peak     | 14.11     | 14.78               | 15                | Pass    |




**3.52. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2507.5                 | 99            | 26            | 0.03      | Peak     | 14.09     | 14.72               | 15                | Pass    |




**3.53. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 14.09     | 14.65               | 15                | Pass    |



**3.54. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2562.5                 | 99            | 26            | 0.03      | Peak     | 14.09     | 14.68               | 15                | Pass    |




**3.55. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2507.5                 | 99            | 26            | 0.03      | Peak     | 14.1      | 14.62               | 15                | Pass    |




3.56. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 14.11     | 15.07               | 15                | Pass    |




3.57. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2562.5                 | 99            | 26            | 0.03      | Peak     | 14.1      | 15.2                | 15                | Pass    |




3.58. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2507.5                 | 99            | 26            | 0.03      | Peak     | 14.09     | 14.72               | 15                | Pass    |




3.59. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 14.11     | 14.65               | 15                | Pass    |




3.60. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2562.5                 | 99            | 26            | 0.03      | Peak     | 14.11     | 15.56               | 15                | Pass    |




**3.61. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2510                   | 99            | 26            | 0.03      | Peak     | 18.91     | 19.85               | 20                | Pass    |




**3.62. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 18.94     | 19.61               | 20                | Pass    |




**3.63. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2560                   | 99            | 26            | 0.03      | Peak     | 18.95     | 19.61               | 20                | Pass    |




**3.64. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2510                   | 99            | 26            | 0.03      | Peak     | 18.94     | 19.59               | 20                | Pass    |




3.65. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 18.95     | 19.58               | 20                | Pass    |




**3.66. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2560                   | 99            | 26            | 0.03      | Peak     | 18.92     | 19.59               | 20                | Pass    |




**3.67. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2510                   | 99            | 26            | 0.03      | Peak     | 18.91     | 19.47               | 20                | Pass    |




3.68. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 18.93     | 19.58               | 20                | Pass    |




3.69. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2560                   | 99            | 26            | 0.03      | Peak     | 18.92     | 19.6                | 20                | Pass    |




3.70. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2510                   | 99            | 26            | 0.03      | Peak     | 18.94     | 19.57               | 20                | Pass    |




3.71. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 0.03      | Peak     | 18.96     | 19.64               | 20                | Pass    |




3.72. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2560                   | 99            | 26            | 0.03      | Peak     | 18.97     | 19.68               | 20                | Pass    |




### 3.13. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2512.5                 | 99            | 26            | 1         | Peak     | 24.15     | 27.69               | 25                | Pass    |




### 3.14. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 24.26     | 30.28               | 25                | Pass    |




### 3.15. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2557.5                 | 99            | 26            | 1         | Peak     | 24.19     | 29.39               | 25                | Pass    |




**3.16. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2512.5                 | 99            | 26            | 1         | Peak     | 24.1      | 29.36               | 25                | Pass    |




### 3.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 24.19     | 28.67               | 25                | Pass    |




### 3.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2557.5                 | 99            | 26            | 1         | Peak     | 24.13     | 29.65               | 25                | Pass    |




### 3.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2512.5                 | 99            | 26            | 1         | Peak     | 24.12     | 29.21               | 25                | Pass    |




**3.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 24.25     | 29.89               | 25                | Pass    |




### 3.21. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2557.5                 | 99            | 26            | 1         | Peak     | 24.17     | 29.58               | 25                | Pass    |




### 3.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2512.5                 | 99            | 26            | 1         | Peak     | 24.14     | 29.72               | 25                | Pass    |




### 3.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 24.23     | 29.53               | 25                | Pass    |




**3.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2557.5                 | 99            | 26            | 1         | Peak     | 24.16     | 29.7                | 25                | Pass    |



**3.73. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2515                   | 99            | 26            | 1         | Peak     | 28.86     | 33.39               | 30                | Pass    |






**3.75. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2555                   | 99            | 26            | 1         | Peak     | 28.9      | 34.11               | 30                | Pass    |




3.76. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2515                   | 99            | 26            | 1         | Peak     | 28.83     | 33.12               | 30                | Pass    |




3.77. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 28.95     | 33.25               | 30                | Pass    |




3.78. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2555                   | 99            | 26            | 1         | Peak     | 28.86     | 32.7                | 30                | Pass    |




**3.79. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2515                   | 99            | 26            | 1         | Peak     | 28.83     | 34.42               | 30                | Pass    |




3.80. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 28.98     | 34.85               | 30                | Pass    |




**3.81. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2555                   | 99            | 26            | 1         | Peak     | 28.89     | 34.67               | 30                | Pass    |




**3.82. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2515                   | 99            | 26            | 1         | Peak     | 28.77     | 34.49               | 30                | Pass    |




**3.83. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 28.9      | 35.43               | 30                | Pass    |




**3.84. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2555                   | 99            | 26            | 1         | Peak     | 28.8      | 34.53               | 30                | Pass    |




**3.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2520                   | 99            | 26            | 1         | Peak     | 38.81     | 44.44               | 40                | Pass    |




**3.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 38.9      | 44.25               | 40                | Pass    |




**3.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2550                   | 99            | 26            | 1         | Peak     | 38.83     | 44.55               | 40                | Pass    |




### 3.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2520                   | 99            | 26            | 1         | Peak     | 38.94     | 44.56               | 40                | Pass    |




### 3.29. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 39.02     | 44.26               | 40                | Pass    |




### 3.30. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2550                   | 99            | 26            | 1         | Peak     | 38.94     | 45.1                | 40                | Pass    |




### 3.31. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2520                   | 99            | 26            | 1         | Peak     | 38.9      | 44.23               | 40                | Pass    |




### 3.32. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 39.02     | 43.79               | 40                | Pass    |




**3.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2550                   | 99            | 26            | 1         | Peak     | 38.91     | 43.81               | 40                | Pass    |




**3.34. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2520                   | 99            | 26            | 1         | Peak     | 38.79     | 44.1                | 40                | Pass    |




**3.35. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2535                   | 99            | 26            | 1         | Peak     | 38.89     | 44.71               | 40                | Pass    |




**3.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 2550                   | 99            | 26            | 1         | Peak     | 38.79     | 45.16               | 40                | Pass    |




## 2. n26 15kHz(824-849)


2.1. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




**2.2. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**




### 2.3. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




**2.4. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**




**2.5. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**




**2.6. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**




**2.7. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**




**2.8. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**




**2.9. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**




**2.10. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**




**2.11. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**




**2.12. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**




**2.13. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**




**2.14. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**




**2.15. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**




**2.16. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**




**2.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**




**2.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**




**2.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**




**2.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**




**2.21. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**




**2.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**




**2.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**




**2.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**




**2.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**




**2.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**




**2.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**




**2.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**




**2.29. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**




**2.30. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**




**2.31. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**




**2.32. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**




**2.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**




**2.34. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**



**2.35. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**



**2.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**



**2.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

