



1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.79	-25	Pass	2986
30	1000	0.1	RMS	839.6	-59.63	-25	Pass	9701
1000	2486	1	RMS	2484	-44.63	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.48	60	Pass	401
2700	3000	1	RMS	2956.5	-44.57	-25	Pass	401
3000	12000	1	RMS	11856	-56.91	-25	Pass	9002
12000	27000	1	RMS	25998	-42	-25	Pass	15002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.02	-25	Pass	2986
30	1000	0.1	RMS	850.401	-59.59	-25	Pass	9701
1000	2486	1	RMS	2481	-46.37	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.88	60	Pass	401
2700	3000	1	RMS	2956.5	-44.59	-25	Pass	401
3000	12000	1	RMS	5182	-50.62	-25	Pass	9002
12000	27000	1	RMS	26001	-41.87	-25	Pass	15002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-25	Pass	2986
30	1000	0.1	RMS	844	-59.57	-25	Pass	9701
1000	2486	1	RMS	2484	-46.33	-25	Pass	1487
2486	2700	1	RMS	2590.325	21.71	60	Pass	401
2700	3000	1	RMS	2957.25	-44.59	-25	Pass	401
3000	12000	1	RMS	5182	-52.76	-25	Pass	9002
12000	27000	1	RMS	26011	-41.98	-25	Pass	15002




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.81	-25	Pass	2986
30	1000	0.1	RMS	853.803	-59.59	-25	Pass	9701
1000	2486	1	RMS	2475	-46.4	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.84	60	Pass	401
2700	3000	1	RMS	2957.25	-44.59	-25	Pass	401
3000	12000	1	RMS	11851	-57	-25	Pass	9002
12000	27000	1	RMS	26002	-41.93	-25	Pass	15002




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-25	Pass	2986
30	1000	0.1	RMS	847	-59.7	-25	Pass	9701
1000	2486	1	RMS	2484	-46.39	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.38	60	Pass	401
2700	3000	1	RMS	2956.5	-44.6	-25	Pass	401
3000	12000	1	RMS	11849	-56.87	-25	Pass	9002
12000	27000	1	RMS	26001	-41.95	-25	Pass	15002




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.41	-25	Pass	2986
30	1000	0.1	RMS	855.104	-59.59	-25	Pass	9701
1000	2486	1	RMS	2486	-42.98	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.08	60	Pass	401
2700	3000	1	RMS	2951.25	-44.6	-25	Pass	401
3000	12000	1	RMS	11843	-56.91	-25	Pass	9002
12000	27000	1	RMS	26005	-41.97	-25	Pass	15002




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.57	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.54	-25	Pass	2986
30	1000	0.1	RMS	853.903	-59.72	-25	Pass	9701
1000	2486	1	RMS	2485	-41.48	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.57	60	Pass	401
2700	3000	1	RMS	2957.25	-44.6	-25	Pass	401
3000	12000	1	RMS	11847	-56.87	-25	Pass	9002
12000	27000	1	RMS	25997	-41.99	-25	Pass	15002



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.53	-25	Pass	2986
30	1000	0.1	RMS	855.004	-59.66	-25	Pass	9701
1000	2486	1	RMS	2484	-46.34	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.52	60	Pass	401
2700	3000	1	RMS	2956.5	-44.57	-25	Pass	401
3000	12000	1	RMS	5178	-54.68	-25	Pass	9002
12000	27000	1	RMS	25997	-41.88	-25	Pass	15002



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.53	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.59	-25	Pass	2986
30	1000	0.1	RMS	855.104	-59.39	-25	Pass	9701
1000	2486	1	RMS	2486	-46.36	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.61	60	Pass	401
2700	3000	1	RMS	2950.5	-44.55	-25	Pass	401
3000	12000	1	RMS	5177	-55.21	-25	Pass	9002
12000	27000	1	RMS	25998	-41.87	-25	Pass	15002



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.05	-25	Pass	2986
30	1000	0.1	RMS	719.9	-58.89	-25	Pass	9701
1000	2486	1	RMS	2480	-46.24	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.97	60	Pass	401
2700	3000	1	RMS	2956.5	-44.59	-25	Pass	401
3000	12000	1	RMS	11856	-57	-25	Pass	9002
12000	27000	1	RMS	25997	-41.99	-25	Pass	15002



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.59	-25	Pass	2986
30	1000	0.1	RMS	976.985	-59.69	-25	Pass	9701
1000	2486	1	RMS	2485	-46.41	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.15	60	Pass	401
2700	3000	1	RMS	2700	-44.56	-25	Pass	401
3000	12000	1	RMS	11844	-56.94	-25	Pass	9002
12000	27000	1	RMS	25985	-41.96	-25	Pass	15002



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.5	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.26	-25	Pass	2986
30	1000	0.1	RMS	835.2	-59.62	-25	Pass	9701
1000	2486	1	RMS	2486	-41.92	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.4	60	Pass	401
2700	3000	1	RMS	2957.25	-44.61	-25	Pass	401
3000	12000	1	RMS	11851	-56.96	-25	Pass	9002
12000	27000	1	RMS	25994	-41.93	-25	Pass	15002



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.92	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.02	-25	Pass	2986
30	1000	0.1	RMS	867.212	-59.66	-25	Pass	9701
1000	2486	1	RMS	2486	-41.26	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.6	60	Pass	401
2700	3000	1	RMS	2956.5	-44.54	-25	Pass	401
3000	12000	1	RMS	11848	-56.91	-25	Pass	9002
12000	27000	1	RMS	26001	-41.94	-25	Pass	15002



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	Pass	2986
30	1000	0.1	RMS	851.902	-59.5	-25	Pass	9701
1000	2486	1	RMS	2486	-46.23	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.26	60	Pass	401
2700	3000	1	RMS	2956.5	-44.6	-25	Pass	401
3000	12000	1	RMS	11847	-56.95	-25	Pass	9002
12000	27000	1	RMS	26004	-41.88	-25	Pass	15002



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.75	-25	Pass	2986
30	1000	0.1	RMS	834.8	-59.65	-25	Pass	9701
1000	2486	1	RMS	2483	-46.29	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.3	60	Pass	401
2700	3000	1	RMS	2956.5	-44.58	-25	Pass	401
3000	12000	1	RMS	11853	-56.91	-25	Pass	9002
12000	27000	1	RMS	26010	-41.94	-25	Pass	15002



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.39	-25	Pass	2986
30	1000	0.1	RMS	844.2	-59.47	-25	Pass	9701
1000	2486	1	RMS	2486	-46.38	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.17	60	Pass	401
2700	3000	1	RMS	2949	-44.63	-25	Pass	401
3000	12000	1	RMS	11851	-57	-25	Pass	9002
12000	27000	1	RMS	26002	-41.92	-25	Pass	15002



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.01	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.61	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.54	-25	Pass	9701
1000	2486	1	RMS	2483	-46.34	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.36	60	Pass	401
2700	3000	1	RMS	2952.75	-44.6	-25	Pass	401
3000	12000	1	RMS	11852	-56.93	-25	Pass	9002
12000	27000	1	RMS	25997	-41.95	-25	Pass	15002



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.43	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.96	-25	Pass	2986
30	1000	0.1	RMS	849.5	-59.63	-25	Pass	9701
1000	2486	1	RMS	2486	-43.21	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.58	60	Pass	401
2700	3000	1	RMS	2957.25	-44.61	-25	Pass	401
3000	12000	1	RMS	11850	-56.91	-25	Pass	9002
12000	27000	1	RMS	25998	-41.89	-25	Pass	15002



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.14	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.36	-25	Pass	2986
30	1000	0.1	RMS	847.9	-59.53	-25	Pass	9701
1000	2486	1	RMS	2486	-41.16	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.61	60	Pass	401
2700	3000	1	RMS	2956.5	-44.59	-25	Pass	401
3000	12000	1	RMS	11852	-56.91	-25	Pass	9002
12000	27000	1	RMS	26008	-41.92	-25	Pass	15002



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	Pass	2986
30	1000	0.1	RMS	855.204	-59.6	-25	Pass	9701
1000	2486	1	RMS	2483	-46.29	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.79	60	Pass	401
2700	3000	1	RMS	2955	-44.58	-25	Pass	401
3000	12000	1	RMS	11852	-56.95	-25	Pass	9002
12000	27000	1	RMS	26005	-41.84	-25	Pass	15002



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.68	-25	Pass	401
0.15	30	0.01	RMS	0.31	-68.65	-25	Pass	2986
30	1000	0.1	RMS	854.604	-59.66	-25	Pass	9701
1000	2486	1	RMS	2484	-46.28	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.36	60	Pass	401
2700	3000	1	RMS	2956.5	-44.58	-25	Pass	401
3000	12000	1	RMS	5168	-54.87	-25	Pass	9002
12000	27000	1	RMS	26004	-41.9	-25	Pass	15002



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	Pass	2986
30	1000	0.1	RMS	853.003	-59.63	-25	Pass	9701
1000	2486	1	RMS	2482	-46.31	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.43	60	Pass	401
2700	3000	1	RMS	2956.5	-44.61	-25	Pass	401
3000	12000	1	RMS	11849	-56.9	-25	Pass	9002
12000	27000	1	RMS	26001	-41.95	-25	Pass	15002



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.58	-25	Pass	2986
30	1000	0.1	RMS	846.3	-59.59	-25	Pass	9701
1000	2486	1	RMS	2486	-46.34	-25	Pass	1487
2486	2715	1	RMS	2670.918	21.01	60	Pass	401
2715	3000	1	RMS	2955.825	-44.56	-25	Pass	401
3000	12000	1	RMS	11850	-56.9	-25	Pass	9002
12000	27000	1	RMS	25999	-41.86	-25	Pass	15002




1. CA_7C

1.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.62	-25	Pass	2986
30	1000	0.1	RMS	841.3	-63.68	-25	Pass	9701
1000	2475	1	RMS	2473	-47.62	-25	Pass	1476
2475	2735	1	RMS	2528.3	6.85	60	Pass	401
2735	3000	1	RMS	2956.938	-48.76	-25	Pass	401
3000	12000	1	RMS	11852	-51.24	-25	Pass	9002
12000	26000	1	RMS	26000	-36.32	-25	Pass	14002



1.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.9	-25	Pass	2986
30	1000	0.1	RMS	861.208	-63.74	-25	Pass	9701
1000	2475	1	RMS	2475	-49.26	-25	Pass	1476
2475	2735	1	RMS	2525.05	9.19	60	Pass	401
2735	3000	1	RMS	2956.938	-48.77	-25	Pass	401
3000	12000	1	RMS	11847	-51.28	-25	Pass	9002
12000	26000	1	RMS	25986	-36.39	-25	Pass	14002



1.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.46	-25	Pass	2986
30	1000	0.1	RMS	846.7	-63.71	-25	Pass	9701
1000	2475	1	RMS	2473	-50.66	-25	Pass	1476
2475	2735	1	RMS	2528.3	6.96	60	Pass	401
2735	3000	1	RMS	2947	-48.8	-25	Pass	401
3000	12000	1	RMS	11853	-51.2	-25	Pass	9002
12000	26000	1	RMS	25986	-36.42	-25	Pass	14002



1.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	Pass	2986
30	1000	0.1	RMS	854.203	-63.59	-25	Pass	9701
1000	2475	1	RMS	2475	-49.86	-25	Pass	1476
2475	2735	1	RMS	2521.15	8.24	60	Pass	401
2735	3000	1	RMS	2956.938	-48.78	-25	Pass	401
3000	12000	1	RMS	11848	-51.27	-25	Pass	9002
12000	26000	1	RMS	25989	-36.45	-25	Pass	14002



1.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-25	Pass	2986
30	1000	0.1	RMS	864.61	-63.75	-25	Pass	9701
1000	2475	1	RMS	2475	-50.58	-25	Pass	1476
2475	2735	1	RMS	2548.45	7.07	60	Pass	401
2735	3000	1	RMS	2952.963	-48.8	-25	Pass	401
3000	12000	1	RMS	11851	-51.18	-25	Pass	9002
12000	26000	1	RMS	26000	-36.39	-25	Pass	14002



1.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-25	Pass	2986
30	1000	0.1	RMS	858.606	-63.78	-25	Pass	9701
1000	2475	1	RMS	2475	-50.54	-25	Pass	1476
2475	2735	1	RMS	2547.15	9.37	60	Pass	401
2735	3000	1	RMS	2957.6	-48.8	-25	Pass	401
3000	12000	1	RMS	11850	-51.18	-25	Pass	9002
12000	26000	1	RMS	25999	-36.36	-25	Pass	14002



1.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-25	Pass	2986
30	1000	0.1	RMS	856.405	-63.61	-25	Pass	9701
1000	2475	1	RMS	2474	-50.58	-25	Pass	1476
2475	2735	1	RMS	2548.45	6.89	60	Pass	401
2735	3000	1	RMS	2956.938	-48.79	-25	Pass	401
3000	12000	1	RMS	11856	-51.25	-25	Pass	9002
12000	26000	1	RMS	25996	-36.4	-25	Pass	14002



1.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.88	-25	Pass	2986
30	1000	0.1	RMS	855.604	-63.59	-25	Pass	9701
1000	2475	1	RMS	2475	-50.6	-25	Pass	1476
2475	2735	1	RMS	2547.15	8.32	60	Pass	401
2735	3000	1	RMS	2956.938	-48.79	-25	Pass	401
3000	12000	1	RMS	11854	-51.3	-25	Pass	9002
12000	26000	1	RMS	25998	-36.31	-25	Pass	14002



1.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	Pass	2986
30	1000	0.1	RMS	852.802	-63.57	-25	Pass	9701
1000	2475	1	RMS	2469	-50.67	-25	Pass	1476
2475	2735	1	RMS	2568.6	7.25	60	Pass	401
2735	3000	1	RMS	2956.938	-48.72	-25	Pass	401
3000	12000	1	RMS	11852	-51.17	-25	Pass	9002
12000	26000	1	RMS	25996	-36.28	-25	Pass	14002



1.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.2	-25	Pass	2986
30	1000	0.1	RMS	853.703	-63.75	-25	Pass	9701
1000	2475	1	RMS	2474	-50.69	-25	Pass	1476
2475	2735	1	RMS	2563.4	9.16	60	Pass	401
2735	3000	1	RMS	2950.975	-48.78	-25	Pass	401
3000	12000	1	RMS	11848	-51.27	-25	Pass	9002
12000	26000	1	RMS	25980	-36.46	-25	Pass	14002



1.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-25	Pass	2986
30	1000	0.1	RMS	844.8	-63.75	-25	Pass	9701
1000	2475	1	RMS	2460	-50.61	-25	Pass	1476
2475	2735	1	RMS	2568.6	7.42	60	Pass	401
2735	3000	1	RMS	2956.938	-48.76	-25	Pass	401
3000	12000	1	RMS	11848	-51.19	-25	Pass	9002
12000	26000	1	RMS	25995	-36.38	-25	Pass	14002



1.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.29	-72.67	-25	Pass	2986
30	1000	0.1	RMS	739.3	-63.68	-25	Pass	9701
1000	2475	1	RMS	2474	-50.67	-25	Pass	1476
2475	2735	1	RMS	2561.45	8.2	60	Pass	401
2735	3000	1	RMS	2956.938	-48.79	-25	Pass	401
3000	12000	1	RMS	11846	-51.34	-25	Pass	9002
12000	26000	1	RMS	25994	-36.4	-25	Pass	14002



1.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-25	Pass	2986
30	1000	0.1	RMS	839.5	-63.72	-25	Pass	9701
1000	2475	1	RMS	2466	-50.65	-25	Pass	1476
2475	2735	1	RMS	2501	6.61	60	Pass	401
2735	3000	1	RMS	2953.625	-48.8	-25	Pass	401
3000	12000	1	RMS	11849	-51.21	-25	Pass	9002
12000	26000	1	RMS	25997	-36.25	-25	Pass	14002



1.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-25	Pass	2986
30	1000	0.1	RMS	868.113	-63.76	-25	Pass	9701
1000	2475	1	RMS	2475	-47.61	-25	Pass	1476
2475	2735	1	RMS	2537.4	6.35	60	Pass	401
2735	3000	1	RMS	2956.938	-48.79	-25	Pass	401
3000	12000	1	RMS	11850	-51.23	-25	Pass	9002
12000	26000	1	RMS	25979	-36.45	-25	Pass	14002



1.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-25	Pass	2986
30	1000	0.1	RMS	870.314	-63.67	-25	Pass	9701
1000	2475	1	RMS	2475	-50.69	-25	Pass	1476
2475	2735	1	RMS	2501	6.93	60	Pass	401
2735	3000	1	RMS	2956.938	-48.77	-25	Pass	401
3000	12000	1	RMS	11847	-51.28	-25	Pass	9002
12000	26000	1	RMS	25998	-36.34	-25	Pass	14002



1.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.06	-25	Pass	2986
30	1000	0.1	RMS	859.707	-63.56	-25	Pass	9701
1000	2475	1	RMS	2475	-48.8	-25	Pass	1476
2475	2735	1	RMS	2537.4	5.44	60	Pass	401
2735	3000	1	RMS	2956.938	-48.8	-25	Pass	401
3000	12000	1	RMS	11854	-51.24	-25	Pass	9002
12000	26000	1	RMS	25998	-36.41	-25	Pass	14002



1.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.59	-25	Pass	2986
30	1000	0.1	RMS	944.563	-63.81	-25	Pass	9701
1000	2475	1	RMS	2473	-50.62	-25	Pass	1476
2475	2735	1	RMS	2515.95	7.21	60	Pass	401
2735	3000	1	RMS	2944.35	-48.82	-25	Pass	401
3000	12000	1	RMS	11853	-51.32	-25	Pass	9002
12000	26000	1	RMS	25991	-36.4	-25	Pass	14002



1.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.35	-72.66	-25	Pass	2986
30	1000	0.1	RMS	841.5	-63.73	-25	Pass	9701
1000	2475	1	RMS	2475	-49.66	-25	Pass	1476
2475	2735	1	RMS	2551.7	6.67	60	Pass	401
2735	3000	1	RMS	2950.975	-48.79	-25	Pass	401
3000	12000	1	RMS	11852	-51.31	-25	Pass	9002
12000	26000	1	RMS	25985	-36.45	-25	Pass	14002



1.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.81	-25	Pass	2986
30	1000	0.1	RMS	830.3	-63.6	-25	Pass	9701
1000	2475	1	RMS	2474	-50.62	-25	Pass	1476
2475	2735	1	RMS	2553.65	7.03	60	Pass	401
2735	3000	1	RMS	2960.25	-48.8	-25	Pass	401
3000	12000	1	RMS	11855	-51.24	-25	Pass	9002
12000	26000	1	RMS	25998	-36.33	-25	Pass	14002



1.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	Pass	2986
30	1000	0.1	RMS	846.2	-63.74	-25	Pass	9701
1000	2475	1	RMS	2475	-50.19	-25	Pass	1476
2475	2735	1	RMS	2552.35	5.61	60	Pass	401
2735	3000	1	RMS	2956.938	-48.81	-25	Pass	401
3000	12000	1	RMS	11852	-51.28	-25	Pass	9002
12000	26000	1	RMS	25998	-36.41	-25	Pass	14002



1.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-25	Pass	2986
30	1000	0.1	RMS	845.7	-63.74	-25	Pass	9701
1000	2475	1	RMS	2475	-50.62	-25	Pass	1476
2475	2735	1	RMS	2568.6	7.19	60	Pass	401
2735	3000	1	RMS	2956.938	-48.8	-25	Pass	401
3000	12000	1	RMS	11852	-51.23	-25	Pass	9002
12000	26000	1	RMS	25996	-36.27	-25	Pass	14002



1.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.91	-25	Pass	2986
30	1000	0.1	RMS	855.804	-63.56	-25	Pass	9701
1000	2475	1	RMS	2475	-50.44	-25	Pass	1476
2475	2735	1	RMS	2554.95	6.31	60	Pass	401
2735	3000	1	RMS	2955.613	-48.81	-25	Pass	401
3000	12000	1	RMS	11859	-51.32	-25	Pass	9002
12000	26000	1	RMS	25999	-36.42	-25	Pass	14002



1.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	Pass	2986
30	1000	0.1	RMS	976.785	-63.7	-25	Pass	9701
1000	2475	1	RMS	2472	-50.69	-25	Pass	1476
2475	2735	1	RMS	2530.9	7.5	60	Pass	401
2735	3000	1	RMS	2954.95	-48.79	-25	Pass	401
3000	12000	1	RMS	11850	-51.27	-25	Pass	9002
12000	26000	1	RMS	25996	-36.43	-25	Pass	14002



1.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.61	-25	Pass	2986
30	1000	0.1	RMS	863.91	-63.8	-25	Pass	9701
1000	2475	1	RMS	2475	-50.44	-25	Pass	1476
2475	2735	1	RMS	2556.9	5.38	60	Pass	401
2735	3000	1	RMS	2950.313	-48.8	-25	Pass	401
3000	12000	1	RMS	11850	-51.27	-25	Pass	9002
12000	26000	1	RMS	25996	-36.42	-25	Pass	14002




2. CA_41C_full

2.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.97	-25	Pass	2986
30	1000	0.1	RMS	855.104	-59.69	-25	Pass	9701
1000	2475	1	RMS	2475	-42.46	-25	Pass	1476
2475	2735	1	RMS	2497.1	6.87	60	Pass	401
2735	3000	1	RMS	2956.938	-44.76	-25	Pass	401
3000	12000	1	RMS	11857	-51.24	-25	Pass	9002
12000	27000	1	RMS	25982	-36.29	-25	Pass	15002



2.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.77	-25	Pass	2986
30	1000	0.1	RMS	835.1	-59.59	-25	Pass	9701
1000	2475	1	RMS	2475	-42.51	-25	Pass	1476
2475	2735	1	RMS	2517.25	13.16	60	Pass	401
2735	3000	1	RMS	2956.938	-44.63	-25	Pass	401
3000	12000	1	RMS	11849	-50.87	-25	Pass	9002
12000	27000	1	RMS	25990	-35.86	-25	Pass	15002



2.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-65.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-25	Pass	2986
30	1000	0.1	RMS	840.1	-59.68	-25	Pass	9701
1000	2475	1	RMS	2474	-42.47	-25	Pass	1476
2475	2735	1	RMS	2497.1	6.6	60	Pass	401
2735	3000	1	RMS	2956.938	-44.67	-25	Pass	401
3000	12000	1	RMS	11848	-50.91	-25	Pass	9002
12000	27000	1	RMS	26005	-35.85	-25	Pass	15002



2.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-65.13	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.89	-25	Pass	2986
30	1000	0.1	RMS	861.108	-59.83	-25	Pass	9701
1000	2475	1	RMS	2475	-43.36	-25	Pass	1476
2475	2735	1	RMS	2516.6	12.51	60	Pass	401
2735	3000	1	RMS	2947.663	-44.7	-25	Pass	401
3000	12000	1	RMS	11849	-50.91	-25	Pass	9002
12000	27000	1	RMS	26002	-35.85	-25	Pass	15002



2.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-62.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.29	-25	Pass	2986
30	1000	0.1	RMS	845	-59.66	-25	Pass	9701
1000	2475	1	RMS	2474	-46.53	-25	Pass	1476
2475	2735	1	RMS	2603.7	6.82	60	Pass	401
2735	3000	1	RMS	2956.938	-44.7	-25	Pass	401
3000	12000	1	RMS	11849	-50.97	-25	Pass	9002
12000	27000	1	RMS	26000	-35.84	-25	Pass	15002



2.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-64.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.33	-25	Pass	2986
30	1000	0.1	RMS	846.7	-59.68	-25	Pass	9701
1000	2475	1	RMS	2468	-46.54	-25	Pass	1476
2475	2735	1	RMS	2602.4	12.85	60	Pass	401
2735	3000	1	RMS	2956.938	-44.63	-25	Pass	401
3000	12000	1	RMS	11853	-51.01	-25	Pass	9002
12000	27000	1	RMS	26010	-35.84	-25	Pass	15002



2.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.04	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.44	-25	Pass	2986
30	1000	0.1	RMS	848.6	-59.58	-25	Pass	9701
1000	2475	1	RMS	2475	-46.48	-25	Pass	1476
2475	2735	1	RMS	2580.95	6.4	60	Pass	401
2735	3000	1	RMS	2954.288	-44.71	-25	Pass	401
3000	12000	1	RMS	11852	-50.96	-25	Pass	9002
12000	27000	1	RMS	25997	-35.91	-25	Pass	15002



2.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-64.94	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.79	-25	Pass	2986
30	1000	0.1	RMS	843.6	-59.72	-25	Pass	9701
1000	2475	1	RMS	2472	-46.56	-25	Pass	1476
2475	2735	1	RMS	2601.1	11.91	60	Pass	401
2735	3000	1	RMS	2956.938	-44.71	-25	Pass	401
3000	12000	1	RMS	11851	-50.91	-25	Pass	9002
12000	27000	1	RMS	26007	-35.92	-25	Pass	15002



2.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	Pass	2986
30	1000	0.1	RMS	853.503	-59.61	-25	Pass	9701
1000	2475	1	RMS	2475	-46.53	-25	Pass	1476
2475	2735	1	RMS	2688.2	6.29	60	Pass	401
2735	3000	1	RMS	2949.65	-44.7	-25	Pass	401
3000	12000	1	RMS	11853	-50.94	-25	Pass	9002
12000	27000	1	RMS	26002	-35.9	-25	Pass	15002



2.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-63.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-25	Pass	2986
30	1000	0.1	RMS	843	-59.54	-25	Pass	9701
1000	2475	1	RMS	2475	-46.49	-25	Pass	1476
2475	2735	1	RMS	2686.25	13.58	60	Pass	401
2735	3000	1	RMS	2735.663	-41.42	-25	Pass	401
3000	12000	1	RMS	11851	-51	-25	Pass	9002
12000	27000	1	RMS	26008	-35.9	-25	Pass	15002



2.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-64.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.52	-25	Pass	2986
30	1000	0.1	RMS	858.606	-59.64	-25	Pass	9701
1000	2475	1	RMS	2466	-46.58	-25	Pass	1476
2475	2735	1	RMS	2688.2	6.67	60	Pass	401
2735	3000	1	RMS	2956.938	-44.71	-25	Pass	401
3000	12000	1	RMS	11850	-50.9	-25	Pass	9002
12000	27000	1	RMS	26006	-35.91	-25	Pass	15002



2.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-65.19	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.27	-25	Pass	2986
30	1000	0.1	RMS	864.41	-59.72	-25	Pass	9701
1000	2475	1	RMS	2463	-46.57	-25	Pass	1476
2475	2735	1	RMS	2685.6	12.06	60	Pass	401
2735	3000	1	RMS	2735	-42.85	-25	Pass	401
3000	12000	1	RMS	11845	-50.94	-25	Pass	9002
12000	27000	1	RMS	26000	-35.89	-25	Pass	15002



2.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.43	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.55	-25	Pass	9701
1000	2475	1	RMS	2459	-45.98	-25	Pass	1476
2475	2735	1	RMS	2534.15	6.6	60	Pass	401
2735	3000	1	RMS	2955.613	-44.69	-25	Pass	401
3000	12000	1	RMS	11849	-50.95	-25	Pass	9002
12000	27000	1	RMS	26002	-35.95	-25	Pass	15002



2.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-65.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	Pass	2986
30	1000	0.1	RMS	854.804	-59.71	-25	Pass	9701
1000	2475	1	RMS	2475	-37.89	-25	Pass	1476
2475	2735	1	RMS	2533.5	7.62	60	Pass	401
2735	3000	1	RMS	2956.938	-44.68	-25	Pass	401
3000	12000	1	RMS	11850	-50.99	-25	Pass	9002
12000	27000	1	RMS	25990	-35.9	-25	Pass	15002



2.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.85	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.67	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.71	-25	Pass	9701
1000	2475	1	RMS	2474	-46.46	-25	Pass	1476
2475	2735	1	RMS	2534.15	6.97	60	Pass	401
2735	3000	1	RMS	2955.613	-44.7	-25	Pass	401
3000	12000	1	RMS	11846	-50.96	-25	Pass	9002
12000	27000	1	RMS	26004	-35.94	-25	Pass	15002



2.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-65.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.81	-25	Pass	2986
30	1000	0.1	RMS	852.402	-59.81	-25	Pass	9701
1000	2475	1	RMS	2474	-39.77	-25	Pass	1476
2475	2735	1	RMS	2532.2	7.1	60	Pass	401
2735	3000	1	RMS	2956.938	-44.7	-25	Pass	401
3000	12000	1	RMS	11853	-50.89	-25	Pass	9002
12000	27000	1	RMS	26001	-35.71	-25	Pass	15002



2.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.6	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.44	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.66	-25	Pass	9701
1000	2475	1	RMS	2474	-46.57	-25	Pass	1476
2475	2735	1	RMS	2573.8	7.05	60	Pass	401
2735	3000	1	RMS	2956.938	-44.71	-25	Pass	401
3000	12000	1	RMS	11850	-50.91	-25	Pass	9002
12000	27000	1	RMS	26001	-35.87	-25	Pass	15002



2.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.46	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.2	-25	Pass	2986
30	1000	0.1	RMS	841.2	-59.77	-25	Pass	9701
1000	2475	1	RMS	2475	-46.42	-25	Pass	1476
2475	2735	1	RMS	2610.2	7.88	60	Pass	401
2735	3000	1	RMS	2946.338	-44.72	-25	Pass	401
3000	12000	1	RMS	11849	-50.97	-25	Pass	9002
12000	27000	1	RMS	25994	-35.91	-25	Pass	15002



2.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.63	-25	Pass	2986
30	1000	0.1	RMS	846.8	-59.68	-25	Pass	9701
1000	2475	1	RMS	2472	-46.53	-25	Pass	1476
2475	2735	1	RMS	2573.8	6.98	60	Pass	401
2735	3000	1	RMS	2956.938	-44.7	-25	Pass	401
3000	12000	1	RMS	11852	-50.93	-25	Pass	9002
12000	27000	1	RMS	25991	-35.97	-25	Pass	15002



2.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	Pass	2986
30	1000	0.1	RMS	850.901	-59.61	-25	Pass	9701
1000	2475	1	RMS	2475	-46.47	-25	Pass	1476
2475	2735	1	RMS	2610.2	6.77	60	Pass	401
2735	3000	1	RMS	2956.275	-44.71	-25	Pass	401
3000	12000	1	RMS	11848	-50.97	-25	Pass	9002
12000	27000	1	RMS	25996	-35.76	-25	Pass	15002



2.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.64	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.89	-25	Pass	2986
30	1000	0.1	RMS	853.603	-59.63	-25	Pass	9701
1000	2475	1	RMS	2467	-46.63	-25	Pass	1476
2475	2735	1	RMS	2688.2	6.47	60	Pass	401
2735	3000	1	RMS	2956.275	-44.73	-25	Pass	401
3000	12000	1	RMS	11846	-50.94	-25	Pass	9002
12000	27000	1	RMS	26006	-35.93	-25	Pass	15002



2.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-25	Pass	2986
30	1000	0.1	RMS	857.506	-59.74	-25	Pass	9701
1000	2475	1	RMS	2473	-46.5	-25	Pass	1476
2475	2735	1	RMS	2676.5	7.83	60	Pass	401
2735	3000	1	RMS	2735.663	-40.84	-25	Pass	401
3000	12000	1	RMS	11846	-50.97	-25	Pass	9002
12000	27000	1	RMS	25996	-35.9	-25	Pass	15002



2.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-63.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.18	-25	Pass	2986
30	1000	0.1	RMS	856.905	-59.69	-25	Pass	9701
1000	2475	1	RMS	2472	-46.58	-25	Pass	1476
2475	2735	1	RMS	2688.2	6.35	60	Pass	401
2735	3000	1	RMS	2956.938	-44.7	-25	Pass	401
3000	12000	1	RMS	11851	-50.95	-25	Pass	9002
12000	27000	1	RMS	26005	-35.95	-25	Pass	15002



2.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-64.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.4	-25	Pass	2986
30	1000	0.1	RMS	853.803	-59.77	-25	Pass	9701
1000	2475	1	RMS	2467	-46.64	-25	Pass	1476
2475	2735	1	RMS	2671.95	6.12	60	Pass	401
2735	3000	1	RMS	2735	-41.93	-25	Pass	401
3000	12000	1	RMS	11845	-50.98	-25	Pass	9002
12000	27000	1	RMS	26001	-35.81	-25	Pass	15002




1. CA_66C

1.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.9	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.4	-13	Pass	9701
1000	1670	1	RMS	1597	-51.48	-13	Pass	671
1670	1820	1	RMS	1733.75	7.68	60	Pass	401
1820	3000	1	RMS	2643	-46.9	-13	Pass	1181
3000	20000	1	RMS	19998	-48.01	-13	Pass	17001



1.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.13	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.43	-13	Pass	9701
1000	1670	1	RMS	1602	-51.45	-13	Pass	671
1670	1820	1	RMS	1732.25	12.6	60	Pass	401
1820	3000	1	RMS	2641	-46.93	-13	Pass	1181
3000	20000	1	RMS	19996	-48.03	-13	Pass	17001



1.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.52	-13	Pass	2986
30	1000	0.1	RMS	937.7	-62.45	-13	Pass	9701
1000	1670	1	RMS	1621	-51.51	-13	Pass	671
1670	1820	1	RMS	1733.75	7.62	60	Pass	401
1820	3000	1	RMS	2641	-46.94	-13	Pass	1181
3000	20000	1	RMS	20000	-48.06	-13	Pass	17001



1.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.54	-13	Pass	2986
30	1000	0.1	RMS	948.6	-62.45	-13	Pass	9701
1000	1670	1	RMS	1604	-51.43	-13	Pass	671
1670	1820	1	RMS	1731.875	11.62	60	Pass	401
1820	3000	1	RMS	2638	-46.9	-13	Pass	1181
3000	20000	1	RMS	20000	-47.99	-13	Pass	17001



1.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.46	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.43	-13	Pass	9701
1000	1670	1	RMS	1659	-51.52	-13	Pass	671
1670	1820	1	RMS	1766.375	7.63	60	Pass	401
1820	3000	1	RMS	2650	-46.93	-13	Pass	1181
3000	20000	1	RMS	19995	-48	-13	Pass	17001



1.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.36	-13	Pass	2986
30	1000	0.1	RMS	891.7	-62.38	-13	Pass	9701
1000	1670	1	RMS	1580	-51.42	-13	Pass	671
1670	1820	1	RMS	1763.375	12.59	60	Pass	401
1820	3000	1	RMS	2650	-46.94	-13	Pass	1181
3000	20000	1	RMS	19995	-48.03	-13	Pass	17001



1.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.28	-13	Pass	2986
30	1000	0.1	RMS	938.6	-62.42	-13	Pass	9701
1000	1670	1	RMS	1582	-51.48	-13	Pass	671
1670	1820	1	RMS	1766.375	7.76	60	Pass	401
1820	3000	1	RMS	2637	-46.95	-13	Pass	1181
3000	20000	1	RMS	19997	-48.01	-13	Pass	17001



1.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.26	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.45	-13	Pass	9701
1000	1670	1	RMS	1643	-51.47	-13	Pass	671
1670	1820	1	RMS	1763.75	11.62	60	Pass	401
1820	3000	1	RMS	2656	-46.89	-13	Pass	1181
3000	20000	1	RMS	20000	-48.07	-13	Pass	17001



1.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-13	Pass	2986
30	1000	0.1	RMS	939.1	-62.35	-13	Pass	9701
1000	1670	1	RMS	1595	-51.49	-13	Pass	671
1670	1820	1	RMS	1778.75	7.56	60	Pass	401
1820	3000	1	RMS	2648	-46.92	-13	Pass	1181
3000	20000	1	RMS	19997	-48.07	-13	Pass	17001




1.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132522|132639,

Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.57	-13	Pass	2986
30	1000	0.1	RMS	887.3	-62.5	-13	Pass	9701
1000	1670	1	RMS	1653	-51.4	-13	Pass	671
1670	1820	1	RMS	1775.75	12.66	60	Pass	401
1820	3000	1	RMS	2647	-46.89	-13	Pass	1181
3000	20000	1	RMS	19998	-48.05	-13	Pass	17001



1.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132522|132639,
Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.63	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.45	-13	Pass	9701
1000	1670	1	RMS	1586	-51.46	-13	Pass	671
1670	1820	1	RMS	1778.75	7.65	60	Pass	401
1820	3000	1	RMS	2643	-46.92	-13	Pass	1181
3000	20000	1	RMS	19999	-48.02	-13	Pass	17001




1.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132522|132639,

Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.77	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.34	-13	Pass	9701
1000	1670	1	RMS	1598	-51.42	-13	Pass	671
1670	1820	1	RMS	1775.75	11.6	60	Pass	401
1820	3000	1	RMS	2645	-46.91	-13	Pass	1181
3000	20000	1	RMS	20000	-48.02	-13	Pass	17001



1.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:132072|132270,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.76	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.29	-13	Pass	9701
1000	1670	1	RMS	1577	-51.47	-13	Pass	671
1670	1820	1	RMS	1748.75	7.67	60	Pass	401
1820	3000	1	RMS	2639	-46.96	-13	Pass	1181
3000	20000	1	RMS	20000	-48.03	-13	Pass	17001



1.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:132072|132270,
Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.26	-13	Pass	2986
30	1000	0.1	RMS	878.5	-62.42	-13	Pass	9701
1000	1670	1	RMS	1650	-51.45	-13	Pass	671
1670	1820	1	RMS	1746.875	6.69	60	Pass	401
1820	3000	1	RMS	2647	-46.94	-13	Pass	1181
3000	20000	1	RMS	19993	-48.08	-13	Pass	17001




1.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132072|132270,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.54	-13	Pass	9701
1000	1670	1	RMS	1596	-51.51	-13	Pass	671
1670	1820	1	RMS	1748.75	7.54	60	Pass	401
1820	3000	1	RMS	2652	-46.92	-13	Pass	1181
3000	20000	1	RMS	19997	-48.02	-13	Pass	17001




1.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132072|132270,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.49	-13	Pass	9701
1000	1670	1	RMS	1606	-51.46	-13	Pass	671
1670	1820	1	RMS	1747.625	5.71	60	Pass	401
1820	3000	1	RMS	2652	-46.92	-13	Pass	1181
3000	20000	1	RMS	19998	-47.87	-13	Pass	17001



1.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132323|132521,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.61	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.19	-13	Pass	9701
1000	1670	1	RMS	1602	-51.39	-13	Pass	671
1670	1820	1	RMS	1773.875	7.81	60	Pass	401
1820	3000	1	RMS	2649	-46.86	-13	Pass	1181
3000	20000	1	RMS	20000	-47.93	-13	Pass	17001




1.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132323|132521,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.19	-13	Pass	2986
30	1000	0.1	RMS	965.6	-62.33	-13	Pass	9701
1000	1670	1	RMS	1591	-51.33	-13	Pass	671
1670	1820	1	RMS	1760.75	6.68	60	Pass	401
1820	3000	1	RMS	2653	-46.78	-13	Pass	1181
3000	20000	1	RMS	19997	-47.91	-13	Pass	17001




1.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132323|132521,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.14	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62.32	-13	Pass	9701
1000	1670	1	RMS	1599	-51.38	-13	Pass	671
1670	1820	1	RMS	1773.875	7.78	60	Pass	401
1820	3000	1	RMS	2641	-46.84	-13	Pass	1181
3000	20000	1	RMS	19997	-47.95	-13	Pass	17001




1.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132323|132521,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.41	-13	Pass	2986
30	1000	0.1	RMS	942.3	-62.2	-13	Pass	9701
1000	1670	1	RMS	1603	-51.32	-13	Pass	671
1670	1820	1	RMS	1737.125	5.89	60	Pass	401
1820	3000	1	RMS	2647	-46.81	-13	Pass	1181
3000	20000	1	RMS	19999	-47.86	-13	Pass	17001



1.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132374|132572,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.06	-13	Pass	2986
30	1000	0.1	RMS	909.6	-62.26	-13	Pass	9701
1000	1670	1	RMS	1608	-51.38	-13	Pass	671
1670	1820	1	RMS	1741.25	7.7	60	Pass	401
1820	3000	1	RMS	2645	-46.83	-13	Pass	1181
3000	20000	1	RMS	20000	-47.96	-13	Pass	17001




1.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132374|132572,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.18	-13	Pass	9701
1000	1670	1	RMS	1662	-51.29	-13	Pass	671
1670	1820	1	RMS	1766.75	6.79	60	Pass	401
1820	3000	1	RMS	2647	-46.73	-13	Pass	1181
3000	20000	1	RMS	19998	-47.77	-13	Pass	17001



1.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132374|132572,
Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.37	-13	Pass	2986
30	1000	0.1	RMS	930.8	-62.12	-13	Pass	9701
1000	1670	1	RMS	1587	-51.37	-13	Pass	671
1670	1820	1	RMS	1741.25	7.61	60	Pass	401
1820	3000	1	RMS	2660	-46.86	-13	Pass	1181
3000	20000	1	RMS	19991	-47.96	-13	Pass	17001




1.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132374|132572,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.41	-13	Pass	2986
30	1000	0.1	RMS	882.4	-62.16	-13	Pass	9701
1000	1670	1	RMS	1592	-51.33	-13	Pass	671
1670	1820	1	RMS	1766.75	5.8	60	Pass	401
1820	3000	1	RMS	2650	-46.76	-13	Pass	1181
3000	20000	1	RMS	19992	-47.92	-13	Pass	17001




1. n2 15kHz

1.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.76	-13	60.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	886.525	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-48.8	-13	35.8	Pass	841
1840	1920	1	RMS	1853.4	14.44	60	45.56	Pass	401
1920	3000	1	RMS	2873	-48.79	-13	35.79	Pass	1081
3000	7000	1	RMS	3705	-55.98	-13	42.98	Pass	4001
7000	20000	1	RMS	19918	-50.42	-13	37.42	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.29	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	966.778	-63.9	-13	50.9	Pass	9701
1000	1840	1	RMS	1839	-52.16	-13	39.16	Pass	841
1840	1920	1	RMS	1850.2	20.69	60	39.31	Pass	401
1920	3000	1	RMS	2865	-48.76	-13	35.76	Pass	1081
3000	7000	1	RMS	3701	-53.06	-13	40.06	Pass	4001
7000	20000	1	RMS	19909	-50.4	-13	37.4	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	883.123	-63.88	-13	50.88	Pass	9701
1000	1840	1	RMS	1840	-52.21	-13	39.21	Pass	841
1840	1920	1	RMS	1854.6	20.55	60	39.45	Pass	401
1920	3000	1	RMS	2869	-48.78	-13	35.78	Pass	1081
3000	7000	1	RMS	3709	-52.23	-13	39.23	Pass	4001
7000	20000	1	RMS	19930	-50.36	-13	37.36	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	883.123	-63.94	-13	50.94	Pass	9701
1000	1840	1	RMS	1837	-52.2	-13	39.2	Pass	841
1840	1920	1	RMS	1881	14.22	60	45.78	Pass	401
1920	3000	1	RMS	2869	-48.76	-13	35.76	Pass	1081
3000	7000	1	RMS	3760	-55.95	-13	42.95	Pass	4001
7000	20000	1	RMS	19901	-50.4	-13	37.4	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	904.036	-63.94	-13	50.94	Pass	9701
1000	1840	1	RMS	1840	-52.28	-13	39.28	Pass	841
1840	1920	1	RMS	1877.8	20.38	60	39.62	Pass	401
1920	3000	1	RMS	2869	-48.85	-13	35.85	Pass	1081
3000	7000	1	RMS	3756	-51.42	-13	38.42	Pass	4001
7000	20000	1	RMS	19905	-50.4	-13	37.4	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	896.231	-63.97	-13	50.97	Pass	9701
1000	1840	1	RMS	1822	-52.23	-13	39.23	Pass	841
1840	1920	1	RMS	1882	20.39	60	39.61	Pass	401
1920	3000	1	RMS	2869	-48.8	-13	35.8	Pass	1081
3000	7000	1	RMS	3764	-50.98	-13	37.98	Pass	4001
7000	20000	1	RMS	19937	-50.37	-13	37.37	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	878.319	-63.93	-13	50.93	Pass	9701
1000	1840	1	RMS	1833	-52.25	-13	39.25	Pass	841
1840	1920	1	RMS	1906.2	14.13	60	45.87	Pass	401
1920	3000	1	RMS	2870	-48.8	-13	35.8	Pass	1081
3000	7000	1	RMS	3815	-53.18	-13	40.18	Pass	4001
7000	20000	1	RMS	19896	-50.37	-13	37.37	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.18	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	881.321	-63.99	-13	50.99	Pass	9701
1000	1840	1	RMS	1839	-52.25	-13	39.25	Pass	841
1840	1920	1	RMS	1905.2	20.27	60	39.73	Pass	401
1920	3000	1	RMS	2876	-48.77	-13	35.77	Pass	1081
3000	7000	1	RMS	3811	-48.77	-13	35.77	Pass	4001
7000	20000	1	RMS	19917	-50.4	-13	37.4	Pass	13002



1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	914.143	-63.9	-13	50.9	Pass	9701
1000	1840	1	RMS	1834	-52.23	-13	39.23	Pass	841
1840	1920	1	RMS	1909.6	20.15	60	39.85	Pass	401
1920	3000	1	RMS	2870	-48.79	-13	35.79	Pass	1081
3000	7000	1	RMS	3819	-48.04	-13	35.04	Pass	4001
7000	20000	1	RMS	19902	-50.41	-13	37.41	Pass	13002



1.10. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	892.229	-64	-13	51	Pass	9701
1000	1840	1	RMS	1840	-39.35	-13	26.35	Pass	841
1840	1920	1	RMS	1863.4	9.53	60	50.47	Pass	401
1920	3000	1	RMS	2868	-48.77	-13	35.77	Pass	1081
3000	7000	1	RMS	3716	-60.14	-13	47.14	Pass	4001
7000	20000	1	RMS	19900	-50.43	-13	37.43	Pass	13002



1.11. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	887.726	-64.03	-13	51.03	Pass	9701
1000	1840	1	RMS	1840	-52.13	-13	39.13	Pass	841
1840	1920	1	RMS	1850.4	20.8	60	39.2	Pass	401
1920	3000	1	RMS	2870	-48.82	-13	35.82	Pass	1081
3000	7000	1	RMS	3701	-53.03	-13	40.03	Pass	4001
7000	20000	1	RMS	19895	-50.44	-13	37.44	Pass	13002



1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.21	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	889.427	-63.98	-13	50.98	Pass	9701
1000	1840	1	RMS	1836	-52.26	-13	39.26	Pass	841
1840	1920	1	RMS	1864.4	20.59	60	39.41	Pass	401
1920	3000	1	RMS	2866	-48.81	-13	35.81	Pass	1081
3000	7000	1	RMS	3729	-48.17	-13	35.17	Pass	4001
7000	20000	1	RMS	18288	-50.4	-13	37.4	Pass	13002



1.13. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	889.127	-63.94	-13	50.94	Pass	9701
1000	1840	1	RMS	1840	-51.4	-13	38.4	Pass	841
1840	1920	1	RMS	1885.6	9.3	60	50.7	Pass	401
1920	3000	1	RMS	2870	-48.78	-13	35.78	Pass	1081
3000	7000	1	RMS	3761	-59.69	-13	46.69	Pass	4001
7000	20000	1	RMS	19901	-50.43	-13	37.43	Pass	13002



1.14. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	900.434	-63.82	-13	50.82	Pass	9701
1000	1840	1	RMS	1836	-52.25	-13	39.25	Pass	841
1840	1920	1	RMS	1872.8	20.45	60	39.55	Pass	401
1920	3000	1	RMS	2871	-48.8	-13	35.8	Pass	1081
3000	7000	1	RMS	3746	-49.83	-13	36.83	Pass	4001
7000	20000	1	RMS	19918	-50.44	-13	37.44	Pass	13002



1.15. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.2	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	879.02	-63.95	-13	50.95	Pass	9701
1000	1840	1	RMS	1836	-52.3	-13	39.3	Pass	841
1840	1920	1	RMS	1887	20.23	60	39.77	Pass	401
1920	3000	1	RMS	2865	-48.8	-13	35.8	Pass	1081
3000	7000	1	RMS	3774	-50.16	-13	37.16	Pass	4001
7000	20000	1	RMS	19901	-50.42	-13	37.42	Pass	13002



1.16. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	902.135	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-52.23	-13	39.23	Pass	841
1840	1920	1	RMS	1896.6	9.4	60	50.6	Pass	401
1920	3000	1	RMS	1920	-41.46	-13	28.46	Pass	1081
3000	7000	1	RMS	3806	-57.18	-13	44.18	Pass	4001
7000	20000	1	RMS	19901	-50.38	-13	37.38	Pass	13002



1.17. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.22	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	894.53	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-52.28	-13	39.28	Pass	841
1840	1920	1	RMS	1895.4	20.38	60	39.62	Pass	401
1920	3000	1	RMS	2870	-48.78	-13	35.78	Pass	1081
3000	7000	1	RMS	3791	-49.57	-13	36.57	Pass	4001
7000	20000	1	RMS	18285	-50.33	-13	37.33	Pass	13002



1.18. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	727.5	-64	-13	51	Pass	9701
1000	1840	1	RMS	1840	-52.27	-13	39.27	Pass	841
1840	1920	1	RMS	1909.4	20.32	60	39.68	Pass	401
1920	3000	1	RMS	2876	-48.85	-13	35.85	Pass	1081
3000	7000	1	RMS	3819	-47.43	-13	34.43	Pass	4001
7000	20000	1	RMS	19911	-50.41	-13	37.41	Pass	13002



1.19. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.22	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	892.129	-63.91	-13	50.91	Pass	9701
1000	1840	1	RMS	1840	-40.07	-13	27.07	Pass	841
1840	1920	1	RMS	1868.4	8.52	60	51.48	Pass	401
1920	3000	1	RMS	2869	-48.85	-13	35.85	Pass	1081
3000	7000	1	RMS	3721	-60.45	-13	47.45	Pass	4001
7000	20000	1	RMS	19889	-50.41	-13	37.41	Pass	13002



1.20. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.17	-70.58	-13	57.58	Pass	2986
30	1000	0.1	RMS	884.123	-63.83	-13	50.83	Pass	9701
1000	1840	1	RMS	1840	-51.95	-13	38.95	Pass	841
1840	1920	1	RMS	1850.4	20.76	60	39.24	Pass	401
1920	3000	1	RMS	2869	-48.78	-13	35.78	Pass	1081
3000	7000	1	RMS	3701	-52.93	-13	39.93	Pass	4001
7000	20000	1	RMS	19903	-50.35	-13	37.35	Pass	13002



1.21. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	896.531	-63.92	-13	50.92	Pass	9701
1000	1840	1	RMS	1834	-52.27	-13	39.27	Pass	841
1840	1920	1	RMS	1869.4	20.49	60	39.51	Pass	401
1920	3000	1	RMS	2874	-48.78	-13	35.78	Pass	1081
3000	7000	1	RMS	3739	-50.23	-13	37.23	Pass	4001
7000	20000	1	RMS	19902	-50.41	-13	37.41	Pass	13002



1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	893.83	-63.98	-13	50.98	Pass	9701
1000	1840	1	RMS	1840	-49.84	-13	36.84	Pass	841
1840	1920	1	RMS	1887.4	8.17	60	51.83	Pass	401
1920	3000	1	RMS	2870	-48.82	-13	35.82	Pass	1081
3000	7000	1	RMS	3760	-60.37	-13	47.37	Pass	4001
7000	20000	1	RMS	19910	-50.4	-13	37.4	Pass	13002



1.23. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	905.337	-63.87	-13	50.87	Pass	9701
1000	1840	1	RMS	1837	-52.29	-13	39.29	Pass	841
1840	1920	1	RMS	1870.4	20.53	60	39.47	Pass	401
1920	3000	1	RMS	2871	-48.86	-13	35.86	Pass	1081
3000	7000	1	RMS	3741	-50.27	-13	37.27	Pass	4001
7000	20000	1	RMS	18295	-50.43	-13	37.43	Pass	13002



1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	981.388	-64.03	-13	51.03	Pass	9701
1000	1840	1	RMS	1837	-52.33	-13	39.33	Pass	841
1840	1920	1	RMS	1889.4	20.35	60	39.65	Pass	401
1920	3000	1	RMS	2872	-48.81	-13	35.81	Pass	1081
3000	7000	1	RMS	3779	-51.01	-13	38.01	Pass	4001
7000	20000	1	RMS	18284	-50.36	-13	37.36	Pass	13002



1.25. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	879.82	-63.79	-13	50.79	Pass	9701
1000	1840	1	RMS	1840	-51.91	-13	38.91	Pass	841
1840	1920	1	RMS	1891.6	8.38	60	51.62	Pass	401
1920	3000	1	RMS	1920	-40.8	-13	27.8	Pass	1081
3000	7000	1	RMS	3804	-59.07	-13	46.07	Pass	4001
7000	20000	1	RMS	19917	-50.41	-13	37.41	Pass	13002



1.26. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	901.935	-63.88	-13	50.88	Pass	9701
1000	1840	1	RMS	1835	-52.28	-13	39.28	Pass	841
1840	1920	1	RMS	1890.4	20.34	60	39.66	Pass	401
1920	3000	1	RMS	2873	-48.85	-13	35.85	Pass	1081
3000	7000	1	RMS	3781	-50.7	-13	37.7	Pass	4001
7000	20000	1	RMS	18277	-50.43	-13	37.43	Pass	13002



1.27. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	905.237	-64.03	-13	51.03	Pass	9701
1000	1840	1	RMS	1833	-52.3	-13	39.3	Pass	841
1840	1920	1	RMS	1909.4	20.25	60	39.75	Pass	401
1920	3000	1	RMS	2868	-48.8	-13	35.8	Pass	1081
3000	7000	1	RMS	3819	-47.35	-13	34.35	Pass	4001
7000	20000	1	RMS	19907	-50.45	-13	37.45	Pass	13002



2. n5


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	814	0.1	RMS	814	-55.62	-13	42.62	Pass	7841
814	859	0.1	RMS	827.8	5.08	60	54.92	Pass	451
859	1000	0.1	RMS	890.1	-63.96	-13	50.96	Pass	1411
1000	3000	1	RMS	2872	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	8906	-58.68	-13	45.68	Pass	7001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	814	0.1	RMS	813.7	-64.02	-13	51.02	Pass	7841
814	859	0.1	RMS	824.3	18.29	60	41.71	Pass	451
859	1000	0.1	RMS	904.7	-63.96	-13	50.96	Pass	1411
1000	3000	1	RMS	2869	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	8917	-58.65	-13	45.65	Pass	7001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	57.96	Pass	2986
30	814	0.1	RMS	811.4	-63.66	-13	50.66	Pass	7841
814	859	0.1	RMS	828.6	17.81	60	42.19	Pass	451
859	1000	0.1	RMS	897	-63.89	-13	50.89	Pass	1411
1000	3000	1	RMS	2868	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	8906	-58.67	-13	45.67	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.27	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	813.7	-64.06	-13	51.06	Pass	7841
814	859	0.1	RMS	837.9	5.05	60	54.95	Pass	451
859	1000	0.1	RMS	906.1	-63.97	-13	50.97	Pass	1411
1000	3000	1	RMS	2868	-48.74	-13	35.74	Pass	2001
3000	10000	1	RMS	8902	-58.66	-13	45.66	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	57.4	Pass	2986
30	814	0.1	RMS	755.6	-64.33	-13	51.33	Pass	7841
814	859	0.1	RMS	834.3	18.13	60	41.87	Pass	451
859	1000	0.1	RMS	998.9	-64.04	-13	51.04	Pass	1411
1000	3000	1	RMS	2870	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	8897	-58.68	-13	45.68	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	58.33	Pass	2986
30	814	0.1	RMS	747.2	-64.35	-13	51.35	Pass	7841
814	859	0.1	RMS	838.7	17.72	60	42.28	Pass	451
859	1000	0.1	RMS	894.2	-63.94	-13	50.94	Pass	1411
1000	3000	1	RMS	2867	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	8909	-58.7	-13	45.7	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	58.9	Pass	2986
30	814	0.1	RMS	723.6	-64.22	-13	51.22	Pass	7841
814	859	0.1	RMS	845.1	5.04	60	54.96	Pass	451
859	1000	0.1	RMS	900.5	-63.98	-13	50.98	Pass	1411
1000	3000	1	RMS	2871	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	8987	-58.71	-13	45.71	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	814	0.1	RMS	740.4	-64.29	-13	51.29	Pass	7841
814	859	0.1	RMS	844.3	18	60	42	Pass	451
859	1000	0.1	RMS	885.7	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	2869	-48.8	-13	35.8	Pass	2001
3000	10000	1	RMS	9000	-58.62	-13	45.62	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.2	-71.5	-13	58.5	Pass	2986
30	814	0.1	RMS	810.3	-62.83	-13	49.83	Pass	7841
814	859	0.1	RMS	848.6	17.79	60	42.21	Pass	451
859	1000	0.1	RMS	881.5	-63.94	-13	50.94	Pass	1411
1000	3000	1	RMS	2870	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	8906	-58.7	-13	45.7	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	814	0.1	RMS	814	-43.74	-13	30.74	Pass	7841
814	859	0.1	RMS	838.3	0.39	60	59.61	Pass	451
859	1000	0.1	RMS	873.4	-63.99	-13	50.99	Pass	1411
1000	3000	1	RMS	2871	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	8901	-58.68	-13	45.68	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	814	-63.72	-13	50.72	Pass	7841
814	859	0.1	RMS	824.5	18.3	60	41.7	Pass	451
859	1000	0.1	RMS	876.6	-63.95	-13	50.95	Pass	1411
1000	3000	1	RMS	2874	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	8999	-58.65	-13	45.65	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.19	-71.48	-13	58.48	Pass	2986
30	814	0.1	RMS	738	-64.31	-13	51.31	Pass	7841
814	859	0.1	RMS	838.5	18.31	60	41.69	Pass	451
859	1000	0.1	RMS	892.1	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	2868	-48.8	-13	35.8	Pass	2001
3000	10000	1	RMS	9002	-58.62	-13	45.62	Pass	7001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.21	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	813.8	-52.49	-13	39.49	Pass	7841
814	859	0.1	RMS	843.3	0.04	60	59.96	Pass	451
859	1000	0.1	RMS	895	-63.89	-13	50.89	Pass	1411
1000	3000	1	RMS	2869	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8902	-58.64	-13	45.64	Pass	7001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	814	0.1	RMS	812.2	-64.18	-13	51.18	Pass	7841
814	859	0.1	RMS	829.5	18.16	60	41.84	Pass	451
859	1000	0.1	RMS	908.9	-63.99	-13	50.99	Pass	1411
1000	3000	1	RMS	2867	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	8903	-58.68	-13	45.68	Pass	7001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.2	-70.91	-13	57.91	Pass	2986
30	814	0.1	RMS	813.6	-64.19	-13	51.19	Pass	7841
814	859	0.1	RMS	843.5	18.25	60	41.75	Pass	451
859	1000	0.1	RMS	888.8	-63.88	-13	50.88	Pass	1411
1000	3000	1	RMS	2870	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	8898	-58.6	-13	45.6	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	813.6	-54.44	-13	41.44	Pass	7841
814	859	0.1	RMS	835.4	0.09	60	59.91	Pass	451
859	1000	0.1	RMS	908.2	-63.91	-13	50.91	Pass	1411
1000	3000	1	RMS	2869	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8901	-58.63	-13	45.63	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	57.21	Pass	2986
30	814	0.1	RMS	740.8	-64.27	-13	51.27	Pass	7841
814	859	0.1	RMS	834.5	18.02	60	41.98	Pass	451
859	1000	0.1	RMS	908	-63.89	-13	50.89	Pass	1411
1000	3000	1	RMS	2869	-48.73	-13	35.73	Pass	2001
3000	10000	1	RMS	8901	-58.66	-13	45.66	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.28	-71.37	-13	58.37	Pass	2986
30	814	0.1	RMS	730.7	-64.17	-13	51.17	Pass	7841
814	859	0.1	RMS	848.5	18.39	60	41.61	Pass	451
859	1000	0.1	RMS	908	-63.96	-13	50.96	Pass	1411
1000	3000	1	RMS	2868	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	8905	-58.62	-13	45.62	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	814	0.1	RMS	813.9	-42.15	-13	29.15	Pass	7841
814	859	0.1	RMS	837.4	-1.03	60	61.03	Pass	451
859	1000	0.1	RMS	901.1	-63.88	-13	50.88	Pass	1411
1000	3000	1	RMS	2870	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8999	-58.58	-13	45.58	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.19	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	813.7	-63.04	-13	50.04	Pass	7841
814	859	0.1	RMS	824.5	18.11	60	41.89	Pass	451
859	1000	0.1	RMS	889.2	-64	-13	51	Pass	1411
1000	3000	1	RMS	2869	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8981	-58.66	-13	45.66	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	58.33	Pass	2986
30	814	0.1	RMS	812.7	-63.93	-13	50.93	Pass	7841
814	859	0.1	RMS	843.4	17.85	60	42.15	Pass	451
859	1000	0.1	RMS	908.8	-63.82	-13	50.82	Pass	1411
1000	3000	1	RMS	2871	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8901	-58.61	-13	45.61	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.19	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	813.8	-44.71	-13	31.71	Pass	7841
814	859	0.1	RMS	843.8	-1.11	60	61.11	Pass	451
859	1000	0.1	RMS	886.7	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	2866	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	8899	-58.62	-13	45.62	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-70.63	-13	57.63	Pass	2986
30	814	0.1	RMS	814	-61.46	-13	48.46	Pass	7841
814	859	0.1	RMS	827	18.02	60	41.98	Pass	451
859	1000	0.1	RMS	892.9	-63.94	-13	50.94	Pass	1411
1000	3000	1	RMS	2866	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8912	-58.64	-13	45.64	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.57	-13	60.57	Pass	401
0.15	30	0.01	RMS	0.22	-71.48	-13	58.48	Pass	2986
30	814	0.1	RMS	751.1	-64.27	-13	51.27	Pass	7841
814	859	0.1	RMS	845.9	17.83	60	42.17	Pass	451
859	1000	0.1	RMS	872.2	-63.97	-13	50.97	Pass	1411
1000	3000	1	RMS	2869	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	8995	-58.65	-13	45.65	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.18	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	813.8	-48.61	-13	35.61	Pass	7841
814	859	0.1	RMS	833.1	-1.09	60	61.09	Pass	451
859	1000	0.1	RMS	994.3	-63.92	-13	50.92	Pass	1411
1000	3000	1	RMS	2869	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	8898	-58.66	-13	45.66	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	814	0.1	RMS	814	-63.5	-13	50.5	Pass	7841
814	859	0.1	RMS	829.5	17.9	60	42.1	Pass	451
859	1000	0.1	RMS	878.2	-63.83	-13	50.83	Pass	1411
1000	3000	1	RMS	2869	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	9000	-58.61	-13	45.61	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	58.07	Pass	2986
30	814	0.1	RMS	754.2	-64.2	-13	51.2	Pass	7841
814	859	0.1	RMS	848.4	17.86	60	42.14	Pass	451
859	1000	0.1	RMS	899.6	-64.01	-13	51.01	Pass	1411
1000	3000	1	RMS	2869	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	8905	-58.63	-13	45.63	Pass	7001




3. n7

3.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-25	48.3	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-25	46.63	Pass	2986
30	1000	0.1	RMS	883.123	-63.77	-25	38.77	Pass	9701
1000	2495	1	RMS	2495	-34.66	-25	9.66	Pass	1496
2495	2575	1	RMS	2503.6	14.05	60	45.95	Pass	401
2575	3000	1	RMS	2869	-48.76	-25	23.76	Pass	426
3000	7000	1	RMS	6883	-61.29	-25	36.29	Pass	4001
7000	26000	1	RMS	25198	-46.23	-25	21.23	Pass	19003




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-25	48.34	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-25	46.59	Pass	2986
30	1000	0.1	RMS	898.333	-63.78	-25	38.78	Pass	9701
1000	2495	1	RMS	2495	-42.89	-25	17.89	Pass	1496
2495	2575	1	RMS	2500.2	20.27	60	39.73	Pass	401
2575	3000	1	RMS	2867	-48.76	-25	23.76	Pass	426
3000	7000	1	RMS	6923	-61.22	-25	36.22	Pass	4001
7000	26000	1	RMS	25199	-46.31	-25	21.31	Pass	19003




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	47.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-25	46.59	Pass	2986
30	1000	0.1	RMS	911.541	-63.84	-25	38.84	Pass	9701
1000	2495	1	RMS	2495	-49.91	-25	24.91	Pass	1496
2495	2575	1	RMS	2504.6	20.28	60	39.72	Pass	401
2575	3000	1	RMS	2870	-48.79	-25	23.79	Pass	426
3000	7000	1	RMS	6931	-61.25	-25	36.25	Pass	4001
7000	26000	1	RMS	25198	-46.16	-25	21.16	Pass	19003




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-25	48.69	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-25	46.51	Pass	2986
30	1000	0.1	RMS	988.893	-63.86	-25	38.86	Pass	9701
1000	2495	1	RMS	2495	-50.49	-25	25.49	Pass	1496
2495	2575	1	RMS	2536	14.02	60	45.98	Pass	401
2575	3000	1	RMS	2869	-48.76	-25	23.76	Pass	426
3000	7000	1	RMS	6929	-61.3	-25	36.3	Pass	4001
7000	26000	1	RMS	25196	-46.24	-25	21.24	Pass	19003




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-25	48.28	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-25	45.99	Pass	2986
30	1000	0.1	RMS	916.845	-63.84	-25	38.84	Pass	9701
1000	2495	1	RMS	2495	-50.58	-25	25.58	Pass	1496
2495	2575	1	RMS	2532.8	20.12	60	39.88	Pass	401
2575	3000	1	RMS	2869	-48.77	-25	23.77	Pass	426
3000	7000	1	RMS	6933	-61.21	-25	36.21	Pass	4001
7000	26000	1	RMS	25198	-46.2	-25	21.2	Pass	19003




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-25	48.05	Pass	401
0.15	30	0.01	RMS	0.19	-72.06	-25	47.06	Pass	2986
30	1000	0.1	RMS	900.834	-63.94	-25	38.94	Pass	9701
1000	2495	1	RMS	2495	-50.62	-25	25.62	Pass	1496
2495	2575	1	RMS	2537	20.36	60	39.64	Pass	401
2575	3000	1	RMS	2872	-48.8	-25	23.8	Pass	426
3000	7000	1	RMS	6929	-61.24	-25	36.24	Pass	4001
7000	26000	1	RMS	25195	-46.29	-25	21.29	Pass	19003




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-25	49.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-25	47.03	Pass	2986
30	1000	0.1	RMS	896.531	-63.8	-25	38.8	Pass	9701
1000	2495	1	RMS	2494	-50.6	-25	25.6	Pass	1496
2495	2575	1	RMS	2566.2	13.86	60	46.14	Pass	401
2575	3000	1	RMS	2575	-38.25	-25	13.25	Pass	426
3000	7000	1	RMS	6925	-61.15	-25	36.15	Pass	4001
7000	26000	1	RMS	25195	-46.06	-25	21.06	Pass	19003




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-25	48.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-25	46.42	Pass	2986
30	1000	0.1	RMS	999.8	-63.94	-25	38.94	Pass	9701
1000	2495	1	RMS	2495	-50.65	-25	25.65	Pass	1496
2495	2575	1	RMS	2565.2	20.1	60	39.9	Pass	401
2575	3000	1	RMS	2870	-48.8	-25	23.8	Pass	426
3000	7000	1	RMS	6920	-61.19	-25	36.19	Pass	4001
7000	26000	1	RMS	25200	-46.11	-25	21.11	Pass	19003




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-25	48.05	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-25	45.95	Pass	2986
30	1000	0.1	RMS	898.233	-63.78	-25	38.78	Pass	9701
1000	2495	1	RMS	2493	-50.57	-25	25.57	Pass	1496
2495	2575	1	RMS	2569.6	19.99	60	40.01	Pass	401
2575	3000	1	RMS	2575	-45.69	-25	20.69	Pass	426
3000	7000	1	RMS	6938	-61.24	-25	36.24	Pass	4001
7000	26000	1	RMS	25199	-46.22	-25	21.22	Pass	19003



3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-25	47.68	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-25	46.78	Pass	2986
30	1000	0.1	RMS	926.551	-63.89	-25	38.89	Pass	9701
1000	2475	1	RMS	2475	-50.48	-25	25.48	Pass	1476
2475	2595	1	RMS	2517.3	6.85	60	53.15	Pass	401
2595	3000	1	RMS	2869	-48.73	-25	23.73	Pass	406
3000	7000	1	RMS	6928	-61.23	-25	36.23	Pass	4001
7000	26000	1	RMS	25199	-46.3	-25	21.3	Pass	19003



3.11. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	0.19	-71.4	-25	46.4	Pass	2986
30	1000	0.1	RMS	896.131	-63.76	-25	38.76	Pass	9701
1000	2475	1	RMS	2451	-50.83	-25	25.83	Pass	1476
2475	2595	1	RMS	2500.5	20.25	60	39.75	Pass	401
2595	3000	1	RMS	2869	-48.78	-25	23.78	Pass	406
3000	7000	1	RMS	6921	-61.18	-25	36.18	Pass	4001
7000	26000	1	RMS	25198	-46.21	-25	21.21	Pass	19003




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-25	48.34	Pass	401
0.15	30	0.01	RMS	0.18	-70.51	-25	45.51	Pass	2986
30	1000	0.1	RMS	882.522	-63.81	-25	38.81	Pass	9701
1000	2475	1	RMS	2471	-50.81	-25	25.81	Pass	1476
2475	2595	1	RMS	2524.2	20.28	60	39.72	Pass	401
2595	3000	1	RMS	2870	-48.72	-25	23.72	Pass	406
3000	7000	1	RMS	6927	-61.17	-25	36.17	Pass	4001
7000	26000	1	RMS	25202	-46.2	-25	21.2	Pass	19003




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.63	-25	47.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-25	46.33	Pass	2986
30	1000	0.1	RMS	891.628	-63.72	-25	38.72	Pass	9701
1000	2475	1	RMS	2458	-50.86	-25	25.86	Pass	1476
2475	2595	1	RMS	2523.9	6.94	60	53.06	Pass	401
2595	3000	1	RMS	2868	-48.73	-25	23.73	Pass	406
3000	7000	1	RMS	6936	-61.19	-25	36.19	Pass	4001
7000	26000	1	RMS	25200	-46.22	-25	21.22	Pass	19003




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-72.54	-25	47.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-25	46.2	Pass	2986
30	1000	0.1	RMS	886.825	-63.83	-25	38.83	Pass	9701
1000	2475	1	RMS	2475	-50.8	-25	25.8	Pass	1476
2475	2595	1	RMS	2523	20.21	60	39.79	Pass	401
2595	3000	1	RMS	2867	-48.76	-25	23.76	Pass	406
3000	7000	1	RMS	6921	-61.21	-25	36.21	Pass	4001
7000	26000	1	RMS	25203	-46.16	-25	21.16	Pass	19003




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-25	46.19	Pass	2986
30	1000	0.1	RMS	891.028	-63.87	-25	38.87	Pass	9701
1000	2475	1	RMS	2463	-50.83	-25	25.83	Pass	1476
2475	2595	1	RMS	2546.7	20.31	60	39.69	Pass	401
2595	3000	1	RMS	2869	-48.78	-25	23.78	Pass	406
3000	7000	1	RMS	6925	-61.2	-25	36.2	Pass	4001
7000	26000	1	RMS	25197	-46.16	-25	21.16	Pass	19003




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.46	-25	46.46	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	886.325	-63.73	-25	38.73	Pass	9701
1000	2475	1	RMS	2449	-50.76	-25	25.76	Pass	1476
2475	2595	1	RMS	2560.8	6.87	60	53.13	Pass	401
2595	3000	1	RMS	2595	-47.62	-25	22.62	Pass	406
3000	7000	1	RMS	6927	-61.23	-25	36.23	Pass	4001
7000	26000	1	RMS	25197	-46.07	-25	21.07	Pass	19003




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.75	-25	47.75	Pass	401
0.15	30	0.01	RMS	0.22	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	892.229	-63.9	-25	38.9	Pass	9701
1000	2475	1	RMS	2475	-50.86	-25	25.86	Pass	1476
2475	2595	1	RMS	2545.5	20.2	60	39.8	Pass	401
2595	3000	1	RMS	2871	-48.73	-25	23.73	Pass	406
3000	7000	1	RMS	6926	-61.2	-25	36.2	Pass	4001
7000	26000	1	RMS	25198	-46.12	-25	21.12	Pass	19003




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.81	-25	46.81	Pass	401
0.15	30	0.01	RMS	0.28	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	877.219	-63.83	-25	38.83	Pass	9701
1000	2475	1	RMS	2462	-50.85	-25	25.85	Pass	1476
2475	2595	1	RMS	2569.2	20.14	60	39.86	Pass	401
2595	3000	1	RMS	2869	-48.79	-25	23.79	Pass	406
3000	7000	1	RMS	6922	-61.18	-25	36.18	Pass	4001
7000	26000	1	RMS	25199	-46.13	-25	21.13	Pass	19003




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-25	46.71	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-25	45.98	Pass	2986
30	1000	0.1	RMS	902.836	-63.88	-25	38.88	Pass	9701
1000	2460	1	RMS	2451	-50.78	-25	25.78	Pass	1461
2460	2610	1	RMS	2518.125	4.77	60	55.23	Pass	401
2610	3000	1	RMS	2868.375	-48.78	-25	23.78	Pass	401
3000	7000	1	RMS	6930	-61.17	-25	36.17	Pass	4001
7000	26000	1	RMS	25205	-46.2	-25	21.2	Pass	19003




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-25	46.89	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-25	45.78	Pass	2986
30	1000	0.1	RMS	908.74	-63.9	-25	38.9	Pass	9701
1000	2460	1	RMS	2456	-50.77	-25	25.77	Pass	1461
2460	2610	1	RMS	2500.5	20.13	60	39.87	Pass	401
2610	3000	1	RMS	2868.375	-48.73	-25	23.73	Pass	401
3000	7000	1	RMS	6932	-61.15	-25	36.15	Pass	4001
7000	26000	1	RMS	25201	-46.22	-25	21.22	Pass	19003




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-25	46.15	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-25	46.7	Pass	2986
30	1000	0.1	RMS	904.737	-63.86	-25	38.86	Pass	9701
1000	2460	1	RMS	2457	-50.86	-25	25.86	Pass	1461
2460	2610	1	RMS	2539.125	20.25	60	39.75	Pass	401
2610	3000	1	RMS	2868.375	-48.76	-25	23.76	Pass	401
3000	7000	1	RMS	6929	-61.22	-25	36.22	Pass	4001
7000	26000	1	RMS	25200	-46.26	-25	21.26	Pass	19003




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.19	-25	46.19	Pass	401
0.15	30	0.01	RMS	0.22	-71.53	-25	46.53	Pass	2986
30	1000	0.1	RMS	894.13	-63.9	-25	38.9	Pass	9701
1000	2460	1	RMS	2460	-50.8	-25	25.8	Pass	1461
2460	2610	1	RMS	2516.625	5.08	60	54.92	Pass	401
2610	3000	1	RMS	2869.35	-48.79	-25	23.79	Pass	401
3000	7000	1	RMS	6924	-61.19	-25	36.19	Pass	4001
7000	26000	1	RMS	25199	-46.25	-25	21.25	Pass	19003




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-25	47.17	Pass	401
0.15	30	0.01	RMS	0.17	-70.75	-25	45.75	Pass	2986
30	1000	0.1	RMS	879.92	-63.86	-25	38.86	Pass	9701
1000	2460	1	RMS	2452	-50.91	-25	25.91	Pass	1461
2460	2610	1	RMS	2515.5	20.19	60	39.81	Pass	401
2610	3000	1	RMS	2871.3	-48.76	-25	23.76	Pass	401
3000	7000	1	RMS	6931	-61.18	-25	36.18	Pass	4001
7000	26000	1	RMS	25198	-46.12	-25	21.12	Pass	19003




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-25	46.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-25	46.86	Pass	2986
30	1000	0.1	RMS	891.328	-63.89	-25	38.89	Pass	9701
1000	2460	1	RMS	2458	-50.85	-25	25.85	Pass	1461
2460	2610	1	RMS	2554.125	20.13	60	39.87	Pass	401
2610	3000	1	RMS	2868.375	-48.76	-25	23.76	Pass	401
3000	7000	1	RMS	6933	-61.18	-25	36.18	Pass	4001
7000	26000	1	RMS	25194	-46.27	-25	21.27	Pass	19003




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-25	47.36	Pass	401
0.15	30	0.01	RMS	0.24	-71.56	-25	46.56	Pass	2986
30	1000	0.1	RMS	920.147	-63.98	-25	38.98	Pass	9701
1000	2460	1	RMS	2450	-50.87	-25	25.87	Pass	1461
2460	2610	1	RMS	2564.25	4.98	60	55.02	Pass	401
2610	3000	1	RMS	2867.4	-48.78	-25	23.78	Pass	401
3000	7000	1	RMS	6927	-61.21	-25	36.21	Pass	4001
7000	26000	1	RMS	25198	-46.22	-25	21.22	Pass	19003



3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-25	47.64	Pass	401
0.15	30	0.01	RMS	0.18	-71.65	-25	46.65	Pass	2986
30	1000	0.1	RMS	886.024	-63.93	-25	38.93	Pass	9701
1000	2460	1	RMS	2460	-50.91	-25	25.91	Pass	1461
2460	2610	1	RMS	2530.5	20.18	60	39.82	Pass	401
2610	3000	1	RMS	2868.375	-48.8	-25	23.8	Pass	401
3000	7000	1	RMS	6929	-61.2	-25	36.2	Pass	4001
7000	26000	1	RMS	25200	-46.2	-25	21.2	Pass	19003



3.27. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-25	47.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	46.31	Pass	2986
30	1000	0.1	RMS	899.533	-63.86	-25	38.86	Pass	9701
1000	2460	1	RMS	2451	-50.9	-25	25.9	Pass	1461
2460	2610	1	RMS	2569.125	20.02	60	39.98	Pass	401
2610	3000	1	RMS	2866.425	-48.78	-25	23.78	Pass	401
3000	7000	1	RMS	6924	-61.23	-25	36.23	Pass	4001
7000	26000	1	RMS	25201	-46.14	-25	21.14	Pass	19003




4. n26 15kHz(824-849)

4.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	814	0.1	RMS	814	-55.56	-13	42.56	Pass	7841
814	859	0.1	RMS	828.6	5.07	60	54.93	Pass	451
859	1000	0.1	RMS	886.4	-63.92	-13	50.92	Pass	1411
1000	3000	1	RMS	2870	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8990	-58.51	-13	45.51	Pass	7001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	814	0.1	RMS	813.7	-63.74	-13	50.74	Pass	7841
814	859	0.1	RMS	824.3	18.32	60	41.68	Pass	451
859	1000	0.1	RMS	884.2	-63.74	-13	50.74	Pass	1411
1000	3000	1	RMS	2873	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	9003	-58.56	-13	45.56	Pass	7001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	726	-64.14	-13	51.14	Pass	7841
814	859	0.1	RMS	828.6	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	880.9	-63.88	-13	50.88	Pass	1411
1000	3000	1	RMS	2868	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8981	-58.54	-13	45.54	Pass	7001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.31	-13	57.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	58.13	Pass	2986
30	814	0.1	RMS	814	-63.94	-13	50.94	Pass	7841
814	859	0.1	RMS	837.9	5.18	60	54.82	Pass	451
859	1000	0.1	RMS	892.6	-63.92	-13	50.92	Pass	1411
1000	3000	1	RMS	2868	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8904	-58.59	-13	45.59	Pass	7001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.18	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	729.4	-64.2	-13	51.2	Pass	7841
814	859	0.1	RMS	834.3	18.22	60	41.78	Pass	451
859	1000	0.1	RMS	894.7	-63.84	-13	50.84	Pass	1411
1000	3000	1	RMS	2870	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8905	-58.52	-13	45.52	Pass	7001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	57.81	Pass	2986
30	814	0.1	RMS	756.2	-64.12	-13	51.12	Pass	7841
814	859	0.1	RMS	838.7	17.78	60	42.22	Pass	451
859	1000	0.1	RMS	887	-63.63	-13	50.63	Pass	1411
1000	3000	1	RMS	2872	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8996	-58.51	-13	45.51	Pass	7001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	814	0.1	RMS	738.1	-64.11	-13	51.11	Pass	7841
814	859	0.1	RMS	845.1	5.42	60	54.58	Pass	451
859	1000	0.1	RMS	899.3	-63.81	-13	50.81	Pass	1411
1000	3000	1	RMS	2869	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	9003	-58.53	-13	45.53	Pass	7001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	814	0.1	RMS	726.8	-64.06	-13	51.06	Pass	7841
814	859	0.1	RMS	844.3	18.34	60	41.66	Pass	451
859	1000	0.1	RMS	891.2	-63.67	-13	50.67	Pass	1411
1000	3000	1	RMS	2868	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8995	-58.55	-13	45.55	Pass	7001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.2	-70.71	-13	57.71	Pass	2986
30	814	0.1	RMS	810.3	-62.8	-13	49.8	Pass	7841
814	859	0.1	RMS	848.6	18.21	60	41.79	Pass	451
859	1000	0.1	RMS	877.2	-63.78	-13	50.78	Pass	1411
1000	3000	1	RMS	2869	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8920	-58.54	-13	45.54	Pass	7001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	814	0.1	RMS	814	-43.12	-13	30.12	Pass	7841
814	859	0.1	RMS	835.6	0.61	60	59.39	Pass	451
859	1000	0.1	RMS	910.6	-63.85	-13	50.85	Pass	1411
1000	3000	1	RMS	2877	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8911	-58.55	-13	45.55	Pass	7001




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	814	0.1	RMS	813.6	-61.55	-13	48.55	Pass	7841
814	859	0.1	RMS	824.5	18.4	60	41.6	Pass	451
859	1000	0.1	RMS	893.7	-63.93	-13	50.93	Pass	1411
1000	3000	1	RMS	2872	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8909	-58.59	-13	45.59	Pass	7001




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	742	-64.14	-13	51.14	Pass	7841
814	859	0.1	RMS	838.5	18.64	60	41.36	Pass	451
859	1000	0.1	RMS	871	-63.77	-13	50.77	Pass	1411
1000	3000	1	RMS	2868	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8906	-58.51	-13	45.51	Pass	7001




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.17	-70.67	-13	57.67	Pass	2986
30	814	0.1	RMS	813.8	-51.96	-13	38.96	Pass	7841
814	859	0.1	RMS	841.2	0.32	60	59.68	Pass	451
859	1000	0.1	RMS	893.3	-63.88	-13	50.88	Pass	1411
1000	3000	1	RMS	2867	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8893	-58.54	-13	45.54	Pass	7001




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.9	-64.05	-13	51.05	Pass	7841
814	859	0.1	RMS	829.5	18.22	60	41.78	Pass	451
859	1000	0.1	RMS	887.7	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	2869	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8996	-58.54	-13	45.54	Pass	7001




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	58.21	Pass	2986
30	814	0.1	RMS	736.1	-64.09	-13	51.09	Pass	7841
814	859	0.1	RMS	843.5	18.63	60	41.37	Pass	451
859	1000	0.1	RMS	896.8	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2868	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8897	-58.57	-13	45.57	Pass	7001




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.2	-71.12	-13	58.12	Pass	2986
30	814	0.1	RMS	813.6	-54.17	-13	41.17	Pass	7841
814	859	0.1	RMS	835.5	0.33	60	59.67	Pass	451
859	1000	0.1	RMS	892.8	-63.85	-13	50.85	Pass	1411
1000	3000	1	RMS	2870	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8994	-58.51	-13	45.51	Pass	7001




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	751.5	-64.21	-13	51.21	Pass	7841
814	859	0.1	RMS	834.5	18.25	60	41.75	Pass	451
859	1000	0.1	RMS	896.2	-63.93	-13	50.93	Pass	1411
1000	3000	1	RMS	2866	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8998	-58.51	-13	45.51	Pass	7001




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	814	0.1	RMS	729.2	-64.21	-13	51.21	Pass	7841
814	859	0.1	RMS	848.5	18.73	60	41.27	Pass	451
859	1000	0.1	RMS	881.9	-63.89	-13	50.89	Pass	1411
1000	3000	1	RMS	2870	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8899	-58.54	-13	45.54	Pass	7001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	57.79	Pass	2986
30	814	0.1	RMS	812.9	-41.87	-13	28.87	Pass	7841
814	859	0.1	RMS	841.2	-0.81	60	60.81	Pass	451
859	1000	0.1	RMS	897.4	-63.63	-13	50.63	Pass	1411
1000	3000	1	RMS	2869	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8900	-58.57	-13	45.57	Pass	7001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.18	-71.42	-13	58.42	Pass	2986
30	814	0.1	RMS	813.2	-60.01	-13	47.01	Pass	7841
814	859	0.1	RMS	824.5	18.2	60	41.8	Pass	451
859	1000	0.1	RMS	907.7	-63.89	-13	50.89	Pass	1411
1000	3000	1	RMS	2868	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8901	-58.55	-13	45.55	Pass	7001




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	738.5	-64.18	-13	51.18	Pass	7841
814	859	0.1	RMS	843.4	18.22	60	41.78	Pass	451
859	1000	0.1	RMS	894.4	-63.8	-13	50.8	Pass	1411
1000	3000	1	RMS	2870	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8905	-58.57	-13	45.57	Pass	7001




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-13	56.69	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	813.8	-44.62	-13	31.62	Pass	7841
814	859	0.1	RMS	843.8	-0.99	60	60.99	Pass	451
859	1000	0.1	RMS	916.3	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	2869	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	9003	-58.58	-13	45.58	Pass	7001




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.94	-13	55.94	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	58.35	Pass	2986
30	814	0.1	RMS	814	-61.33	-13	48.33	Pass	7841
814	859	0.1	RMS	827	18.22	60	41.78	Pass	451
859	1000	0.1	RMS	886.3	-63.84	-13	50.84	Pass	1411
1000	3000	1	RMS	2871	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8983	-58.57	-13	45.57	Pass	7001




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.83	-13	56.83	Pass	401
0.15	30	0.01	RMS	0.17	-70.78	-13	57.78	Pass	2986
30	814	0.1	RMS	743.7	-64.11	-13	51.11	Pass	7841
814	859	0.1	RMS	845.9	18.22	60	41.78	Pass	451
859	1000	0.1	RMS	892.8	-63.88	-13	50.88	Pass	1411
1000	3000	1	RMS	2874	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	9002	-58.54	-13	45.54	Pass	7001




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.19	-71.7	-13	58.7	Pass	2986
30	814	0.1	RMS	814	-48.08	-13	35.08	Pass	7841
814	859	0.1	RMS	833.1	-0.92	60	60.92	Pass	451
859	1000	0.1	RMS	879.8	-63.94	-13	50.94	Pass	1411
1000	3000	1	RMS	2868	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8979	-58.5	-13	45.5	Pass	7001




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.58	-13	56.58	Pass	401
0.15	30	0.01	RMS	0.17	-71.34	-13	58.34	Pass	2986
30	814	0.1	RMS	813.1	-63.74	-13	50.74	Pass	7841
814	859	0.1	RMS	829.5	18.07	60	41.93	Pass	451
859	1000	0.1	RMS	905.8	-63.73	-13	50.73	Pass	1411
1000	3000	1	RMS	2873	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	9001	-58.57	-13	45.57	Pass	7001



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.16	-70.48	-13	57.48	Pass	2986
30	814	0.1	RMS	733	-64.2	-13	51.2	Pass	7841
814	859	0.1	RMS	848.4	18.47	60	41.53	Pass	451
859	1000	0.1	RMS	892.2	-63.85	-13	50.85	Pass	1411
1000	3000	1	RMS	2871	-48.68	-13	35.68	Pass	2001
3000	10000	1	RMS	8988	-58.56	-13	45.56	Pass	7001



1. n26 15kHz(814-824)


1.1. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	0.23	-71.78	-13	58.78	Pass	2986
30	804	0.1	RMS	753.9	-64.22	-13	51.22	Pass	7741
804	834	0.1	RMS	817.95	5.25	60	54.75	Pass	401
834	1000	0.1	RMS	834	-61.39	-13	48.39	Pass	1661
1000	3000	1	RMS	2870	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8998	-58.56	-13	45.56	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.83	-13	56.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	804	0.1	RMS	751.2	-64.25	-13	51.25	Pass	7741
804	834	0.1	RMS	814.35	18.55	60	41.45	Pass	401
834	1000	0.1	RMS	852.7	-63.47	-13	50.47	Pass	1661
1000	3000	1	RMS	2866	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8901	-58.57	-13	45.57	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	57.6	Pass	2986
30	804	0.1	RMS	749.3	-64.18	-13	51.18	Pass	7741
804	834	0.1	RMS	818.625	18.47	60	41.53	Pass	401
834	1000	0.1	RMS	999.9	-63.8	-13	50.8	Pass	1661
1000	3000	1	RMS	2870	-48.69	-13	35.69	Pass	2001
3000	10000	1	RMS	8999	-58.46	-13	45.46	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.25	-71.67	-13	58.67	Pass	2986
30	804	0.1	RMS	733.7	-64.23	-13	51.23	Pass	7741
804	834	0.1	RMS	817.65	5.19	60	54.81	Pass	401
834	1000	0.1	RMS	834	-58.8	-13	45.8	Pass	1661
1000	3000	1	RMS	2871	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8897	-58.58	-13	45.58	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-13	57.74	Pass	2986
30	804	0.1	RMS	760.5	-64.16	-13	51.16	Pass	7741
804	834	0.1	RMS	816.825	18.6	60	41.4	Pass	401
834	1000	0.1	RMS	896.8	-63.81	-13	50.81	Pass	1661
1000	3000	1	RMS	2870	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8984	-58.56	-13	45.56	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	804	0.1	RMS	740.1	-64.19	-13	51.19	Pass	7741
804	834	0.1	RMS	821.175	18.56	60	41.44	Pass	401
834	1000	0.1	RMS	886.4	-63.51	-13	50.51	Pass	1661
1000	3000	1	RMS	2870	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	8906	-58.51	-13	45.51	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.18	-71.37	-13	58.37	Pass	2986
30	804	0.1	RMS	745.7	-64.16	-13	51.16	Pass	7741
804	834	0.1	RMS	819.6	5.26	60	54.74	Pass	401
834	1000	0.1	RMS	834.2	-54.89	-13	41.89	Pass	1661
1000	3000	1	RMS	2868	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8905	-58.5	-13	45.5	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	58.3	Pass	2986
30	804	0.1	RMS	756	-64.11	-13	51.11	Pass	7741
804	834	0.1	RMS	819.3	18.38	60	41.62	Pass	401
834	1000	0.1	RMS	835.4	-63.7	-13	50.7	Pass	1661
1000	3000	1	RMS	2869	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8900	-58.57	-13	45.57	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.18	-70.85	-13	57.85	Pass	2986
30	804	0.1	RMS	737.9	-64.19	-13	51.19	Pass	7741
804	834	0.1	RMS	823.65	18.69	60	41.31	Pass	401
834	1000	0.1	RMS	836.3	-63.62	-13	50.62	Pass	1661
1000	3000	1	RMS	2869	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8901	-58.57	-13	45.57	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.11	-13	54.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	804	0.1	RMS	727.6	-64.04	-13	51.04	Pass	7741
804	834	0.1	RMS	816	1.97	60	58.03	Pass	401
834	1000	0.1	RMS	834	-47.11	-13	34.11	Pass	1661
1000	3000	1	RMS	2868	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	9002	-58.51	-13	45.51	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-65.85	-13	52.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	804	0.1	RMS	738.3	-64.19	-13	51.19	Pass	7741
804	834	0.1	RMS	814.425	18.5	60	41.5	Pass	401
834	1000	0.1	RMS	891.5	-63.72	-13	50.72	Pass	1661
1000	3000	1	RMS	2869	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	9001	-58.54	-13	45.54	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.46	-13	55.46	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	57.57	Pass	2986
30	804	0.1	RMS	764.7	-64.11	-13	51.11	Pass	7741
804	834	0.1	RMS	823.575	18.66	60	41.34	Pass	401
834	1000	0.1	RMS	834.4	-63.4	-13	50.4	Pass	1661
1000	3000	1	RMS	2871	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8981	-58.56	-13	45.56	Pass	7001




3. n66 15kHz

3.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.75	-13	50.75	Pass	401
0.15	30	0.01	RMS	0.17	-70.81	-13	57.81	Pass	2986
30	1000	0.1	RMS	885.924	-63.95	-13	50.95	Pass	9701
1000	1700	1	RMS	1700	-46.18	-13	33.18	Pass	701
1700	1790	1	RMS	1711.25	14.55	60	45.45	Pass	401
1790	3000	1	RMS	2869	-48.66	-13	35.66	Pass	1211
3000	7000	1	RMS	6931	-61.2	-13	48.2	Pass	4001
7000	20000	1	RMS	18295	-50.27	-13	37.27	Pass	13002




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.17	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	998.099	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	39.46	Pass	701
1700	1790	1	RMS	1710.125	20.67	60	39.33	Pass	401
1790	3000	1	RMS	2871	-48.69	-13	35.69	Pass	1211
3000	7000	1	RMS	6934	-61.24	-13	48.24	Pass	4001
7000	20000	1	RMS	19898	-50.37	-13	37.37	Pass	13002




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	883.323	-63.91	-13	50.91	Pass	9701
1000	1700	1	RMS	1700	-52.66	-13	39.66	Pass	701
1700	1790	1	RMS	1714.625	20.6	60	39.4	Pass	401
1790	3000	1	RMS	2867	-48.69	-13	35.69	Pass	1211
3000	7000	1	RMS	6925	-61.18	-13	48.18	Pass	4001
7000	20000	1	RMS	19907	-50.31	-13	37.31	Pass	13002




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	891.528	-63.89	-13	50.89	Pass	9701
1000	1700	1	RMS	1695	-52.76	-13	39.76	Pass	701
1700	1790	1	RMS	1745.9	14.23	60	45.77	Pass	401
1790	3000	1	RMS	2872	-48.73	-13	35.73	Pass	1211
3000	7000	1	RMS	6887	-61.2	-13	48.2	Pass	4001
7000	20000	1	RMS	19913	-50.24	-13	37.24	Pass	13002




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.39	-13	51.39	Pass	401
0.15	30	0.01	RMS	0.18	-70.93	-13	57.93	Pass	2986
30	1000	0.1	RMS	999.4	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1696	-52.74	-13	39.74	Pass	701
1700	1790	1	RMS	1742.75	20.6	60	39.4	Pass	401
1790	3000	1	RMS	2870	-48.69	-13	35.69	Pass	1211
3000	7000	1	RMS	6934	-61.18	-13	48.18	Pass	4001
7000	20000	1	RMS	19901	-50.27	-13	37.27	Pass	13002




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.4	-13	54.4	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	890.127	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1700	-52.74	-13	39.74	Pass	701
1700	1790	1	RMS	1747.025	20.58	60	39.42	Pass	401
1790	3000	1	RMS	2871	-48.7	-13	35.7	Pass	1211
3000	7000	1	RMS	6924	-61.14	-13	48.14	Pass	4001
7000	20000	1	RMS	19893	-50.33	-13	37.33	Pass	13002




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.1	-13	50.1	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	893.429	-63.82	-13	50.82	Pass	9701
1000	1700	1	RMS	1685	-52.73	-13	39.73	Pass	701
1700	1790	1	RMS	1776.275	14.03	60	45.97	Pass	401
1790	3000	1	RMS	1790	-45.28	-13	32.28	Pass	1211
3000	7000	1	RMS	6921	-61.16	-13	48.16	Pass	4001
7000	20000	1	RMS	18265	-50.28	-13	37.28	Pass	13002




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.31	-13	50.31	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	897.132	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1658	-52.74	-13	39.74	Pass	701
1700	1790	1	RMS	1775.15	20.11	60	39.89	Pass	401
1790	3000	1	RMS	2869	-48.73	-13	35.73	Pass	1211
3000	7000	1	RMS	6921	-61.19	-13	48.19	Pass	4001
7000	20000	1	RMS	19901	-50.29	-13	37.29	Pass	13002




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.21	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	891.528	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1696	-52.74	-13	39.74	Pass	701
1700	1790	1	RMS	1779.425	20.11	60	39.89	Pass	401
1790	3000	1	RMS	2869	-48.66	-13	35.66	Pass	1211
3000	7000	1	RMS	6929	-61.17	-13	48.17	Pass	4001
7000	20000	1	RMS	19895	-50.3	-13	37.3	Pass	13002




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	57.73	Pass	2986
30	1000	0.1	RMS	993.095	-63.94	-13	50.94	Pass	9701
1000	1700	1	RMS	1700	-33.36	-13	20.36	Pass	701
1700	1790	1	RMS	1728.575	8.6	60	51.4	Pass	401
1790	3000	1	RMS	2871	-48.6	-13	35.6	Pass	1211
3000	7000	1	RMS	6917	-61.16	-13	48.16	Pass	4001
7000	20000	1	RMS	18267	-50.35	-13	37.35	Pass	13002




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	891.328	-63.91	-13	50.91	Pass	9701
1000	1700	1	RMS	1700	-51.61	-13	38.61	Pass	701
1700	1790	1	RMS	1710.35	20.8	60	39.2	Pass	401
1790	3000	1	RMS	2868	-48.64	-13	35.64	Pass	1211
3000	7000	1	RMS	6927	-61.14	-13	48.14	Pass	4001
7000	20000	1	RMS	18284	-50.27	-13	37.27	Pass	13002



3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	878.119	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1699	-52.63	-13	39.63	Pass	701
1700	1790	1	RMS	1729.25	20.59	60	39.41	Pass	401
1790	3000	1	RMS	2872	-48.66	-13	35.66	Pass	1211
3000	7000	1	RMS	6920	-61.2	-13	48.2	Pass	4001
7000	20000	1	RMS	19899	-50.25	-13	37.25	Pass	13002



3.13. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	884.824	-63.93	-13	50.93	Pass	9701
1000	1700	1	RMS	1700	-48.79	-13	35.79	Pass	701
1700	1790	1	RMS	1736.45	8.28	60	51.72	Pass	401
1790	3000	1	RMS	1790	-46.41	-13	33.41	Pass	1211
3000	7000	1	RMS	6924	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	18287	-50.26	-13	37.26	Pass	13002



3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	870.714	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1700	-52.71	-13	39.71	Pass	701
1700	1790	1	RMS	1735.325	20.45	60	39.55	Pass	401
1790	3000	1	RMS	2875	-48.63	-13	35.63	Pass	1211
3000	7000	1	RMS	6929	-61.17	-13	48.17	Pass	4001
7000	20000	1	RMS	19910	-50.32	-13	37.32	Pass	13002



3.15. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.18	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	895.931	-63.81	-13	50.81	Pass	9701
1000	1700	1	RMS	1673	-52.71	-13	39.71	Pass	701
1700	1790	1	RMS	1754.45	20.33	60	39.67	Pass	401
1790	3000	1	RMS	2871	-48.7	-13	35.7	Pass	1211
3000	7000	1	RMS	6922	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	19914	-50.26	-13	37.26	Pass	13002




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.2	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	882.622	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	39.42	Pass	701
1700	1790	1	RMS	1761.65	8.43	60	51.57	Pass	401
1790	3000	1	RMS	1790	-32.24	-13	19.24	Pass	1211
3000	7000	1	RMS	6936	-61.15	-13	48.15	Pass	4001
7000	20000	1	RMS	19908	-50.31	-13	37.31	Pass	13002



3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.18	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	996.998	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1695	-52.71	-13	39.71	Pass	701
1700	1790	1	RMS	1760.525	20.38	60	39.62	Pass	401
1790	3000	1	RMS	2866	-48.68	-13	35.68	Pass	1211
3000	7000	1	RMS	6931	-61.14	-13	48.14	Pass	4001
7000	20000	1	RMS	19907	-50.27	-13	37.27	Pass	13002



3.18. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	890.527	-63.83	-13	50.83	Pass	9701
1000	1700	1	RMS	1669	-52.71	-13	39.71	Pass	701
1700	1790	1	RMS	1779.425	20.13	60	39.87	Pass	401
1790	3000	1	RMS	2871	-48.71	-13	35.71	Pass	1211
3000	7000	1	RMS	6929	-61.19	-13	48.19	Pass	4001
7000	20000	1	RMS	19919	-50.33	-13	37.33	Pass	13002




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.17	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	893.73	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1700	-34.83	-13	21.83	Pass	701
1700	1790	1	RMS	1747.925	5.22	60	54.78	Pass	401
1790	3000	1	RMS	1790	-39.67	-13	26.67	Pass	1211
3000	7000	1	RMS	6929	-61.11	-13	48.11	Pass	4001
7000	20000	1	RMS	18283	-50.27	-13	37.27	Pass	13002




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.16	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	890.828	-63.85	-13	50.85	Pass	9701
1000	1700	1	RMS	1700	-51.77	-13	38.77	Pass	701
1700	1790	1	RMS	1710.575	20.58	60	39.42	Pass	401
1790	3000	1	RMS	2867	-48.67	-13	35.67	Pass	1211
3000	7000	1	RMS	6935	-61.07	-13	48.07	Pass	4001
7000	20000	1	RMS	19909	-50.23	-13	37.23	Pass	13002



3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.21	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	887.926	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1700	-52.61	-13	39.61	Pass	701
1700	1790	1	RMS	1749.275	20.27	60	39.73	Pass	401
1790	3000	1	RMS	2868	-48.62	-13	35.62	Pass	1211
3000	7000	1	RMS	6928	-61.16	-13	48.16	Pass	4001
7000	20000	1	RMS	19902	-50.27	-13	37.27	Pass	13002



3.22. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.72	-13	50.72	Pass	401
0.15	30	0.01	RMS	0.41	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	905.938	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1700	-38.31	-13	25.31	Pass	701
1700	1790	1	RMS	1761.65	5.1	60	54.9	Pass	401
1790	3000	1	RMS	1790	-33.79	-13	20.79	Pass	1211
3000	7000	1	RMS	6928	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	19901	-50.29	-13	37.29	Pass	13002



3.23. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.52	-13	51.52	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	1000	0.1	RMS	880.821	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	39.42	Pass	701
1700	1790	1	RMS	1725.425	20.3	60	39.7	Pass	401
1790	3000	1	RMS	2872	-48.67	-13	35.67	Pass	1211
3000	7000	1	RMS	6889	-61.16	-13	48.16	Pass	4001
7000	20000	1	RMS	19897	-50.16	-13	37.16	Pass	13002



3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.43	-13	51.43	Pass	401
0.15	30	0.01	RMS	0.18	-70.5	-13	57.5	Pass	2986
30	1000	0.1	RMS	891.428	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1696	-52.72	-13	39.72	Pass	701
1700	1790	1	RMS	1764.125	20.19	60	39.81	Pass	401
1790	3000	1	RMS	2869	-48.66	-13	35.66	Pass	1211
3000	7000	1	RMS	6928	-61.14	-13	48.14	Pass	4001
7000	20000	1	RMS	19900	-50.25	-13	37.25	Pass	13002



3.25. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.54	-13	51.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	894.23	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1700	-44.78	-13	31.78	Pass	701
1700	1790	1	RMS	1742.3	5.04	60	54.96	Pass	401
1790	3000	1	RMS	1790	-32.21	-13	19.21	Pass	1211
3000	7000	1	RMS	6932	-61.09	-13	48.09	Pass	4001
7000	20000	1	RMS	19911	-50.18	-13	37.18	Pass	13002




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.35	-13	54.35	Pass	401
0.15	30	0.01	RMS	0.19	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	889.026	-63.88	-13	50.88	Pass	9701
1000	1700	1	RMS	1700	-52.64	-13	39.64	Pass	701
1700	1790	1	RMS	1740.5	20.3	60	39.7	Pass	401
1790	3000	1	RMS	2867	-48.72	-13	35.72	Pass	1211
3000	7000	1	RMS	6930	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	19896	-50.26	-13	37.26	Pass	13002



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	886.425	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1688	-52.74	-13	39.74	Pass	701
1700	1790	1	RMS	1779.2	20.07	60	39.93	Pass	401
1790	3000	1	RMS	2867	-48.68	-13	35.68	Pass	1211
3000	7000	1	RMS	6921	-61.13	-13	48.13	Pass	4001
7000	20000	1	RMS	18294	-50.3	-13	37.3	Pass	13002




3. n38_PC3

3.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.35	-25	44.35	Pass	401
0.15	30	0.01	RMS	0.19	-69.32	-25	44.32	Pass	2986
30	1000	0.1	RMS	981.288	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2560	-40.85	-25	15.85	Pass	1561
2560	2630	1	RMS	2578.375	11.74	60	48.26	Pass	401
2630	3000	1	RMS	2864.025	-49	-25	24	Pass	401
3000	7000	1	RMS	6930	-61.32	-25	36.32	Pass	4001
7000	26500	1	RMS	25195	-45.88	-25	20.88	Pass	19503




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.24	-25	45.24	Pass	401
0.15	30	0.01	RMS	0.15	-67.74	-25	42.74	Pass	2986
30	1000	0.1	RMS	953.969	-61.58	-25	36.58	Pass	9701
1000	2560	1	RMS	2560	-50.06	-25	25.06	Pass	1561
2560	2630	1	RMS	2570.85	20.49	60	39.51	Pass	401
2630	3000	1	RMS	2870.5	-48.99	-25	23.99	Pass	401
3000	7000	1	RMS	6890	-61.22	-25	36.22	Pass	4001
7000	26500	1	RMS	25204	-46.07	-25	21.07	Pass	19503




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.56	-25	44.56	Pass	401
0.15	30	0.01	RMS	0.2	-69.9	-25	44.9	Pass	2986
30	1000	0.1	RMS	824.6	-61.74	-25	36.74	Pass	9701
1000	2560	1	RMS	2510	-50.5	-25	25.5	Pass	1561
2560	2630	1	RMS	2579.075	20.45	60	39.55	Pass	401
2630	3000	1	RMS	2878.825	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5158	-59.24	-25	34.24	Pass	4001
7000	26500	1	RMS	25223	-45.84	-25	20.84	Pass	19503




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.67	-25	44.67	Pass	401
0.15	30	0.01	RMS	0.26	-70.11	-25	45.11	Pass	2986
30	1000	0.1	RMS	742.2	-60.96	-25	35.96	Pass	9701
1000	2560	1	RMS	2556	-50.44	-25	25.44	Pass	1561
2560	2630	1	RMS	2597.275	11.73	60	48.27	Pass	401
2630	3000	1	RMS	2868.65	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	6941	-60.95	-25	35.95	Pass	4001
7000	26500	1	RMS	25211	-45.98	-25	20.98	Pass	19503




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69	-25	44	Pass	401
0.15	30	0.01	RMS	0.24	-69.77	-25	44.77	Pass	2986
30	1000	0.1	RMS	728.5	-61.27	-25	36.27	Pass	9701
1000	2560	1	RMS	2512	-50.49	-25	25.49	Pass	1561
2560	2630	1	RMS	2590.8	20.56	60	39.44	Pass	401
2630	3000	1	RMS	2872.35	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	5182	-59.68	-25	34.68	Pass	4001
7000	26500	1	RMS	25486	-45.35	-25	20.35	Pass	19503




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.26	-25	44.26	Pass	401
0.15	30	0.01	RMS	0.19	-70.55	-25	45.55	Pass	2986
30	1000	0.1	RMS	762.4	-61.5	-25	36.5	Pass	9701
1000	2560	1	RMS	2535	-50.38	-25	25.38	Pass	1561
2560	2630	1	RMS	2599.2	20.43	60	39.57	Pass	401
2630	3000	1	RMS	2873.275	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	5198	-51.54	-25	26.54	Pass	4001
7000	26500	1	RMS	25209	-45.78	-25	20.78	Pass	19503




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.34	-25	44.34	Pass	401
0.15	30	0.01	RMS	0.21	-69.56	-25	44.56	Pass	2986
30	1000	0.1	RMS	723.5	-61.76	-25	36.76	Pass	9701
1000	2560	1	RMS	2524	-50.48	-25	25.48	Pass	1561
2560	2630	1	RMS	2611.975	11.9	60	48.1	Pass	401
2630	3000	1	RMS	2630	-40.74	-25	15.74	Pass	401
3000	7000	1	RMS	6931	-61.31	-25	36.31	Pass	4001
7000	26500	1	RMS	25803	-45.92	-25	20.92	Pass	19503




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	0.25	-70.81	-25	45.81	Pass	2986
30	1000	0.1	RMS	945.564	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2508	-50.42	-25	25.42	Pass	1561
2560	2630	1	RMS	2610.925	20.76	60	39.24	Pass	401
2630	3000	1	RMS	2873.275	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	5222	-55.78	-25	30.78	Pass	4001
7000	26500	1	RMS	25203	-45.83	-25	20.83	Pass	19503



3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.18	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	744.2	-61.69	-25	36.69	Pass	9701
1000	2560	1	RMS	2499	-50.45	-25	25.45	Pass	1561
2560	2630	1	RMS	2619.15	20.78	60	39.22	Pass	401
2630	3000	1	RMS	2875.125	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	5238	-60.11	-25	35.11	Pass	4001
7000	26500	1	RMS	25187	-46.03	-25	21.03	Pass	19503



3.10. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.53	-25	44.53	Pass	401
0.15	30	0.01	RMS	0.53	-70.39	-25	45.39	Pass	2986
30	1000	0.1	RMS	451.1	-61.28	-25	36.28	Pass	9701
1000	2550	1	RMS	2550	-40.83	-25	15.83	Pass	1551
2550	2640	1	RMS	2587.575	8.81	60	51.19	Pass	401
2640	3000	1	RMS	2865.9	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	6926	-61.19	-25	36.19	Pass	4001
7000	26500	1	RMS	25172	-45.71	-25	20.71	Pass	19503



3.11. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.53	-70.09	-25	45.09	Pass	2986
30	1000	0.1	RMS	892.028	-61.28	-25	36.28	Pass	9701
1000	2550	1	RMS	2548	-50.38	-25	25.38	Pass	1551
2550	2640	1	RMS	2570.925	20.46	60	39.54	Pass	401
2640	3000	1	RMS	2886.6	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	6944	-61.26	-25	36.26	Pass	4001
7000	26500	1	RMS	25200	-46.01	-25	21.01	Pass	19503



3.12. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-25	45.73	Pass	401
0.15	30	0.01	RMS	0.28	-70.89	-25	45.89	Pass	2986
30	1000	0.1	RMS	914.543	-60.92	-25	35.92	Pass	9701
1000	2550	1	RMS	2506	-50.44	-25	25.44	Pass	1551
2550	2640	1	RMS	2588.925	20.55	60	39.45	Pass	401
2640	3000	1	RMS	2869.5	-48.98	-25	23.98	Pass	401
3000	7000	1	RMS	5178	-59.02	-25	34.02	Pass	4001
7000	26500	1	RMS	25849	-45.57	-25	20.57	Pass	19503



3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.75	-25	44.75	Pass	401
0.15	30	0.01	RMS	0.22	-69.79	-25	44.79	Pass	2986
30	1000	0.1	RMS	992.195	-61.78	-25	36.78	Pass	9701
1000	2550	1	RMS	2550	-48.79	-25	23.79	Pass	1551
2550	2640	1	RMS	2603.1	8.74	60	51.26	Pass	401
2640	3000	1	RMS	2640	-48.12	-25	23.12	Pass	401
3000	7000	1	RMS	6934	-61.34	-25	36.34	Pass	4001
7000	26500	1	RMS	25855	-45.84	-25	20.84	Pass	19503



3.14. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.3	-68.96	-25	43.96	Pass	2986
30	1000	0.1	RMS	754.7	-60.55	-25	35.55	Pass	9701
1000	2550	1	RMS	2510	-50.41	-25	25.41	Pass	1551
2550	2640	1	RMS	2586	20.49	60	39.51	Pass	401
2640	3000	1	RMS	2874	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5172	-51.25	-25	26.25	Pass	4001
7000	26500	1	RMS	25858	-45.78	-25	20.78	Pass	19503




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.09	-25	44.09	Pass	401
0.15	30	0.01	RMS	0.51	-70.03	-25	45.03	Pass	2986
30	1000	0.1	RMS	871.415	-61.57	-25	36.57	Pass	9701
1000	2550	1	RMS	2519	-50.48	-25	25.48	Pass	1551
2550	2640	1	RMS	2604	20.8	60	39.2	Pass	401
2640	3000	1	RMS	2872.2	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	6931	-61.06	-25	36.06	Pass	4001
7000	26500	1	RMS	25184	-45.67	-25	20.67	Pass	19503



3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.71	-25	44.71	Pass	401
0.15	30	0.01	RMS	0.23	-68.97	-25	43.97	Pass	2986
30	1000	0.1	RMS	908.639	-61.67	-25	36.67	Pass	9701
1000	2550	1	RMS	2544	-50.21	-25	25.21	Pass	1551
2550	2640	1	RMS	2617.725	8.84	60	51.16	Pass	401
2640	3000	1	RMS	2640	-41.87	-25	16.87	Pass	401
3000	7000	1	RMS	6938	-61.33	-25	36.33	Pass	4001
7000	26500	1	RMS	25496	-45.85	-25	20.85	Pass	19503



3.17. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.87	-25	44.87	Pass	401
0.15	30	0.01	RMS	0.3	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	891.828	-61.72	-25	36.72	Pass	9701
1000	2550	1	RMS	2529	-50.44	-25	25.44	Pass	1551
2550	2640	1	RMS	2601.075	20.61	60	39.39	Pass	401
2640	3000	1	RMS	2868.6	-48.95	-25	23.95	Pass	401
3000	7000	1	RMS	5202	-54.61	-25	29.61	Pass	4001
7000	26500	1	RMS	25187	-45.85	-25	20.85	Pass	19503




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.45	-70.73	-25	45.73	Pass	2986
30	1000	0.1	RMS	728.6	-61.09	-25	36.09	Pass	9701
1000	2550	1	RMS	2535	-50.49	-25	25.49	Pass	1551
2550	2640	1	RMS	2619.075	20.69	60	39.31	Pass	401
2640	3000	1	RMS	2867.7	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	5238	-60.63	-25	35.63	Pass	4001
7000	26500	1	RMS	25814	-45.82	-25	20.82	Pass	19503




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.16	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	868.713	-61.07	-25	36.07	Pass	9701
1000	2530	1	RMS	2530	-42.41	-25	17.41	Pass	1531
2530	2660	1	RMS	2607.675	5.73	60	54.27	Pass	401
2660	3000	1	RMS	2660	-46.45	-25	21.45	Pass	401
3000	7000	1	RMS	6883	-61.38	-25	36.38	Pass	4001
7000	26500	1	RMS	25199	-45.84	-25	20.84	Pass	19503




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.26	-69.38	-25	44.38	Pass	2986
30	1000	0.1	RMS	740.9	-61.34	-25	36.34	Pass	9701
1000	2530	1	RMS	2528	-50.5	-25	25.5	Pass	1531
2530	2660	1	RMS	2570.95	20.32	60	39.68	Pass	401
2660	3000	1	RMS	2863.15	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5142	-60.8	-25	35.8	Pass	4001
7000	26500	1	RMS	25198	-45.77	-25	20.77	Pass	19503




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	0.25	-68.87	-25	43.87	Pass	2986
30	1000	0.1	RMS	507.2	-61.23	-25	36.23	Pass	9701
1000	2530	1	RMS	2523	-50.37	-25	25.37	Pass	1531
2530	2660	1	RMS	2608.975	20.73	60	39.27	Pass	401
2660	3000	1	RMS	2867.4	-48.94	-25	23.94	Pass	401
3000	7000	1	RMS	5218	-58.76	-25	33.76	Pass	4001
7000	26500	1	RMS	25203	-45.95	-25	20.95	Pass	19503



3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.32	-25	44.32	Pass	401
0.15	30	0.01	RMS	0.27	-69.64	-25	44.64	Pass	2986
30	1000	0.1	RMS	911.241	-61.5	-25	36.5	Pass	9701
1000	2530	1	RMS	2530	-44.03	-25	19.03	Pass	1531
2530	2660	1	RMS	2612.55	5.64	60	54.36	Pass	401
2660	3000	1	RMS	2660	-45.2	-25	20.2	Pass	401
3000	7000	1	RMS	6927	-61.38	-25	36.38	Pass	4001
7000	26500	1	RMS	25212	-45.45	-25	20.45	Pass	19503



3.23. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.18	-70.87	-25	45.87	Pass	2986
30	1000	0.1	RMS	877.919	-61.77	-25	36.77	Pass	9701
1000	2530	1	RMS	2528	-50.45	-25	25.45	Pass	1531
2530	2660	1	RMS	2576.15	20.5	60	39.5	Pass	401
2660	3000	1	RMS	2867.4	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	6918	-61.22	-25	36.22	Pass	4001
7000	26500	1	RMS	25513	-46	-25	21	Pass	19503



3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	0.41	-70.72	-25	45.72	Pass	2986
30	1000	0.1	RMS	936.658	-61.52	-25	36.52	Pass	9701
1000	2530	1	RMS	2521	-50.46	-25	25.46	Pass	1531
2530	2660	1	RMS	2613.85	20.78	60	39.22	Pass	401
2660	3000	1	RMS	2865.7	-48.97	-25	23.97	Pass	401
3000	7000	1	RMS	5228	-59	-25	34	Pass	4001
7000	26500	1	RMS	25173	-45.65	-25	20.65	Pass	19503



3.25. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.37	-25	45.37	Pass	401
0.15	30	0.01	RMS	0.21	-68.97	-25	43.97	Pass	2986
30	1000	0.1	RMS	904.237	-61.51	-25	36.51	Pass	9701
1000	2530	1	RMS	2530	-45.75	-25	20.75	Pass	1531
2530	2660	1	RMS	2617.75	5.59	60	54.41	Pass	401
2660	3000	1	RMS	2660	-44.31	-25	19.31	Pass	401
3000	7000	1	RMS	6931	-61.25	-25	36.25	Pass	4001
7000	26500	1	RMS	25499	-45.68	-25	20.68	Pass	19503




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.43	-25	44.43	Pass	401
0.15	30	0.01	RMS	0.39	-70.72	-25	45.72	Pass	2986
30	1000	0.1	RMS	805.1	-61.89	-25	36.89	Pass	9701
1000	2530	1	RMS	2506	-50.43	-25	25.43	Pass	1531
2530	2660	1	RMS	2581.025	20.38	60	39.62	Pass	401
2660	3000	1	RMS	2864.85	-49	-25	24	Pass	401
3000	7000	1	RMS	5162	-58.82	-25	33.82	Pass	4001
7000	26500	1	RMS	25197	-45.96	-25	20.96	Pass	19503



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-25	43.93	Pass	2986
30	1000	0.1	RMS	980.187	-61.48	-25	36.48	Pass	9701
1000	2530	1	RMS	2511	-50.45	-25	25.45	Pass	1531
2530	2660	1	RMS	2618.725	20.48	60	39.52	Pass	401
2660	3000	1	RMS	2866.55	-48.96	-25	23.96	Pass	401
3000	7000	1	RMS	5238	-61.08	-25	36.08	Pass	4001
7000	26500	1	RMS	25206	-45.3	-25	20.3	Pass	19503




5. n41

5.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-25	48.76	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-25	46.68	Pass	2986
30	1000	0.1	RMS	898.633	-63.82	-25	38.82	Pass	9701
1000	2486	1	RMS	2486	-42.61	-25	17.61	Pass	1487
2486	2700	1	RMS	2503.655	13.38	60	46.62	Pass	401
2700	3000	1	RMS	2868.75	-48.9	-25	23.9	Pass	401
3000	7000	1	RMS	6933	-61.48	-25	36.48	Pass	4001
7000	26500	1	RMS	25200	-46.48	-25	21.48	Pass	19503




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-25	48.74	Pass	401
0.15	30	0.01	RMS	0.17	-71.33	-25	46.33	Pass	2986
30	1000	0.1	RMS	896.732	-63.98	-25	38.98	Pass	9701
1000	2486	1	RMS	2486	-50.45	-25	25.45	Pass	1487
2486	2700	1	RMS	2496.7	21.39	60	38.61	Pass	401
2700	3000	1	RMS	2867.25	-48.9	-25	23.9	Pass	401
3000	7000	1	RMS	6922	-61.58	-25	36.58	Pass	4001
7000	26500	1	RMS	25197	-46.5	-25	21.5	Pass	19503




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-25	48.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	904.837	-63.81	-25	38.81	Pass	9701
1000	2486	1	RMS	2485	-50.67	-25	25.67	Pass	1487
2486	2700	1	RMS	2504.725	21.26	60	38.74	Pass	401
2700	3000	1	RMS	2870.25	-48.92	-25	23.92	Pass	401
3000	7000	1	RMS	6931	-61.55	-25	36.55	Pass	4001
7000	26500	1	RMS	25202	-46.46	-25	21.46	Pass	19503




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-25	47.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-25	46.82	Pass	2986
30	1000	0.1	RMS	887.225	-63.89	-25	38.89	Pass	9701
1000	2486	1	RMS	2485	-50.88	-25	25.88	Pass	1487
2486	2700	1	RMS	2595.675	13.32	60	46.68	Pass	401
2700	3000	1	RMS	2872.5	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	6931	-61.53	-25	36.53	Pass	4001
7000	26500	1	RMS	25196	-46.54	-25	21.54	Pass	19503




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-25	48.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-25	46.68	Pass	2986
30	1000	0.1	RMS	896.131	-63.86	-25	38.86	Pass	9701
1000	2486	1	RMS	2484	-50.87	-25	25.87	Pass	1487
2486	2700	1	RMS	2588.72	21.16	60	38.84	Pass	401
2700	3000	1	RMS	2867.25	-48.91	-25	23.91	Pass	401
3000	7000	1	RMS	5178	-56.64	-25	31.64	Pass	4001
7000	26500	1	RMS	25201	-46.52	-25	21.52	Pass	19503




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.22	-25	49.22	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-25	45.78	Pass	2986
30	1000	0.1	RMS	908.439	-63.91	-25	38.91	Pass	9701
1000	2486	1	RMS	2485	-50.86	-25	25.86	Pass	1487
2486	2700	1	RMS	2596.745	21.44	60	38.56	Pass	401
2700	3000	1	RMS	2871.75	-48.93	-25	23.93	Pass	401
3000	7000	1	RMS	5194	-57.11	-25	32.11	Pass	4001
7000	26500	1	RMS	25200	-46.57	-25	21.57	Pass	19503




**5.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-25	48.44	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-25	45.97	Pass	2986
30	1000	0.1	RMS	911.041	-63.97	-25	38.97	Pass	9701
1000	2486	1	RMS	2484	-50.76	-25	25.76	Pass	1487
2486	2700	1	RMS	2681.81	12.83	60	47.17	Pass	401
2700	3000	1	RMS	2700	-41.28	-25	16.28	Pass	401
3000	7000	1	RMS	6929	-61.57	-25	36.57	Pass	4001
7000	26500	1	RMS	25201	-46.56	-25	21.56	Pass	19503




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-25	47.26	Pass	401
0.15	30	0.01	RMS	0.21	-71.19	-25	46.19	Pass	2986
30	1000	0.1	RMS	893.029	-63.8	-25	38.8	Pass	9701
1000	2486	1	RMS	2486	-50.8	-25	25.8	Pass	1487
2486	2700	1	RMS	2680.74	20.82	60	39.18	Pass	401
2700	3000	1	RMS	2871.75	-48.92	-25	23.92	Pass	401
3000	7000	1	RMS	6933	-61.56	-25	36.56	Pass	4001
7000	26500	1	RMS	25197	-46.56	-25	21.56	Pass	19503




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.23	-71.08	-25	46.08	Pass	2986
30	1000	0.1	RMS	728.4	-63.79	-25	38.79	Pass	9701
1000	2486	1	RMS	2486	-50.82	-25	25.82	Pass	1487
2486	2700	1	RMS	2688.765	20.95	60	39.05	Pass	401
2700	3000	1	RMS	2865.75	-48.91	-25	23.91	Pass	401
3000	7000	1	RMS	6921	-61.56	-25	36.56	Pass	4001
7000	26500	1	RMS	25205	-46.58	-25	21.58	Pass	19503




**5.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-25	48.47	Pass	401
0.15	30	0.01	RMS	0.2	-71.36	-25	46.36	Pass	2986
30	1000	0.1	RMS	884.023	-63.8	-25	38.8	Pass	9701
1000	2436	1	RMS	2434	-51.16	-25	26.16	Pass	1437
2436	2750	1	RMS	2552.18	5.22	60	54.78	Pass	401
2750	3000	1	RMS	2868.125	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	6935	-61.52	-25	36.52	Pass	4001
7000	26500	1	RMS	25191	-46.63	-25	21.63	Pass	19503




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-25	48.02	Pass	401
0.15	30	0.01	RMS	0.3	-71.46	-25	46.46	Pass	2986
30	1000	0.1	RMS	892.229	-63.94	-25	38.94	Pass	9701
1000	2436	1	RMS	2431	-51.15	-25	26.15	Pass	1437
2436	2750	1	RMS	2496.445	20.85	60	39.15	Pass	401
2750	3000	1	RMS	2866.25	-48.85	-25	23.85	Pass	401
3000	7000	1	RMS	6925	-61.52	-25	36.52	Pass	4001
7000	26500	1	RMS	25200	-46.52	-25	21.52	Pass	19503




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-25	48.6	Pass	401
0.15	30	0.01	RMS	0.22	-71.21	-25	46.21	Pass	2986
30	1000	0.1	RMS	904.237	-63.85	-25	38.85	Pass	9701
1000	2436	1	RMS	2433	-51.13	-25	26.13	Pass	1437
2436	2750	1	RMS	2554.535	21.04	60	38.96	Pass	401
2750	3000	1	RMS	2868.75	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	5110	-59.88	-25	34.88	Pass	4001
7000	26500	1	RMS	25200	-46.54	-25	21.54	Pass	19503




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-25	47.96	Pass	401
0.15	30	0.01	RMS	0.22	-70.71	-25	45.71	Pass	2986
30	1000	0.1	RMS	888.326	-63.99	-25	38.99	Pass	9701
1000	2436	1	RMS	2415	-51.16	-25	26.16	Pass	1437
2436	2750	1	RMS	2618.12	5.19	60	54.81	Pass	401
2750	3000	1	RMS	2868.125	-48.86	-25	23.86	Pass	401
3000	7000	1	RMS	6933	-61.55	-25	36.55	Pass	4001
7000	26500	1	RMS	25203	-46.56	-25	21.56	Pass	19503




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	0.21	-71.82	-25	46.82	Pass	2986
30	1000	0.1	RMS	893.93	-63.85	-25	38.85	Pass	9701
1000	2436	1	RMS	2435	-51.12	-25	26.12	Pass	1437
2436	2750	1	RMS	2563.955	19.95	60	40.05	Pass	401
2750	3000	1	RMS	2868.125	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	5128	-56.74	-25	31.74	Pass	4001
7000	26500	1	RMS	25201	-46.57	-25	21.57	Pass	19503




**5.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-25	48.19	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-25	46.25	Pass	2986
30	1000	0.1	RMS	996.398	-63.89	-25	38.89	Pass	9701
1000	2436	1	RMS	2425	-51.16	-25	26.16	Pass	1437
2436	2750	1	RMS	2621.26	20.35	60	39.65	Pass	401
2750	3000	1	RMS	2868.125	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	5244	-60.86	-25	35.86	Pass	4001
7000	26500	1	RMS	25201	-46.46	-25	21.46	Pass	19503




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-25	48.21	Pass	401
0.15	30	0.01	RMS	0.26	-71.48	-25	46.48	Pass	2986
30	1000	0.1	RMS	888.626	-63.94	-25	38.94	Pass	9701
1000	2436	1	RMS	2436	-51.16	-25	26.16	Pass	1437
2436	2750	1	RMS	2632.25	5.03	60	54.97	Pass	401
2750	3000	1	RMS	2868.125	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	6928	-61.56	-25	36.56	Pass	4001
7000	26500	1	RMS	25196	-46.57	-25	21.57	Pass	19503




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.79	-25	48.79	Pass	401
0.15	30	0.01	RMS	0.24	-71.28	-25	46.28	Pass	2986
30	1000	0.1	RMS	894.23	-63.95	-25	38.95	Pass	9701
1000	2436	1	RMS	2431	-51.13	-25	26.13	Pass	1437
2436	2750	1	RMS	2630.68	21.08	60	38.92	Pass	401
2750	3000	1	RMS	2870.625	-48.88	-25	23.88	Pass	401
3000	7000	1	RMS	6929	-61.55	-25	36.55	Pass	4001
7000	26500	1	RMS	25202	-46.43	-25	21.43	Pass	19503



5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-25	48.22	Pass	401
0.15	30	0.01	RMS	0.19	-71	-25	46	Pass	2986
30	1000	0.1	RMS	728.3	-63.55	-25	38.55	Pass	9701
1000	2436	1	RMS	2422	-51.19	-25	26.19	Pass	1437
2436	2750	1	RMS	2688.77	20.29	60	39.71	Pass	401
2750	3000	1	RMS	2868.125	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	6922	-61.56	-25	36.56	Pass	4001
7000	26500	1	RMS	25198	-46.57	-25	21.57	Pass	19503



5.19. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.14	-25	46.14	Pass	401
0.15	30	0.01	RMS	0.26	-71.55	-25	46.55	Pass	2986
30	1000	0.1	RMS	907.038	-63.96	-25	38.96	Pass	9701
1000	2396	1	RMS	2395	-51.29	-25	26.29	Pass	1397
2396	2790	1	RMS	2593	3.43	60	56.57	Pass	401
2790	3000	1	RMS	2867.175	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	6931	-61.55	-25	36.55	Pass	4001
7000	26500	1	RMS	25200	-46.56	-25	21.56	Pass	19503



5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.15	-71	-25	46	Pass	2986
30	1000	0.1	RMS	890.928	-63.93	-25	38.93	Pass	9701
1000	2396	1	RMS	2391	-51.29	-25	26.29	Pass	1397
2396	2790	1	RMS	2496.47	20.73	60	39.27	Pass	401
2790	3000	1	RMS	2869.275	-48.85	-25	23.85	Pass	401
3000	7000	1	RMS	6928	-61.55	-25	36.55	Pass	4001
7000	26500	1	RMS	25198	-46.48	-25	21.48	Pass	19503



5.21. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.52	-25	48.52	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-25	45.46	Pass	2986
30	1000	0.1	RMS	900.634	-63.94	-25	38.94	Pass	9701
1000	2396	1	RMS	2395	-51.23	-25	26.23	Pass	1397
2396	2790	1	RMS	2593.985	19.2	60	40.8	Pass	401
2790	3000	1	RMS	2870.325	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	5190	-60.5	-25	35.5	Pass	4001
7000	26500	1	RMS	25200	-46.55	-25	21.55	Pass	19503



5.22. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-25	47.05	Pass	401
0.15	30	0.01	RMS	0.18	-71.2	-25	46.2	Pass	2986
30	1000	0.1	RMS	902.335	-63.86	-25	38.86	Pass	9701
1000	2396	1	RMS	2391	-51.27	-25	26.27	Pass	1397
2396	2790	1	RMS	2611.715	3	60	57	Pass	401
2790	3000	1	RMS	2869.275	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	6934	-61.53	-25	36.53	Pass	4001
7000	26500	1	RMS	25186	-46.6	-25	21.6	Pass	19503




5.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-25	48.34	Pass	401
0.15	30	0.01	RMS	0.24	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	895.131	-63.86	-25	38.86	Pass	9701
1000	2396	1	RMS	2396	-51.22	-25	26.22	Pass	1397
2396	2790	1	RMS	2543.75	20.24	60	39.76	Pass	401
2790	3000	1	RMS	2867.175	-48.89	-25	23.89	Pass	401
3000	7000	1	RMS	6935	-61.53	-25	36.53	Pass	4001
7000	26500	1	RMS	25202	-46.51	-25	21.51	Pass	19503



5.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-25	47.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-25	46.12	Pass	2986
30	1000	0.1	RMS	891.228	-63.85	-25	38.85	Pass	9701
1000	2396	1	RMS	2396	-51.26	-25	26.26	Pass	1397
2396	2790	1	RMS	2641.265	20.55	60	39.45	Pass	401
2790	3000	1	RMS	2868.225	-48.87	-25	23.87	Pass	401
3000	7000	1	RMS	6935	-61.54	-25	36.54	Pass	4001
7000	26500	1	RMS	25203	-46.54	-25	21.54	Pass	19503



5.25. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-25	47.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-25	46.2	Pass	2986
30	1000	0.1	RMS	992.595	-63.69	-25	38.69	Pass	9701
1000	2396	1	RMS	2395	-51.29	-25	26.29	Pass	1397
2396	2790	1	RMS	2600.88	2.81	60	57.19	Pass	401
2790	3000	1	RMS	2875.575	-48.88	-25	23.88	Pass	401
3000	7000	1	RMS	6924	-61.52	-25	36.52	Pass	4001
7000	26500	1	RMS	25200	-46.45	-25	21.45	Pass	19503



5.26. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-25	47.9	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-25	45.87	Pass	2986
30	1000	0.1	RMS	887.525	-63.96	-25	38.96	Pass	9701
1000	2396	1	RMS	2390	-51.28	-25	26.28	Pass	1397
2396	2790	1	RMS	2590.045	19.04	60	40.96	Pass	401
2790	3000	1	RMS	2867.175	-48.85	-25	23.85	Pass	401
3000	7000	1	RMS	5182	-58.87	-25	33.87	Pass	4001
7000	26500	1	RMS	25194	-46.44	-25	21.44	Pass	19503



5.27. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-25	48.5	Pass	401
0.15	30	0.01	RMS	0.19	-71	-25	46	Pass	2986
30	1000	0.1	RMS	906.638	-63.62	-25	38.62	Pass	9701
1000	2396	1	RMS	2392	-51.19	-25	26.19	Pass	1397
2396	2790	1	RMS	2688.545	20.47	60	39.53	Pass	401
2790	3000	1	RMS	2868.225	-48.86	-25	23.86	Pass	401
3000	7000	1	RMS	6922	-61.55	-25	36.55	Pass	4001
7000	26500	1	RMS	25200	-46.53	-25	21.53	Pass	19503



1. n77(3450-3550)

1.1. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.3	-13	55.3	Pass	401
0.15	30	0.01	RMS	0.26	-71.16	-13	58.16	Pass	2986
30	1000	0.1	RMS	881.221	-61.22	-13	48.22	Pass	9701
1000	3000	1	RMS	2865	-48.46	-13	35.46	Pass	2001
3000	3440	1	RMS	3440	-41.13	-13	28.13	Pass	441
3440	3560	1	RMS	3451.7	10.46	60	49.54	Pass	401
3560	7000	1	RMS	6910	-59.08	-13	46.08	Pass	3441
7000	26500	1	RMS	25465	-45.38	-13	32.38	Pass	19503

