




n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2526MHz_Edge_1RB_Left_Ant31



n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2526MHz_Edge_1RB_Left_Ant31




n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2526MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2479.000	-48.56	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2750	1	/	2	2723.000	-49.67	-13	Pass
2750	26900	1	/	3	26468.000	-38.36	-25	Pass

n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2526MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.727	-34.07	-25	Pass
2490.5	2495	1	CHP	2	2494.494	-32.68	-13	Pass
2495	2496	0.622	CHP	3	2495.908	-31.15	-13	Pass
2496	2586	0.622	CHP	/	/	/	/	/


n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2659.98MHz_Edge_1RB_Right_Ant31



n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2659.98MHz_Edge_1RB_Right_Ant31




n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2659.98MHz_Edge_1RB_Right_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	1821.000	-50.39	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2750	1	/	2	2714.000	-40.87	-13	Pass
2750	26900	1	/	3	26242.500	-37.93	-25	Pass

n41_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_2659.98MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2599.98	2690	1.247	CHP	/	/	/	/	/
2690	2691	1.247	CHP	1	2690.142	-24.58	-10	Pass
2691	2695	1	CHP	2	2691.792	-32.39	-10	Pass
2695	2750	1	CHP	3	2696.443	-33.71	-13	Pass


n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant31



n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant31




n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2526MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.866	-48.47	-25	Pass
2490.5	2495	1	CHP	2	2494.486	-40.08	-13	Pass
2495	2496	0.005	CHP	3	2495.962	-47.06	-13	Pass
2496	2586	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2526MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	786.050	-55.20	-25	Pass

n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2526MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2488.500	-45.95	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2750	1	/	2	2723.000	-51.28	-13	Pass
2750	26900	1	/	3	26180.000	-38.70	-25	Pass

n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2526MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.454	-36.42	-25	Pass
2490.5	2495	1	CHP	2	2493.888	-35.60	-13	Pass
2495	2496	0.624	CHP	3	2495.908	-32.48	-13	Pass
2496	2586	0.624	CHP	/	/	/	/	/


n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2659.98MHz_Edge_1RB_Right_Ant31



n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2659.98MHz_Edge_1RB_Right_Ant31




n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2659.98MHz_Edge_1RB_Right_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2109.000	-49.54	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2750	1	/	2	2713.500	-44.75	-13	Pass
2750	26900	1	/	3	26453.000	-38.75	-25	Pass

n41_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_2659.98MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2599.98	2690	1.244	CHP	/	/	/	/	/
2690	2691	1.244	CHP	1	2690.142	-27.98	-10	Pass
2691	2695	1	CHP	2	2691.642	-31.92	-10	Pass
2695	2750	1	CHP	3	2695.093	-33.96	-13	Pass

5.2.3 30k_SISO_100MHz_NTNV




n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2546.01MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.304	-49.24	-25	Pass
2490.5	2495	1	CHP	2	2494.482	-38.54	-13	Pass
2495	2496	0.005	CHP	3	2495.926	-43.83	-13	Pass
2496	2646.01	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2546.01MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	894.200	-55.08	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2546.01MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2489.000	-49.11	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2696.000	-50.11	-13	Pass
2790	26900	1	/	3	26488.000	-37.93	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2546.01MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.802	-36.17	-25	Pass
2490.5	2495	1	CHP	2	2494.454	-35.89	-13	Pass
2495	2496	1	CHP	3	2495.954	-23.76	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/


n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2640MHz_Edge_1RB_Right_Ant31



n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2640MHz_Edge_1RB_Right_Ant31




n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2640MHz_Edge_1RB_Right_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2486.500	-50.01	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2695.500	-48.59	-13	Pass
2790	26900	1	/	3	26221.000	-38.09	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_2640MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	2	CHP	/	/	/	/	/
2690	2691	2	CHP	1	2690.900	-38.32	-10	Pass
2691	2695	1	CHP	2	2691.500	-35.35	-10	Pass
2695	2750	1	CHP	3	2709.200	-36.18	-13	Pass


n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant31




n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant31




n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant31



n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant31




n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2490.000	-47.08	25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2702.000	-49.89	-13	Pass
2790	26900	1	/	3	26460.500	-38.19	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2546.01MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.301	-35.87	25	Pass
2490.5	2495	1	CHP	2	2494.454	-34.02	-13	Pass
2495	2496	1	CHP	3	2495.954	-23.82	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.070	-36.47	-10	Pass
2691	2695	1	CHP	2	2691.665	-38.34	-10	Pass
2695	2750	1	CHP	3	2695.005	-47.56	-13	Pass

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	870.050	-55.02	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2096.500	-51.08	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2696.500	-47.48	-13	Pass
2790	26900	1	/	3	26006.500	-37.47	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_2640MHz_Outer_Full_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	2	CHP	/	/	/	/	/
2690	2691	2	CHP	1	2690.450	-39.54	-10	Pass
2691	2695	1	CHP	2	2692.400	-32.94	-10	Pass
2695	2750	1	CHP	3	2705.450	-34.07	-13	Pass

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	884.050	-54.98	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2592.99MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2380.000	-50.31	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2697.000	-50.71	-13	Pass
2790	26900	1	/	3	25677.500	-38.42	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.566	-48.52	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-38.28	-13	Pass
2495	2496	0.005	CHP	3	2495.991	-41.27	-13	Pass
2496	2646.01	0.005	CHP	/	/	/	/	/

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant31




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	884.550	-55.06	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left Ant31



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	1908.000	-50.89	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2730.000	-50.89	-13	Pass
2790	26900	1	/	3	26482.000	-38.64	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Outer_Full Ant31



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.802	-35.63	-25	Pass
2490.5	2495	1	CHP	2	2491.903	-35.17	-13	Pass
2495	2496	1	CHP	3	2495.954	-26.32	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.180	-44.89	-10	Pass
2691	2695	1	CHP	2	2691.500	-38.40	-10	Pass
2695	2750	1	CHP	3	2695.120	-48.06	-13	Pass

n41_30kHz_SISO_TNTV_100MHz_CP-OFDM QPSK_2640MHz_Edge_1RB_Right

Start: 30 MHz
Stop: 1000 MHz
RBW: 100 kHz
VBW: 300 kHz
Detector: RMS
TraceType: Average
AverageCount: 30
SweepPoint: 19401
SweepTime: 120.28 ms
Sweep: Single

DCCF: 6.99dB


Level (dBm)

Frequency (MHz)

Final Data
Trace
Limit


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	889.550	-55.15	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant31



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2333.000	-50.60	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2703.000	-48.55	-13	Pass
2790	26900	1	/	3	26470.000	-38.02	-25	Pass

n41_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Outer_Full_Ant31



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	2	CHP	/	/	/	/	/
2690	2691	2	CHP	1	2690.900	-35.14	-10	Pass
2691	2695	1	CHP	2	2691.500	-32.88	-10	Pass
2695	2750	1	CHP	3	2697.050	-34.62	-13	Pass

6. Field Strength of Spurious Radiation

NR N41 ANT31-Low channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.02	-57.71	-25	-32.71	-63.28	4.57	10.14	Horizontal	Pass
7503.03	-60.43	-25	-35.43	-67.23	4.94	11.74	Horizontal	Pass
10004.04	-57.21	-25	-32.21	-64.78	5.46	13.03	Horizontal	Pass
5002.02	-58.74	-25	-33.74	-64.31	4.57	10.14	Vertical	Pass
7503.03	-59.98	-25	-34.98	-66.78	4.94	11.74	Vertical	Pass
10004.04	-57.1	-25	-32.1	-64.67	5.46	13.03	Vertical	Pass

NR N41 ANT31-Middle channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5095.98	-56.64	-25	-31.64	-62.24	4.6	10.2	Horizontal	Pass
7643.97	-60.0	-25	-35.0	-66.96	4.95	11.91	Horizontal	Pass
10191.96	-56.73	-25	-31.73	-64.3	5.49	13.06	Horizontal	Pass
5095.98	-57.16	-25	-32.16	-62.76	4.6	10.2	Vertical	Pass
7643.97	-60.23	-25	-35.23	-67.19	4.95	11.91	Vertical	Pass
10191.96	-56.33	-25	-31.33	-63.9	5.49	13.06	Vertical	Pass

NR N41 ANT31-High channel, Modulation: QPSK, Bandwidth:100MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5190.0	-63.41	-25	-38.41	-69.04	4.63	10.26	Horizontal	Pass
7785.0	-58.98	-25	-33.98	-66.1	4.96	12.08	Horizontal	Pass
10380.0	-57.0	-25	-32.0	-64.58	5.52	13.1	Horizontal	Pass
5190.0	-63.17	-25	-38.17	-68.8	4.63	10.26	Vertical	Pass
7785.0	-59.04	-25	-34.04	-66.16	4.96	12.08	Vertical	Pass
10380.0	-57.02	-25	-32.02	-64.6	5.52	13.1	Vertical	Pass

NSA_2A_n41A-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.02	-62.12	-25	-37.12	-67.69	4.57	10.14	Horizontal	Pass
7503.03	-60.27	-25	-35.27	-67.07	4.94	11.74	Horizontal	Pass
10004.04	-57.0	-25	-32.0	-64.57	5.46	13.03	Horizontal	Pass
5002.02	-59.03	-25	-34.03	-64.6	4.57	10.14	Vertical	Pass
7503.03	-60.6	-25	-35.6	-67.4	4.94	11.74	Vertical	Pass
10004.04	-57.12	-25	-32.12	-64.69	5.46	13.03	Vertical	Pass

NSA_2A_n41A-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5095.98	-59.44	-25	-34.44	-65.04	4.6	10.2	Horizontal	Pass
7643.97	-59.83	-25	-34.83	-66.79	4.95	11.91	Horizontal	Pass
10191.96	-57.1	-25	-32.1	-64.67	5.49	13.06	Horizontal	Pass
5095.98	-62.87	-25	-37.87	-68.47	4.6	10.2	Vertical	Pass
7643.97	-60.39	-25	-35.39	-67.35	4.95	11.91	Vertical	Pass
10191.96	-56.74	-25	-31.74	-64.31	5.49	13.06	Vertical	Pass

NSA_2A_n41A-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5190.0	-63.64	-25	-38.64	-69.27	4.63	10.26	Horizontal	Pass
7785.0	-59.91	-25	-34.91	-67.03	4.96	12.08	Horizontal	Pass
10380.0	-57.18	-25	-32.18	-64.76	5.52	13.1	Horizontal	Pass
5190.0	-63.77	-25	-38.77	-69.4	4.63	10.26	Vertical	Pass
7785.0	-59.68	-25	-34.68	-66.8	4.96	12.08	Vertical	Pass
10380.0	-57.4	-25	-32.4	-64.98	5.52	13.1	Vertical	Pass