
















































































Appendix B. AC Conducted Emission Test Results





Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Winter	Relative Humidity :	48~49%
		Temperature :	24°C-25°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	24	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 2	2400-2483.5	24	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 3	2400-2483.5	24	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 4	2400-2483.5	23	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 5	2400-2483.5	23	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 6	2400-2483.5	23	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 7	2400-2483.5	24	Bluetooth BR_GFSK	78	2480	1DH5	-	LF

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2367.65	44.88	74.00	-29.12	V	Peak	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	41.19	74.00	-32.81	V	Peak	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	42.85	74.00	-31.15	H	Peak	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.19	49.98	74.00	-24.02	V	Peak	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	44.28	74.00	-29.72	V	Peak	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2356.20	45.36	74.00	-28.64	V	Peak	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	41.84	74.00	-32.16	H	Peak	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	43.21	74.00	-30.79	H	Peak	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2483.72	49.76	74.00	-24.24	V	Peak	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	43.56	74.00	-30.44	H	Peak	Pass	Harmonic
7	Bluetooth BR_GFSK	78	45.52	28.26	40	-11.74	V	Peak	Pass	LF



Mode	1																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	24																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2362.82</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>40.95</td><td>32.38</td><td>5.34</td><td>34.15</td><td>307</td><td>161 PEAK</td></tr><tr><td>2</td><td>2362.82</td><td>19.73</td><td>54.00</td><td>-34.27</td><td>16.16</td><td>32.38</td><td>5.34</td><td>34.15</td><td>307</td><td>161 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2362.82	44.52	74.00	-29.48	40.95	32.38	5.34	34.15	307	161 PEAK	2	2362.82	19.73	54.00	-34.27	16.16	32.38	5.34	34.15	307	161 AVERAGE	Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>102.46</td><td>-----</td><td>-----</td><td>98.79</td><td>32.44</td><td>5.37</td><td>34.14</td><td>307</td><td>161 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>77.67</td><td>-----</td><td>-----</td><td>74.00</td><td>32.44</td><td>5.37</td><td>34.14</td><td>307</td><td>161 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.46	-----	-----	98.79	32.44	5.37	34.14	307	161 PEAK	2	2402.00	77.67	-----	-----	74.00	32.44	5.37	34.14	307	161 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2362.82	44.52	74.00	-29.48	40.95	32.38	5.34	34.15	307	161 PEAK																																																																																																
2	2362.82	19.73	54.00	-34.27	16.16	32.38	5.34	34.15	307	161 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	102.46	-----	-----	98.79	32.44	5.37	34.14	307	161 PEAK																																																																																																
2	2402.00	77.67	-----	-----	74.00	32.44	5.37	34.14	307	161 AVERAGE																																																																																																





Mode	1																																																																																																																	
	Band Edge																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																	
ANT	24																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																												
Peak	Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.65</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>41.30</td><td>32.39</td><td>5.34</td><td>34.15</td><td>273</td><td>302 PEAK</td></tr><tr><td>2</td><td>2367.65</td><td>20.09</td><td>54.00</td><td>-33.91</td><td>16.51</td><td>32.39</td><td>5.34</td><td>34.15</td><td>273</td><td>302 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.82</td><td>-----</td><td>-----</td><td>99.15</td><td>32.44</td><td>5.37</td><td>34.14</td><td>273</td><td>302 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.03</td><td>-----</td><td>-----</td><td>74.36</td><td>32.44</td><td>5.37</td><td>34.14</td><td>273</td><td>302 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2367.65	44.88	74.00	-29.12	41.30	32.39	5.34	34.15	273	302 PEAK	2	2367.65	20.09	54.00	-33.91	16.51	32.39	5.34	34.15	273	302 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.82	-----	-----	99.15	32.44	5.37	34.14	273	302 PEAK	2	2402.00	78.03	-----	-----	74.36	32.44	5.37	34.14	273	302 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2367.65	44.88	74.00	-29.12	41.30	32.39	5.34	34.15	273	302 PEAK																																																																																																								
2	2367.65	20.09	54.00	-33.91	16.51	32.39	5.34	34.15	273	302 AVERAGE																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2402.00	102.82	-----	-----	99.15	32.44	5.37	34.14	273	302 PEAK																																																																																																								
2	2402.00	78.03	-----	-----	74.36	32.44	5.37	34.14	273	302 AVERAGE																																																																																																								





Mode	1																																																																																																																																																					
	Harmonic																																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																																					
ANT	24																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																				
Peak Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>4804.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>60.60</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4804.00</td><td>16.30</td><td>54.00</td><td>-37.70</td><td>35.81</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Average</td></tr></table>			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg					1	4804.00	41.09	74.00	-32.91	60.60	36.39	8.94	64.84	---	---	Peak				2	4804.00	16.30	54.00	-37.70	35.81	36.39	8.94	64.84	---	---	Average				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>4804.00</td><td>41.19</td><td>74.00</td><td>-32.81</td><td>60.70</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4804.00</td><td>16.40</td><td>54.00</td><td>-37.60</td><td>35.91</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td colspan="4">Average</td></tr></table>			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg					1	4804.00	41.19	74.00	-32.81	60.70	36.39	8.94	64.84	---	---	Peak				2	4804.00	16.40	54.00	-37.60	35.91	36.39	8.94	64.84	---	---	Average			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																							
	Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	4804.00	41.09	74.00	-32.91	60.60	36.39	8.94	64.84	---	---	Peak																																																																																																																																											
2	4804.00	16.30	54.00	-37.70	35.81	36.39	8.94	64.84	---	---	Average																																																																																																																																											
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																								
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	4804.00	41.19	74.00	-32.81	60.70	36.39	8.94	64.84	---	---	Peak																																																																																																																																											
2	4804.00	16.40	54.00	-37.60	35.91	36.39	8.94	64.84	---	---	Average																																																																																																																																											



Mode	2																																																																														
	Harmonic																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																														
ANT	24																																																																														
Pol.	Horizontal																																																																														
Peak Avg																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg		1	4882.00	40.64	74.00	-33.36	60.25	36.51	8.70	64.82	---	---	Peak	2	4882.00	15.85	54.00	-38.15	35.46	36.51	8.70	64.82	---	---	Average	3	7323.00	42.85	74.00	-31.15	60.79	36.88	10.18	65.00	---	---	Peak	4	7323.00	18.06	54.00	-35.94	36.00	36.88	10.18	65.00	---	---
	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																						
1	4882.00	40.64	74.00	-33.36	60.25	36.51	8.70	64.82	---	---	Peak																																																																				
2	4882.00	15.85	54.00	-38.15	35.46	36.51	8.70	64.82	---	---	Average																																																																				
3	7323.00	42.85	74.00	-31.15	60.79	36.88	10.18	65.00	---	---	Peak																																																																				
4	7323.00	18.06	54.00	-35.94	36.00	36.88	10.18	65.00	---	---	Average																																																																				
Peak Avg																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg		1	4882.00	41.10	74.00	-32.90	60.71	36.51	8.70	64.82	---	---	Peak	2	4882.00	16.31	54.00	-37.69	35.92	36.51	8.70	64.82	---	---	Average	3	7323.00	42.55	74.00	-31.45	60.49	36.88	10.18	65.00	---	---	Peak	4	7323.00	17.76	54.00	-36.24	35.70	36.88	10.18	65.00	---	---
	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		cm	deg																																																																						
1	4882.00	41.10	74.00	-32.90	60.71	36.51	8.70	64.82	---	---	Peak																																																																				
2	4882.00	16.31	54.00	-37.69	35.92	36.51	8.70	64.82	---	---	Average																																																																				
3	7323.00	42.55	74.00	-31.45	60.49	36.88	10.18	65.00	---	---	Peak																																																																				
4	7323.00	17.76	54.00	-36.24	35.70	36.88	10.18	65.00	---	---	Average																																																																				





Mode	3																																																																																																																	
	Band Edge																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																	
ANT	24																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																												
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>44.42</td><td>32.57</td><td>5.95</td><td>34.11</td><td>299</td><td>0 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>24.04</td><td>54.00</td><td>-29.96</td><td>19.63</td><td>32.57</td><td>5.95</td><td>34.11</td><td>299</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	48.83	74.00	-25.17	44.42	32.57	5.95	34.11	299	0 PEAK	2	2483.54	24.04	54.00	-29.96	19.63	32.57	5.95	34.11	299	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.71</td><td>-----</td><td>-----</td><td>97.33</td><td>32.57</td><td>5.92</td><td>34.11</td><td>299</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.92</td><td>-----</td><td>-----</td><td>72.54</td><td>32.57</td><td>5.92</td><td>34.11</td><td>299</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.71	-----	-----	97.33	32.57	5.92	34.11	299	0 PEAK	2	2480.00	76.92	-----	-----	72.54	32.57	5.92	34.11	299	0 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2483.54	48.83	74.00	-25.17	44.42	32.57	5.95	34.11	299	0 PEAK																																																																																																								
2	2483.54	24.04	54.00	-29.96	19.63	32.57	5.95	34.11	299	0 AVERAGE																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2480.00	101.71	-----	-----	97.33	32.57	5.92	34.11	299	0 PEAK																																																																																																								
2	2480.00	76.92	-----	-----	72.54	32.57	5.92	34.11	299	0 AVERAGE																																																																																																								



Mode	3																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																				
ANT	24																																																																																																				
Pol.	Vertical	Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.19</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>45.58</td><td>32.57</td><td>5.94</td><td>34.11</td><td>218 318 PEAK</td></tr><tr><td>2</td><td>2484.19</td><td>25.19</td><td>54.00</td><td>-28.81</td><td>20.79</td><td>32.57</td><td>5.94</td><td>34.11</td><td>218 318 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>104.60</td><td>-----</td><td>-----</td><td>100.22</td><td>32.57</td><td>5.92</td><td>34.11</td><td>218 318 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.81</td><td>-----</td><td>-----</td><td>75.43</td><td>32.57</td><td>5.92</td><td>34.11</td><td>218 318 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.19	49.98	74.00	-24.02	45.58	32.57	5.94	34.11	218 318 PEAK	2	2484.19	25.19	54.00	-28.81	20.79	32.57	5.94	34.11	218 318 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.60	-----	-----	100.22	32.57	5.92	34.11	218 318 PEAK	2	2480.00	79.81	-----	-----	75.43	32.57	5.92	34.11	218 318 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2484.19	49.98	74.00	-24.02	45.58	32.57	5.94	34.11	218 318 PEAK																																																																																												
2	2484.19	25.19	54.00	-28.81	20.79	32.57	5.94	34.11	218 318 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	104.60	-----	-----	100.22	32.57	5.92	34.11	218 318 PEAK																																																																																												
2	2480.00	79.81	-----	-----	75.43	32.57	5.92	34.11	218 318 AVERAGE																																																																																												



Mode	3																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																			
ANT	24																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.99</td><td>74.00</td><td>-33.01</td><td>60.70</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>16.20</td><td>54.00</td><td>-37.80</td><td>35.91</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>42.72</td><td>74.00</td><td>-31.28</td><td>60.76</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>17.93</td><td>54.00</td><td>-36.07</td><td>35.97</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>---</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.99	74.00	-33.01	60.70	36.64	8.46	64.81	---	---	Peak	2	4960.00	16.20	54.00	-37.80	35.91	36.64	8.46	64.81	---	---	Average	3	7440.00	42.72	74.00	-31.28	60.76	36.76	10.17	64.97	---	---	Peak	4	7440.00	17.93	54.00	-36.07	35.97	36.76	10.17	64.97	---	---	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>60.25</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.75</td><td>54.00</td><td>-38.25</td><td>35.46</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>62.32</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>19.49</td><td>54.00</td><td>-34.51</td><td>37.53</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>---</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.54	74.00	-33.46	60.25	36.64	8.46	64.81	---	---	Peak	2	4960.00	15.75	54.00	-38.25	35.46	36.64	8.46	64.81	---	---	Average	3	7440.00	44.28	74.00	-29.72	62.32	36.76	10.17	64.97	---	---	Peak	4	7440.00	19.49	54.00	-34.51	37.53	36.76	10.17	64.97	---	---	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4960.00	40.99	74.00	-33.01	60.70	36.64	8.46	64.81	---	---	Peak																																																																																																																																																									
2	4960.00	16.20	54.00	-37.80	35.91	36.64	8.46	64.81	---	---	Average																																																																																																																																																									
3	7440.00	42.72	74.00	-31.28	60.76	36.76	10.17	64.97	---	---	Peak																																																																																																																																																									
4	7440.00	17.93	54.00	-36.07	35.97	36.76	10.17	64.97	---	---	Average																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	4960.00	40.54	74.00	-33.46	60.25	36.64	8.46	64.81	---	---	Peak																																																																																																																																																									
2	4960.00	15.75	54.00	-38.25	35.46	36.64	8.46	64.81	---	---	Average																																																																																																																																																									
3	7440.00	44.28	74.00	-29.72	62.32	36.76	10.17	64.97	---	---	Peak																																																																																																																																																									
4	7440.00	19.49	54.00	-34.51	37.53	36.76	10.17	64.97	---	---	Average																																																																																																																																																									





Mode	4																																																																																																								
	Band Edge																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																								
ANT	23																																																																																																								
Pol.	Horizontal	Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2338.77</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>41.72</td><td>32.34</td><td>5.32</td><td>34.16</td><td>167</td><td>202 PEAK</td></tr><tr><td>2</td><td>2338.77</td><td>20.43</td><td>54.00</td><td>-33.57</td><td>16.93</td><td>32.34</td><td>5.32</td><td>34.16</td><td>167</td><td>202 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>98.71</td><td>-----</td><td>-----</td><td>95.04</td><td>32.44</td><td>5.37</td><td>34.14</td><td>167</td><td>202 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.92</td><td>-----</td><td>-----</td><td>70.25</td><td>32.44</td><td>5.37</td><td>34.14</td><td>167</td><td>202 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2338.77	45.22	74.00	-28.78	41.72	32.34	5.32	34.16	167	202 PEAK	2	2338.77	20.43	54.00	-33.57	16.93	32.34	5.32	34.16	167	202 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.71	-----	-----	95.04	32.44	5.37	34.14	167	202 PEAK	2	2402.00	73.92	-----	-----	70.25	32.44	5.37	34.14	167	202 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	2338.77	45.22	74.00	-28.78	41.72	32.34	5.32	34.16	167	202 PEAK																																																																																															
2	2338.77	20.43	54.00	-33.57	16.93	32.34	5.32	34.16	167	202 AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	2402.00	98.71	-----	-----	95.04	32.44	5.37	34.14	167	202 PEAK																																																																																															
2	2402.00	73.92	-----	-----	70.25	32.44	5.37	34.14	167	202 AVERAGE																																																																																															



Mode	4																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	23																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2356.20</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>41.82</td><td>32.37</td><td>5.33</td><td>34.16</td><td>167</td><td>229 PEAK</td></tr><tr><td>2</td><td>2356.20</td><td>20.57</td><td>54.00</td><td>-33.43</td><td>17.03</td><td>32.37</td><td>5.33</td><td>34.16</td><td>167</td><td>229 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2356.20	45.36	74.00	-28.64	41.82	32.37	5.33	34.16	167	229 PEAK	2	2356.20	20.57	54.00	-33.43	17.03	32.37	5.33	34.16	167	229 AVERAGE	Level (dBuV/m) Date: 2025-11-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.94</td><td>-----</td><td>-----</td><td>99.27</td><td>32.44</td><td>5.37</td><td>34.14</td><td>167</td><td>229 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.15</td><td>-----</td><td>-----</td><td>74.48</td><td>32.44</td><td>5.37</td><td>34.14</td><td>167</td><td>229 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.94	-----	-----	99.27	32.44	5.37	34.14	167	229 PEAK	2	2402.00	78.15	-----	-----	74.48	32.44	5.37	34.14	167	229 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2356.20	45.36	74.00	-28.64	41.82	32.37	5.33	34.16	167	229 PEAK																																																																																																
2	2356.20	20.57	54.00	-33.43	17.03	32.37	5.33	34.16	167	229 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	102.94	-----	-----	99.27	32.44	5.37	34.14	167	229 PEAK																																																																																																
2	2402.00	78.15	-----	-----	74.48	32.44	5.37	34.14	167	229 AVERAGE																																																																																																



Mode	4																																																																																																																																
	Harmonic																																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																
ANT	23																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.84</td><td>74.00</td><td>-32.16</td><td>61.35</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>17.05</td><td>54.00</td><td>-36.95</td><td>36.56</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	41.84	74.00	-32.16	61.35	36.39	8.94	64.84	---	---	Peak	2	4804.00	17.05	54.00	-36.95	36.56	36.39	8.94	64.84	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>60.86</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>16.56</td><td>54.00</td><td>-37.44</td><td>36.07</td><td>36.39</td><td>8.94</td><td>64.84</td><td>---</td><td>---</td><td>Average</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	41.35	74.00	-32.65	60.86	36.39	8.94	64.84	---	---	Peak	2	4804.00	16.56	54.00	-37.44	36.07	36.39	8.94	64.84	---	---	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4804.00	41.84	74.00	-32.16	61.35	36.39	8.94	64.84	---	---	Peak																																																																																																																						
2	4804.00	17.05	54.00	-36.95	36.56	36.39	8.94	64.84	---	---	Average																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4804.00	41.35	74.00	-32.65	60.86	36.39	8.94	64.84	---	---	Peak																																																																																																																						
2	4804.00	16.56	54.00	-37.44	36.07	36.39	8.94	64.84	---	---	Average																																																																																																																						



Mode	5																																																																																																																																																																													
	Harmonic																																																																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																													
ANT	23																																																																																																																																																																													
Pol.	Horizontal										Vertical																																																																																																																																																																			
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dB (PEAK_74), and a red average line at 54.00 dB (AVG_54). Four measurement points are marked with vertical lines and numbered 1 to 4.										Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 74.00 dB (PEAK_74), and a red average line at 54.00 dB (AVG_54). Four measurement points are marked with vertical lines and numbered 1 to 4.																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.62</td><td>74.00</td><td>-32.38</td><td>61.23</td><td>36.51</td><td>8.70</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.83</td><td>54.00</td><td>-37.17</td><td>36.44</td><td>36.51</td><td>8.70</td><td>64.82</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>43.21</td><td>74.00</td><td>-30.79</td><td>61.15</td><td>36.88</td><td>10.18</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>18.42</td><td>54.00</td><td>-35.58</td><td>36.36</td><td>36.88</td><td>10.18</td><td>65.00</td><td>---</td><td>---</td><td>Average</td></tr></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	41.62	74.00	-32.38	61.23	36.51	8.70	64.82	---	---	Peak	2	4882.00	16.83	54.00	-37.17	36.44	36.51	8.70	64.82	---	---	Average	3	7323.00	43.21	74.00	-30.79	61.15	36.88	10.18	65.00	---	---	Peak	4	7323.00	18.42	54.00	-35.58	36.36	36.88	10.18	65.00	---	---	Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.54</td><td>74.00</td><td>-32.46</td><td>61.15</td><td>36.51</td><td>8.70</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.75</td><td>54.00</td><td>-37.25</td><td>36.36</td><td>36.51</td><td>8.70</td><td>64.82</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>60.57</td><td>36.88</td><td>10.18</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>17.84</td><td>54.00</td><td>-36.16</td><td>35.78</td><td>36.88</td><td>10.18</td><td>65.00</td><td>---</td><td>---</td><td>Average</td></tr></table>			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	41.54	74.00	-32.46	61.15	36.51	8.70	64.82	---	---	Peak	2	4882.00	16.75	54.00	-37.25	36.36	36.51	8.70	64.82	---	---	Average	3	7323.00	42.63	74.00	-31.37	60.57	36.88	10.18	65.00	---	---	Peak	4	7323.00	17.84	54.00	-36.16	35.78	36.88	10.18	65.00	---	---
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	4882.00	41.62	74.00	-32.38	61.23	36.51	8.70	64.82	---	---	Peak																																																																																																																																																																			
2	4882.00	16.83	54.00	-37.17	36.44	36.51	8.70	64.82	---	---	Average																																																																																																																																																																			
3	7323.00	43.21	74.00	-30.79	61.15	36.88	10.18	65.00	---	---	Peak																																																																																																																																																																			
4	7323.00	18.42	54.00	-35.58	36.36	36.88	10.18	65.00	---	---	Average																																																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	4882.00	41.54	74.00	-32.46	61.15	36.51	8.70	64.82	---	---	Peak																																																																																																																																																																			
2	4882.00	16.75	54.00	-37.25	36.36	36.51	8.70	64.82	---	---	Average																																																																																																																																																																			
3	7323.00	42.63	74.00	-31.37	60.57	36.88	10.18	65.00	---	---	Peak																																																																																																																																																																			
4	7323.00	17.84	54.00	-36.16	35.78	36.88	10.18	65.00	---	---	Average																																																																																																																																																																			



Mode	6																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	23																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2025-11-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.83</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>41.96</td><td>32.57</td><td>5.94</td><td>34.11</td><td>169</td><td>180 PEAK</td></tr><tr><td>2</td><td>2483.83</td><td>21.57</td><td>74.00</td><td>-52.43</td><td>17.17</td><td>32.57</td><td>5.94</td><td>34.11</td><td>169</td><td>180 Average</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.83	46.36	74.00	-27.64	41.96	32.57	5.94	34.11	169	180 PEAK	2	2483.83	21.57	74.00	-52.43	17.17	32.57	5.94	34.11	169	180 Average	Level (dBuV/m) Date: 2025-11-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.10</td><td>-----</td><td>-----</td><td>94.72</td><td>32.57</td><td>5.92</td><td>34.11</td><td>169</td><td>180 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.31</td><td>-----</td><td>-----</td><td>69.93</td><td>32.57</td><td>5.92</td><td>34.11</td><td>169</td><td>180 Average</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.10	-----	-----	94.72	32.57	5.92	34.11	169	180 PEAK	2	2480.00	74.31	-----	-----	69.93	32.57	5.92	34.11	169	180 Average
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.83	46.36	74.00	-27.64	41.96	32.57	5.94	34.11	169	180 PEAK																																																																																																
2	2483.83	21.57	74.00	-52.43	17.17	32.57	5.94	34.11	169	180 Average																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2480.00	99.10	-----	-----	94.72	32.57	5.92	34.11	169	180 PEAK																																																																																																
2	2480.00	74.31	-----	-----	69.93	32.57	5.92	34.11	169	180 Average																																																																																																





Mode	6																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																							
ANT	23																																																																																																							
Pol.	Vertical	Fundamental																																																																																																						
Peak	Level (dBuV/m) Date: 2025-11-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.72</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>45.35</td><td>32.57</td><td>5.95</td><td>34.11</td><td>147</td><td>341 PEAK</td></tr><tr><td>2</td><td>2483.72</td><td>24.97</td><td>54.00</td><td>-29.03</td><td>20.56</td><td>32.57</td><td>5.95</td><td>34.11</td><td>147</td><td>341 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.72	49.76	74.00	-24.24	45.35	32.57	5.95	34.11	147	341 PEAK	2	2483.72	24.97	54.00	-29.03	20.56	32.57	5.95	34.11	147	341 AVERAGE	Level (dBuV/m) Date: 2025-11-15 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.62</td><td>-----</td><td>99.24</td><td>32.57</td><td>5.92</td><td>34.11</td><td>147</td><td>341 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.83</td><td>-----</td><td>74.45</td><td>32.57</td><td>5.92</td><td>34.11</td><td>147</td><td>341 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.62	-----	99.24	32.57	5.92	34.11	147	341 PEAK	2	2480.00	78.83	-----	74.45	32.57	5.92	34.11	147	341 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2483.72	49.76	74.00	-24.24	45.35	32.57	5.95	34.11	147	341 PEAK																																																																																														
2	2483.72	24.97	54.00	-29.03	20.56	32.57	5.95	34.11	147	341 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2480.00	103.62	-----	99.24	32.57	5.92	34.11	147	341 PEAK																																																																																															
2	2480.00	78.83	-----	74.45	32.57	5.92	34.11	147	341 AVERAGE																																																																																															




Mode	6																																																																																		
	Harmonic																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																		
ANT	23																																																																																		
Pol.	Horizontal																																																																																		
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.46</td><td>74.00</td><td>-33.54</td><td>60.17</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.67</td><td>54.00</td><td>-38.33</td><td>35.38</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>61.60</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.77</td><td>54.00</td><td>-35.23</td><td>36.81</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.46	74.00	-33.54	60.17	36.64	8.46	64.81	---	Peak	2	4960.00	15.67	54.00	-38.33	35.38	36.64	8.46	64.81	---	Average	3	7440.00	43.56	74.00	-30.44	61.60	36.76	10.17	64.97	---	Peak	4	7440.00	18.77	54.00	-35.23	36.81	36.76	10.17	64.97	---	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4960.00	40.46	74.00	-33.54	60.17	36.64	8.46	64.81	---	Peak																																																																									
2	4960.00	15.67	54.00	-38.33	35.38	36.64	8.46	64.81	---	Average																																																																									
3	7440.00	43.56	74.00	-30.44	61.60	36.76	10.17	64.97	---	Peak																																																																									
4	7440.00	18.77	54.00	-35.23	36.81	36.76	10.17	64.97	---	Average																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>60.36</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.86</td><td>54.00</td><td>-38.14</td><td>35.57</td><td>36.64</td><td>8.46</td><td>64.81</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>61.51</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.68</td><td>54.00</td><td>-35.32</td><td>36.72</td><td>36.76</td><td>10.17</td><td>64.97</td><td>---</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.65	74.00	-33.35	60.36	36.64	8.46	64.81	---	Peak	2	4960.00	15.86	54.00	-38.14	35.57	36.64	8.46	64.81	---	Average	3	7440.00	43.47	74.00	-30.53	61.51	36.76	10.17	64.97	---	Peak	4	7440.00	18.68	54.00	-35.32	36.72	36.76	10.17	64.97	---	Average	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	4960.00	40.65	74.00	-33.35	60.36	36.64	8.46	64.81	---	Peak																																																																									
2	4960.00	15.86	54.00	-38.14	35.57	36.64	8.46	64.81	---	Average																																																																									
3	7440.00	43.47	74.00	-30.53	61.51	36.76	10.17	64.97	---	Peak																																																																									
4	7440.00	18.68	54.00	-35.32	36.72	36.76	10.17	64.97	---	Average																																																																									




Mode	7																																																																																																																																																																													
	LF																																																																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																													
ANT	24																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																												
QPI/ Peak	 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>23.18</td><td>40.00</td><td>-16.82</td><td>28.86</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>93.05</td><td>26.11</td><td>43.50</td><td>-17.39</td><td>41.64</td><td>15.20</td><td>0.97</td><td>31.70</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>223.03</td><td>32.64</td><td>46.00</td><td>-13.36</td><td>46.78</td><td>15.83</td><td>1.53</td><td>31.50</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>329.73</td><td>31.21</td><td>46.00</td><td>-14.79</td><td>40.82</td><td>20.02</td><td>1.91</td><td>31.54</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>455.83</td><td>25.35</td><td>46.00</td><td>-20.65</td><td>31.05</td><td>23.39</td><td>2.21</td><td>31.30</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>712.88</td><td>29.73</td><td>46.00</td><td>-16.27</td><td>30.79</td><td>27.23</td><td>2.78</td><td>31.07</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	23.18	40.00	-16.82	28.86	25.29	0.53	31.50	---	Peak	2	93.05	26.11	43.50	-17.39	41.64	15.20	0.97	31.70	---	Peak	3	223.03	32.64	46.00	-13.36	46.78	15.83	1.53	31.50	---	Peak	4	329.73	31.21	46.00	-14.79	40.82	20.02	1.91	31.54	---	Peak	5	455.83	25.35	46.00	-20.65	31.05	23.39	2.21	31.30	---	Peak	6	712.88	29.73	46.00	-16.27	30.79	27.23	2.78	31.07	---	Peak	 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>45.52</td><td>28.26</td><td>40.00</td><td>-11.74</td><td>42.53</td><td>16.86</td><td>0.66</td><td>31.79</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>92.08</td><td>30.39</td><td>43.50</td><td>-13.11</td><td>46.07</td><td>15.06</td><td>0.96</td><td>31.70</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>157.07</td><td>26.49</td><td>43.50</td><td>-17.01</td><td>40.13</td><td>16.67</td><td>1.28</td><td>31.59</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>224.00</td><td>26.57</td><td>46.00</td><td>-19.43</td><td>40.64</td><td>15.89</td><td>1.54</td><td>31.50</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>327.79</td><td>26.64</td><td>46.00</td><td>-19.36</td><td>36.34</td><td>19.94</td><td>1.90</td><td>31.54</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>530.52</td><td>27.87</td><td>46.00</td><td>-18.13</td><td>32.42</td><td>24.34</td><td>2.41</td><td>31.30</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	45.52	28.26	40.00	-11.74	42.53	16.86	0.66	31.79	---	Peak	2	92.08	30.39	43.50	-13.11	46.07	15.06	0.96	31.70	---	Peak	3	157.07	26.49	43.50	-17.01	40.13	16.67	1.28	31.59	---	Peak	4	224.00	26.57	46.00	-19.43	40.64	15.89	1.54	31.50	---	Peak	5	327.79	26.64	46.00	-19.36	36.34	19.94	1.90	31.54	---	Peak	6	530.52	27.87	46.00	-18.13	32.42	24.34	2.41	31.30	---	Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	30.00	23.18	40.00	-16.82	28.86	25.29	0.53	31.50	---	Peak																																																																																																																																																																				
2	93.05	26.11	43.50	-17.39	41.64	15.20	0.97	31.70	---	Peak																																																																																																																																																																				
3	223.03	32.64	46.00	-13.36	46.78	15.83	1.53	31.50	---	Peak																																																																																																																																																																				
4	329.73	31.21	46.00	-14.79	40.82	20.02	1.91	31.54	---	Peak																																																																																																																																																																				
5	455.83	25.35	46.00	-20.65	31.05	23.39	2.21	31.30	---	Peak																																																																																																																																																																				
6	712.88	29.73	46.00	-16.27	30.79	27.23	2.78	31.07	---	Peak																																																																																																																																																																				
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	45.52	28.26	40.00	-11.74	42.53	16.86	0.66	31.79	---	Peak																																																																																																																																																																				
2	92.08	30.39	43.50	-13.11	46.07	15.06	0.96	31.70	---	Peak																																																																																																																																																																				
3	157.07	26.49	43.50	-17.01	40.13	16.67	1.28	31.59	---	Peak																																																																																																																																																																				
4	224.00	26.57	46.00	-19.43	40.64	15.89	1.54	31.50	---	Peak																																																																																																																																																																				
5	327.79	26.64	46.00	-19.36	36.34	19.94	1.90	31.54	---	Peak																																																																																																																																																																				
6	530.52	27.87	46.00	-18.13	32.42	24.34	2.41	31.30	---	Peak																																																																																																																																																																				

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.