






Date: 12.MAR.2026 15:50:51

Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-3000~1000-PASS




Date: 12.MAR.2026 15:51:13

Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-30~1000-PASS




Date: 12.MAR.2026 15:51:18

Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-1000~3000-PASS




Date: 12.MAR.2026 15:51:24

Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-3000~10000-PASS




Date: 12.MAR.2026 15:51:44




Date: 12.MAR.2026 15:51:50

Band26(824-849)-1.4MHz-QPSK-26915-1RB#5-30~1000-PASS





Date: 12.MAR.2026 15:51:55

Band26(824-849)-1.4MHz-QPSK-26915-1RB#5-3000~10000-PASS




Date: 12.MAR.2026 15:52:15

Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-30~1000-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-1000~3000-PASS




Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-30~1000-PASS

Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-3000~10000-PASS




Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-1000~3000-PASS




Date: 12.MAR.2026 15:52:59

Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-3000~1000-PASS




Date: 12.MAR.2026 15:53:19

Band26(824-849)-1.4MHz-QPSK-27033-1RB#5-30~1000-PA SS




Date: 12.MAR.2026 15:53:25

Band26(824-849)-1.4MHz-QPSK-27033-1RB#5-1000~3000-PASS




Date: 12.MAR.2026 15:53:30

Band26(824-849)-1.4MHz-QPSK-27033-1RB#5-3000~10000-PASS




Date: 12.MAR.2026 15:53:51

Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-30~1000-PASS




Date: 12.MAR.2026 15:53:56

Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-1000~3000-PASS




Date: 12.MAR.2026 15:54:02

Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-3000~10000-PASS




Date: 13.MAR.2026 04:14:36

Band26(824-849)-15MHz-QPSK-26865-1RB#0-30~1000-PASS




Date: 13.MAR.2026 04:14:41




Date: 13.MAR.2026 04:14:47

Band26(824-849)-15MHz-QPSK-26865-1RB#0-1000~3000-PASS




Date: 13.MAR.2026 04:15:07

Band26(824-849)-15MHz-QPSK-26865-1RB#74-30~1000-PASS




Date: 13.MAR.2026 04:15:12

Band26(824-849)-15MHz-QPSK-26865-1RB#74-1000~3000-PASS




Date: 13.MAR.2026 04:15:18

Band26(824-849)-15MHz-QPSK-26865-1RB#74-3000~10000-PASS




Date: 13.MAR.2026 04:15:38

Band26(824-849)-15MHz-QPSK-26865-75RB#0-30~1000-PASS





Date: 13.MAR.2026 04:15:43

Band26(824-849)-15MHz-QPSK-26865-75RB#0-1000~3000-PASS




Date: 13.MAR.2026 04:15:49

Band26(824-849)-15MHz-QPSK-26865-75RB#0-3000~10000-PASS




Band26(824-849)-15MHz-QPSK-26915-1RB#0-30~1000-PASS




Band26(824-849)-15MHz-QPSK-26915-1RB#0-3000~10000-PASS

Band26(824-849)-15MHz-QPSK-26915-1RB#0-1000~3000-PASS




Band26(824-849)-15MHz-QPSK-26915-1RB#74-30~1000-PASS




Date: 13.MAR.2026 04:16:46

Band26(824-849)-15MHz-QPSK-26915-1RB#74-1000~3000-PASS




Date: 13.MAR.2026 04:16:52

Band26(824-849)-15MHz-QPSK-26915-1RB#74-3000~10000-PASS




Date: 13.MAR.2026 04:17:12

Band26(824-849)-15MHz-QPSK-26915-75RB#0-30~1000-PASS




Date: 13.MAR.2026 04:17:17

Band26(824-849)-15MHz-QPSK-26915-75RB#0-1000~3000-PASS




Date: 13.MAR.2026 04:17:23

Band26(824-849)-15MHz-QPSK-26915-75RB#0-3000~10000-PASS




Date: 13.MAR.2026 04:17:44

Band26(824-849)-15MHz-QPSK-26965-1RB#0-30~1000-PA SS




Date: 13.MAR.2026 04:17:49

Band26(824-849)-15MHz-QPSK-26965-1RB#0-1000~3000-PASS




Date: 13.MAR.2026 04:17:55

Band26(824-849)-15MHz-QPSK-26965-1RB#0-3000~10000-PASS




Date: 13.MAR.2026 04:18:15



Date: 13.MAR.2026 04:18:21


Band26(824-849)-15MHz-QPSK-26965-1RB#74-30~100
0-PASS



Date: 13.MAR.2026 04:18:26


Band26(824-849)-15MHz-QPSK-26965-1RB#74-3000~1
0000-PASS

Band26(824-849)-15MHz-QPSK-26965-1RB#74-1000~3000
-PASS




Date: 13.MAR.2026 04:18:46

Band26(824-849)-15MHz-QPSK-26965-75RB#0-30~1000-P
ASS



Date: 13 MAR 2026 04:18:52

Band26(824-849)-15MHz-QPSK-26965-75RB#0-1000~3000-PASS




Date: 13 MAR 2026 04:18:57

Band26(824-849)-15MHz-QPSK-26965-75RB#0-3000~10000-PASS

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.049	50.17	20.14	70.31	113.80	-43.49	AVG	
2		0.058	47.95	20.14	68.09	112.32	-44.23	AVG	
3		0.063	45.32	20.14	65.46	111.58	-46.12	AVG	

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2.329	19.31	20.03	39.34	69.54	-30.20	QP	
2		2.717	15.76	20.06	35.82	69.54	-33.72	QP	
3		3.613	13.59	20.10	33.69	69.54	-35.85	QP	

Test Mode : TX Mode


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.043	54.17	20.14	74.31	114.84	-40.53	AVG	
2		0.076	43.25	20.14	63.39	109.94	-46.55	AVG	
3		0.086	41.61	20.14	61.75	108.90	-47.15	AVG	

Test Mode : TX Mode

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1.881	21.65	20.01	41.66	69.54	-27.88	QP	
2		3.135	14.57	20.08	34.65	69.54	-34.89	QP	
3		5.642	12.39	20.24	32.63	69.54	-36.91	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)

Test Mode : GSM850_TX CH190_GSM


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	33.880	42.81	-2.43	40.38	82.30	-41.92	peak	
2	145.430	36.52	-0.87	35.65	82.30	-46.65	peak	
3	385.990	36.39	2.26	38.65	82.30	-43.65	peak	
4	631.400	37.18	7.01	44.19	82.30	-38.11	peak	
5	789.510	37.81	9.65	47.46	82.30	-34.84	peak	
6 *	983.510	37.74	11.51	49.25	82.30	-33.05	peak	

Test Mode : GSM850_TX CH190_GSM

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	33.880	44.25	-2.43	41.82	82.30	-40.48	peak	
2	166.770	36.68	-0.81	35.87	82.30	-46.43	peak	
3	321.970	37.92	0.92	38.84	82.30	-43.46	peak	
4	497.540	37.02	4.60	41.62	82.30	-40.68	peak	
5	669.230	37.52	7.48	45.00	82.30	-37.30	peak	
6 *	869.050	38.59	9.84	48.43	82.30	-33.87	peak	

Test Mode : WCDMA Band V_TX CH4182


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	30.970	44.02	-1.96	42.06	82.30	-40.24	peak	
2	171.620	37.29	-1.04	36.25	82.30	-46.05	peak	
3	320.030	36.56	0.86	37.42	82.30	-44.88	peak	
4	519.850	37.12	4.88	42.00	82.30	-40.30	peak	
5	619.760	37.09	6.97	44.06	82.30	-38.24	peak	
6 *	799.210	37.37	9.83	47.20	82.30	-35.10	peak	

Test Mode : WCDMA Band V_TX CH4182

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	30.970	45.60	-1.96	43.64	82.30	-38.66	peak	
2	168.710	35.91	-0.86	35.05	82.30	-47.25	peak	
3	524.700	36.71	4.94	41.65	82.30	-40.65	peak	
4	749.740	38.97	8.83	47.80	82.30	-34.50	peak	
5	889.420	39.09	9.96	49.05	82.30	-33.25	peak	
6 *	999.030	38.01	11.55	49.56	82.30	-32.74	peak	

Test Mode : LTE Band 5_TX Low CH_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	45.81	-2.43	43.38	82.30	-38.92	peak	
2	158.040	36.12	-0.66	35.46	82.30	-46.84	peak	
3	414.120	37.38	2.81	40.19	82.30	-42.11	peak	
4	610.060	38.83	6.95	45.78	82.30	-36.52	peak	
5	753.620	37.64	8.90	46.54	82.30	-35.76	peak	
6 *	874.870	49.16	9.87	59.03	82.30	-23.27	peak	

Test Mode : LTE Band 5_TX Low CH_10MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	34.850	47.33	-2.34	44.99	82.30	-37.31	peak	
2	153.190	36.04	-0.62	35.42	82.30	-46.88	peak	
3	495.600	37.40	4.56	41.96	82.30	-40.34	peak	
4	641.100	37.47	7.03	44.50	82.30	-37.80	peak	
5	724.520	37.77	8.48	46.25	82.30	-36.05	peak	
6 *	870.990	42.38	9.85	52.23	82.30	-30.07	peak	

Test Mode : LTE Band 5_TX Mid CH_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	45.40	-2.43	42.97	82.30	-39.33	peak	
2	136.700	36.77	-1.57	35.20	82.30	-47.10	peak	
3	275.410	36.78	-0.49	36.29	82.30	-46.01	peak	
4	378.230	37.39	2.16	39.55	82.30	-42.75	peak	
5	584.840	36.78	6.41	43.19	82.30	-39.11	peak	
6 *	882.630	49.06	9.92	58.98	82.30	-23.32	peak	

Test Mode : LTE Band 5_TX Mid CH_10MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	49.21	-2.43	46.78	82.30	-35.52	peak	
2	169.680	35.82	-0.87	34.95	82.30	-47.35	peak	
3	359.800	37.85	1.51	39.36	82.30	-42.94	peak	
4	553.800	37.13	5.39	42.52	82.30	-39.78	peak	
5	763.320	38.17	9.10	47.27	82.30	-35.03	peak	
6 *	883.600	43.14	9.93	53.07	82.30	-29.23	peak	

Test Mode : LTE Band 5_TX High CH_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	50.44	-2.43	48.01	82.30	-34.29	peak	
2	167.740	36.07	-0.84	35.23	82.30	-47.07	peak	
3	447.100	37.25	3.85	41.10	82.30	-41.20	peak	
4	608.120	36.63	6.94	43.57	82.30	-38.73	peak	
5	782.720	38.28	9.50	47.78	82.30	-34.52	peak	
6 *	885.540	49.14	9.94	59.08	82.30	-23.22	peak	

Test Mode : LTE Band 5_TX High CH_10MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	46.56	-2.43	44.13	82.30	-38.17	peak	
2	148.340	36.10	-0.69	35.41	82.30	-46.89	peak	
3	460.680	36.75	4.09	40.84	82.30	-41.46	peak	
4	714.820	37.72	8.35	46.07	82.30	-36.23	peak	
5	797.270	37.91	9.80	47.71	82.30	-34.59	peak	
6 *	885.540	41.92	9.94	51.86	82.30	-30.44	peak	

Test Mode : LTE Band 26_TX Low CH_15MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	33.880	48.39	-2.43	45.96	82.30	-36.34	peak	
2	149.310	36.02	-0.64	35.38	82.30	-46.92	peak	
3	508.210	37.30	4.74	42.04	82.30	-40.26	peak	
4	665.350	38.03	7.40	45.43	82.30	-36.87	peak	
5	793.390	37.20	9.72	46.92	82.30	-35.38	peak	
6 *	870.020	44.92	9.84	54.76	82.30	-27.54	peak	

Test Mode : LTE Band 26_TX Low CH_15MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	34.850	47.19	-2.34	44.85	82.30	-37.45	peak	
2	167.740	36.02	-0.84	35.18	82.30	-47.12	peak	
3	383.080	36.30	2.23	38.53	82.30	-43.77	peak	
4	438.370	37.78	3.57	41.35	82.30	-40.95	peak	
5	700.270	37.28	8.16	45.44	82.30	-36.86	peak	
6 *	877.780	45.15	9.89	55.04	82.30	-27.26	peak	

Test Mode : LTE Band 26_TX Mid CH_15MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	47.26	-2.43	44.83	82.30	-37.47	peak	
2	151.250	36.23	-0.60	35.63	82.30	-46.67	peak	
3	473.290	37.26	4.26	41.52	82.30	-40.78	peak	
4	668.260	38.29	7.46	45.75	82.30	-36.55	peak	
5 *	876.810	44.10	9.88	53.98	82.30	-28.32	peak	
6	968.960	38.00	11.49	49.49	82.30	-32.81	peak	

Test Mode : LTE Band 26_TX Mid CH_15MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	46.99	-2.43	44.56	82.30	-37.74	peak	
2	145.430	36.35	-0.87	35.48	82.30	-46.82	peak	
3	427.700	36.82	3.24	40.06	82.30	-42.24	peak	
4	619.760	36.87	6.97	43.84	82.30	-38.46	peak	
5	723.550	37.94	8.47	46.41	82.30	-35.89	peak	
6 *	876.810	44.97	9.88	54.85	82.30	-27.45	peak	

Test Mode : LTE Band 26_TX High CH_15MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	45.20	-2.43	42.77	82.30	-39.53	peak	
2	160.950	36.77	-0.71	36.06	82.30	-46.24	peak	
3	464.560	38.22	4.14	42.36	82.30	-39.94	peak	
4	605.210	36.46	6.93	43.39	82.30	-38.91	peak	
5	690.570	37.31	7.95	45.26	82.30	-37.04	peak	
6 *	891.360	43.63	9.97	53.60	82.30	-28.70	peak	

Test Mode : LTE Band 26_TX High CH_15MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	31.940	45.31	-2.49	42.82	82.30	-39.48	peak	
2	161.920	36.45	-0.71	35.74	82.30	-46.56	peak	
3	462.620	37.27	4.11	41.38	82.30	-40.92	peak	
4	659.530	37.25	7.26	44.51	82.30	-37.79	peak	
5	768.170	38.16	9.20	47.36	82.30	-34.94	peak	
6 *	882.630	45.21	9.92	55.13	82.30	-27.17	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)


Test Mode : GSM850_TX CH190_GSM

Vertical




Test Mode : GSM850_TX CH190_GSM

Horizontal




Test Mode : WCDMA Band V_TX CH4182

Vertical




Test Mode : WCDMA Band V_TX CH4182

Horizontal



Test Mode : LTE Band 5_TX Low CH_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	6256.000	36.86	8.60	45.46	82.30	-36.84	peak	

Test Mode : LTE Band 5_TX Low CH_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	2476.000	41.90	3.42	45.32	82.30	-36.98	peak	

Test Mode : LTE Band 5_TX Mid CH_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	9478.000	36.77	13.46	50.23	82.30	-32.07	peak	

Test Mode : LTE Band 5_TX Mid CH_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	2494.000	45.05	3.50	48.55	82.30	-33.75	peak	

Test Mode : LTE Band 5_TX High CH_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	9505.000	36.26	13.49	49.75	82.30	-32.55	peak	

Test Mode : LTE Band 5_TX High CH_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2521.000	42.09	3.57	45.66	82.30	-36.64	peak	

Test Mode : LTE Band 26_TX Low CH_15MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	9541.000	36.34	13.41	49.75	82.30	-32.55	peak	

Test Mode : LTE Band 26_TX Low CH_15MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	2476.000	42.17	3.42	45.59	82.30	-36.71	peak	