






Date: 11.MAR.2026 13:30:20

Band2-10MHz-64QAM-19150-1RB#0-PASS




Date: 11.MAR.2026 13:30:37

Band2-10MHz-64QAM-19150-50RB#0-PASS




Date: 11.MAR.2026 13:30:13

Band2-10MHz-16QAM-19150-1RB#0-PASS




Date: 11.MAR.2026 13:30:30

Band2-10MHz-16QAM-19150-50RB#0-PASS




Date: 11.MAR.2026 14:13:52

Band2-15MHz-QPSK-18675-1RB#0-PASS




Date: 11.MAR.2026 14:14:12

Band2-15MHz-QPSK-18675-75RB#0-PASS




Date: 11.MAR.2026 14:14:05

Band2-15MHz-64QAM-18675-1RB#0-PASS




Date: 11.MAR.2026 14:14:25


Band2-15MHz-64QAM-18675-75RB#0-PASS




Band2-15MHz-16QAM-18675-1RB#0-PASS




Band2-15MHz-16QAM-18675-75RB#0-PASS



Band2-15MHz-QPSK-18900-1RB#0-PASS




Band2-15MHz-QPSK-18900-75RB#0-PASS




Date: 11.MAR.2026 14:14:47

Band2-15MHz-64QAM-18900-1RB#0-PASS




Date: 11.MAR.2026 14:15:06

Band2-15MHz-64QAM-18900-75RB#0-PASS




Date: 11.MAR.2026 14:14:40

Band2-15MHz-16QAM-18900-1RB#0-PASS




Date: 11.MAR.2026 14:14:59

Band2-15MHz-16QAM-18900-75RB#0-PASS




Date: 11.MAR.2026 14:15:15

Band2-15MHz-QPSK-19125-1RB#0-PASS




Date: 11.MAR.2026 14:15:34

Band2-15MHz-QPSK-19125-75RB#0-PASS




Date: 11.MAR.2026 14:15:28

Band2-15MHz-64QAM-19125-1RB#0-PASS




Date: 11.MAR.2026 14:15:47

Band2-15MHz-64QAM-19125-75RB#0-PASS




Date: 11.MAR.2026 14:15:21

Band2-15MHz-16QAM-19125-1RB#0-PASS




Date: 11.MAR.2026 14:15:41

Band2-15MHz-16QAM-19125-75RB#0-PASS




Date: 13.MAR.2026 05:25:22

Band2-20MHz-QPSK-18700-1RB#0-PASS




Date: 13.MAR.2026 05:27:03

Band2-20MHz-QPSK-18700-100RB#0-PASS




Date: 13.MAR.2026 05:26:28

Band2-20MHz-64QAM-18700-1RB#0-PASS




Date: 13.MAR.2026 05:28:08

Band2-20MHz-64QAM-18700-100RB#0-PASS




Date: 13.MAR.2026 05:25:54

Band2-20MHz-16QAM-18700-1RB#0-PASS




Date: 13.MAR.2026 05:27:34

Band2-20MHz-16QAM-18700-100RB#0-PASS




Date: 13.MAR.2026 05:28:45

Band2-20MHz-QPSK-18900-1RB#0-PASS




Date: 13.MAR.2026 05:30:25

Band2-20MHz-QPSK-18900-100RB#0-PASS




Date: 13.MAR.2026 05:29:50

Band2-20MHz-64QAM-18900-1RB#0-PASS




Date: 13.MAR.2026 05:31:30

Band2-20MHz-64QAM-18900-100RB#0-PASS




Date: 13.MAR.2026 05:29:16

Band2-20MHz-16QAM-18900-1RB#0-PASS




Date: 13.MAR.2026 05:30:56

Band2-20MHz-16QAM-18900-100RB#0-PASS




Date: 13.MAR.2026 05:32:07

Band2-20MHz-QPSK-19100-1RB#0-PASS




Date: 13.MAR.2026 05:33:47

Band2-20MHz-QPSK-19100-100RB#0-PASS




Date: 13.MAR.2026 05:33:13

Band2-20MHz-64QAM-19100-1RB#0-PASS




Date: 13.MAR.2026 05:34:52

Band2-20MHz-64QAM-19100-100RB#0-PASS



Date: 13.MAR.2026 05:32:38

Band2-20MHz-16QAM-19100-1RB#0-PASS



Date: 13.MAR.2026 05:34:18

Band2-20MHz-16QAM-19100-100RB#0-PASS

APPENDIX I - FREQUENCY STABILITY

For PCS 1900

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
GSM1900	512	VN	NT	1850.0791	1850.3209	1850-1910	PASS
GSM1900	512	VL	NT	1850.0781	1850.3219	1850-1910	PASS
GSM1900	512	VH	NT	1850.0781	1850.3229	1850-1910	PASS
GSM1900	661	VN	NT	1879.8786	1880.1214	1850-1910	PASS
GSM1900	661	VL	NT	1879.8781	1880.1224	1850-1910	PASS
GSM1900	661	VH	NT	1879.8776	1880.1219	1850-1910	PASS
GSM1900	810	VN	NT	1909.6781	1909.9229	1850-1910	PASS
GSM1900	810	VL	NT	1909.6776	1909.9229	1850-1910	PASS
GSM1900	810	VH	NT	1909.6781	1909.9219	1850-1910	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
GSM1900	512	NV	-30	1850.0781	1850.3224	1850-1910	PASS
GSM1900	512	NV	-20	1850.0786	1850.3214	1850-1910	PASS
GSM1900	512	NV	-10	1850.0781	1850.3224	1850-1910	PASS
GSM1900	512	NV	0	1850.0791	1850.3209	1850-1910	PASS
GSM1900	512	NV	10	1850.0786	1850.3224	1850-1910	PASS
GSM1900	512	NV	20	1850.0786	1850.3219	1850-1910	PASS
GSM1900	512	NV	30	1850.0786	1850.3219	1850-1910	PASS
GSM1900	512	NV	40	1850.0776	1850.3219	1850-1910	PASS
GSM1900	512	NV	50	1850.0796	1850.3209	1850-1910	PASS
GSM1900	661	NV	-30	1879.8776	1880.1224	1850-1910	PASS
GSM1900	661	NV	-20	1879.8781	1880.1224	1850-1910	PASS
GSM1900	661	NV	-10	1879.8781	1880.1214	1850-1910	PASS
GSM1900	661	NV	0	1879.8791	1880.1214	1850-1910	PASS
GSM1900	661	NV	10	1879.8781	1880.1224	1850-1910	PASS
GSM1900	661	NV	20	1879.8776	1880.1219	1850-1910	PASS
GSM1900	661	NV	30	1879.8781	1880.1224	1850-1910	PASS
GSM1900	661	NV	40	1879.8771	1880.1229	1850-1910	PASS
GSM1900	661	NV	50	1879.8786	1880.1229	1850-1910	PASS
GSM1900	810	NV	-30	1909.6781	1909.9224	1850-1910	PASS
GSM1900	810	NV	-20	1909.6791	1909.9219	1850-1910	PASS
GSM1900	810	NV	-10	1909.6776	1909.9229	1850-1910	PASS
GSM1900	810	NV	0	1909.6791	1909.9219	1850-1910	PASS
GSM1900	810	NV	10	1909.6786	1909.9219	1850-1910	PASS
GSM1900	810	NV	20	1909.6786	1909.9209	1850-1910	PASS
GSM1900	810	NV	30	1909.6776	1909.9229	1850-1910	PASS
GSM1900	810	NV	40	1909.6781	1909.9224	1850-1910	PASS
GSM1900	810	NV	50	1909.6786	1909.9229	1850-1910	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

For WCDMA

Voltage

Band	Channel	Voltage (Vdc)	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band2	9262	VN	NT	1850.3321	1854.4579	1850-1910	PASS
Band2	9262	VL	NT	1850.3421	1854.4579	1850-1910	PASS
Band2	9262	VH	NT	1850.3421	1854.4679	1850-1910	PASS
Band2	9400	VN	NT	1877.9421	1882.0579	1850-1910	PASS
Band2	9400	VL	NT	1877.9321	1882.0579	1850-1910	PASS
Band2	9400	VH	NT	1877.9421	1882.0480	1850-1910	PASS
Band2	9538	VN	NT	1905.5321	1909.6480	1850-1910	PASS
Band2	9538	VL	NT	1905.5321	1909.6579	1850-1910	PASS
Band2	9538	VH	NT	1905.5321	1909.6480	1850-1910	PASS

Temperature

Band	Channel	Voltage (Vdc)	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band2	9262	NV	-30	1850.3421	1854.4579	1850-1910	PASS
Band2	9262	NV	-20	1850.3421	1854.4579	1850-1910	PASS
Band2	9262	NV	-10	1850.3421	1854.4579	1850-1910	PASS
Band2	9262	NV	0	1850.3421	1854.4579	1850-1910	PASS
Band2	9262	NV	10	1850.3421	1854.4579	1850-1910	PASS
Band2	9262	NV	20	1850.3321	1854.4679	1850-1910	PASS
Band2	9262	NV	30	1850.3421	1854.4579	1850-1910	PASS
Band2	9262	NV	40	1850.3421	1854.4779	1850-1910	PASS
Band2	9262	NV	50	1850.3421	1854.4480	1850-1910	PASS
Band2	9400	NV	-30	1877.9321	1882.0579	1850-1910	PASS
Band2	9400	NV	-20	1877.9421	1882.0579	1850-1910	PASS
Band2	9400	NV	-10	1877.9321	1882.0480	1850-1910	PASS
Band2	9400	NV	0	1877.9321	1882.0579	1850-1910	PASS
Band2	9400	NV	10	1877.9421	1882.0480	1850-1910	PASS
Band2	9400	NV	20	1877.9321	1882.0579	1850-1910	PASS
Band2	9400	NV	30	1877.9421	1882.0579	1850-1910	PASS
Band2	9400	NV	40	1877.9321	1882.0579	1850-1910	PASS
Band2	9400	NV	50	1877.9321	1882.0579	1850-1910	PASS
Band2	9538	NV	-30	1905.5321	1909.6579	1850-1910	PASS
Band2	9538	NV	-20	1905.5321	1909.6480	1850-1910	PASS
Band2	9538	NV	-10	1905.5321	1909.6579	1850-1910	PASS
Band2	9538	NV	0	1905.5321	1909.6579	1850-1910	PASS
Band2	9538	NV	10	1905.5421	1909.6480	1850-1910	PASS
Band2	9538	NV	20	1905.5321	1909.6579	1850-1910	PASS
Band2	9538	NV	30	1905.5321	1909.6579	1850-1910	PASS
Band2	9538	NV	40	1905.5321	1909.6579	1850-1910	PASS
Band2	9538	NV	50	1905.5321	1909.6480	1850-1910	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

For LTE

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	VN	NT	1851.0889	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	VL	NT	1851.0889	1868.9510	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	VH	NT	1851.0889	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	VN	NT	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	VL	NT	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	VH	NT	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	VN	NT	1891.0490	1908.8711	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	VL	NT	1891.0889	1908.9111	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	VH	NT	1891.0490	1908.8711	1850-1910	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	NV	-30	1851.0889	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	-20	1851.1289	1868.9510	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	-10	1851.0889	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	0	1851.0889	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	10	1851.0490	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	20	1851.0889	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	30	1851.0889	1868.9510	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	40	1851.0889	1868.9510	1850-1910	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	50	1851.0889	1868.9111	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-30	1860.0200	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-20	1860.0200	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-10	1860.0200	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	0	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	10	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	20	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	30	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	40	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	50	1860.0599	1869.0110	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	-30	1891.0889	1908.9111	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	-20	1891.0490	1908.8711	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	-10	1891.0490	1908.9111	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	0	1891.0889	1908.9111	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	10	1891.0889	1908.8711	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	20	1891.0889	1908.9111	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	30	1891.0490	1908.8711	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	40	1891.0490	1908.8711	1850-1910	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	50	1891.0490	1908.8711	1850-1910	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

End of Test Report